


Microsoft Fabric

Platform, Security and Governance

Codan





SESSION AGENDA

01 Fabric

Enabling Fabric

03 Administration

Admin Portal
Tenant Settings
Manage Workspaces
Capacity Notifications

02 Fabric Regions

Regional availability
Home region
Multi-Geo support

04 Version Control

Git settings

01 Fabric



Enabling Microsoft Fabric

When the tenant setting for Microsoft Fabric is activated, users gain the ability to generate Fabric items within that particular tenant, unless capacity admins have specifically deactivated it for a particular capacity.


Tenant level


Microsoft Fabric is made accessible to either all users in the tenant or a chosen group of users.

Capacity Level

Capacity admins can override Fabric accessibility setting at capacity Level through **Users can create Fabric items** setting.

02 Fabric Regions





Regional availability

Fabric region availability as of today

In every Azure geography, there exist one or more regions, each built to satisfy distinct data residency and compliance requirements.

Asia Pacific

- AustraliaEast
- AustraliaSoutheast
- CentralIndia
- EastAsia
- IsraelCentral*
- JapanEast
- JapanWest*
- KoreaCentral
- SoutheastAsia
- SouthIndia

Europe

- NorthEurope*
- WestEurope
- FranceCentral
- GermanyWestCentral
- ItalyNorth
- NorwayEast
- PolandCentral
- SpainCentral
- SwedenCentral
- SwitzerlandNorth
- SwitzerlandWest*
- UKSouth
- UKWest

Americas


- BrazilSouth
- CanadaCentral
- CanadaEast*
- CentralUS
- EastUS
- EastUS2
- MexicoCentral
- NorthCentralUS
- SouthCentralUS*
- WestUS
- WestUS2
- WestUS3

Middle East and Africa

- SouthAfricaNorth
- UAENorth

To review the updated region availability details, please review the documentation - <https://learn.microsoft.com/en-us/fabric/admin/region-availability>

* Service availability restrictions may apply





Home Region

Workspaces - Data residency


With the largest global footprint, Fabric multi-geo capacities allows control over content storage location in one of **54 data centers world-wide**

Workspaces can reside in **different regions** around the world while still being part of the same data lake.



Find your Fabric home region

Navigate to help pane and choose **About Microsoft fabric**



Microsoft Fabric

©Microsoft Corporation 2023. All rights reserved.

Service version: 13.0.20726.41

Client version: 2305.3.13815-train

Activity ID: bc079f7e-ba5b-4af7-af49-b71bf14e6b7f

App Instance ID: 9jbmn

Tenant URL: <https://contoso.com/home?ctid=72f988bf-86f1-41>


Your data is stored in West Central US

Tue May 09 2023 10:53:52 GMT+0300 (Israel Daylight Time)

Copy all

Multi-Geo support

- Multi-Geo is a Fabric feature addresses regional, industry-specific, or organizational data residency requirements
- As a Fabric customer, you can deploy content to data centers in regions other than the home region of the Fabric tenant
- A geo (geography) can contain more than one region.



Multi-Geo support

View capacity regions

In the Admin portal, you can view all the capacities for your tenant and the regions where they're currently located.

Admin portal

Capacity settings

Refresh summary

Help + support

Power BI Premium Power BI Embedded **Trial** Fabric Capacity


[Learn more about Trial capacities](#)

CAPACITY NAME	CAPACITY ADMINS	ACTIONS	CAPACITY UNITS	REGION	STATUS
Trial-20240222T174238Z-q...	Felix Amevor		64	Central US	Active



03 License Administration & Monitoring

Managing Users, Groups, and Licenses



- User management, groups, and licenses are handled in Microsoft 365 Admin Center and Microsoft Entra ID.
- Fabric Admins need to collaborate with M365 and Entra ID admins to manage access, roles, and licensing.
- Key tasks involve:
 - Managing security & Microsoft 365 groups for access control.
 - Assigning licenses (Free, Pro, PPU).
 - Enabling or restricting self-service purchases & trial licenses.
- It is possible to automate license management via API.

Self-Service Purchasing & Trial Licenses

- Fabric admins should align with IT policies to decide if self-service licensing should be restricted.

Setting	Effect	Recommendation
Allow Self-Service Purchasing?	Lets users buy Pro or PPU licenses directly via Microsoft	Disable if IT wants centralized control over license assignments
Allow Trial Licenses?	Lets users activate Fabric trials without IT approval	Disable if unmanaged trials could cause compliance issues
Enforce Admin Approval for License Upgrades?	Prevents users from switching from Free to Pro/PPU on their own	Recommended for budget control

Microsoft Fabric simplicity

Microsoft Fabric is a unified product for all your data and analytics workloads. Rather than provisioning and managing separate compute for each workload, with Microsoft Fabric, your bill is determined by two variables: the amount of compute you provision and the amount of storage you use.



COMPUTE

A shared pool of capacity that powers all capabilities in Microsoft Fabric.

Pay-as-you-go and 1-year Reservation.



STORAGE

A single place to store all data.

Pay-as-you-go (\$ per GB/month).

External Guest Users – Controlling Outside Access


- Controls how external users (B2B) can access Fabric content.
- Managed through Microsoft Entra ID (Azure AD) & Fabric settings.

Setting	Effect & Recommended Use Case
Allow guest access to Fabric	Lets external users access Fabric content. Enable if collaboration with partners is needed.
Users can invite guests	Allows internal users to share content with external users. Use for controlled external collaboration.
Guests can browse content	Lets guests explore and find shared Fabric content. Restrict unless necessary.
Show guests in suggested people	Suggests guest users when sharing items. Useful for frequent external collaboration.
Guests can receive email subscriptions	Allows guest users to get scheduled reports and alerts. Enable if external reporting is required.
Guests can use shared semantic models	Lets external users connect to shared models from their own tenants. Useful for federated data sharing.

Sharing & Export Settings

- Controls how users share reports, dashboards, and datasets.
- Determines who can export data and use embedded reports in external applications.

Setting	Effect & Recommended Use Case
Allow shareable links (Org-wide access)	Lets users create shareable links that grant access to anyone in the organization. Useful for broad internal collaboration but should be monitored.
Allow specific users to enable external data sharing	Controls who can share Fabric content externally. Restrict to admin-approved users for compliance.
Publish to Web	Makes reports publicly accessible via a web link. High risk—use only for non-sensitive content.
Export to Excel, CSV, Word, etc.	Allows users to download data. Limit in sensitive environments to prevent data leaks.
Use semantic models in Excel (Live Connection)	Lets users analyze data models directly in Excel. Useful for business analysts but should be governed.
Use semantic models across workspaces	Enables dataset reuse across different workspaces. Helps avoid duplication but requires proper access controls.



Microsoft Fabric admin

Collaboration Across Admin Roles

- User provisioning & licensing → Microsoft 365 Admins
- Security & compliance policies → Purview & Security Admins
- Conditional access & authentication → Entra ID Admins

Admin Portal	Purpose
Microsoft Fabric Admin Portal	Tenant-level Fabric settings and governance
Microsoft 365 Admin Portal	User and licensing management
Microsoft 365 Security & Microsoft Purview Compliance Portal	Security, DLP, and compliance controls
Microsoft Entra ID (Azure Portal)	Identity, access control, and authentication

Use [Microsoft Entra PIM](#) to grant just-in-time (JIT) access to admin roles for better security and compliance.

Admin roles in Microsoft Fabric

Microsoft Fabric Administrator:

This role has broad control over Fabric settings and resources, including the ability to manage users, capacities, and tenant settings.

Capacity Administrator:

This role focuses on managing Fabric capacities, including allocating resources and monitoring performance.

Domain Administrator:

This role manages specific domains within Fabric, ensuring data governance and access control within those domains.



Workspace Administrator:

This role manages a specific workspace, including permissions, settings, and access to the content within the workspace.


Assign roles to cascade admin rights with precision

Establish a well-structured and governed environment


Each role has specific scopes and functionalities, enabling management and governance of the entire tenant, domains, capacities, and workspaces with precision.




Content management levels in Fabric



Manage Workspaces




Create a logical data mesh to simplify management and increase usage



Capacities

Easily manage multiple capacities in a single tenant to **better manage cost**



Domains and subdomains

Group data and workspaces together into a domain and sub domains to establish a **data mesh architecture**




The screenshot shows the 'Data Factory' workspace interface. It displays a table of items with columns for 'Name', 'Type', 'Owner', 'Refreshed', 'Next refresh', and 'Etc'. The table lists various items like 'SalesLakehouse', 'SampleLakehouse', 'SampleQuery', etc.

Name	Type	Owner	Refreshed	Next refresh	Etc
SalesLakehouse	Dataset (default)	Sample-workspace1	4/10/23, 4:40:51 PM	N/A	...
SalesLakehouse	SQL endpoint	Sample-workspace1	...	N/A	...
SampleEquipment	Experiment	Yichen Wu	...	...	...
SampleKQLQueryset	KQL Queryset	Yichen Wu	...	...	...
SampleKustoDB	KQL Database	Yichen Wu	...	...	...
SampleLakehouse	Lakehouse	Yichen Wu	...	...	...
SampleModel	Model	Yichen Wu	...	...	...
SampleNotebook	Notebook	Yichen Wu	...	...	...
SamplePipeline	Data pipeline	Yichen Wu	...	...	...

Workspaces

Group items like lakehouses, warehouses, and reports into workspaces to organize and more easily manage items together




Capacities

Use tenants, capacities, domains, and workspaces to organize your data into a **logical data mesh**

Each tenant can have **multiple capacities** that each have a distinct pool of resources to help you control spend at a granular level

You can **assign workspaces** to specific capacities to separate capacity consumption

Easily **pause, resume, scale, and throttle** your capacity all from the Admin Portal




Domains and subdomains

Create a federated data mesh by **grouping together data** relevant to a particular area or field (e.g., department) in domains and subdomains.

Find relevant data faster by filtering and finding content by domain and subdomains.



Assign domain roles and admins and delegate some governance control to the domain-level, enabling each business unit to **define its own rules and restrictions** according to its specific business needs.




Workspaces - Data residency

With the largest global footprint, Fabric multi-geo capacities allows control over content storage location in one of **54 data centers world-wide**

Workspaces can reside in **different regions** around the world while still being part of the same data lake.




Gain fine-grained control over settings across your tenant




Admin portal

Centrally manage, review and apply tenant, domain and capacity settings for the entire Fabric tenant




Tenant and workspace settings

Gain fine-grained control over the features that are made available to your organization and govern workspaces, domains, and capacities across your tenant



Connect to external tools

Easily extract information such as item name, owner, domain id, lineage, sensitivity label, and endorsement status for all items across Fabric, and connect to your 3rd party or homegrown tools




Tenant and workspace settings

Gain fine-grained control over the features that are made available to your organization.

Manage settings for preview features, trial and support, workspaces, information protection, export and sharing, integration, and much more

See detailed descriptions of each workspace and configure the workspace's access list, assigned capacity, description, current state, and more



Metadata scanning via API

Fabric's Scanner APIs enables effective scanning of Fabric's tenant metadata and lineage, including item's name, owner, sensitivity label, endorsement, data source, etc.

Robust enterprise capabilities like authentication with service principal and incremental scans.

Supports 1st and 3rd party catalog tool integration.

Sample Response

Status code: 200

JSON

```
{
  "workspaces": [
    {
      "id": "d507422c-8d6d-4361-ac7a-30074a8cd0a1",
      "name": "V2 shared",
      "type": "Workspace",
      "state": "Active",
      "isOnDedicatedCapacity": false,
      "reports": [
        {
          "id": "c6d072d1-ed20-4b60-8329-16c4b934203b",
          "name": "CompositeModelParams-RLS",
          "datasetId": "132593c4-bf8d-4548-8f25-1ebb16a1613c",
          "createdDateTime": "2020-06-16T08:22:49.14",
          "modifiedDateTime": "2020-06-16T08:22:49.14",
          "modifiedBy": "john@contoso.com",
          "reportType": "PaginatedReport",
          "endorsementDetails": {
            "endorsement": "Certified",
```


Workspaces

Collaborate with colleagues to **create collections** of items such as lakehouses, warehouses, and reports in a workspace.

Associate workspaces with a domain in the admin portal or from WS settings and to adopt that domain's governance policies.

Create a new, **custom default Spark pool** for the workspace (if granted permissions by the capacity admin).

Workspace admins have the flexibility to **set default settings** for their users.



Manage Workspaces – Create Workspace

Name of the workspace

Workspace description

Domain to group workspace Items

Workspace image – personalized workspace image

Contact list – List of contact for workspace support assistance

Create a workspace ×

Name *

✔ This name is available

Description

Domain ⓘ

IT ▼

[Learn more about workspace settings](#) ↗

Workspace image

 ⬆ Upload
↶ Reset

Advanced ^

Contact list * ⓘ


 admin (Owner) ×

Enter users and groups

Manage Workspaces – Create Workspace

License mode Pro , Trial , PPU Embedded Fabric capacity

Fabric capacity if workspace will be hosted in a fabric capacity



Create a workspace

Advanced ^

Contact list * ⓘ

admin (Owner) × Enter users and groups

License mode ⓘ

☒ Pro

Select Pro to use basic Power BI features and collaborate on reports, dashboards, and scorecards. To access a Pro workspace, users need Pro per-user licenses. [Learn more](#)

☐ Trial

Select the free trial per-user license to try all the new features and experiences in Microsoft Fabric for 60 days. A Microsoft Fabric trial license allows users to create Microsoft Fabric items and collaborate with others in a Microsoft Fabric trial capacity. Explore new capabilities in Power BI, Data Factory, Data Engineering, and Real-Time Analytics, among others. [Learn more](#)

☐ Premium per-user

Select Premium per-user to collaborate using Power BI Premium features, including paginated reports, dataflows, and datamarts. To collaborate and share content in a Premium per-user workspace, users need Premium per-user licenses. [Learn more](#)

☐ Premium capacity

Select premium capacity if the workspace will be hosted in a premium capacity. When you share, collaborate on, and distribute Power BI and Microsoft Fabric content, users in the viewer role can access this content without needing a Pro or Premium per-user license. [Learn more](#)

☐ Embedded

Select embedded if the workspace will be hosted in an Azure embedded capacity. ISVs and developers use Power BI Embedded to embed visuals and analytics in their applications. [Learn more](#)

☐ Fabric capacity

Select Fabric capacity if the workspace will be hosted in a Microsoft Fabric capacity. With Fabric capacities, users can create Microsoft Fabric items and collaborate with others using Fabric features and experiences. Explore new capabilities in Power BI, Data Factory, Data Engineering, and Real-Time Analytics, among others. [Learn more](#)

Manage Workspaces as tenant admin

Admin portal

- Tenant settings New
- Usage metrics
- Users
- Premium Per User
- Audit logs
- Domains New
- Capacity settings
 - Refresh summary
- Embed Codes
- Organizational visuals
- Azure connections
- Workspaces**
- Custom branding
- Protection metrics
- Featured content
- Help + support

Workspaces

View personal and group workspaces that exist in your organization. To change users' ability to create workspaces, see [Tenant settings](#).

Refresh

Export

Details

Edit

Access

Reassign workspace

Manage Workspaces

State	Description
Active	A normal workspace. It doesn't indicate anything about usage or what's inside, only that the workspace itself is "normal".
Orphaned	A workspace with no admin user. You need to assign an admin.
Deleted	A deleted workspace. When a workspace is deleted, it enters a retention period. During the retention period, a Microsoft Fabric administrator can restore the workspace. See Workspace retention for detail. When the retention period ends, the workspace enters the <i>Removing</i> state.
Removing	At the end of a deleted workspace's retention period, it moves into the <i>Removing</i> state. During this state, the workspace is permanently removed. Permanently removing a workspace takes a short while, and depends on the service and folder content.
Not found	If the customer's API request includes a workspace ID for a workspace that doesn't belong to the customer's tenant, "Not found" is returned as the status for that ID.

Manage Workspaces

Option	Description
Refresh	Refreshes the workspace list
Export	Exports the table as a .csv file
Details	Lists the items that are contained in the workspace
Edit	Enables you to edit the workspace name and description.
Access	Enables you to manage workspace access. You can use this feature to delete workspaces by first adding yourself to a workspace as an admin then opening the workspace to delete it.
Get access	Grants you temporary access to another user's MyWorkspace.
Capacity	Enables you to assign the workspace to Premium capacity or to remove it from Premium capacity.
Recover	Enables you to restore an orphaned workspace.
Restore	Enables you to restore the MyWorkspace of a user that has left the organization.
Permanently delete	Enables you to permanently delete a deleted collaborative workspace



Manage Workspaces

Workspace management - restore

When a workspace is deleted

It isn't permanently and irrevocably deleted.

It enters a retention period during which it's possible to restore it

Workspace retention period

for personal workspaces (*My workspaces*) is 30 days

for collaborative workspaces is configurable. The default retention period is seven days

workspace retention period

Configurable from 7 to 90 days

Can be changed by Fabric Admin

Can be permanently deleted

At the end of retention period

workspace is deleted permanently

its contents are irretrievably lost.

it will no longer be possible to recover it or its contents



Capacity Monitoring Tools and Notifications

Capacity Admin Permissions

- **Contributor permission**

Add or remove workspaces from capacity

- **Admin permission**

Same as Contributor + change capacity settings, add contributors
Configured in Azure Portal for Power BI Embedded

Not applicable for Trial capacity

Contributor permissions

Enabled for a subset of the organization

People who can add or remove workspaces in this capacity.

Apply to:

- ☐ The entire organization
- ☒ Specific users or groups

Clear all

SA System Administrator ×

Apply

Discard

Admin permissions

People who can change capacity settings, add contributors, and add or remove workspaces from the capacity.


SA System Administrator ×

Apply

Discard

Capacity metrics

Plan capacity
scale-up with
confidence



Capacity Metrics – Tools for Admin usage monitoring

Unified Compute Capacities and Data Governance




Tenant wide visibility into capacity usage

Identify resource usage trends across artifacts and operations

Monitor the impact of throttling to user experience to make scale-up decisions

View preview usage in parallel with production workloads



Fabric Capacity Metrics – Timepoint Drill

High fidelity analysis to investigate capacity usage




Zoom in to analyze workload up to 30 second granularity

View the impact of long-running jobs against capacity

Realtime visibility of in progress operations

Analyze user experience to efficiently scale and optimize



Fabric Capacity Metrics – OneLake Storage

Easy monitoring of storage consumption




Zoom in to analyze workload operations and artifacts with full fidelity down to 30 second granularity

View the impact of long-running jobs against capacity limits with smoothing applied

Realtime visibility of in progress operations

Analyze user experience to efficiently scale and optimize



Capacity Notifications

Configure capacity notifications

- 1. In the Power BI service, go to **Settings > Settings > Admin portal**.
- 2. In the *Admin portal*, select **Capacity settings**.
- 3. Select the capacity you want to configure notifications for.
- 4. Expand the **Notifications** section.



Notifications →

Item settings →

Developer settings →

Resources and extensions

Manage personal storage →

Power BI settings →

Manage connections and gateways →

Manage embed codes →

Azure Analysis Services migrations →

Governance and insights

Admin portal →

Microsoft Purview hub (preview) →

▴ Notifications

Get notified when you're close to exceeding your available capacity (which includes base and Autoscale v-cores).

Send notifications when

- ☐ You're using % of your available capacity
- ☐ You've exceeded your available capacity and might experience slowdowns
- ☐ An Autoscale v-core has been added
- ☐ You've reached your Autoscale maximum

Send notifications to

- ☐ Capacity admins
- ☐ These contacts:

Enter email addresses

Apply Discard

Capacity Notifications

Configure capacity notifications (Contd)..

5. In the section Send notifications when, configure your required notifications as follows:

- You're using ___% of your available capacity - A notification is sent after the capacity reaches the threshold you enter.
- You've exceeded your available capacity and might experience slowdowns - A notification is sent after you reach your capacity limit. After the limit is reached, if you have autoscale enabled, autoscale starts. If you don't have autoscale enabled, throttling is applied to your capacity.
- An Autoscale v-core has been added - A notification is sent after autoscale starts and every time a v-core is added.
- You've reached your Autoscale maximum - A notification is sent when all the autoscale v-cores are fully utilized. Throttling is applied to your capacity if it continues to be overloaded.

6. In the section Send notifications to, select who you want the notifications to be emailed to:

- Capacity admins - Email notifications are sent to all the admins of this capacity.
- These contacts - Enter the emails of the contacts you want to receive notifications.

7. Select Apply

Capacity Notifications

Considerations and limitations

- Timestamps aren't included in notification emails.
- Notification emails don't list by how much a threshold was crossed.
- After a notification is sent, there's a three-hour period in which new notifications won't be sent, even if your capacity crosses thresholds that are set to trigger these notifications.
- A 30-seconds window is applied to calculate your capacity usage.

Admin portal




Admin Portal and monitoring

Includes settings that govern Microsoft Fabric including how users interact with Microsoft Fabric

A fabric license is needed (free, Pro or Premium per-user - PPU)

The following roles can access this portal:

- Global Administrator
- Power Platform Administrator
- Fabric Administrator



Admin portal


View usage metrics, users, audit logs, domains, workspace settings, connections, and much more all from a single, unified admin portal.

Centrally manage, review and apply tenant, domain and capacity settings for the entire Fabric tenant.

Automate admin operations using nearly a hundred APIs.

The following roles can access this portal:

- Global Administrator
- Power Platform Administrator
- Fabric Administrator



What can I do in the admin portal

Provides capabilities to control wide range of settings

Feature	Description
Tenant settings	Enable, disable, and configure Microsoft Fabric.
Usage metrics	View usage metrics related to your organization.
Users	Manage users in the Microsoft 365 admin portal.
Premium Per User	Configure auto refresh and dataset workload settings.
Audit logs	Audit Microsoft Fabric activities in the Microsoft Purview compliance portal.
Capacity settings	Manage Microsoft Fabric F, Power BI Premium P, and Power BI Embedded EM and A capacities.
Refresh summary	Schedule refresh on a capacity and view the details of refreshes that occurred.
Embed codes	View and manage the embed codes that have been generated for your organization to share reports publicly.
Organizational visuals	View, add, and manage which type of Power BI visuals users can access across the organization.
Azure connections	Configure and manage connections to Azure resources.
Workspaces	View and manage the workspaces that exist in your organization.
Custom branding	Change the look and feel of the Microsoft Fabric to match your organization's own branding.
Protection metrics	Monitor and track sensitivity label usage and adoption in your organization.
Featured content	Manage the reports, dashboards, and apps that were promoted to the Featured section on your Home page.

Over 30 Groups containing more than 100 Settings

- Governance & Security
 - Domain management
 - Information protection
 - Audit and usage
 - Semantic Model Security
- User Access & Experience
 - Workspace
 - Export and sharing
 - Discovery
 - User experience experiments
- Data & Analytics
 - Insights
 - Metrics
 - Data model
- Development & Integration
 - Developer
 - Admin API
 - Git integration
 - Copilot and Azure OpenAI Service



Home



Create



Browse



Data hub



Monitoring hub



Workspaces



My workspace

Admin portal

Usage metrics

Users

Premium Per User

Audit logs

Domains (preview)

Tenant settings

Capacity settings

Refresh summary

Embed Codes

Organizational visuals

Azure connections

Workspaces

Custom branding

Protection metrics

Featured content

Information protection

▸ Allow users to apply sensitivity labels for content

Enabled for the entire organization

With this setting enabled, Microsoft Purview Information Protection sensitivity labels published to users by your organization can be applied. All [prerequisite steps](#) must be completed before enabling this setting.

Note: Sensitivity label settings, such as encryption and content marking for files and emails, are not applied to content. [Learn More](#)

Visit the [Microsoft Purview compliance portal](#) to view sensitivity label settings for your organization.

Note: Sensitivity labels and protection are only applied to files exported to Excel, PowerPoint, or PDF files, that are controlled by "Export to Excel" and "Export reports as PowerPoint presentation or PDF documents" settings. All other export and sharing options do not support the application of sensitivity labels and protection.

☒ Enabled

ⓘ The setting below determines which users in the organization can apply and change sensitivity labels. All other users in the organization can only view the labels.

Apply to:

☒ The entire organization☐ Specific security groups☐ Except specific security groups

Apply

Cancel

▸ Apply sensitivity labels from data sources to their data in Power BI

Enabled for the entire organization

▸ Automatically apply sensitivity labels to downstream content

Enabled for the entire organization

▸ Allow workspace admins to override automatically applied sensitivity labels

Enabled for the entire organization

▸ Restrict content with protected labels from being shared via link with everyone in your organization

Disabled for the entire organization



Home



Create



Browse



Data hub



Monitoring hub



Workspaces



Admin monitoring



Data Engineering

Admin portal

Usage metrics

Users

Premium Per User

Audit logs

Domains (preview)

Tenant settings

Capacity settings

Refresh summary

Embed Codes

Organizational visuals

Azure connections

Workspaces

Custom branding

Protection metrics

Featured content

Fabric capacity > Fabric Cap2 EUS

Fabric capacity

Fabric Capacity is a set of computing resources used for creating, publishing, and sharing Microsoft Fabric items. Fabric Capacities are purchased through Microsoft Azure services. [Learn more](#)

Details Delegated tenant settings

▸ Capacity usage report

▸ Notifications

▸ Contributor permissions

Disabled for the entire organization

▸ Admin permissions

▸ Power BI workloads

▸ Preferred capacity for My workspace

▸ Data Engineering/Science Settings

▸ Workspaces assigned to this capacity

How to use the tenant settings....

Enable Setting for the whole organization

Disable Setting for the whole organization

Exception to disable setting for Entra ID group

4 Certification

Disabled for the entire organization

Choose whether people in your org or specific security groups can certify items (like apps, reports, or datamarts) as trusted sources for the wider organization.

Note: When a user certifies an item, their contact details will be visible along with the certification badge.

☐ Disabled

Apply

Cancel

4 Download reports

Enabled for the entire organization

Users in the organization can download .pbix files and paginated reports. [Learn More](#)

☒ Enabled

Apply to:

☒ The entire organization

☐ Specific security groups

☐ Except specific security groups

Apply

Cancel

4 Export reports as XML documents

Enabled for a subset of the organization

Users in the organization can export Paginated reports as XML documents.

☒ Enabled

Apply to:

☒ The entire organization

☐ Specific security groups

☒ Except specific security groups

☐ Denied Enter security groups

Apply

Cancel

How to use the tenant settings....

Enable Setting for a specific Entra ID group

Enable Setting for a specific Entra ID group
Except a specific security Group

⌵

Export reports as XML documents

Enabled for a subset of the organization

Users in the organization can export Paginated reports as XML documents.

Enabled

Apply to:

The entire organization

Specific security groups

A

Allowed

×

Enter security groups

☐

Except specific security groups

Apply

Cancel

⌵

Export reports as XML documents

Enabled for a subset of the organization

Users in the organization can export Paginated reports as XML documents.

Enabled

Apply to:

The entire organization

Specific security groups

A

Allowed

×

Enter security groups

✓

Except specific security groups

D

Denied

×

Enter security groups

Apply

Cancel

Delegating Tenant Settings

- Empowers local admins to manage settings relevant to their area.
- Reduces bottlenecks by decentralizing decision-making.
- Improves governance by ensuring settings align with business needs.
- Important Considerations
 - Not all settings support delegation – check each one individually.
 - Ensure governance by setting clear policies on who can change settings.
 - Monitor changes regularly to avoid misconfigurations.

Git integration

- 4 Users can synchronize workspace items with their Git repositories

Enabled for the entire organization

Users can import and export workspace items to Git repositories for collaboration and version control. Turn off this setting to prevent users from syncing workspace items with their Git repositories. [Learn More](#)

☒ Enabled

Apply to:

☒ The entire organization

☐ Specific security groups

☐ Except specific security groups

Delegate setting to other admins

Select the admins who can view and change this setting, including any security group selections you've made.

☐ Capacity admins can enable/disable

☐ Workspace admins can enable/disable

Governing & Auditing Tenant Settings

- Review tenant settings regularly to ensure they align with governance policies.
- Decide on tenant settings based on security, compliance, and business needs.
- Update tenant settings when organizational requirements change.
- Document tenant settings for transparency and governance.
- Use the Tenant Settings API for automation.
- Manage tenant settings effectively to balance security and usability.
- Audit tenant settings to track changes and ensure compliance.

Read tenant settings via API

GetTenantSettingsAsAdmin API returns information on settings applied at a tenant-level in a programmatic fashion

Admin- Tenant Settings- GetTenantSettingsAsAdmin

Returns a list of tenant settings for the organization.

Permissions

The user must have administrator rights (such as Office 365 Global Administrator or Power BI Service Administrator) or authenticate using a service principal.

Required Scope

Tenant.Read.All or Tenant.ReadWrite.All

Endpoint

GET <https://api.fabric.microsoft.com/v1/admin/tenantsettings>

Responses

Name	Type	Description
200 OK	TenantSettings	OK

Examples

Sample Request

GET <https://api.fabric.microsoft.com/v1/admin/tenantsettings>

Sample Response

```
{
  "tenantSettings": [
    {
      "settingName": "Printing",
      "title": "Print dashboards and reports",
      "enabled": true,
      "canSpecifySecurityGroups": true,
      "enabledSecurityGroups": [
        {
          "graphId": "b43118fd-a43e-4046-80c4-afbeb965852a",
          "name": "DigitalTeam"
        }
      ],
      "tenantSettingGroup": "Export and sharing settings"
    },
    {
      "settingName": "CertifyDatasets",
      "title": "Certification",
      "enabled": false,
      "canSpecifySecurityGroups": true,
      "tenantSettingGroup": "Export and sharing settings",
    }
  ]
}
```

Visual cues for new tenant settings

The screenshot displays the Microsoft Fabric Admin portal interface. At the top, the header includes the Microsoft Fabric logo, a search bar, and utility icons for notifications, settings, download, help, and user profile. The left sidebar contains navigation links for Home, Create, Browse, OneLake data hub, Monitoring hub, Metrics, Apps, Deployment pipelines, Learn, Workspaces, and My workspace. The main content area is titled 'Admin portal' and features a 'Tenant settings' section with a 'New' badge. Below this, a list of settings is shown, including Usage metrics, Users, Premium Per User, Audit logs, Domains (preview), Capacity settings, Refresh summary, Embed Codes, Organizational visuals, Azure connections, Workspaces, Custom branding, Protection metrics, Featured content, and Microsoft Purview setting. A prominent notification box at the top right of the main content area states: 'There are new or updated tenant settings. Expand to review the changes.' This box lists four new settings: 'Users can create Fabric items (public preview)', 'Users can work with content that doesn't comply with security requirements', 'Allow 3rd Party access to OneLake APIs', and 'Users can sync data in OneLake with the OneLake File Explorer app'. Below the notification, the 'Microsoft Fabric' section lists 'Users can create Fabric items' with a 'New' badge and the status 'Disabled for the entire organization'. The 'Help and support settings' section lists 'Publish "Get Help" information' (Disabled), 'Receive email notifications for service outages or incidents' (Disabled), 'Users can try Microsoft Fabric paid features' (Enabled), and 'Show a custom message before publishing reports' (Disabled). The 'Workspace settings' section lists 'Create workspaces (new workspace experience)' (Enabled) and 'Use datasets across workspaces' (Enabled).

Microsoft Fabric

Search

Admin portal

Tenant settings **New**

- Usage metrics
- Users
- Premium Per User
- Audit logs
- Domains (preview)
- Capacity settings
- Refresh summary
- Embed Codes
- Organizational visuals
- Azure connections
- Workspaces
- Custom branding
- Protection metrics
- Featured content
- Microsoft Purview setting

ⓘ There are new or updated tenant settings. Expand to review the changes.

- [Users can create Fabric items \(public preview\)](#)
- [Users can work with content that doesn't comply with security requirements](#)
- [Allow 3rd Party access to OneLake APIs](#)
- [Users can sync data in OneLake with the OneLake File Explorer app](#)

Microsoft Fabric

- Users can create Fabric items **New**
Disabled for the entire organization


Help and support settings

- Publish "Get Help" information
Disabled for the entire organization
- Receive email notifications for service outages or incidents
Disabled for the entire organization
- Users can try Microsoft Fabric paid features
Enabled for the entire organization
- Show a custom message before publishing reports
Disabled for the entire organization

Workspace settings

- Create workspaces (new workspace experience)
Enabled for the entire organization
- Use datasets across workspaces
Enabled for the entire organization

Monitoring and insights



Introduction to Fabric Monitoring


Main features and components

M365
Admin Center



Your Fabric estate generates thousands of logs on different levels for different purposes.

Governance in Fabric have clear focus areas, which protects your organization, employees and your data.

For more information:
[Governance and compliance in Microsoft Fabric - Microsoft Fabric | Microsoft Learn](#)





Fabric monitoring personas



Admin monitoring workspace

Fabric built-in admin monitoring is accessible for Users with assigned "Fabric Administrators" EntraID role




Fabric natively integrated with Microsoft Purview

***Additional Microsoft Purview purchase required*



Admin monitoring

- Read-only workspace that provides admins with monitoring capabilities
- Workspace is automatically installed during the first access
- Admins can also share its content with other users
- Automatically refreshed once a day



The screenshot shows the Microsoft Fabric Admin monitoring workspace. The left sidebar contains navigation icons for Home, Workspaces, OneLake, Monitor, Real-Time, Workloads, Admin monitoring (selected), and Content Sharing. The main area displays the 'Admin monitoring' workspace with a table of monitoring items.

	Name	Type
	Content Sharing	Report
	Content Sharing	Semantic model
	Feature Usage and Adoption	Report
	Feature Usage and Adoption	Semantic model
	Purview Hub	Report
	Purview Hub	Semantic model


Admin monitoring workspace reports




Content sharing



Purview Hub






Feature usage & adoption





1/3 Feature Usage and Adoption Report

- Understand how Fabric features are utilized across the organization
- It stores data from the last 30 days




2/3 Content sharing report

- Understand how Fabric items are distributed and shared across the organization




3/3 Purview Hub

- Insights about **Sensitivity labels, Endorsement and Domains** information.
- It mirrors the current tenant state
- Data is synced every 15 min



Additional Reporting App - Fabric Chargeback Reportin



Currently in Preview

Fabric Chargeback Metrics app is a solution to support chargeback calculation for Fabric capacities based on item usage.

The app provides information on chargeback of workspaces and artifacts on basis of

- CPU Usage,
- Duration
- User count.

[What is Microsoft Fabric Chargeback app \(preview\)? - Microsoft Fabric | Microsoft Learn](#)

Custom Capacity Monitoring Solutions

- Modify the Metrics App to meet your needs
- Build a custom report off the semantic model
- Send DAX queries to the metrics app semantic model in your own solution
 - Power Automate, Notebook (SemPy), PowerShell, etc.
 - Get throttling % values (Interactive Delay, Interactive Rejection, and/or Background Rejection)
 - Latest values and/or trends over time
 - Best for summarized data only (e.g., hour, day)

Incorporate Metrics App queries
into custom solutions

The screenshot displays a user interface for configuring queries. At the top, a purple header bar labeled 'DAX Query' contains a code icon, a question mark, and a menu icon. Below this, a yellow header bar labeled 'Query' contains a bar chart icon, a question mark, and a menu icon. The 'Query' section includes three input fields: '* Workspace' with a dropdown menu showing 'Custom value', '* Dataset' with a dropdown menu showing 'Custom value', and '* Query text' with a text area containing a code icon, the word 'Outputs', and a close icon. At the bottom of the 'Query' section is a link 'Show advanced options' with a downward arrow. The interface is connected by plus and minus icons, suggesting it is part of a larger workflow or canvas.

Activity monitoring



Install the Admin Monitoring workspace

- Automatically installed during the first time any Microsoft Fabric admin accesses it.
- To access the admin monitoring workspace, follow these steps:
 - Log into Microsoft Fabric with your account
 - From the left pane, select Workspaces
 - Select Admin monitoring. When you select this option for the first time, the required items are automatically installed.

Workspaces


 Admin monitoring

 My workspace 

All

Admin Monitoring Workspace - Insights in One Place


- One-stop shop for enterprise reporting and analytics
- Data queried from multiple sources, transformed, and landed in a single repository specific to each tenant
- Includes out of the box reporting focused on Fabric tenant management scenarios
- Also includes semantic models for customization
 - Out of the box reporting and curated semantic models made readily available via the workspace
 - Managed, automated data refresh of all semantic models
- Available to all tenants regardless of licensing type or total # of users



<https://learn.microsoft.com/en-us/fabric/admin/monitoring-workspace>


Who is the Admin Monitoring Workspace intended for?

- Global admins and Fabric administrators
- Capacity admins and domain admins
- “Power users” such as multi-workspace admins, COE leads
- It’s possible to add extra users with workspace roles or share the reports directly
- Limitation: Workspace don’t show up in workspace list



Feature usage and adoption report

- Leverages audit data (previously only available via the Activity Events API) for conducting audits and understanding how various Fabric features are utilized across your tenant.
- Audit and inventory-focused
 - Understand what activities are occurring in your tenant, by whom, on which item, and where
 - Audit combined with tenant inventory for understanding your most heavily-utilized and 'dormant' items
 - Analyze custom scenarios via drill through pages and flexible visuals (e.g. decomp tree)



<https://learn.microsoft.com/en-us/fabric/admin/feature-usage-adoption>

Audit logs


The screenshot displays the Microsoft Purview Audit interface. The left sidebar contains navigation links for Home, Compliance Manager, Data classification, Data connectors, Alerts, Reports, Policies, Roles & Scopes, Trials, and Solutions (Catalog, Audit, Content search, Communication compliance, Data loss prevention, eDiscovery, Data lifecycle management, Information protection, Information barriers). The main area is titled 'Audit' and includes tabs for 'New Search', 'Classic Search', and 'Audit retention policies'. Below these tabs, there are statistics for 'Searches completed' (22), 'Active searches' (2), and 'Active unfiltered searches' (1). Search filters include 'Date and time range (UTC)*' with start and end date/time pickers, 'Activities' (Created a warehouse, Created a lakehouse file, Crea...), 'Users' (Add the users whose i...), 'Record type' (Select the record type to search for), 'Keyword Search' (Enter the keyword to search for), 'Workload' (Enter the workload to search for), and 'Search name' (Give the search a nam...). A 'Search' button and a 'Clear all' button are present. Below the filters, there are links for 'Copy this search', 'Delete', and 'Refresh'. A table of search results is displayed with columns: Search name, Job status, Progress, Search ti..., Total results, Creation time (...), and Search performe. The table contains four rows of data.

Search name	Job status	Progress	Search ti...	Total results	Creation time (...)	Search performe
☐ Mar 23 - Apr 24 createshortcut,createwarehouse,crea...	Queued		1s	0	24 Apr 2023 08:35	adminuser@pbid
☐ Apr 23 - Apr 24	Queued		39s	0	24 Apr 2023 08:34	adminuser@pbid
☐ Apr 24 - Apr 24 AdminUser	Completed	100%	6m, 32s	1465	24 Apr 2023 04:17	adminuser@pbid
☐ Apr 24 - Apr 24 AdminUser	Completed	100%	7m, 16s	1424	24 Apr 2023 03:11	adminuser@pbida

- Microsoft Fabric user activities are logged and available in the Microsoft Purview audit log and via admin rest API requests
- Use the Fabric admin monitoring workspace to explore audit logs in Purview
- Log user activities from Microsoft Fabric to support forensic investigations
- You can preserve audit logs to meet regulatory requirements

Workspace monitoring (preview)

KQL database containing detailed logs



Workspace Monitoring (Eventhouse based)

General

- Workspace monitoring is a built-in **near-real-time engine level** monitoring component of Fabric.
- Can be **activated under Workspace settings**
- After enablement, Fabric **creates** the following items in the given workspace:

	Monitoring Eventhouse	Eventhouse
	Monitoring KQL database	KQL Database
	Monitoring_Eventstream	Eventstream

The Eventstream item **streams** the trace logs into the **read-only** Fabric **Eventhouse**.

Important: The Workspace Monitoring feature consumes CU on the current assigned capacity.

[Link: Announcing preview of Workspace Monitoring | Microsoft Fabric Blog | Microsoft Fabric](#)

Workspace settings

- General
- License info
- Azure connections
- System storage
- Git integration
- OneLake
- Workspace identity
- Network security
- Monitoring**

Monitoring


Monitor workspace activity to gain insights into workspace performance.

Add a monitoring Eventhouse


To monitor workspace activity, add a read-only monitoring Eventhouse that includes a KQL database to store data collected in logs. When you add a monitoring Eventhouse, workspace logging is automatically turned on. You can pause logging whenever you need to.

+ Eventhouse


Fabric Workspace Monitoring



Usage metrics report in Workspaces (Reports only)



- Reveal Report impact and guide priorities.





Fabric Unified Admin Monitoring

Advanced analytics capabilities

Intelligent architecture

-  **Modular** building blocks
-  **One-source-of-truth** approach
-  **End-to-end** report experience
-  **Intelligent Optimization** module
-  **Long term** CU utilization analysis
-  **Bring your own data & connect** FUAM





Integrate Git with Microsoft Fabric



Fabric Automation & CI/CD Landscape



GA



Public Preview



Planned

Git
Integration

Command
Line
Interface

Deployment
Pipelines

Fabric REST
APIs

Terraform
Provider


fabric-cicd
Library
(OSS)

Variable
library

.NET SDK

Python SDK

Fabric CI/CD platform



Fabric CI/CD platform

CI- built-in git integration

My Private dev workspace
View and manage the files in your workspace.

+ New Manage access Workspace settings Create app ...

Source control Filter by keyword Filter

Name	Type	Git status	Owner	Refreshed	Next refresh	Endorsement	Sensitivity
Data pipeline	Data pipeline	Not committed	Juliet Barrera	11/23/18, 1:00 PM	11/23/18, 1:00 PM	Certified	Non-business
Datamart	Datamart	Not committed	Juliet Barrera	11/23/18, 1:00 PM	11/23/18, 1:00 PM	Certified	Non-business
My dataflow	Dataflow	Not committed	Jolene Olson	Today, 10:27 AM	11/12/18, 9:00 PM	—	Confidential/Microsoft...
Primary dataflow FY21	Dataflow	Synced	Patrick Chapman	10/11/19, 2:20 PM	11/12/18, 9:00 PM	—	Public
Client Logs DB	Dashboard	Synced	Ina Powers	4/2/19, 7:04 PM	12/12/19, 6:38 PM	—	Highly confidential/M...

Source control
Pull request

dev / my_feature_branch

Changes 4 Updates

Commit message
I have done some changes for the left pane behavior with the grid.

Item	Status
Datamart	⚠
Data pipeline	⚠
My Dataflow	+
Client Logs DB	-

CD- deployment pipelines

My pipeline
Deployment history Manage access Settings ...

Development Learn more
Design, review, and revise your content in a development workspace. When it's ready for testing and previewing, deploy the content to the test slot.

Test Learn more
Design, review, and revise your content in a development workspace. When it's ready for testing and previewing, deploy the content to the test slot.

Production Learn more
Design, review, and revise your content in a development workspace. When it's ready for testing and previewing, deploy the content to the test slot.

Contoso IT workspace [Development] Deployed: 6/11/2019
Dataflows: 3, Datamarts (Preview): 1, Datasets: 3, Reports: 2

Select related
Datamart, My Dataset, API usage metrics, Data pipeline, My Dataflow, API usage metrics

Deploy

Contoso IT workspace [Test] Deployed: 6/11/2019
Dataflows: 3, Datamarts (Preview): 1, Datasets: 3, Reports: 2


Select related
API usage metrics, My Dataset, API usage metrics, Data pipeline, My Dataflow, API usage metrics

Deploy


Contoso IT workspace [Production] Deployed: 6/11/2019
Dataflows: 3, Datamarts (Preview): 1, Datasets: 3, Reports: 2

Show more View app Update app


Development process




Option 1 - Git- based deployments




Option 2 - Git- based deployments using Build environments



Option 3 - Deploy using Fabric deployment pipelines



Option 4 - CI/CD for ISVs in Fabric (managing multiple customers/solutions)




Fabric CLI

```
fab:/$ create ws2.workspace
Creating a new workspace...
* 'ws2.Workspace' created
fab:/$ cd ws2.workspace
* Switched to 'ws2.Workspace'
fab:/ws2.Workspace$ create lh2.lakehouse -P enableSchemas=true
Creating a new Lakehouse...
* 'lh2.Lakehouse' created
fab:/ws2.Workspace$ cp /_ws_cli.workspace/nb1.notebook nb1.notebook -f
Copying '/_ws_cli.Workspace/nb1.Notebook' -> '/ws2.Workspace/nb1.Notebook'...
* Copy completed
fab:/ws2.Workspace$ job start nb1.notebook
Starting job (async) for 'nb1.Notebook'...
* Job instance 'e00356cc-0187-4e2a-a148-17995310374b' created
  -> To see status run 'job run-status /ws2.Workspace/nb1.Notebook --id e00356cc-0187-4e2a-a148-17995310374b'
fab:/ws2.Workspace$
```



Interactive Mode – real time commands

Non-Interactive Mode – Scripting / ADO / GitHub



Git integration is General Available!

- Integrate with Azure Repos (Azure DevOps), Github and Github Enterprise
- Workspace-level integration
- Supports Fabric and Power BI items (some in preview)




enable applicable tenant settings to use GitHub

[Overview of Fabric Git integration - Microsoft Fabric | Microsoft Learn](#)

What can I do with git?

Connect to Azure Repos


- Uses same Entra ID account with ADO
- Connect a workspace to a repo & branch
- Sync items between git and the WS.
- Checkout/switch branch



What can I do with git?

Commit changes to git


- Any changes in the workspace are detected automatically
- Commit any group of items and add a commit message
- Undo changes back to last commit



What can I do with git?

Update changes from git into the workspace

- New commits in connected branch are detected automatically
- Update the changes into the workspace



Deployment history Manage Access Settings ...

Design, review, and revise your content in a development workspace. When it's ready to test and preview, deploy the content to the test stage.

0 0 2 2

Dataflows Datamarts Datasets Reports

Show more ▾

[Publish app](#)

Deploy to test

Test and verify your content in a preproduction workspace. When it's ready to distribute, deploy the content to the production stage.

0 0 2 2

Dataflows Datamarts Datasets Reports

Show more ▾

[Publish app](#) 

Deploy to production

Your content has been tested and is ready to distribute to your consumers as an app or by access to the production workspace.

 0
  0
  2 
  2

Show more ▾

[View app](#)

Update app

Git integration- Important concepts

Workspace in Fabric


- A light-weight container of artifacts
- A shared authoring/ consumption area, based on permissions.
- **No 'Dev mode'**- all items are 'Live'

Git implications

- Authoring can be done in the 2 systems separately.
- Each workspace can be connected only to a **single git branch**


Git integration- main workflows

Authoring through Integrated Development Environment (IDE)



Git integration- main workflows


Authoring through Fabric workspace




Power BI Desktop “Developer Mode”

Public Preview

- From Power BI Desktop, Save As PBIP
 - Folder instead of single binary PBIX file
 - Compatible with the Trident Git format
- Unblock collaboration using Git Repo
 - Only metadata (data is local cache)



From Desktop to Service (and back)



Git representation format

Workspace folder →

Artifact folder →

Artifact folder →

test-sc-workspace

dataset - Historical sales

definition.pbidataset

item.config.json

item.metadata.json

model.bim

dataset - Sales analysis drill...

report - Historical sales

CustomVisuals

StaticResources

definition.pbir

item.config.json

item.metadata.json

report.json

report - Sales analysis drill...

placeholder

M README.md

model.bim

Contents History Compare Blame

```
1 {
2   "compatibilityLevel": 1550,
3   "model": {
4     "annotations": [
5       {
6         "name": "__PBI_TimeIntelligenceEnabled",
7         "value": "1"
8       },
9       {
10        "name": "PBIDesktopVersion",
11        "value": "2.116.6895.2"
12      },
13      {
14        "name": "PBI_QueryOrder",
15        "value": "[\"FactInternetSales\", \"DimCustomer\", \"DimDate\", \"DimProduct\", \"DimGeogra
16      ]
17    ],
18    "culture": "en-US",
19    "cultures": [
20      {
21        "name": "en-US",
22        "linguisticMetadata": {
23          "content": {
24            "DynamicImprovement": "HighConfidence",
25            "Language": "en-US",
26            "Version": "1.0.0"
27          },
28          "contentType": "json"
29        }
30      }
31    ],
32    "dataAccessOptions": {
33      "legacyRedirects": true,
34      "returnErrorValuesAsNull": true
35    },
36    "defaultPowerBIDataSourceVersion": "powerBI_V3",
37    "expressions": [
38      {
39        "name": "Database",
40        "annotations": [
41          {
42            "name": "PBI_NavigationStepName",
43            "value": "Navigation"
44          },
45          {
46            "name": "PBI_ResultType",
47            "value": "Text"
48          }
49        ],
50        "description": "Database name parameter",
51        "expression": "\"AdventureWorksDW2016-Australia\" meta [IsParameterQuery=true, Type=\\\"T
52        \"kind\": \"m\",
53        \"lineageTag\": \"2f14e826-a372-4766-87fe-b0cf689h108a\"

```

Git representation format

Workspace folder →

Notebook folder →

The screenshot displays the Databricks workspace interface. On the left, the 'Workspace' sidebar shows the file hierarchy. The 'Notebooks sample' folder is expanded, revealing 'Historical sales.Dataset', 'Historical sales.Report', and 'Notebook 1.SynapseNoteb...'. The 'Notebook 1.SynapseNoteb...' folder is selected, showing its contents: 'PY artifact.content.py', 'item.config.json', and 'item.metadata.json'. The 'PY artifact.content.py' file is highlighted. On the right, the 'NotebookBranch' dropdown is set to 'NotebookBranch'. The breadcrumb path is 'Notebooks sample / Notebook 1.SynapseNoteb... / artifact.content.py'. The 'Contents' tab is active, showing a message: 'You updated NotebookBranch 3m ago'. Below this, the code content of 'artifact.content.py' is displayed, starting with a Synapse Analytics notebook source header, followed by metadata and a cell containing a welcome message.

```
1 # Synapse Analytics notebook source
2
3 # METADATA *****
4
5 # META {
6 # META   "synapse": {
7 # META     "lakehouse": {
8 # META       "default_lakehouse": "bc55270f-9edc-4356-aa00-462e99091f56",
9 # META       "default_lakehouse_name": "MyFirstLakeHouse",
10 # META      "default_lakehouse_workspace_id": "8e840cae-9fd1-492e-95cf-449f077330b9",
11 # META      "known_lakehouses": [
12 # META        {
13 # META          "id": "bc55270f-9edc-4356-aa00-462e99091f56"
14 # META        }
15 # META      ]
16 # META    }
17 # META  }
18 # META }
19
20 # CELL *****
21
22 # Welcome to your new notebook
23 # Type here in the cell editor to add code!
24 This is my first Notebook in Git!
25
```

Conflicts

Flagging conflicts

- Changes on same item will be marked as 'Conflict'.
- To resolve, user can:
 - 'Undo' + 'Update'
 - 'Checkout branch' + resolve conflicts in ADO.

