Status	Finished
Started	Wednesday, 14 October 2026, 9:05 PM
Completed	Wednesday, 14 October 2026, 9:08 PM
Duration	3 mins 21 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

The readlines() method returns _____

a. a list of lines ✓

b. a list of single characters

c. str

d. a list of integers

The correct answer is:
a list of lines

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for both reading and writing?

a. r

b. w

c. r+ ✓

d. a

The correct answer is: r+

Question **3**

Correct

Mark 1.00 out of 1.00

Which method is used to write a list of strings to a file?

a. write()
b. write_list()
c. writelines() ✓
d. write_all()

The correct answer is: writelines()

Question **4**

Correct

Mark 1.00 out of 1.00

What is the default mode in which the open() function opens a file?

a. Write
b. Read ✓
c. Append
d. Binary

The correct answer is: Read

Question **5**

Correct

Mark 1.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

a. • Move file pointer five characters behind from the current position.

b. • Move file pointer five characters ahead from the current position. ✓

c. • Move file pointer five characters behind ahead from the end of a file.

d. Move file pointer five characters ahead from the beginning

The correct answer is:

• Move file pointer five characters ahead from the current position.

Question **6**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
f = open("test.txt", "w")
f.write("Hello, world!")
f.close()
f = open("test.txt", "r")
print(f.read())
f.close()
```

a. Hello, world! ✓

b. An error is raised

c. Hello

d. world

The correct answer is: Hello, world!

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following methods is used to read a single line from a file?

a. readlines()
b. readline(size)
c. read()
d. readline() ✓

The correct answer is: readline()

Question **8**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for writing in binary format?

a. r+
b. wb ✓
c. w
d. rb

The correct answer is: wb

Question **9**

Correct

Mark 1.00 out of 1.00

Select the correct method to write a list of lines to a file

a. None of the mentioned
b. writelist(list)
c. write(list)
d. writelines(list) ✓

The correct answer is: writelines(list)

Question **10**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in write mode ('w') and the file already exists?

a. It clears the old data and starts fresh ✓
b. It raises an error
c. It appends data to the file
d. It does nothing

The correct answer is: It clears the old data and starts fresh

Question **11**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code if the file "example.txt" contains "Python Programming"?

```
f = open("example.txt", "r")
print(f.read(6))
f.close()
```

a. Python ✓
b. An error is raised
c. Python Programming
d. Program

The correct answer is: Python

Question **12**

Correct

Mark 1.00 out of 1.00

What does the flush() method do in file handling?

a. Moves the file cursor to the beginning
b. Flushes the internal buffer to the file ✓
c. Deletes the file content
d. Closes the file

The correct answer is: Flushes the internal buffer to the file

Question **13**

Correct

Mark 1.00 out of 1.00

What will the read() method return if used on an empty file?

a. 0
b. An empty string ✓
c. EOFError
d. None

The correct answer is: An empty string

Question **14**

Correct

Mark 1.00 out of 1.00

Which method can be used to read all lines of a file into a list?

a. readline()
b. readlines() ✓
c. readlist()
d. read()

The correct answer is: readlines()

Question **15**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

a. move the file pointer to beginning of the file
b. move the file pointer five characters behind from the current position
c. moves the file pointer to the end of a file
d. move the file pointer five characters ahead from the current position ✓

The correct answer is:
move the file pointer five characters ahead from the current position