Liouville's Theorem on integrability via elementary functions

Vanya Vorobiov

Sher

January 15, 2025

Liouville's Theorem

Vanya Vorobiov

Introduction

Basic definitions

What are elementary functions

Liouville's Theorem (statement)

The Main Lemma

Liouville's Theorem (proof)

t is a trancendental

logarithm t is a trancendental

t is algebraic

t is algebraic

Corollaries

Introduction

TODO

Liouville's Theorem

Vanya Vorobiov

Introduction

Basic definitions

What are elementary functions

Liouville's Theorem (statement)

The Main Lemma

Liouville's Theorem (proof)

t is a trancendental

t is a trancendental exponent

t is algebraic

Corollaries

Basic definitions

Remark

Through the all of presentation we will suppose that all fields have 0 characteristic.

Liouville's Theorem

Vanya Vorobiov

Introduction

.

What are elementary functions

Liouville's Theorem (statement)

The Main Lemma

Liouville's Theorem (proof)

t is a trancendental

 ${f t}$ is a trancendental exponent

t is algebraic

Corollaries

The Main Lemma

Liouville's Theorem (proof)

t is a trancendental logarithm

 ${f t}$ is a trancendental exponent

t is algebraic

Corollaries

The main corollary Some special cases

Remark

Through the all of presentation we will suppose that all fields have 0 characteristic.

Definition

Field F is differential if it's equipped with the unary function ' such that:

- (a + b)' = a' + b'
- (ab)' = a'b + ab'

Theorem (statement)

The Main Lemma

Liouville's Theorem (proof)

t is a trancendental logarithm

t is a trancendental

t is algebraic

Corollaries

The main corollary

Some special cases

Remark

Through the all of presentation we will suppose that all fields have 0 characteristic.

Definition

Field F is differential if it's equipped with the unary function ' such that:

- (a + b)' = a' + b'
- (ab)' = a'b + ab'

Definition

Subfield $K \subseteq F$, $K = \{a \in F \mid a' = 0\}$ is called subfield of constants.

functions

The Main Lemma

Liouville's Theorem (proof)

t is a trancendental logarithm

t is a trancendental

t is algebraic

Corollaries

The main corollary Some special cases

Remark

Through the all of presentation we will suppose that all fields have 0 characteristic.

Definition

Field F is differential if it's equipped with the unary function ' such that:

- (a + b)' = a' + b'
- (ab)' = a'b + ab'

Definition

Subfield $K \subseteq F$, $K = \{a \in F \mid a' = 0\}$ is called subfield of constants.

Definition

Differential extension of the differential field F is field E such that $E \supset F$ and there is the same differentiation ' on E.

functions

Remark

Through the all of presentation we will suppose that all fields have 0 characteristic.

Definition

Field F is differential if it's equipped with the unary function ' such that:

- (a + b)' = a' + b'
- (ab)' = a'b + ab'

Definition

Subfield $K \subseteq F$, $K = \{a \in F \mid a' = 0\}$ is called subfield of constants.

Definition

Differential extension of the differential field F is field E such that $E \supset F$ and there is the same differentiation ' on E.

Definition

Let F be the differential field. Then

- b is called the logarithm of a if $b' = \frac{a'}{a}$
- b is called the exponent of a if $a' = \frac{b'}{L}$

Lemma Liouville's

Theorem (proof)

logarithm t is a trancendental

exponent

t is algebraic

Corollaries

The main corollary Some special cases

Definition

The extension E of F is called elementary if it can be presented as $E = F(t_1, ..., t_n)$ and for all i t_i is logarithm or exponent or algebraic over $F(t_1, ..., t_{i-1})$.

The extension E of F is called elementary if it can be presented as

 $E = F(t_1, ..., t_n)$ and for all i t_i is logarithm or exponent or algebraic over

Common sense says us that some function $f: \mathbb{C} \to \mathbb{C}$ is elementary iff it

can be constucted via finite number of radicals, sines, cosines, exponents,

logarithms and hyperbolic functions. One can see that it's consistent with

our approach. Futhermore our definition on elementarity is more general.

Definition

Remark

 $F(t_1, \ldots, t_{i-1}).$

Theorem (proof)

logarithm

t is a trancendental exponent

t is algebraic

Corollaries

Introduction

Basic definitions

Theorem (statement)

The Main Lemma

Liouville's

t is a trancendental

Theorem (Liouville, 1833-1841)

that its subfield of constants is still K, then

for some $c_1, \ldots, c_m \in K$, $u_1, \ldots, u_m, v \in F$.

Let F be a differential field, and K is its subfield of constants. If for $\alpha \in F$ equation $x' = \alpha$ has the solution in some elementary extension of F, such

 $\alpha = \sum_{i=1}^{m} c_i \frac{u_i'}{u_i} + v'$

t is a trancendental logarithm

t is algebraic

Corollaries

Theorem (proof)

t is a trancendental

Liouville's Theorem (statement)

Liouville's Theorem (proof)

t is a trancendental logarithm

t is a trancendental exponent

t is algebraic

Corollaries

The main corollary Some special cases

Lemma

Let F be a differential field, t is trancendental over F, and t is a logarithm or an exponent of some element from F. And let $f \in F[x]$ be a polynom, $deg f = k \ge 1$

- If t is a logarithm then the degree of (f(t))' is k if the leading coefficient of is not a constant, and it has degree k-1 if the leading coefficient is a constant.
- If t is an exponent then the degree of (f(t))' is k and it's multiple of f if and only if f is a monomial.

Liouville's Theorem (statement)

The Mair Lemma

Liouville's Theorem (proof)

t is a trancendental logarithm

t is a trancendental exponent

t is algebraic

Corollaries

The main corollary Some special cases

Lemma

Let F be a differential field, t is trancendental over F, and t is a logarithm or an exponent of some element from F. And let $f \in F[x]$ be a polynom, $\deg f = k \geqslant 1$

- ▶ If t is a logarithm then the degree of (f(t))' is k if the leading coefficient of is not a constant, and it has degree k - 1 if the leading coefficient is a constant.
- ▶ If t is an exponent then the degree of (f(t))' is k and it's multiple of f if and only if f is a monomial.

Proof.

It's a quite simple technical exercise.

Liouville's Theorem (proof)

Let x be the solution of differential equation mentioned above. And $x \in F(t_1, \dots, t_n)$.

We will use induction on n (we don't fix the field F).

For short we denote $t = t_1$.

Liouville's Theorem

Vanya Vorobiov

Introduction

Basic definitions

What are elementary functions

Liouville's Theorem (statement)

The Main Lemma

Liouville's Theorem (proof

t is a trancendental

t is a trancendental exponent

t is algebraic

Corollaries

Liouville's Theorem (statement)

The Main Lemma

Theorem (proof)

t is a trancendental logarithm t is a trancendental

xponent

t is algebraic

Corollaries

The main corollary Some special cases On elliptic integrals

Let x be the solution of differential equation mentioned above. And $x \in F(t_1, ..., t_n)$.

We will use induction on n (we don't fix the field F).

For short we denote $t = t_1$.

Using the inductive assumption, we get

$$\alpha = \sum_{i=1}^{m} c_i \frac{u_i'}{u_i} + v'$$

for some $c_1, \ldots c_m \in K$, $u_1, \ldots, u_m, v \in F(t)$. Here we use that the subfield of constants of F(t) is K.

Liouville's Theorem (statement)

The Main Lemma

t is a trancendental

logarithm

t is a trancendental

t is algebraic

Corollaries

The main corollary Some special cases

Let x be the solution of differential equation mentioned above. And $x \in F(t_1, \ldots, t_n).$

We will use induction on n (we don't fix the field F).

For short we denote $t = t_1$.

Using the inductive assumption, we get

$$\alpha = \sum_{i=1}^{m} c_i \frac{u_i'}{u_i} + v'$$

for some $c_1, \ldots c_m \in K$, $u_1, \ldots, u_m, v \in F(t)$. Here we use that the subfield of constants of F(t) is K.

- t is trancendental over F and it is a logarithm;
- ▶ t is trancendental over F and it is an exponent;
- t is algebraic over F.

Now we consider 3 cases

t is a trancendental logarithm

TODO

Liouville's Theorem

Vanya Vorobiov

Introduction

Basic definitions

What are elementary functions

Liouville's Theorem (statement)

The Main Lemma

Liouville's Theorem (proof)

t is a trancendenta logarithm

t is a trancendental exponent t is algebraic

Corollaries

t is a trancendental logarithm

TODO

Liouville's Theorem

Vanya Vorobiov

Introduction

Basic definitions

What are elementary functions

Liouville's Theorem (statement)

The Main Lemma

Liouville's Theorem (proof) t is a trancendental

logarithm

t is algebraic

Corollaries

t is a trancendental logarithm

TODO

Liouville's Theorem

Vanya Vorobiov

Introduction

Basic definitions

What are elementary functions

Liouville's Theorem (statement)

The Main Lemma

Liouville's Theorem (proof)

t is a trancendental logarithm

t is a trancendental

Corollaries

The main corollary

TODO

Liouville's Theorem

Vanya Vorobiov

Introduction

Basic definitions

What are elementary functions

Liouville's Theorem (statement)

The Main Lemma

Liouville's Theorem (proof)

t is a trancendental logarithm

t is a trancendental

t is algebraic

Corollaries

Vanya Vorobiov

Introduction

Basic definitions

What are elementary functions

Liouville's Theorem (statement)

The Main Lemma

Liouville's Theorem (proof)

t is a trancendental

t is a trancendental

t is algebraic

Corollaries

orollaries

The main corollary

some special case

On elliptic integrals

TODO

On elliptic integrals

TODO

Liouville's Theorem

Vanya Vorobiov

Introduction

Basic definitions

What are elementary functions

Liouville's Theorem (statement)

The Main Lemma

Liouville's Theorem (proof)

 ${f t}$ is a trancendental logarithm

t is a trancendental exponent

t is algebraic

Corollaries

The main corol

On elliptic integrals