# Liouville's Theorem (Differential algebra)

Vanya Vorobiov

Sber

January 14, 2025

Liouville's Theorem

Vanya Vorobiov

Introduction

Basic definitions

What is integrability in elementary functions

Liouville's Theorem (statement)

Introduction

Basic definitions

What is integrability in elementary functions

Liouville's Theorem (statement)

TODO

## Basic definitions

#### Remark

Through the all of presentation we will suppose that all fields have 0 characteristic.

Liouville's Theorem

Vanya Vorobiov

Introduction

D 1 1 C 10

What is integrability in elementary functions

Liouville's Theorem (statement)

Through the all of presentation we will suppose that all fields have 0 characteristic.

## Definition

Field F is differential if it's equipped with the unary function  $^\prime$  such that:

- (a + b)' = a' + b'
- (ab)' = a'b + ab'

Through the all of presentation we will suppose that all fields have 0 characteristic.

## Definition

Field F is differential if it's equipped with the unary function ' such that:

- (a + b)' = a' + b'
- (ab)' = a'b + ab'

# Definition

Subfield  $K \subseteq F, K = \{a \in F \mid a' = 0\}$  is called subfield of constants.

Through the all of presentation we will suppose that all fields have 0 characteristic.

# Definition

Field F is differential if it's equipped with the unary function ' such that:

- (a + b)' = a' + b'
- (ab)' = a'b + ab'

## Definition

Subfield  $K \subseteq F, K = \{a \in F \mid a' = 0\}$  is called subfield of constants.

## Definition

Differential extension of the differential field F is field E such that  $E\supseteq F$  and there is the same differentiation ' on E.

Through the all of presentation we will suppose that all fields have 0 characteristic.

# Definition

Field F is differential if it's equipped with the unary function ' such that:

- (a + b)' = a' + b'
- (ab)' = a'b + ab'

# Definition

Subfield  $K \subseteq F$ ,  $K = \{a \in F \mid a' = 0\}$  is called subfield of constants.

# Definition

Differential extension of the differential field F is field E such that  $E \supset F$ and there is the same differentiation ' on E.

## Definition

Let F be the differential field. Then

- b is called the logarithm of a if  $b' = \frac{a'}{a}$
- b is called the exponent of a if  $a' = \frac{b'}{b}$

#### Definition

The extension E of F is called elementary if it can be presented as  $E = F(t_1, ..., t_n)$  and for all i  $t_i$  is logarithm or exponent or algebraic over  $F(t_1, ..., t_{i-1})$ .

#### Definition

The extension E of F is called elementary if it can be presented as  $E = F(t_1, ..., t_n)$  and for all i  $t_i$  is logarithm or exponent or algebraic over  $F(t_1, ..., t_{i-1})$ .

#### Remark

Common sense say us that any function  $f:\mathbb{C}\to\mathbb{C}$  is elementary iff it can be constucted via finite number of radicals, sines, cosines, exponents, logarithms and hyperbolic functions. One can see that it's consistent with our approach.

Liouville (1833-1841) Let F be the differential field, and K is its subfield of constants. If for  $\alpha \in F$  equation  $x' = \alpha$  has the solution in some differential extension of F, then

$$a = \sum_{i=1}^m c_i \frac{u_i'}{u_i} + v'$$

 $\text{for some } c_1, \ldots c_m \in K, \, u_1, \ldots, u_m, v \in F.$