# Liouville's Theorem on integrability via elementary functions

Vanya Vorobiov

Sher

January 15, 2025

#### Liouville's Theorem

Vanya Vorobiov

Introduction

Basic definitions

What is expression in elementary terms

Liouville's Theorem (statement)

The Main Lemma

Liouville's Theorem (proof)

t is a trancendental

t is a trancendental exponent

t is algebraic

Corollaries

The main corollary
Some special cases
On alliptic integrals

Theorem (proof) t is a trancendental logarithm

t is a trancendental

t is algebraic

Corollaries

Some special cases

From high school, we are familiar with the idea that some integrals cannot be expressed in terms of elementary functions. For instance:

$$\int e^{\pm x^2} \, dx, \quad \int \frac{dx}{\ln x}, \quad \int \frac{e^x}{x} \, dx, \quad \int \frac{\sin x}{x} \, dx, \quad \int \frac{\sinh x}{x} \, dx, \quad \int \log \log x \, dx$$

These examples highlight the limitations of elementary functions in representing certain integrals.

Liouville's Theorem (statement)

Theorem (proof) t is a trancendental

logarithm

exponent

t is algebraic

#### Corollaries

Basic definitions

The Main Lemma

Liouville's

t is a trancendental

Some special cases

From high school, we are familiar with the idea that some integrals cannot be expressed in terms of elementary functions. For instance:

 $\int e^{\pm x^2} \, dx, \quad \int \frac{dx}{\ln x}, \quad \int \frac{e^x}{x} \, dx, \quad \int \frac{\sin x}{x} \, dx, \quad \int \frac{\sinh x}{x} \, dx, \quad \int \log \log x \, dx$ 

These examples highlight the limitations of elementary functions in representing certain integrals. In this presentation, we will:

- ▶ Introduce and prove a powerful tool: Liouville's theorem.
- Derive these integrals as a consequence.
- If time permits, discuss elliptic integrals, which also cannot be expressed in elementary terms.

# Basic definitions

### Remark

Through the all of presentation we will suppose that all fields have 0 characteristic.

#### Liouville's Theorem

Vanya Vorobiov

# Introduction

Basic definition

What is expression in elementary terms

Liouville's Theorem (statement)

The Main Lemma

Liouville's Theorem (proof)

t is a trancendental logarithm

t is a trancendental exponent

t is algebraic

#### Corollaries

The main corollary Some special cases

Theorem (proof)
t is a trancendental logarithm

t is a trancendental

exponent t is algebraic

t is algebraic

Corollaries

The main corollary Some special cases

### Remark

Through the all of presentation we will suppose that all fields have 0 characteristic.

# Definition

Field F is differential if it's equipped with the unary function ' such that:

- (a + b)' = a' + b'
- (ab)' = a'b + ab'

Theorem (proof)

logarithm
t is a trancendental

cponent

t is algebraic

angebraic

Corollaries

The main corollary Some special cases

### Remark

Through the all of presentation we will suppose that all fields have 0 characteristic.

# Definition

Field F is differential if it's equipped with the unary function ' such that:

- (a + b)' = a' + b'
- (ab)' = a'b + ab'

# Definition

Subfield  $K \subseteq F, K = \{a \in F \mid a' = 0\}$  is called subfield of constants.

Theorem (proof)

t is a trancendental logarithm t is a trancendental

xponent

t is algebraic

Corollaries

The main corollary

Some special cases

### Remark

Through the all of presentation we will suppose that all fields have 0 characteristic.

# Definition

Field F is differential if it's equipped with the unary function ' such that:

- (a + b)' = a' + b'
- (ab)' = a'b + ab'

# Definition

Subfield  $K \subseteq F$ ,  $K = \{a \in F \mid a' = 0\}$  is called subfield of constants.

# Definition

Differential extension of the differential field F is field E such that  $E \supseteq F$  and there is the same differentiation ' on E.

# Remark

Through the all of presentation we will suppose that all fields have 0 characteristic.

# Definition

Field F is differential if it's equipped with the unary function ' such that:

- (a+b)' = a' + b'
- (ab)' = a'b + ab'

# Definition

Subfield  $K \subseteq F$ ,  $K = \{a \in F \mid a' = 0\}$  is called subfield of constants.

# Definition

Differential extension of the differential field F is field E such that  $E \supset F$ and there is the same differentiation ' on E.

# Definition

Let F be the differential field. Then

- b is called the logarithm of a if  $b' = \frac{a'}{a}$
- b is called the exponent of a if  $a' = \frac{b'}{L}$

# What is expression in elementary terms

#### Liouville's Theorem

Vanya Vorobiov

# Introduction

Basic definitions

#### Liouville's Theorem (statement)

The Main Lemma

#### Liouville's Theorem (proof)

t is a trancendental

t is a trancendental exponent

t is algebraic

#### Corollaries

The main corollary Some special cases

### Definition

The extension E of F is called elementary if it can be presented as  $E = F(t_1, ..., t_n)$  and for all i  $t_i$  is logarithm or exponent or algebraic over  $F(t_1, ..., t_{i-1})$ .

The extension E of F is called elementary if it can be presented as

 $E = F(t_1, ..., t_n)$  and for all i  $t_i$  is logarithm or exponent or algebraic over

Common sense says us that some function  $f: \mathbb{C} \to \mathbb{C}$  is elementary iff it

can be constucted via finite number of radicals, sines, cosines, exponents,

logarithms and hyperbolic functions. One can see that it's consistent with

our approach. Futhermore our definition on elementarity is more general.

Definition

Remark

 $F(t_1, \ldots, t_{i-1}).$ 

Liouville's

t is a trancendental

exponent

Corollaries

Basic definitions

Liouville's Theorem (statement)

Lemma

Theorem (proof)

logarithm t is a trancendental

t is algebraic

Liouville's Theorem (proof)

t is a trancendental

t is a trancendental exponent

t is algebraic

t is aigebraic

Corollaries

The main corollary Some special cases

# Theorem (Liouville, 1833-1841)

Let F be a differential field, and K is its subfield of constants. If for  $\alpha \in F$  equation  $x' = \alpha$  has the solution in some elementary extension of F, such that its subfield of constants is still K, then

$$\alpha = \sum_{i=1}^m c_i \frac{u_i'}{u_i} + v'$$

 $\text{for some } c_1, \ldots c_m \in K, \, u_1, \ldots, u_m, v \in F.$ 

# Lemma

Let F be a differential field, t is trancendental over F, and t is a logarithm or an exponent of some element from F. And let  $f \in F[x]$  be a polynom,  $deg f = k \ge 1$ 

- If t is a logarithm then the degree of (f(t))' is k if the leading coefficient of is not a constant, and it has degree k-1 if the leading coefficient is a constant.
- If t is an exponent then the degree of (f(t))' is k and it's multiple of f if and only if f is a monomial.

Liouville's Theorem (statement)

The Main Lemma

Liouville's Theorem (proof)

t is a trancendental

t is a trancendental exponent

exponent t is algebraic

Corollarie

### Corollaries

The main corollary
Some special cases

# Lemma

Let F be a differential field, t is trancendental over F, and t is a logarithm or an exponent of some element from F. And let  $f \in F[x]$  be a polynom,  $\deg f = k \geqslant 1$ 

- ▶ If t is a logarithm then the degree of (f(t))' is k if the leading coefficient of is not a constant, and it has degree k - 1 if the leading coefficient is a constant.
- ▶ If t is an exponent then the degree of (f(t))' is k and it's multiple of f if and only if f is a monomial.

### Proof.

It's a quite simple technical exercise.

# Liouville's Theorem (proof)

Let x be the solution of differential equation mentioned above. And  $x \in F(t_1, \dots, t_n)$ .

We will use induction on n (we don't fix the field F).

For short we denote  $t = t_1$ .

#### Liouville's Theorem

Vanya Vorobiov

# Introduction

Basic definitions

What is expression in elementary terms

Liouville's Theorem (statement)

The Main Lemma

#### iouville's Theorem (proof

t is a trancendental logarithm

t is a trancendental exponent

t is algebraic

### Corollaries

The main corollary Some special cases

# Liouville's Theorem (proof)

Theorem Vanya Vorobiov

Liouville's

#### Introduction

Basic definitions

What is expression in elementary terms

Liouville's Theorem (statement)

The Main Lemma

Theorem (proof

t is a trancendental logarithm

t is a trancendental exponent

t is algebraic

Corollaries

The main corollary Some special cases On elliptic integrals

Let x be the solution of differential equation mentioned above. And  $x \in F(t_1, ..., t_n)$ .

We will use induction on n (we don't fix the field F).

For short we denote  $t = t_1$ .

Using the inductive assumption, we get

$$\alpha = \sum_{i=1}^{m} c_i \frac{u_i'}{u_i} + v'$$

for some  $c_1, \ldots c_m \in K$ ,  $u_1, \ldots, u_m, v \in F(t)$ . Here we use that the subfield of constants of F(t) is K.  $x \in F(t_1, \ldots, t_n).$ 

For short we denote  $t = t_1$ .

Now we consider 3 cases

t is algebraic over F.

Using the inductive assumption, we get

for some  $c_1, \ldots c_m \in K$ ,  $u_1, \ldots, u_m, v \in F(t)$ .

Let x be the solution of differential equation mentioned above. And

 $\alpha = \sum_{i=1}^{m} c_i \frac{u_i'}{u_i} + v'$ 

We will use induction on n (we don't fix the field F).

Here we use that the subfield of constants of F(t) is K.

t is trancendental over F and it is a logarithm;

▶ t is trancendental over F and it is an exponent;

logarithm

t is algebraic

Corollaries

The main corollary Some special cases

The Main

Lemma

t is a trancendental

t is a trancendental

### 4 D > 4 A > 4 E > 4 E > 9 Q P

# t is a trancendental logarithm

TODO

Liouville's Theorem

Vanya Vorobiov

Introduction

Basic definitions

What is expression in elementary terms

Liouville's Theorem (statement)

The Main Lemma

Liouville's Theorem (proof)

t is a trancendenta logarithm

t is a trancendental exponent t is algebraic

Corollaries

The main corollary Some special cases

# t is a trancendental logarithm

TODO

Liouville's Theorem

Vanya Vorobiov

Introduction

Basic definitions

What is expression in elementary terms

Liouville's Theorem (statement)

The Main Lemma

> Liouville's Theorem (proof) t is a trancendental

logarithm

t is algebraic

Corollaries

**▼ロト → □ ト → 三 ト → 三 ・ り**へで

# t is a trancendental logarithm

TODO

Liouville's Theorem

Vanya Vorobiov

Introduction

Basic definitions

What is expression in elementary terms

Liouville's Theorem (statement)

The Main Lemma

Liouville's Theorem (proof)

 ${f t}$  is a trancendental logarithm

t is a trancendental exponent

t is algebraic

#### Corollaries

The main corollary Some special cases

# The main corollary

TODO

Liouville's Theorem

Vanya Vorobiov

Introduction

Basic definitions

What is expression in elementary terms

Liouville's Theorem (statement)

The Main Lemma

Liouville's Theorem (proof)

t is a trancendental logarithm

t is a trancendental

t is algebraic

Corollaries

# Introduction

#### Basic definitions

#### What is expression in elementary terms

#### Liouville's Theorem (statement)

#### The Main Lemma

#### Liouville's Theorem (proof)

#### t is a trancendental logarithm

# t is a trancendental

# t is algebraic

# Corollaries

TODO

# On elliptic integrals

Liouville's Theorem

Vanya Vorobiov

Introduction

Basic definitions

What is expression in elementary terms

Liouville's Theorem (statement)

The Main Lemma

Liouville's Theorem (proof)

t is a trancendental logarithm

t is a trancendental exponent

t is algebraic

Corollaries

The main corollary Some special cases

TODO