Liouville's Theorem (Differential algebra)

Vanya Vorobiov

Sber

January 14, 2025

What is integrability in elementary functions

Through the all of presentation we will suppose that all fields have 0 characteristic.

Through the all of presentation we will suppose that all fields have 0 characteristic.

Definition

Field F is differential if it's equipped the unary function ' such that:

- (a + b)' = a' + b'
- (ab)' = a'b + ab'

Through the all of presentation we will suppose that all fields have 0 characteristic.

Definition

Field F is differential if it's equipped the unary function ' such that:

- (a + b)' = a' + b'
- (ab)' = a'b + ab'

Definition

Subfield $K \subseteq F, K = \{a \in F \mid a' = 0\}$ is called subfield of constants.

Through the all of presentation we will suppose that all fields have 0 characteristic.

Definition

Field F is differential if it's equipped the unary function $^\prime$ such that:

- (a + b)' = a' + b'
- (ab)' = a'b + ab'

Definition

Subfield $K \subseteq F$, $K = \{a \in F \mid a' = 0\}$ is called subfield of constants.

Definition

Differential extention of the differential field F is field E such that $E\supseteq F$ and there is the same differentiation ' on E.

Basic definitions

Through the all of presentation we will suppose that all fields have 0 characteristic.

Definition

Field F is differential if it's equipped the unary function ' such that:

- (a + b)' = a' + b'
- (ab)' = a'b + ab'

Definition

Subfield $K \subseteq F, K = \{a \in F \mid a' = 0\}$ is called subfield of constants.

Definition

Differential extention of the differential field F is field E such that $E\supseteq F$ and there is the same differentiation ' on E.

Definition

Let F be the differential field. Then

- ▶ b is called the logarithm of a if $b' = \frac{a'}{a}$

What is integrability in elementary functions

Liouville's Theorem

Vanya Vorobiov

Basic definitions

What is integrability in elementary functions