Liouville's Theorem (Differential algebra)

Vanya Vorobiov

Sber

January 14, 2025

Basic definitions

Remark

Through the all of presentation we will suppose that all fields have 0 characteristic.

Basic definitions

Remark
Through the all of presentation we will suppose that all fields have 0 characteristic.

Definition
Field F is differential if it's equipped with the unary function $'$ such that:

- $(a+b)' = a' + b'$
- $(ab)' = a'b + ab'$

Basic definitions

Remark

Through the all of presentation we will suppose that all fields have 0 characteristic.

Definition

Field F is differential if it's equipped with the unary function $'$ such that:

- $(a + b)' = a' + b'$
- $(ab)' = a'b + ab'$

Definition

Subfield $K \subseteq F$, $K = \{a \in F \mid a' = 0\}$ is called subfield of constants.

Basic definitions

Remark

Through the all of presentation we will suppose that all fields have 0 characteristic.

Definition

Field F is differential if it's equipped with the unary function $'$ such that:

- $(a+b)' = a' + b'$
- $(ab)' = a'b + ab'$

Definition

Subfield $K \subseteq F$, $K = \{a \in F \mid a' = 0\}$ is called subfield of constants.

Definition

Differential extension of the differential field F is field E such that $E \supseteq F$ and there is the same differentiation $'$ on E.

Basic definitions

Remark

Through the all of presentation we will suppose that all fields have 0 characteristic.

Definition

Field F is differential if it's equipped with the unary function $'$ such that:

- $(a+b)' = a' + b'$
- $(ab)' = a'b + ab'$

Definition

Subfield $K \subseteq F$, $K = \{a \in F \mid a' = 0\}$ is called subfield of constants.

Definition

Differential extension of the differential field F is field E such that $E \supseteq F$ and there is the same differentiation $'$ on E.

Definition

Let F be the differential field. Then

- b is called the logarithm of a if $b' = \frac{a'}{a}$
- b is called the exponent of a if $a' = \frac{b'}{b}$

What is integrability in elementary functions

Definition

The extension E of F is called elementary if it can be presented as $E = F(t_1, \ldots, t_n)$ and for all i t_i is logarithm or exponent or algebraic over $F(t_1, \ldots, t_{i-1})$.

What is integrability in elementary functions

Definition

The extension E of F is called elementary if it can be presented as $E = F(t_1, \ldots, t_n)$ and for all i t_i is logarithm or exponent or algebraic over $F(t_1, \ldots, t_{i-1})$.

Remark

Common sense say us that any function $f : \mathbb{C} \to \mathbb{C}$ is elementary iff it can be constucted via finite number of radicals, sines, cosines, exponents, logarithms and hyperbolic functions. One can see that it's consistent with our approach.