

Liouville's Theorem on integrability via elementary functions

Vanya Vorobiov

Sber

January 15, 2025

Introduction

Basic definitions

What are
elementary
functionsLiouville's
Theorem
(statement)The Main
LemmaLiouville's
Theorem (proof)t is a transcendental
logarithmt is a transcendental
exponent

t is algebraic

Corollaries

The main corollary

Some special cases

On elliptic integrals

From high school, we are familiar with the idea that some integrals cannot be expressed in terms of elementary functions. For instance:

$$\int e^{-x^2} dx, \quad \int \frac{\sin(x)}{x} dx$$

These examples highlight the limitations of elementary functions in representing certain integrals.

In this presentation, we will:

- ▶ Explore additional examples of integrals that defy expression in elementary terms.
- ▶ Introduce and prove a powerful tool for understanding this phenomenon: Liouville's theorem.
- ▶ If time permits, discuss elliptic integrals, which also cannot be expressed in elementary terms.

Basic definitions

Remark

Through the all of presentation we will suppose that all fields have 0 characteristic.

Liouville's
Theorem

Vanya Vorobiov

Introduction

Basic definitions

What are
elementary
functions

Liouville's
Theorem
(statement)

The Main
Lemma

Liouville's
Theorem (proof)

t is a transcendental
logarithm

t is a transcendental
exponent

t is algebraic

Corollaries

The main corollary

Some special cases

On elliptic integrals

Remark

Through the all of presentation we will suppose that all fields have 0 characteristic.

Definition

Field F is differential if it's equipped with the unary function $'$ such that:

- ▶ $(a + b)' = a' + b'$
- ▶ $(ab)' = a'b + ab'$

Remark

Through the all of presentation we will suppose that all fields have 0 characteristic.

Definition

Field F is differential if it's equipped with the unary function $'$ such that:

- ▶ $(a + b)' = a' + b'$
- ▶ $(ab)' = a'b + ab'$

Definition

Subfield $K \subseteq F$, $K = \{a \in F \mid a' = 0\}$ is called subfield of constants.

Remark

Through the all of presentation we will suppose that all fields have 0 characteristic.

Definition

Field F is differential if it's equipped with the unary function $'$ such that:

- ▶ $(a + b)' = a' + b'$
- ▶ $(ab)' = a'b + ab'$

Definition

Subfield $K \subseteq F$, $K = \{a \in F \mid a' = 0\}$ is called subfield of constants.

Definition

Differential extension of the differential field F is field E such that $E \supseteq F$ and there is the same differentiation $'$ on E .

Remark

Through the all of presentation we will suppose that all fields have 0 characteristic.

Definition

Field F is differential if it's equipped with the unary function $'$ such that:

- ▶ $(a + b)' = a' + b'$
- ▶ $(ab)' = a'b + ab'$

Definition

Subfield $K \subseteq F$, $K = \{a \in F \mid a' = 0\}$ is called subfield of constants.

Definition

Differential extension of the differential field F is field E such that $E \supseteq F$ and there is the same differentiation $'$ on E .

Definition

Let F be the differential field. Then

- ▶ b is called the logarithm of a if $b' = \frac{a'}{a}$
- ▶ b is called the exponent of a if $a' = \frac{b'}{b}$

What are functions

Definition

The extension E of F is called elementary if it can be presented as $E = F(t_1, \dots, t_n)$ and for all i t_i is logarithm or exponent or algebraic over $F(t_1, \dots, t_{i-1})$.

Liouville's
Theorem

Vanya Vorobiov

Introduction

Basic definitions

What are
elementary
functions

Liouville's
Theorem
(statement)

The Main
Lemma

Liouville's
Theorem (proof)

t is a transcendental
logarithm

t is a transcendental
exponent

t is algebraic

Corollaries

The main corollary

Some special cases

On elliptic integrals

What are functions

Liouville's
Theorem

Vanya Vorobiov

Introduction

Basic definitions

What are
elementary
functions

Liouville's
Theorem
(statement)

The Main
Lemma

Liouville's
Theorem (proof)

t is a transcendental
logarithm

t is a transcendental
exponent

t is algebraic

Corollaries

The main corollary

Some special cases

On elliptic integrals

Definition

The extension E of F is called elementary if it can be presented as $E = F(t_1, \dots, t_n)$ and for all i t_i is logarithm or exponent or algebraic over $F(t_1, \dots, t_{i-1})$.

Remark

Common sense says us that some function $f : \mathbb{C} \rightarrow \mathbb{C}$ is elementary iff it can be constructed via finite number of radicals, sines, cosines, exponents, logarithms and hyperbolic functions. One can see that it's consistent with our approach. Furthermore our definition on elementarity is more general.

Liouville's Theorem (statement)

Liouville's
Theorem

Vanya Vorobiov

Introduction

Basic definitions

What are
elementary
functions

Liouville's
Theorem
(statement)

The Main
Lemma

Liouville's
Theorem (proof)

t is a transcendental
logarithm

t is a transcendental
exponent

t is algebraic

Corollaries

The main corollary

Some special cases

On elliptic integrals

Theorem (Liouville, 1833-1841)

Let F be a differential field, and K is its subfield of constants. If for $\alpha \in F$ equation $x' = \alpha$ has the solution in some elementary extension of F , such that its subfield of constants is still K , then

$$\alpha = \sum_{i=1}^m c_i \frac{u_i'}{u_i} + v'$$

for some $c_1, \dots, c_m \in K$, $u_1, \dots, u_m, v \in F$.

Lemma

Let F be a differential field, t is transcendental over F , and t is a logarithm or an exponent of some element from F . And let $f \in F[x]$ be a polynomial, $\deg f = k \geq 1$

- ▶ If t is a logarithm then the degree of $(f(t))'$ is k if the leading coefficient of f is not a constant, and it has degree $k - 1$ if the leading coefficient is a constant.
- ▶ If t is an exponent then the degree of $(f(t))'$ is k and it's multiple of k if and only if f is a monomial.

The Main Lemma

Liouville's
Theorem

Vanya Vorobiov

Introduction

Basic definitions

What are
elementary
functions

Liouville's
Theorem
(statement)

The Main
Lemma

Liouville's
Theorem (proof)

t is a transcendental
logarithm

t is a transcendental
exponent

t is algebraic

Corollaries

The main corollary

Some special cases

On elliptic integrals

Lemma

Let F be a differential field, t is transcendental over F , and t is a logarithm or an exponent of some element from F . And let $f \in F[x]$ be a polynomial, $\deg f = k \geq 1$

- ▶ If t is a logarithm then the degree of $(f(t))'$ is k if the leading coefficient of f is not a constant, and it has degree $k - 1$ if the leading coefficient is a constant.
- ▶ If t is an exponent then the degree of $(f(t))'$ is k and it's multiple of k if and only if f is a monomial.

Proof.

It's a quite simple technical exercise. □

Liouville's Theorem (proof)

Let x be the solution of differential equation mentioned above. And $x \in F(t_1, \dots, t_n)$.

We will use induction on n (we don't fix the field F).

For short we denote $t = t_1$.

Liouville's
Theorem

Vanya Vorobiov

Introduction

Basic definitions

What are
elementary
functions

Liouville's
Theorem
(statement)

The Main
Lemma

Liouville's
Theorem (proof)

t is a transcendental
logarithm

t is a transcendental
exponent

t is algebraic

Corollaries

The main corollary

Some special cases

On elliptic integrals

Liouville's Theorem (proof)

Liouville's Theorem

Vanya Vorobiov

Introduction

Basic definitions

What are elementary functions

Liouville's Theorem (statement)

The Main Lemma

Liouville's Theorem (proof)

t is a transcendental logarithm

t is a transcendental exponent

t is algebraic

Corollaries

The main corollary

Some special cases

On elliptic integrals

Let x be the solution of differential equation mentioned above. And $x \in F(t_1, \dots, t_n)$.

We will use induction on n (we don't fix the field F).

For short we denote $t = t_1$.

Using the inductive assumption, we get

$$\alpha = \sum_{i=1}^m c_i \frac{u_i'}{u_i} + v'$$

for some $c_1, \dots, c_m \in K$, $u_1, \dots, u_m, v \in F(t)$.

Here we use that the subfield of constants of $F(t)$ is K .

Liouville's Theorem (proof)

Liouville's Theorem

Vanya Vorobiov

Introduction

Basic definitions

What are elementary functions

Liouville's Theorem (statement)

The Main Lemma

Liouville's Theorem (proof)

t is a transcendental logarithm

t is a transcendental exponent

t is algebraic

Corollaries

The main corollary

Some special cases

On elliptic integrals

Let x be the solution of differential equation mentioned above. And $x \in F(t_1, \dots, t_n)$.

We will use induction on n (we don't fix the field F).

For short we denote $t = t_1$.

Using the inductive assumption, we get

$$\alpha = \sum_{i=1}^m c_i \frac{u_i'}{u_i} + v'$$

for some $c_1, \dots, c_m \in K$, $u_1, \dots, u_m, v \in F(t)$.

Here we use that the subfield of constants of $F(t)$ is K .

Now we consider 3 cases

- ▶ t is transcendental over F and it is a logarithm;
- ▶ t is transcendental over F and it is an exponent;
- ▶ t is algebraic over F .

t is a transcendental logarithm

TODO

Liouville's
Theorem

Vanya Vorobiov

Introduction

Basic definitions

What are
elementary
functions

Liouville's
Theorem
(statement)

The Main
Lemma

Liouville's
Theorem (proof)

t is a transcendental
logarithm

t is a transcendental
exponent

t is algebraic

Corollaries

The main corollary

Some special cases

On elliptic integrals

t is a transcendental logarithm

TODO

Liouville's
Theorem

Vanya Vorobiov

Introduction

Basic definitions

What are
elementary
functions

Liouville's
Theorem
(statement)

The Main
Lemma

Liouville's
Theorem (proof)

t is a transcendental
logarithm

t is a transcendental
exponent

t is algebraic

Corollaries

The main corollary

Some special cases

On elliptic integrals

t is a transcendental logarithm

TODO

Liouville's
Theorem

Vanya Vorobiov

Introduction

Basic definitions

What are
elementary
functions

Liouville's
Theorem
(statement)

The Main
Lemma

Liouville's
Theorem (proof)

t is a transcendental
logarithm

t is a transcendental
exponent

t is algebraic

Corollaries

The main corollary

Some special cases

On elliptic integrals

The main corollary

TODO

Liouville's
Theorem

Vanya Vorobiov

Introduction

Basic definitions

What are
elementary
functions

Liouville's
Theorem
(statement)

The Main
Lemma

Liouville's
Theorem (proof)

t is a transcendental
logarithm

t is a transcendental
exponent

t is algebraic

Corollaries

The main corollary

Some special cases

On elliptic integrals

TODO

Liouville's Theorem

Vanya Vorobiov

Introduction

Basic definitions

What are
elementary
functions

Liouville's
Theorem
(statement)

The Main
Lemma

Liouville's
Theorem (proof)

t is a transcendental
logarithm

t is a transcendental
exponent

t is algebraic

Corollaries

The main corollary

Some special cases

On elliptic integrals

On elliptic integrals

TODO

Liouville's
Theorem

Vanya Vorobiov

Introduction

Basic definitions

What are
elementary
functions

Liouville's
Theorem
(statement)

The Main
Lemma

Liouville's
Theorem (proof)

t is a transcendental
logarithm

t is a transcendental
exponent

t is algebraic

Corollaries

The main corollary

Some special cases

On elliptic integrals