ONE YOUNG ADULT, ONE NUMBER

Maya has $120 and a free weekend.

23, product designer in Austin, no car. Hasn't left the city since March.

She knows **28 people in 11 other cities**, and three of them would put her up tonight. She has no way to know that.

Where can my people take me?

THE IDEA

You give Facebook a w budget.
Not a destination.


A Muse agent reasons over your actual network — who lives where, v driving there with an empty seat, what your friends posted from there exist because of the people you know. With two honest prices.


> "dallas with cole + harper for the deep ellum vintage mar Ravi has a seat, about $290 otherwise."

Discover → Guide → Coordinate

LIVE DEMO

Feed nudge → Discover → Guide → inbox





stills are the backup; the demo is live

HOW THE AGENT WORKS · WHERE MUSE SITS

1 **muse-spark-1.3** runs a real tool-calling loop: scan the network, check who's free, price each option, read friends' photos, propose.

2 **Tools are viewer-scoped.** They only ever return what this person can already see.



animation replays a recorded real run · press R

DOES IT HOLD UP? · SEEDED EVALUATION, REAL RUNS

100%

of rendered trip elements trace to a real record the viewer can see

0

privacy violations rendered, with restricted profiles seeded to catch them

76

of trips ir
rest labe

92%

of guide picks on hand-labelled photos describe what's in the photo; credit is always the real author

25 s

live Discover, about $0.05 of Muse p

Limits: seeded people and a seeded price table (the "% cheaper" is arithmetic on it, not m
method: EVAL.md.

npm run eval

model
answers.

STRESS TEST

SIMULATED USERS · NOT USER RESEARCH

16 simulated young adults, each played by a Muse agent with its own budget, network, car and taste, used the **real endpoints**: pick a trip, read the guide, approve or refuse the drafts.

PERSONAS.md · sim/*.json traces

Personas give opinions; code checks facts. Top problems



TRUST AND SAFETY

Three rules the model cannot break

1. **Hosting is opt-in.** A profile setting, off by default. Only people v when they're free.

2. **Costs are never model arithmetic.** A seeded price table in co after validation.

3. **Nothing sends without approval.** Drafts live in Messenger as reached only through the mutual. Recipients never see drafts.

Plus: every tool takes the viewer's identity; every id in the output is re failures are dropped and logged in the stream ("Fixed 2 things the mo

src/lib/travel/visibility.ts · validate.ts · pricing.ts

WHAT'S NEXT

Real availability

Calendars and real RSVPs instead of a seeded busy list.

Tie strength

Rank by actual interaction history, nc degree.

Where can your people

The agent doesn't change. The tools get truer.

github: this repo · README, EVAL.md, PERSONAS.md