
ONE YOUNG ADULT, ONE NUMBER

Maya has $120 and a free weekend.

23, product designer in Austin, no car. Hasn't left the city since March.

She knows **28 people in 11 other cities**, and three of them would put her up tonight. She has no way to know that.



her profile · Open to hosting friends is a setting, off by default

THE IDEA


You give Facebook a weekend and a budget.
Not a destination.

A Muse agent reasons over your actual network — who lives where, who opted in to hosting, who's driving there with an empty seat, what your friends posted from there — and proposes trips that only exist because of the people you know. With two honest prices.


> "dallas with cole + harper for the deep ellum vintage market — about $60 if Cole says yes and Owen has a seat, about $180 otherwise. a hotel trip would be ~$360."

LIVE DEMO


Feed nudge → Discover → Guide → Coordinate → Cole's inbox



feed nudge



the agent working



two prices, every person connected

stills are the backup; the demo is live

runbook: pitch/runbook.md

HOW THE AGENT WORKS · WHERE MUSE SITS

1. **muse-spark-1.3** runs a real tool-calling loop: scan the network, check who's free, price each option, read friends' photos, propose.

2. **Tools are viewer-scoped.** They only ever return what this person can already see.

3. **muse-ember-1.0** reads friends' photos (57 indexed, one live per guide) so taste matching is about what's in the picture.

4. **Code validates every id** and **computes every dollar** after the model answers.

DOES IT HOLD UP? · SEEDED EVALUATION, REAL RUNS

100%
of rendered trip elements trace to a real record the viewer can see

0
privacy violations rendered, with restricted profiles seeded to catch them

89%
of trips inside the budget; the rest labelled "$X over"

73%
cheaper than the same trip with a hotel and solo transport

90%
of guide picks on hand-labelled photos describe what's in the photo; credit is always the real author

26 s
live Discover, about $0.05 of Muse per run

100%
of ids the model emitted were real and visible (raw, before validation)

Limits: seeded people and a seeded price table (the "% cheaper" is arithmetic on it, not market data). Scenarios chosen by us. Full numbers and method: EVAL.md.

STRESS TEST

SIMULATED USERS · NOT USER RESEARCH

16 simulated young adults, each played by a Muse agent with its own budget, network, car and taste, used the **real endpoints**: pick a trip, read the guide, approve or refuse the drafts.

12 of 16 would take the trip after fixes (11 before); trust 3.0/5; 0 privacy violations in either run. Their top catch, model-written prices disagreeing with the card, is now impossible by construction. Personas give opinions; code checks facts.

TRUST AND SAFETY

Three rules the model cannot break

1. **Hosting is opt-in.** A profile setting, off by default. Only people who turned it on are ever proposed, and only when they're free.

2. **Costs are never model arithmetic.** A seeded price table in code produces both numbers; the card is re-priced after validation.

3. **Nothing sends without approval.** Drafts live in Messenger as *awaiting your approval*. Friends-of-friends are reached only through the mutual. Recipients never see drafts.

Plus: every tool takes the viewer's identity; every id in the output is re-checked against the database and the viewer; failures are dropped and logged in the stream ("Fixed 2 things the model got wrong").

src/lib/travel/visibility.ts · validate.ts · pricing.ts

tests: npm test

WHAT'S NEXT

Real availability

Calendars and real RSVPs instead of a seeded busy list.

Tie strength

Rank by actual interaction history, not just degree.

Hosts' controls

"Friends only", "not this month", "ask through Priya".

Where can your people take you?

The agent doesn't change. The tools get truer.