



Verification



Face

Password

Features



Mask Detection

Live Detection

Cloud

WDR

Touch Screen

Wi-Fi

TCP/IP



Face Recognition Device

TrueFace2000

- 4.3-inch glass touch screen with a resolution of 480 × 272.
- 2-MP wide-angle dual-lens camera with IR illumination and DWDR.
- Verification Methods include face and password.
- Supports mask detection.
- Recognizes faces 0.3 m to 1.5 m away (0.98 ft-4.92 ft). Supports 5,000 users, 5,000 faces, 5,000 passwords, and 300,000 records.
- Liveness detection has a face recognition accuracy rate of 99.9% and the 1:N comparison time is 0.2 s per person.
- Supports customization of voice prompts



(+91)-11-41916615
+91-95999-53923



D-162, Okhla Industrial Area
Phase I, New Delhi, 110020



sales@timewatchindia.com
www.timewatchindia.com

Specification

Verification Mode & Capacity	
User Capacity	5,000
Face Capacity	5,000
Password Capacity	5,000
Log Capacity	3,00,000
System	
Product Type	Standalone
Operating System	Linux
Screen Type	Capacitive Touchscreen
Display Screen	4.3" LCD
Screen Resolution	480(H) * 272(W)
Main Processor	Embedded Processor
Network Protocol	IPv4; RTSP; RTP; UDP; P2P
Communication	
Lan / TCP/IP	Yes
Wi-Fi	Yes
GPRS	Optional
USB	Yes
Web Configuration	Yes
Auto Registration	Yes
Real-Time Monitoring	Yes
Camera	
Camera	2-MP CMOS HD Dual-Lens Camera
WDR	DWDR
Light Compensation	Auto IR
Voice Prompt	Yes
Authentication	
Face Recognition Height Distance	1.1m - 2.0m (3.61ft-6.66ft)
Face Recognition Distance	0.3m - 1.5m (0.98ft-4.92ft)



(+91)-11-41916615
+91-95999-53923




D-162, Okhla Industrial Area
Phase I, New Delhi, 110020



sales@timewatchindia.com
www.timewatchindia.com

Face Recognition Accuracy	99.9%
Face Recognition Time	0.2s
General	
Time Zone	128 Time Zone
Holiday	128 Holiday
Product Dimensions	115mm(H) * 118mm(W) * 27.1mm(D)
Product Dimensions	190mm(L) * 179mm(W) * 127mm(H)
Operating Temperature	-10°C - +40°C (+14°F - +104°F)
Operating Humidity	0%-90% (RH), Non-Condensing
Operating Environment	Indoor
Net Weight	250g (0.55lb)
Gross Weight	400g (0.88lb)
Power Supply	12 VDC, 1.5A
Power Consumption	<18W
Accessory	Wall Mount Bracket and Desktop Bracket (Included)
Installation	Wall Mount, Desk Mount



Applications



Education



Retail



Government



Health



Bank



Logistics



Office



Factory

Head Office : D-162, Okhla Industrial Area Phase I,
New Delhi, 110020.

Regional Office : Mumbai, Bengaluru, Ahmedabad,
Chennai, Kolkata.

International Office : Dubai

Disclaimer : All pictures shown are for illustration purposes only. The actual product and color may vary due to product enhancement. The brief specification is mentioned and may change without prior notice. Please consult us before placing any order.

Phone : +91-95999-53923

Sales : sales@timewatchindia.com

Support : helpdesk@timewatchindia.com