

Python list :

```
n_list=[2.9,3000,'Hello',"Welcome to python list",True]
print(n_list)
n_list=["Happy",[2,0,1,5]]
print(n_list[0][3])
print(n_list[1][2])
my_list=["mouse",[8,4,6],['a','b','c']]
print(my_list)
print(my_list[0])
print(my_list[1][1])
print(my_list[2][2])
```

output :

```
[2.9, 3000, 'Hello', 'Welcome to python list', True]
p
1
['mouse', [8, 4, 6], ['a', 'b', 'c']]
mouse
4
C
```

Negative indexing :

```
my_list=['p','r','o','b','e']
print(my_list[-1])
print(my_list[-5])
```

output :

```
[2.9, 3000, 'Hello', 'Welcome to python list', True]
```

```
p
1
['mouse', [8, 4, 6], ['a', 'b', 'c']]
```

```
mouse
```

```
4
```

```
c
```

```
e
```

```
p
```

```
append() :
```

```
odd =[1,3,5]
```

```
odd.append(7)
```

```
print(odd)
```

```
odd.extend([9,11,13])
```

```
print(odd)
```

```
output :
```

```
[2.9, 3000, 'Hello', 'Welcome to python list', True]
```

```
p
```

```
1
```

```
['mouse', [8, 4, 6], ['a', 'b', 'c']]
```

```
mouse
```

```
4
```

```
c
```

```
e
```

```
p
```

```
[1, 3, 5, 7]
```

```
[1, 3, 5, 7, 9, 11, 13]
```

```
Concatenating :
```

```
odd=[1,3,5]
```

```
print(odd+[9,7,5])
```

```
print(["re"]*3)
```

output :

```
[1, 3, 5, 9, 7, 5]
```

```
['re', 're', 're']
```

Remove :

```
thislist=["apple","banana","cherry"]
```

```
print(len(thislist))
```

```
thislist=["apple","banana","cherry"]
```

```
thislist.remove("banana")
```

```
print(thislist)
```

output :

```
['apple', 'cherry']
```

Python-loop list :

```
thislist=["apple","banana","cherry"]
```

```
for x in thislist:
```

```
    print(x)
```

output :

```
apple
```

```
banana
```

```
cherry
```

sort lists :

```
thislist=["orange","mango","kiwi","pineapple","banana"]  
thislist.sort(reverse=True)  
print(thislist)
```

output :

```
['pineapple', 'orange', 'mango', 'kiwi', 'banana']
```

```
thislist=[100,50,65,82,23]  
thislist.sort(reverse=True)  
print(thislist)
```

output :

```
[100, 82, 65, 50, 23]
```

Copy list :

```
thislist=["apple","banana","cherry"]  
mylist=thislist.copy()  
print(mylist)
```

output :

```
['apple', 'banana', 'cherry']
```

```
fruits=['apple','banana','cherry']  
fruits.insert(1,"orange")  
print(fruits)
```

output :

```
['apple', 'orange', 'banana', 'cherry']
```

Clear the list :

```
thislist=["apple","banana","cherry"]  
thislist.clear()  
print(thislist)
```

output :

```
[]
```

Count() :

```
fruits=["apple","banana","cherry","apple"]  
x=fruits.count("apple")  
print(x)
```

output :

```
2
```

```
fruits=[1,4,2,9,7,8,9,3,1]  
x=fruits.count(9)  
print(x)
```

output :

```
2
```

Listcopy() :

```
lst=[10,20,30,40]  
new_lst=lst.copy()  
print("original list:",lst)  
print("copied list:", new_lst)
```

output :

original list: [10, 20, 30, 40]

copied list: [10, 20, 30, 40]

list index() :

```
lst=[10,20,30,40,50]
```

```
value=30
```

```
position=lst.index(value)
```

```
print("list:",lst)
```

```
print("value:",value)
```

```
print("indexL:",position)
```

output: list: [10, 20, 30, 40, 50]

value: 30

index : 2

sets :

```
my_set={1,2,3}
```

```
my_set.add(4)
```

```
print(my_set)
```

output:

{1, 2, 3, 4}

Removing :

```
my_set={1,2,3}
```

```
my_set.remove(2)
```

```
print(my_set)
```

output :

{1, 3}

```
number=[1,2,2,3,4]
my_set=set(numbers)
print(my_set)
```

output :

{1, 2, 3, 4}

Dictionary:

```
my_dict={'name':'jack','age':26}
print(my_dict['name'])
print(my_dict.get('age'))
```

output:

jack

26

Tuple:

```
tuple1,tuple2=('xyz','zara','abc'),(456,700,200)
print("max value element:",max(tuple1))
print("max value element:",max(tuple2))
```

output:

max value:zara

max value:700

