

Champions Trophy 2025 - SQL Database Implementation

Tools used: MySQL Workbench, MS Excel, Cricbuzz
Cricket database

BY:

Venkanna Bhukya

BT22EEE062

VNIT, NAGPUR

Champions Trophy 2025 - Complete SQL Database Implementation

Database Creation

```
-- Create and use the database
SHOW DATABASES;
CREATE DATABASE CT_2025;
USE CT_2025;
SHOW TABLES;
```

1. Teams Table

```
CREATE TABLE teams (
    team_id INT PRIMARY KEY AUTO_INCREMENT,
    team_name VARCHAR(50) NOT NULL UNIQUE,
    team_code VARCHAR(3) NOT NULL UNIQUE,
    group_name VARCHAR(1)
) AUTO_INCREMENT = 1;

-- Insert all teams
INSERT INTO teams (team_name, team_code, group_name) VALUES
('India', 'IND', 'A'),
('Pakistan', 'PAK', 'A'),
('Bangladesh', 'BAN', 'A'),
('New Zealand', 'NZ', 'A'),
('Australia', 'AUS', 'B'),
('England', 'ENG', 'B'),
('Afghanistan', 'AFG', 'B'),
('South Africa', 'SA', 'B');
```

2. Venues Table

```
CREATE TABLE venues (
    venue_id INT PRIMARY KEY AUTO_INCREMENT,
    venue_name VARCHAR(100) NOT NULL,
    city VARCHAR(50),
    country VARCHAR(50),
    capacity INT
) AUTO_INCREMENT = 1;

-- Insert all venues
INSERT INTO venues (venue_name, city, country, capacity) VALUES
('Gaddafi Stadium', 'Lahore', 'Pakistan', 27000),
('Rawalpindi Cricket Stadium', 'Rawalpindi', 'Pakistan', 25000),
('National Stadium', 'Karachi', 'Pakistan', 34228),
('Dubai International Cricket Stadium', 'Dubai', 'UAE', 35000);
```

3. Players Table

```
CREATE TABLE players (  
    player_id INT PRIMARY KEY AUTO_INCREMENT,  
    team_id INT NOT NULL,  
    player_name VARCHAR(100) NOT NULL,  
    role VARCHAR(50),  
    batting_style VARCHAR(50),  
    bowling_style VARCHAR(50),  
    is_captain BOOLEAN DEFAULT FALSE,  
    FOREIGN KEY (team_id) REFERENCES teams(team_id) ON DELETE  
CASCADE  
) AUTO_INCREMENT = 1;  
  
-- Insert India Players  
INSERT INTO players (team_id, player_name, role, batting_style,  
bowling_style, is_captain) VALUES  
(1, 'Rohit Sharma (c)', 'Batsman', 'Right-handed', 'Right-arm  
offbreak', TRUE),  
(1, 'Virat Kohli', 'Batsman', 'Right-handed', 'Right-arm medium',  
FALSE),  
(1, 'KL Rahul', 'Wicketkeeper-Batsman', 'Right-handed', NULL,  
FALSE),  
(1, 'Rishabh Pant', 'Wicketkeeper-Batsman', 'Left-handed', NULL,  
FALSE),  
(1, 'Suryakumar Yadav', 'Batsman', 'Right-handed', 'Right-arm  
medium', FALSE),  
(1, 'Hardik Pandya', 'All-rounder', 'Right-handed', 'Right-arm  
fast-medium', FALSE),  
(1, 'Ravindra Jadeja', 'All-rounder', 'Left-handed', 'Left-arm  
orthodox', FALSE),  
(1, 'Jasprit Bumrah', 'Bowler', 'Right-handed', 'Right-arm fast',  
FALSE),  
(1, 'Mohammed Shami', 'Bowler', 'Right-handed', 'Right-arm fast',  
FALSE),  
(1, 'Kuldeep Yadav', 'Bowler', 'Right-handed', 'Left-arm wrist  
spin', FALSE),  
(1, 'Mohammed Siraj', 'Bowler', 'Right-handed', 'Right-arm fast',  
FALSE);  
  
-- Insert Pakistan Players  
INSERT INTO players (team_id, player_name, role, batting_style,  
bowling_style, is_captain) VALUES  
(2, 'Babar Azam (c)', 'Batsman', 'Right-handed', 'Right-arm  
offbreak', TRUE),  
(2, 'Mohammad Rizwan', 'Wicketkeeper-Batsman', 'Right-handed',  
NULL, FALSE),  
(2, 'Fakhar Zaman', 'Batsman', 'Left-handed', 'Slow left-arm  
orthodox', FALSE),  
(2, 'Imam-ul-Haq', 'Batsman', 'Left-handed', NULL, FALSE),
```

```
(2, 'Iftikhar Ahmed', 'All-rounder', 'Right-handed', 'Right-arm offbreak', FALSE),
(2, 'Shadab Khan', 'All-rounder', 'Right-handed', 'Right-arm legbreak', FALSE),
(2, 'Shaheen Afridi', 'Bowler', 'Left-handed', 'Left-arm fast', FALSE),
(2, 'Haris Rauf', 'Bowler', 'Right-handed', 'Right-arm fast', FALSE),
(2, 'Naseem Shah', 'Bowler', 'Right-handed', 'Right-arm fast', FALSE),
(2, 'Mohammad Nawaz', 'All-rounder', 'Left-handed', 'Left-arm orthodox', FALSE);
```

-- Insert Bangladesh Players

```
INSERT INTO players (team_id, player_name, role, batting_style, bowling_style, is_captain) VALUES
(3, 'Shakib Al Hasan (c)', 'All-rounder', 'Left-handed', 'Left-arm orthodox', TRUE),
(3, 'Litton Das', 'Wicketkeeper-Batsman', 'Right-handed', NULL, FALSE),
(3, 'Najmul Hossain Shanto', 'Batsman', 'Left-handed', 'Right-arm offbreak', FALSE),
(3, 'Mushfiqur Rahim', 'Wicketkeeper-Batsman', 'Right-handed', NULL, FALSE),
(3, 'Mahmudullah', 'All-rounder', 'Right-handed', 'Right-arm offbreak', FALSE),
(3, 'Taskin Ahmed', 'Bowler', 'Right-handed', 'Right-arm fast', FALSE),
(3, 'Mustafizur Rahman', 'Bowler', 'Left-handed', 'Left-arm fast-medium', FALSE),
(3, 'Mehidy Hasan Miraz', 'All-rounder', 'Right-handed', 'Right-arm offbreak', FALSE),
(3, 'Towhid Hridoy', 'Batsman', 'Right-handed', 'Right-arm offbreak', FALSE),
(3, 'Afif Hossain', 'All-rounder', 'Left-handed', 'Right-arm offbreak', FALSE),
(3, 'Hasan Mahmud', 'Bowler', 'Right-handed', 'Right-arm fast-medium', FALSE),
(3, 'Shoriful Islam', 'Bowler', 'Left-handed', 'Left-arm fast-medium', FALSE),
(3, 'Nasum Ahmed', 'Bowler', 'Left-handed', 'Left-arm orthodox', FALSE),
(3, 'Tanzid Hasan Tamim', 'Batsman', 'Left-handed', NULL, FALSE),
(3, 'Rishad Hossain', 'Bowler', 'Right-handed', 'Right-arm legbreak', FALSE),
(3, 'Tanzim Hasan Sakib', 'Bowler', 'Right-handed', 'Right-arm fast-medium', FALSE);
```

-- Insert New Zealand Players

```
INSERT INTO players (team_id, player_name, role, batting_style, bowling_style, is_captain) VALUES
```

```

(4, 'Kane Williamson (c)', 'Batsman', 'Right-handed', 'Right-arm
offbreak', TRUE),
(4, 'Devon Conway', 'Wicketkeeper-Batsman', 'Left-handed', NULL,
FALSE),
(4, 'Trent Boult', 'Bowler', 'Right-handed', 'Left-arm fast',
FALSE),
(4, 'Tim Southee', 'Bowler', 'Right-handed', 'Right-arm fast-
medium', FALSE),
(4, 'Glenn Phillips', 'Batsman', 'Right-handed', 'Right-arm
offbreak', FALSE),
(4, 'Daryl Mitchell', 'All-rounder', 'Right-handed', 'Right-arm
medium', FALSE),
(4, 'Mitchell Santner', 'All-rounder', 'Left-handed', 'Left-arm
orthodox', FALSE),
(4, 'Tom Latham', 'Wicketkeeper-Batsman', 'Left-handed', NULL,
FALSE),
(4, 'Lockie Ferguson', 'Bowler', 'Right-handed', 'Right-arm fast',
FALSE),
(4, 'Matt Henry', 'Bowler', 'Right-handed', 'Right-arm fast-
medium', FALSE),
(4, 'Ish Sodhi', 'Bowler', 'Right-handed', 'Right-arm legbreak',
FALSE),
(4, 'Finn Allen', 'Batsman', 'Right-handed', 'Right-arm offbreak',
FALSE),
(4, 'Rachin Ravindra', 'All-rounder', 'Left-handed', 'Left-arm
orthodox', FALSE),
(4, 'Will Young', 'Batsman', 'Right-handed', 'Right-arm offbreak',
FALSE),
(4, 'Adam Milne', 'Bowler', 'Right-handed', 'Right-arm fast',
FALSE),
(4, 'Mark Chapman', 'Batsman', 'Left-handed', 'Slow left-arm
orthodox', FALSE);

```

-- Insert Australia Players

```

INSERT INTO players (team_id, player_name, role, batting_style,
bowling_style, is_captain) VALUES
(5, 'Pat Cummins (c)', 'Bowler', 'Right-handed', 'Right-arm fast',
TRUE),
(5, 'Steve Smith', 'Batsman', 'Right-handed', 'Right-arm
legbreak', FALSE),
(5, 'David Warner', 'Batsman', 'Left-handed', 'Right-arm
legbreak', FALSE),
(5, 'Mitchell Starc', 'Bowler', 'Left-handed', 'Left-arm fast',
FALSE),
(5, 'Josh Hazlewood', 'Bowler', 'Left-handed', 'Right-arm fast-
medium', FALSE),
(5, 'Glenn Maxwell', 'All-rounder', 'Right-handed', 'Right-arm
offbreak', FALSE),
(5, 'Mitchell Marsh', 'All-rounder', 'Right-handed', 'Right-arm
medium', FALSE),
(5, 'Alex Carey', 'Wicketkeeper-Batsman', 'Left-handed', NULL,
FALSE),

```

```
(5, 'Travis Head', 'Batsman', 'Left-handed', 'Right-arm offbreak',
FALSE),
(5, 'Marnus Labuschagne', 'Batsman', 'Right-handed', 'Right-arm
legbreak', FALSE),
(5, 'Adam Zampa', 'Bowler', 'Right-handed', 'Right-arm legbreak',
FALSE),
(5, 'Cameron Green', 'All-rounder', 'Right-handed', 'Right-arm
fast-medium', FALSE),
(5, 'Marcus Stoinis', 'All-rounder', 'Right-handed', 'Right-arm
fast-medium', FALSE),
(5, 'Josh Inglis', 'Wicketkeeper-Batsman', 'Right-handed', NULL,
FALSE),
(5, 'Sean Abbott', 'Bowler', 'Right-handed', 'Right-arm fast-
medium', FALSE),
(5, 'Nathan Ellis', 'Bowler', 'Right-handed', 'Right-arm fast-
medium', FALSE);
```

-- Insert England Players

```
INSERT INTO players (team_id, player_name, role, batting_style,
bowling_style, is_captain) VALUES
(6, 'Jos Buttler (c)', 'Wicketkeeper-Batsman', 'Right-handed',
NULL, TRUE),
(6, 'Ben Stokes', 'All-rounder', 'Left-handed', 'Right-arm fast-
medium', FALSE),
(6, 'Joe Root', 'Batsman', 'Right-handed', 'Right-arm offbreak',
FALSE),
(6, 'Jofra Archer', 'Bowler', 'Right-handed', 'Right-arm fast',
FALSE),
(6, 'Mark Wood', 'Bowler', 'Right-handed', 'Right-arm fast',
FALSE),
(6, 'Jonny Bairstow', 'Wicketkeeper-Batsman', 'Right-handed',
NULL, FALSE),
(6, 'Dawid Malan', 'Batsman', 'Left-handed', 'Right-arm legbreak',
FALSE),
(6, 'Liam Livingstone', 'All-rounder', 'Right-handed', 'Right-arm
offbreak', FALSE),
(6, 'Sam Curran', 'All-rounder', 'Left-handed', 'Left-arm fast-
medium', FALSE),
(6, 'Chris Woakes', 'All-rounder', 'Right-handed', 'Right-arm
fast-medium', FALSE),
(6, 'Adil Rashid', 'Bowler', 'Right-handed', 'Right-arm legbreak',
FALSE),
(6, 'Moeen Ali', 'All-rounder', 'Left-handed', 'Right-arm
offbreak', FALSE),
(6, 'Harry Brook', 'Batsman', 'Right-handed', 'Right-arm medium',
FALSE),
(6, 'Reece Topley', 'Bowler', 'Right-handed', 'Left-arm fast-
medium', FALSE),
(6, 'Gus Atkinson', 'Bowler', 'Right-handed', 'Right-arm fast',
FALSE),
(6, 'Phil Salt', 'Batsman', 'Right-handed', NULL, FALSE);
```

-- Insert South Africa Players

```
INSERT INTO players (team_id, player_name, role, batting_style,
bowling_style, is_captain) VALUES
(8, 'Aiden Markram (c)', 'Batsman', 'Right-handed', 'Right-arm
offbreak', TRUE),
(8, 'Quinton de Kock', 'Wicketkeeper-Batsman', 'Left-handed',
NULL, FALSE),
(8, 'Temba Bavuma', 'Batsman', 'Right-handed', NULL, FALSE),
(8, 'Rassie van der Dussen', 'Batsman', 'Right-handed', 'Right-arm
legbreak', FALSE),
(8, 'David Miller', 'Batsman', 'Left-handed', 'Right-arm
offbreak', FALSE),
(8, 'Heinrich Klaasen', 'Wicketkeeper-Batsman', 'Right-handed',
NULL, FALSE),
(8, 'Marco Jansen', 'All-rounder', 'Left-handed', 'Left-arm fast-
medium', FALSE),
(8, 'Kagiso Rabada', 'Bowler', 'Left-handed', 'Right-arm fast',
FALSE),
(8, 'Anrich Nortje', 'Bowler', 'Right-handed', 'Right-arm fast',
FALSE),
(8, 'Keshav Maharaj', 'Bowler', 'Right-handed', 'Left-arm
orthodox', FALSE),
(8, 'Tabraiz Shamsi', 'Bowler', 'Right-handed', 'Left-arm wrist
spin', FALSE),
(8, 'Lungi Ngidi', 'Bowler', 'Right-handed', 'Right-arm fast',
FALSE),
(8, 'Andile Phehlukwayo', 'All-rounder', 'Left-handed', 'Right-arm
fast-medium', FALSE),
(8, 'Reeza Hendricks', 'Batsman', 'Right-handed', 'Right-arm
offbreak', FALSE),
(8, 'Gerald Coetzee', 'Bowler', 'Right-handed', 'Right-arm fast',
FALSE),
(8, 'Tristan Stubbs', 'Batsman', 'Right-handed', 'Right-arm
offbreak', FALSE);
```

-- Insert Afghanistan Players

```
INSERT INTO players (team_id, player_name, role, batting_style,
bowling_style, is_captain) VALUES
(7, 'Rashid Khan (c)', 'Bowler', 'Right-handed', 'Right-arm
legbreak', TRUE),
(7, 'Mohammad Nabi', 'All-rounder', 'Right-handed', 'Right-arm
offbreak', FALSE),
(7, 'Rahmanullah Gurbaz', 'Wicketkeeper-Batsman', 'Right-handed',
NULL, FALSE),
(7, 'Ibrahim Zadran', 'Batsman', 'Right-handed', NULL, FALSE),
(7, 'Hashmatullah Shahidi', 'Batsman', 'Left-handed', 'Right-arm
offbreak', FALSE),
(7, 'Azmatullah Omarzai', 'All-rounder', 'Right-handed', 'Right-
arm fast-medium', FALSE),
(7, 'Najibullah Zadran', 'Batsman', 'Left-handed', 'Right-arm
offbreak', FALSE),
```

```
(7, 'Mujeeb Ur Rahman', 'Bowler', 'Right-handed', 'Right-arm
offbreak', FALSE),
(7, 'Fazalhaq Farooqi', 'Bowler', 'Right-handed', 'Left-arm fast-
medium', FALSE),
(7, 'Naveen-ul-Haq', 'Bowler', 'Right-handed', 'Right-arm fast-
medium', FALSE),
(7, 'Gulbadin Naib', 'All-rounder', 'Right-handed', 'Right-arm
fast-medium', FALSE),
(7, 'Rahmat Shah', 'Batsman', 'Right-handed', 'Right-arm
legbreak', FALSE),
(7, 'Ikram Alikhil', 'Wicketkeeper-Batsman', 'Left-handed', NULL,
FALSE),
(7, 'Karim Janat', 'All-rounder', 'Right-handed', 'Right-arm fast-
medium', FALSE),
(7, 'Noor Ahmad', 'Bowler', 'Right-handed', 'Left-arm wrist spin',
FALSE),
(7, 'Qais Ahmad', 'Bowler', 'Right-handed', 'Right-arm legbreak',
FALSE);
```

4. Matches Table

```
CREATE TABLE matches (
    match_id INT PRIMARY KEY AUTO_INCREMENT,
    match_number INT NOT NULL,
    match_date DATE NOT NULL,
    venue_id INT,
    team1_id INT,
    team2_id INT,
    winner_id INT,
    match_type VARCHAR(20),
    start_time TIME,
    FOREIGN KEY (venue_id) REFERENCES venues(venue_id) ON DELETE
SET NULL,
    FOREIGN KEY (team1_id) REFERENCES teams(team_id) ON DELETE SET
NULL,
    FOREIGN KEY (team2_id) REFERENCES teams(team_id) ON DELETE SET
NULL,
    FOREIGN KEY (winner_id) REFERENCES teams(team_id) ON DELETE
SET NULL
) AUTO_INCREMENT = 1;
```

```
-- Insert complete match schedule
INSERT INTO matches (match_number, match_date, venue_id, team1_id,
team2_id, match_type, start_time) VALUES
-- Group Stage Matches
(1, '2025-02-19', 3, 2, 4, 'Group Stage', '14:30:00'), -- PAK vs
NZ (National Stadium, Karachi)
(2, '2025-02-20', 4, 3, 1, 'Group Stage', '14:30:00'), -- BAN vs
IND (Dubai International Stadium)
```



```

(3, '2025-02-21', 3, 7, 8, 'Group Stage', '14:30:00'), -- AFG vs
SA (National Stadium, Karachi)
(4, '2025-02-22', 1, 5, 6, 'Group Stage', '14:30:00'), -- AUS vs
ENG (Gaddafi Stadium, Lahore)
(5, '2025-02-23', 4, 2, 1, 'Group Stage', '14:30:00'), -- PAK vs
IND (Dubai International Stadium)
(6, '2025-02-24', 2, 3, 4, 'Group Stage', '14:30:00'), -- BAN vs
NZ (Rawalpindi Cricket Stadium)
(7, '2025-02-25', 2, 5, 8, 'Group Stage', '14:30:00'), -- AUS vs
SA (Rawalpindi Cricket Stadium)
(8, '2025-02-26', 1, 7, 6, 'Group Stage', '14:30:00'), -- AFG vs
ENG (Gaddafi Stadium, Lahore)
(9, '2025-02-27', 2, 2, 3, 'Group Stage', '14:30:00'), -- PAK vs
BAN (Rawalpindi Cricket Stadium)
(10, '2025-02-28', 1, 7, 5, 'Group Stage', '14:30:00'), -- AFG vs
AUS (Gaddafi Stadium, Lahore)
(11, '2025-03-01', 3, 8, 6, 'Group Stage', '14:30:00'), -- SA vs
ENG (National Stadium, Karachi)
(12, '2025-03-02', 4, 4, 1, 'Group Stage', '14:30:00'), -- NZ vs
IND (Dubai International Stadium)

-- Semi-Finals
(13, '2025-03-04', 4, NULL, NULL, 'Semi-Final 1', '14:30:00'), --
A1 vs B2 (Dubai International Stadium)
(14, '2025-03-05', 1, NULL, NULL, 'Semi-Final 2', '14:30:00'), --
B1 vs A2 (Gaddafi Stadium, Lahore)

-- Final
(15, '2025-03-09', 4, NULL, NULL, 'Final', '14:30:00'); -- Dubai
International Stadium

```

5. Points Table

```

CREATE TABLE points_table (
    team_id INT PRIMARY KEY,
    matches_played INT DEFAULT 0,
    wins INT DEFAULT 0,
    losses INT DEFAULT 0,
    no_results INT DEFAULT 0,
    points INT DEFAULT 0,
    net_run_rate DECIMAL(5,3) DEFAULT 0.000,
    FOREIGN KEY (team_id) REFERENCES teams(team_id) ON DELETE
CASCADE
);

-- Initialize points table for all teams
INSERT INTO points_table (team_id, matches_played, wins, losses,
no_results, points, net_run_rate) VALUES
(1, 0, 0, 0, 0, 0, 0.000),
(2, 0, 0, 0, 0, 0, 0.000),

```

```
(3, 0, 0, 0, 0, 0, 0.000),
(4, 0, 0, 0, 0, 0, 0.000),
(5, 0, 0, 0, 0, 0, 0.000),
(6, 0, 极, 0, 0, 0, 0.000),
(7, 0, 0, 0, 0, 0, 0.000),
(8, 0, 0, 0, 极, 0, 0.000);
```

6. Match Results Table Creation

```
-- Create match_results table with all constraints
CREATE TABLE match_results (
    match_id INT PRIMARY KEY,
    team1_score INT,
    team1_wickets INT,
    team1_overs DECIMAL(4,1),
    team2_score INT,
    team2_wickets INT,
    team2_overs DECIMAL(4,1),
    toss_winner_id INT,
    toss_decision VARCHAR(10),
    player_of_match INT,
    FOREIGN KEY (match_id) REFERENCES matches(match_id) ON DELETE
    CASCADE,
    FOREIGN KEY (toss_winner_id) REFERENCES teams(team_id) ON
    DELETE SET NULL,
    FOREIGN KEY (player_of_match) REFERENCES players(player_id) ON
    DELETE SET NULL
);
```

Complete Match Results Data Insertion

```
-- Insert complete match results for all 15 matches
INSERT INTO match_results (match_id, team1_score, team1_wickets,
    team1_overs, team2_score, team2_wickets, team2_overs,
    toss_winner_id, toss_decision, player_of_match) VALUES
-- Match 1: PAK vs NZ - NZ won by 60 runs
(1, 285, 7, 50.0, 225, 10, 45.2, 4, 'bat',
    (SELECT player_id FROM players WHERE player_name LIKE 'Kane
    Williamson%')),
-- Match 2: BAN vs IND - IND won by 6 wickets
(2, 245, 8, 50.0, 246, 4, 48.1, 3, 'bat',
    (SELECT player_id FROM players WHERE player_name LIKE 'Virat
    Kohli%')),
-- Match 3: AFG vs SA - SA won by 107 runs
(3, 198, 10, 45.3, 305, 6, 50.0, 8, 'bat',
    (SELECT player_id FROM players WHERE player_name LIKE 'Quinton de
    Kock%')),
```

```

-- Match 4: AUS vs ENG - AUS won by 5 wickets
(4, 285, 9, 50.0, 286, 5, 48.2, 6, 'field',
 (SELECT player_id FROM players WHERE player_name LIKE 'Steve
Smith%')),

-- Match 5: PAK vs IND - IND won by 6 wickets
(5, 275, 8, 50.0, 276, 4, 48.3, 2, 'bat',
 (SELECT player_id FROM players WHERE player_name LIKE 'Rohit
Sharma%')),

-- Match 6: BAN vs NZ - NZ won by 5 wickets
(6, 230, 10, 49.1, 231, 5, 47.2, 4, 'field',
 (SELECT player_id FROM players WHERE player_name LIKE 'Trent
Boult%')),

-- Match 7: AUS vs SA - Match abandoned due to rain (No toss)
(7, NULL, NULL, NULL, NULL, NULL, NULL, NULL, NULL, NULL),

-- Match 8: AFG vs ENG - AFG won by 8 runs
(8, 265, 7, 50.0, 257, 10, 49.4, 7, 'bat',
 (SELECT player_id FROM players WHERE player_name LIKE 'Rashid
Khan%')),

-- Match 9: PAK vs BAN - Match abandoned due to rain (No toss)
(9, NULL, NULL, NULL, NULL, NULL, NULL, NULL, NULL, NULL),

-- Match 10: AFG vs AUS - No result due to rain (match started but
abandoned)
(10, 185, 6, 35.0, NULL, NULL, NULL, 5, 'field', NULL),

-- Match 11: SA vs ENG - SA won by 7 wickets
(11, 295, 6, 50.0, 296, 3, 47.1, 8, 'bat',
 (SELECT player_id FROM players WHERE player_name LIKE 'Aiden
Markram%')),

-- Match 12: NZ vs IND - IND won by 44 runs
(12, 315, 8, 50.0, 271, 10, 45.3, 4, 'bat',
 (SELECT player_id FROM players WHERE player_name LIKE 'Jasprit
Bumrah%')),

-- Semi-Final 1: IND vs AUS - IND won by 4 wickets
(13, 325, 6, 50.0, 326, 6, 49.2, 5, 'field',
 (SELECT player_id FROM players WHERE player_name LIKE 'Virat
Kohli%')),

-- Semi-Final 2: SA vs NZ - NZ won by 50 runs
(14, 280, 10, 49.3, 230, 10, 45.1, 8, 'bat',
 (SELECT player_id FROM players WHERE player_name LIKE 'Trent
Boult%')),

-- Final: IND vs NZ - IND won by 4 wickets
(15, 325, 7, 50.0, 326, 6, 49.1, 4, 'field',

```

```
(SELECT player_id FROM players WHERE player_name LIKE 'Rohit Sharma%')));
```

Update Match Winners Based on Results

```
-- Update winner_id in matches table based on match results
UPDATE matches SET winner_id = 4 WHERE match_id = 1;    -- NZ won
match 1
UPDATE matches SET winner_id = 1 WHERE match_id = 2;    -- IND won
match 2
UPDATE matches SET winner_id = 8 WHERE match_id = 3;    -- SA won
match 3
UPDATE matches SET winner_id = 5 WHERE match_id = 4;    -- AUS won
match 4
UPDATE matches SET winner_id = 1 WHERE match_id = 5;    -- IND won
match 5
UPDATE matches SET winner_id = 4 WHERE match_id = 6;    -- NZ won
match 6
UPDATE matches SET winner_id = NULL WHERE match_id = 7; -- No
result match 7
UPDATE matches SET winner_id = 7 WHERE match_id = 8;    -- AFG won
match 8
UPDATE matches SET winner_id = NULL WHERE match_id = 9; -- No
result match 9
UPDATE matches SET winner_id = NULL WHERE match_id = 10; -- No
result match 10
UPDATE matches SET winner_id = 8 WHERE match_id = 11;   -- SA won
match 11
UPDATE matches SET winner_id = 1 WHERE match_id = 12;   -- IND won
match 12
UPDATE matches SET winner_id = 1 WHERE match_id = 13;   -- IND won
Semi-Final 1
UPDATE matches SET winner_id = 4 WHERE match_id = 14;   -- NZ won
Semi-Final 2
UPDATE matches SET winner_id = 1 WHERE match_id = 15;   -- IND won
Final
```

Update Points Table with Final Tournament Standings

```
-- Update points table with final tournament statistics
UPDATE points_table SET
    matches_played = 3,
    wins = 2,
    losses = 1,
    no_results = 0,
    points = 4,
    net_run_rate = 0.850
WHERE team_id = 1;    -- India
```

```
UPDATE points_table SET
    matches_played = 3,
    wins = 1,
    losses = 1,
    no_results = 1,
    points = 3,
    net_run_rate = 0.350
WHERE team_id = 2; -- Pakistan
```

```
UPDATE points_table SET
    matches_played = 3,
    wins = 1,
    losses = 1,
    no_results = 1,
    points = 3,
    net_run_rate = -0.250
WHERE team_id = 3; -- Bangladesh
```

```
UPDATE points_table SET
    matches_played = 3,
    wins = 2,
    losses = 1,
    no_results = 0,
    points = 4,
    net_run_rate = 0.650
WHERE team_id = 4; -- New Zealand
```

```
UPDATE points_table SET
    matches_played = 3,
    wins = 1,
    losses = 1,
    no_results = 1,
    points = 3,
    net_run_rate = 0.450
WHERE team_id = 5; -- Australia
```

```
UPDATE points_table SET
    matches_played = 3,
    wins = 1,
    losses = 2,
    no_results = 0,
    points = 2,
    net_run_rate = -0.150
WHERE team_id = 6; -- England
```

```
UPDATE points_table SET
    matches_played = 3,
    wins = 1,
    losses = 1,
    no_results = 1,
    points = 3,
    net_run_rate = 0.200
```

```
WHERE team_id = 7; -- Afghanistan
```

```
UPDATE points_table SET
    matches_played = 3,
    wins = 2,
    losses = 1,
    no_results = 0,
    points = 4,
    net_run_rate = 0.750
WHERE team_id = 8; -- South Africa
```

Verification Query for Match Results

```
-- Comprehensive match results verification
```

```
SELECT
    m.match_id,
    m.match_number,
    m.match_date,
    m.match_type,
    t1.team_name as team1,
    t2.team_name as team2,
    CONCAT(mr.team1_score, '/', mr.team1_wickets) as team1_score,
    CONCAT('(', mr.team1_overs, ' ov)') as team1_overs,
    CONCAT(mr.team2_score, '/', mr.team2_wickets) as team2_score,
    CONCAT('(', mr.team2_overs, ' ov)') as team2_overs,
    tw.team_name as winner,
    mr.toss_decision,
    toss_team.team_name as toss_winner,
    p.player_name as player_of_match,
    CASE
        WHEN m.winner_id IS NULL THEN 'No Result'
        WHEN m.winner_id = m.team1_id THEN CONCAT(t1.team_name, '
won by ',
            CASE
                WHEN mr.team2_score < mr.team1_score THEN
CONCAT(mr.team1_score - mr.team2_score, ' runs')
                ELSE CONCAT(10 - mr.team2_wickets, ' wickets')
            END)
        ELSE CONCAT(t2.team_name, ' won by ',
            CASE
                WHEN mr.team1_score < mr.team2_score THEN
CONCAT(mr.team2_score - mr.team1_score, ' runs')
                ELSE CONCAT(10 - mr.team1_wickets, ' wickets')
            END)
        END as result_summary
FROM matches m
JOIN teams t1 ON m.team1_id = t1.team_id
JOIN teams t2 ON m.team2_id = t2.team_id
```

```

JOIN match_results mr ON m.match_id = mr.match_id
LEFT JOIN teams tw ON m.winner_id = tw.team_id
LEFT JOIN teams toss_team ON mr.toss_winner_id = toss_team.team_id
LEFT JOIN players p ON mr.player_of_match = p.player_id
ORDER BY m.match_date, m.match_number;

```

Match Statistics Summary Query

-- Overall tournament match statistics

```

SELECT
    'Total Matches' as statistic,
    COUNT(*) as value
FROM matches

```

UNION ALL

```

SELECT
    'Completed Matches',
    COUNT(*)
FROM matches
WHERE winner_id IS NOT NULL

```

UNION ALL

```

SELECT
    'Rain-affected Matches',
    COUNT(*)
FROM matches
WHERE winner_id IS NULL

```

UNION ALL

```

SELECT
    'Total Runs Scored',
    SUM(team1_score + team2_score)
FROM match_results
WHERE team1_score IS NOT NULL

```

UNION ALL

```

SELECT
    'Average Match Score',
    ROUND(AVG(team1_score + team2_score), 2)
FROM match_results
WHERE team1_score IS NOT NULL

```

UNION ALL

```

SELECT
    'Highest Team Score',

```

```
MAX(GREATEST(team1_score, team2_score))  
FROM match_results
```

UNION ALL

```
SELECT  
    'Most Player of Match Awards',  
    (SELECT COUNT(*) FROM match_results mr  
     JOIN players p ON mr.player_of_match = p.player_id  
     GROUP BY p.player_id  
     ORDER BY COUNT(*) DESC  
     LIMIT 1);
```

BASIC QUERIES

1. List All Teams

```
SELECT team_name, team_code, group_name  
FROM teams  
ORDER BY group_name, team_name;
```

2. Show All Matches with Basic Info

```
SELECT m.match_number, m.match_date, m.match_type,  
       t1.team_name as team1, t2.team_name as team2,  
       v.venue_name, m.start_time  
FROM matches m  
JOIN teams t1 ON m.team1_id = t1.team_id  
JOIN teams t2 ON m.team2_id = t2.team_id  
JOIN venues v ON m.venue_id = v.venue_id  
ORDER BY m.match_date;
```

3. Find All Captains

```
SELECT p.player_name, t.team_name, p.role  
FROM players p  
JOIN teams t ON p.team_id = t.team_id  
WHERE p.is_captain = TRUE  
ORDER BY t.team_name;
```

4. Count Players by Team


```

SELECT t.team_name, COUNT(p.player_id) as total_players
FROM teams t
JOIN players p ON t.team_id = p.team_id
GROUP BY t.team_id, t.team_name
ORDER BY total_players DESC;

```

5. Show Points Table

```

SELECT t.team_name, t.group_name,
       p.matches_played, p.wins, p.losses, p.no_results,
       p.points, p.net_run_rate
FROM points_table p
JOIN teams t ON p.team_id = t.team_id
ORDER BY p.points DESC, p.net_run_rate DESC;

```

MEDIUM QUERIES

List All Teams

team_name	team_code	group_name
Bangladesh	BAN	A
India	IND	A
New Zealand	NZ	A
Pakistan	PAK	A
Afghanistan	AFG	B
Australia	AUS	B
England	ENG	B
South Africa	SA	B

6. Match Results with Winner Info

```

SELECT m.match_number, m.match_date,
       t1.team_name as team1, t2.team_name as team2,
       CONCAT(mr.team1_score, '/', mr.team1_wickets) as
team1_score,
       CONCAT(mr.team2_score, '/', mr.team2_wickets) as
team2_score,
       tw.team_name as winner,
       (SELECT player_name FROM players WHERE player_id =
mr.player_of_match) as player_of_match

```

Show All Matches with Basic Info

match_number	match_date	match_type	team1	team2	venue_name	start_time
1	2025-02-19	Group Stage	Pakistan	New Zealand	National Stadium	14:30:00
2	2025-02-20	Group Stage	Bangladesh	India	Dubai International Cricket Stadium	14:30:00
3	2025-02-21	Group Stage	Afghanistan	South Africa	National Stadium	14:30:00
4	2025-02-22	Group Stage	Australia	England	Gaddafi Stadium	14:30:00
5	2025-02-23	Group Stage	Pakistan	India	Dubai International Cricket Stadium	14:30:00
6	2025-02-24	Group Stage	Bangladesh	New Zealand	Rawalpindi Cricket Stadium	14:30:00
7	2025-02-25	Group Stage	Australia	South Africa	Rawalpindi Cricket Stadium	14:30:00
8	2025-02-26	Group Stage	Afghanistan	England	Gaddafi Stadium	14:30:00
9	2025-02-27	Group Stage	Pakistan	Bangladesh	Rawalpindi Cricket Stadium	14:30:00
10	2025-02-28	Group Stage	Afghanistan	Australia	Gaddafi Stadium	14:30:00
11	2025-03-01	Group Stage	South Africa	England	National Stadium	14:30:00
12	2025-03-02	Group Stage	New Zealand	India	Dubai International Cricket Stadium	14:30:00

```

FROM matches m
JOIN teams t1 ON m.team1_id = t1.team_id
JOIN teams t2 ON m.team2_id = t2.team_id
JOIN match_results mr ON m.match_id = mr.match_id
LEFT JOIN teams tw ON m.winner_id = tw.team_id
WHERE m.winner_id IS NOT NULL
ORDER BY m.match_date;

```

7. Players by Role and Team

```

SELECT t.team_name,
       SUM(CASE WHEN p.role = 'Batsman' THEN 1 ELSE 0 END) as

```

Find All Captains

player_name	team_name	role
Rashid Khan (c)	Afghanistan	Bowler
Pat Cummins (c)	Australia	Bowler
Shakib Al Hasan (c)	Bangladesh	All-rounder
Jos Buttler (c)	England	Wicketkeeper-Batsman
Rohit Sharma (c)	India	Batsman
Kane Williamson (c)	New Zealand	Batsman
Babar Azam (c)	Pakistan	Batsman
Aiden Markram (c)	South Africa	Batsman

batsmen,

Count Players by Team

team_name	total_players
Afghanistan	16
Australia	16
Bangladesh	16
England	16
New Zealand	16
South Africa	16
India	11
Pakistan	10

```

SUM(CASE WHEN p.role = 'Bowler' THEN 1
ELSE 0 END) as bowlers,
SUM(CASE WHEN p.role = 'All-rounder'
THEN 1 ELSE 0 END) as all_rounder,
SUM(CASE WHEN p.role LIKE
'%Wicketkeeper%' THEN 1 ELSE 0 END) as
wicketkeepers,
COUNT(p.player_id) as total_players
FROM players p
JOIN teams t ON p.team_id = t.team_id
GROUP BY t.team_id, t.team_name
ORDER BY t.team_name;

```

8. Venue Statistics

```

SELECT v.venue_name, v.city, v.country,
COUNT(m.match_id) as total_matches,
ROUND(AVG(mr.team1_score + mr.team2_score), 2) as
avg_total_runs
FROM venues v
JOIN matches m ON v.venue_id = m.venue_id
JOIN match_results mr ON m.match_id = mr.match_id
GROUP BY v.venue_id, v.venue_name, v.city, v.country
ORDER BY total_matches DESC;

```

9. Toss Analysis

```

SELECT mr.toss_decision,
COUNT(*) as total_matches,
SUM(CASE WHEN m.winner_id = mr.toss_winner_id THEN 1 ELSE 0
END) as wins_after_toss,
ROUND(SUM(CASE WHEN m.winner_id = mr.toss_winner_id THEN 1
ELSE 0 END) * 100.0 / COUNT(*), 2) as win_percentage
FROM matches m
JOIN match_results mr ON m.match_id = mr.match_id
WHERE mr.toss_decision IS NOT NULL AND m.winner_id IS NOT NULL
GROUP BY mr.toss_decision;


```

10. Player of Match Awards

```

SELECT p.player_name, t.team_name, p.role,
COUNT(mr.player_of_match) as potm_awards
FROM players p
JOIN teams t ON p.team_id = t.team_id
JOIN match_results mr ON p.player_id = mr.player_of_match
GROUP BY p.player_id, p.player_name, t.team_name, p.role
HAV COUNT(mr.player_of_match) > 0
ORDER BY potm_awards DESC;

```



teams

team_id	team_name	team_code	group_name
1	India	IND	A
2	Pakistan	PAK	A
3	Bangladesh	BAN	A
4	New Zealand	NZ	A
5	Australia	AUS	B
6	England	ENG	B
7	Afghanistan	AFG	B
8	South Africa	SA	B

matches

match_id	match_number	match_date	venue_id	team1_id	team2_id	winner_id	match_type	start_time
1	1	2025-02-19	3	2	4	4	Group Stage	14:30:00
2	2	2025-02-20	4	3	1	1	Group Stage	14:30:00
3	3	2025-02-21	3	7	8	8	Group Stage	14:30:00
4	4	2025-02-22	1	5	6	5	Group Stage	14:30:00
5	5	2025-02-23	4	2	1	1	Group Stage	14:30:00
6	6	2025-02-24	2	3	4	4	Group Stage	14:30:00
7	7	2025-02-25	2	5	8	NULL	Group Stage	14:30:00
8	8	2025-02-26	1	7	6	7	Group Stage	14:30:00
9	9	2025-02-27	2	2	3	NULL	Group Stage	14:30:00
10	10	2025-02-28	1	7	5	NULL	Group Stage	14:30:00
11	11	2025-03-01	3	8	6	8	Group Stage	14:30:00
12	12	2025-03-02	4	4	1	1	Group Stage	14:30:00
13	13	2025-03-04	4	NULL	NULL	1	Semi-Final 1	14:30:00
14	14	2025-03-05	1	NULL	NULL	4	Semi-Final 2	14:30:00
15	15	2025-03-09	4	NULL	NULL	1	Final	14:30:00

players-1

player_id	team_id	player_name	role	batting_style	bowling_style	is_captain
1	1	Rohit Sharma (c)	Batsman	Right-hand	Right-arm offbreak	1
2	1	Virat Kohli	Batsman	Right-hand	Right-arm medium	0
3	1	KL Rahul	Wicketkeeper-Bats	Right-hand	NULL	0
4	1	Rishabh Pant	Wicketkeeper-Bats	Left-hand	NULL	0
5	1	Suryakumar Yadav	Batsman	Right-hand	Right-arm medium	0
6	1	Hardik Pandya	All-rounder	Right-hand	Right-arm fast-med	0
7	1	Ravindra Jadeja	All-rounder	Left-hand	Left-arm orthodox	0
8	1	Jasprit Bumrah	Bowler	Right-hand	Right-arm fast	0
9	1	Mohammed Shami	Bowler	Right-hand	Right-arm fast	0
10	1	Kuldeep Yadav	Bowler	Right-hand	Left-arm wrist spin	0
11	1	Mohammed Siraj	Bowler	Right-hand	Right-arm fast	0
12	2	Babar Azam (c)	Batsman	Right-hand	Right-arm offbreak	1
13	2	Mohammad Rizwan	Wicketkeeper-Bats	Right-hand	NULL	0
14	2	Fakhar Zaman	Batsman	Left-hand	Slow left-arm ortho	0
15	2	Imam-ul-Haq	Batsman	Left-hand	NULL	0
16	2	Iftikhar Ahmed	All-rounder	Right-hand	Right-arm offbreak	0
17	2	Shadab Khan	All-rounder	Right-hand	Right-arm legbreak	0
18	2	Shaheen Afridi	Bowler	Left-hand	Left-arm fast	0
19	2	Haris Rauf	Bowler	Right-hand	Right-arm fast	0
20	2	Naseem Shah	Bowler	Right-hand	Right-arm fast	0
21	2	Mohammad Nawaz	All-rounder	Left-hand	Left-arm orthodox	0
22	3	Shakib Al Hasan (c)	All-rounder	Left-hand	Left-arm orthodox	1
23	3	Litton Das	Wicketkeeper-Bats	Right-hand	NULL	0
24	3	Najmul Hossain Sh	Batsman	Left-hand	Right-arm offbreak	0
25	3	Mushfiqur Rahim	Wicketkeeper-Bats	Right-hand	NULL	0
26	3	Mahmudullah	All-rounder	Right-hand	Right-arm offbreak	0
27	3	Taskin Ahmed	Bowler	Right-hand	Right-arm fast	0
28	3	Mustafizur Rahmar	Bowler	Left-hand	Left-arm fast-med	0
29	3	Mehidy Hasan Mir	All-rounder	Right-hand	Right-arm offbreak	0
30	3	Towhid Hridoy	Batsman	Right-hand	Right-arm offbreak	0
31	3	Afif Hossain	All-rounder	Left-hand	Right-arm offbreak	0
32	3	Hasan Mahmud	Bowler	Right-hand	Right-arm fast-med	0
33	3	Shoriful Islam	Bowler	Left-hand	Left-arm fast-med	0
34	3	Nasum Ahmed	Bowler	Left-hand	Left-arm orthodox	0
35	3	Tanzid Hasan Tamir	Batsman	Left-hand	NULL	0
36	3	Rishad Hossain	Bowler	Right-hand	Right-arm legbreak	0
37	3	Tanzim Hasan Saki	Bowler	Right-hand	Right-arm fast-med	0
38	4	Kane Williamson (c)	Batsman	Right-hand	Right-arm offbreak	1

players-2

39	4	Devon Conway	Wicketkeeper-Bats	Left-handed	NULL	0
40	4	Trent Boult	Bowler	Right-handed	Left-arm fast	0
41	4	Tim Southee	Bowler	Right-handed	Right-arm fast-med	0
42	4	Glenn Phillips	Batsman	Right-handed	Right-arm offbreak	0
43	4	Daryl Mitchell	All-rounder	Right-handed	Right-arm medium	0
44	4	Mitchell Santner	All-rounder	Left-handed	Left-arm orthodox	0
45	4	Tom Latham	Wicketkeeper-Bats	Left-handed	NULL	0
46	4	Lockie Ferguson	Bowler	Right-handed	Right-arm fast	0
47	4	Matt Henry	Bowler	Right-handed	Right-arm fast-med	0
48	4	Ish Sodhi	Bowler	Right-handed	Right-arm legbreak	0
49	4	Finn Allen	Batsman	Right-handed	Right-arm offbreak	0
50	4	Rachin Ravindra	All-rounder	Left-handed	Left-arm orthodox	0
51	4	Will Young	Batsman	Right-handed	Right-arm offbreak	0
52	4	Adam Milne	Bowler	Right-handed	Right-arm fast	0
53	4	Mark Chapman	Batsman	Left-handed	Slow left-arm ortho	0
54	5	Pat Cummins (c)	Bowler	Right-handed	Right-arm fast	1
55	5	Steve Smith	Batsman	Right-handed	Right-arm legbreak	0
56	5	David Warner	Batsman	Left-handed	Right-arm legbreak	0
57	5	Mitchell Starc	Bowler	Left-handed	Left-arm fast	0
58	5	Josh Hazlewood	Bowler	Left-handed	Right-arm fast-med	0
59	5	Glenn Maxwell	All-rounder	Right-handed	Right-arm offbreak	0
60	5	Mitchell Marsh	All-rounder	Right-handed	Right-arm medium	0
61	5	Alex Carey	Wicketkeeper-Bats	Left-handed	NULL	0
62	5	Travis Head	Batsman	Left-handed	Right-arm offbreak	0
63	5	Marnus Labuschagr	Batsman	Right-handed	Right-arm legbreak	0
64	5	Adam Zampa	Bowler	Right-handed	Right-arm legbreak	0
65	5	Cameron Green	All-rounder	Right-handed	Right-arm fast-med	0
66	5	Marcus Stoinis	All-rounder	Right-handed	Right-arm fast-med	0
67	5	Josh Inglis	Wicketkeeper-Bats	Right-handed	NULL	0
68	5	Sean Abbott	Bowler	Right-handed	Right-arm fast-med	0
69	5	Nathan Ellis	Bowler	Right-handed	Right-arm fast-med	0
70	6	Jos Buttler (c)	Wicketkeeper-Bats	Right-handed	NULL	1
71	6	Ben Stokes	All-rounder	Left-handed	Right-arm fast-med	0
72	6	Joe Root	Batsman	Right-handed	Right-arm offbreak	0
73	6	Jofra Archer	Bowler	Right-handed	Right-arm fast	0
74	6	Mark Wood	Bowler	Right-handed	Right-arm fast	0
75	6	Jonny Bairstow	Wicketkeeper-Bats	Right-handed	NULL	0
76	6	Dawid Malan	Batsman	Left-handed	Right-arm legbreak	0

players-3

77	6	Liam Livingstone	All-rounder	Right-handed	Right-arm offbreak	0
78	6	Sam Curran	All-rounder	Left-handed	Left-arm fast-medium	0
79	6	Chris Woakes	All-rounder	Right-handed	Right-arm fast-medium	0
80	6	Adil Rashid	Bowler	Right-handed	Right-arm legbreak	0
81	6	Moeen Ali	All-rounder	Left-handed	Right-arm offbreak	0
82	6	Harry Brook	Batsman	Right-handed	Right-arm medium	0
83	6	Reece Topley	Bowler	Right-handed	Left-arm fast-medium	0
84	6	Gus Atkinson	Bowler	Right-handed	Right-arm fast	0
85	6	Phil Salt	Batsman	Right-handed	NULL	0
86	8	Aiden Markram (c)	Batsman	Right-handed	Right-arm offbreak	1
87	8	Quinton de Kock	Wicketkeeper-Batsman	Left-handed	NULL	0
88	8	Temba Bavuma	Batsman	Right-handed	NULL	0
89	8	Rassie van der Dussen	Batsman	Right-handed	Right-arm legbreak	0
90	8	David Miller	Batsman	Left-handed	Right-arm offbreak	0
91	8	Heinrich Klaasen	Wicketkeeper-Batsman	Right-handed	NULL	0
92	8	Marco Jansen	All-rounder	Left-handed	Left-arm fast-medium	0
93	8	Kagiso Rabada	Bowler	Left-handed	Right-arm fast	0
94	8	Anrich Nortje	Bowler	Right-handed	Right-arm fast	0
95	8	Keshav Maharaj	Bowler	Right-handed	Left-arm orthodox	0
96	8	Tabraiz Shamsi	Bowler	Right-handed	Left-arm wrist spin	0
97	8	Lungi Ngidi	Bowler	Right-handed	Right-arm fast	0
98	8	Andile Phehlukwayo	All-rounder	Left-handed	Right-arm fast-medium	0
99	8	Reeza Hendricks	Batsman	Right-handed	Right-arm offbreak	0
100	8	Gerald Coetzee	Bowler	Right-handed	Right-arm fast	0
101	8	Tristan Stubbs	Batsman	Right-handed	Right-arm offbreak	0
102	7	Rashid Khan (c)	Bowler	Right-handed	Right-arm legbreak	1
103	7	Mohammad Nabi	All-rounder	Right-handed	Right-arm offbreak	0
104	7	Rahmanullah Gurbani	Wicketkeeper-Batsman	Right-handed	NULL	0
105	7	Ibrahim Zadran	Batsman	Right-handed	NULL	0
106	7	Hashmatullah Shahidi	Batsman	Left-handed	Right-arm offbreak	0

players-4

107	7	Azmatullah Omarzai	All-rounder	Right-hande	Right-arm fast-medium	0
108	7	Najibullah Zadran	Batsman	Left-handed	Right-arm offbreak	0
109	7	Mujeeb Ur Rahman	Bowler	Right-hande	Right-arm offbreak	0
110	7	Fazalhaq Farooqi	Bowler	Right-hande	Left-arm fast-medium	0
111	7	Naveen-ul-Haq	Bowler	Right-hande	Right-arm fast-medium	0
112	7	Gulbadin Naib	All-rounder	Right-hande	Right-arm fast-medium	0
113	7	Rahmat Shah	Batsman	Right-hande	Right-arm legbreak	0
114	7	Ikram Alikhil	Wicketkeeper-Batsman	Left-handed	NULL	0
115	7	Karim Janat	All-rounder	Right-hande	Right-arm fast-medium	0
116	7	Noor Ahmad	Bowler	Right-hande	Left-arm wrist spin	0
117	7	Qais Ahmad	Bowler	Right-hande	Right-arm legbreak	0

venues

venue_id	venue_name	city	country	capacity
1	Gaddafi Stadium	Lahore	Pakistan	27000
2	Rawalpindi Cricket Stadium	Rawalpindi	Pakistan	25000
3	National Stadium	Karachi	Pakistan	34228
4	Dubai International Cricket Stadium	Dubai	UAE	35000

match_reults

match	team1_sc	team1_wicl	team1_ov	team2_sc	team2_wicl	team2_ov	toss_winne	toss_decis	player_of_m
1	285	7	50.0	225	10	45.2	4	bat	38
2	245	8	50.0	246	4	48.1	3	bat	2
3	198	10	45.3	305	6	50.0	8	bat	87
4	285	9	50.0	286	5	48.2	6	field	55
5	275	8	50.0	276	4	48.3	2	bat	1
6	230	10	49.1	231	5	47.2	4	field	40
7	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL
8	265	7	50.0	257	10	49.4	7	bat	102
9	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL
10	185	6	35.0	NULL	NULL	NULL	5	field	NULL
11	295	6	50.0	296	3	47.1	8	bat	86
12	315	8	50.0	271	10	45.3	4	bat	8
13	325	6	50.0	326	6	49.2	5	field	2
14	280	10	49.3	230	10	45.1	8	bat	40
15	325	7	50.0	326	6	49.1	4	field	1

points_table

team_id	matches_played	wins	losses	no_results	points	net_run_rate
1	3	2	1	0	4	0.850
4	3	2	1	0	4	0.650
8	3	2	1	0	4	0.750
2	3	1	1	1	3	0.350
3	3	1	1	1	3	-0.250
5	3	1	1	1	3	0.450
7	3	1	1	1	3	0.200
6	3	1	2	0	2	-0.150