

SET IN PROGRESS ITEMS AS FAILED

A quick and easy-to-use tool for QueueItems management.

Date	Author	Description	Version
20/07/2023	vStrName	First release.	1.0.1

DESCRIPTION

This process will retrieve all In Progress items from the Queue provided by `<in_QueueName>` and will set them as Failed items. The type of Exception will be Application and the Reason, by default, will be *"Status changed to Failed by SET_IN_PROGRESS_ITEMS_AS_FAILED process."*

If you want to print your custom Reason, pass the message using `<in_Reason>` input argument.

Notice that these items will not be duplicated in your Queue; their status will directly change from In Progress to Failed.

Action will take place in the Orchestrator Folder provided by `<in_FolderName>` but, since this is an optional argument, if left empty, the process will perform within the Shared folder.

If you ever need to compile this process as part of a library, please make sure `<in_QueueName>` input argument is defined as a **required**.

Input Arguments	Description	Required
in_FolderName	<code><String></code> Name of the Orchestrator folder. Default value: "Shared".	Optional
in_QueueName	<code><String></code> Name of the Orchestrator Queue where the process will perform its action. If left empty, process will throw an exception.	Required
in_Reason	<code><String></code> Reason to detail the Application Exception. Default value: <i>"Status changed to Failed from SET_IN_PROGRESS_ITEMS_AS_FAILED process."</i>	Optional

DEPENDENCIES

UiPath.Excel.Activities: [2.16.0]
UiPath.Mail.Activities: [1.18.1]
UiPath.System.Activities: [22.10.3]
UiPath.Testing.Activities: [22.10.0]
UiPath.UIAutomation.Activities: [22.10.3]

COMPILATION

Compiled with UiPath 2022.10.3