




DO NOT SPILL SOUTH OF
2418:32N 08232W

2400N 08335:57W



NAVAL AIR STATION KEY WEST

ATC / TARPON Course Rules



GENERAL INFORMATION

Arming/Dearming Areas: The approach end warmup area of each runway, 140 heading for RY7 180 for all others.. Advise tower and radar that dearming is required. CALA located at approach end of RWY-31.

Controlled Ejection/Bail-Out: Eject / bail-out within a 5NM radius of a point 10NM north of NAS Key West, heading in a northerly direction. If able, notify Navy Approach or Tower to allow warning other aircraft and alerting rescue facilities.

Fuel Dumping: Under positive control of Navy Tower or Approach. Unless in an emergency, fuel shall not be dumped below 6000'.

TARPON is the Coordinator/Scheduling Authority for the NASKW OPAREA and works closely with other controlling agencies to ensure safety. Any changes to the Schedule Require TARPON approval. All unscheduled Flights require a one hour notice for airspace coordination

CHECK IN PROCEDURES


1. After departure from NQX, ATC will switch flights to Tarpon BTN 9. Operable IFF and Comms required.
2. Once established in assigned airspace, Tarpon will direct flight to switch to assigned BTN.

RTB EXIT ALTITUDES

1. Exit altitudes are as follows:
CHORA: 9k. BAGHO: 3k.
HARKY: 7k. FISHS: 14k.
TANUY: 5k

BOCA ONE DEPARTURE (NQX1.NQX)


KEY WEST NAS (BOCA CHICA FIELD) (KNQX)
KEY WEST, FLORIDA



BOCA ONE DEPARTURE (NQX1.NQX)

KEY WEST, FLORIDA
KEY WEST NAS (BOCA CHICA FIELD) (KNQX)

RADAR OUT ARRIVALS



EXIT HARKY: Exit Harky at 5K after sequenced by Tarpon. IFR: Expect descent to 3K when established on 305 radial. VFR: Descend to 3K when established on 305 radial prior to 10NM arc. Thence...

EXIT BAGHO: Exit Bagho at 4K after sequenced by Tarpon. IFR: Expect descent to 3K when established on 207 radial. VFR: Descend to 3K ONLY when deconfliction is assured at the initial. Thence...

EXIT FISHS: Exit Fishs at 14K after sequenced by Tarpon. IFR: Expect descent to 3K when established on 107 radial. VFR: Descend to 5K when established on 107 radial prior to the 10NM arc and descend to 3K ONLY when deconfliction is assured at the initial. Thence...

EXIT FISHS: Arc to the initial radial and then proceed inbound on the initial radial. (Exception: For Runway 5 proceed inbound on the 090 radial to 3DME) DO NOT ARC BETWEEN THE 028 RADIAL AND 087 RADIAL!

COMMS PLAN

<u>BTN</u>	<u>PURPOSE</u>	<u>UHF</u>	<u>VHF</u>
1	CLEARANCE	357.4	121.2
2	NQX GROUND	336.45	121.7
3	NQX TOWER	340.25	118.575
4	NQX APPROACH	289.85	124.025
5	MIAMI CENTER	323.1, 306.9	132.2, 133.5
6	TARPON	275.65	
7	PARADISE	342.35	
8	TARPON	302.35	
9	TARPON COORD	377.35	
10	TARPON	318.90	
11	TARPON	250.85	
12	PARADISE	270.85	
13	NQX RADAR SFA	348.25	
14	NQX VFR ADV	313.7 0	126.575
15	NQX RADAR SFA	382.00	
16	NQX RADAR SFA	272.25	
17	HST TOWER	279.55	133.45
18	NQX TOWER SEC	361.25	
19	NQX BASE OPS	338.15	
20	NQX ATIS	307.025	
	NQX RADAR SFA		120.7
	NQX PADDLES	305.95	
	NQX METRO	343.50	
	EYW TOWER	257.8	118.2
	EYW GROUND	257.8	121.9
	EYW ASOS		121.125

DIVERT FIELDS

<u>DIVERT</u>	<u>FROM NQX</u>	<u>TWR</u>	<u>RWY</u>
MACDILL	345@204	294.7	04/22
DADE COLLIER	030@089	122.8	09/27
HOMESTEAD	050@097	295.7	05/23

NQX Departures

1. IFR Take-Off Minimums are in accordance with OPNAVINST 3710.7.
2. High performance/unrestricted climbs are prohibited.

RWY-31: Over departure end,
RT heading 360.

RWY-03: Over departure end,
LT heading 360.

RWY-07:
Over departure end,
LT heading 065

RWY-13: FRH

AREAS TO AVOID

RWY-25: LT heading 180.

RWY-21: LT heading 180.

R-2916. Located EYW 066/17.5 or NQX 052/12.5 - Surface to 14,000', always considered active. White, unmarked, unlighted tethered balloon with small white strobe.

SUGARLOAF Airfield / Jump area NQX 060/08 (when active)

FLORIDA KEYS. Do not overfly KEY WEST or any Key below 3000' unless instructed by ATC or for Safety of Flight.


Inside Class D airspace - **KEY HAVEN, GEIGER KEY, EAST ROCKLAND KEY, AND STOCK ISLAND.**

(3)

#	DESCRIPTION	LAT	LONG	ELEV
30	465 A2	24 39	80 17	
31	465 A3	24 43	79 42	
32	465 A4	24 17	79 25	
33	465 A5	24 00	80 13	
34	174C A1	24 00	82 27	
35	174C A2	24 25	81 28	
36	174C A3	24 25	81 15	
37	174C A4	24 00	81 19	
38	C1	25 45	81 53	
39	C2	25 36	81 40	
40	C3	25 15	81 44	
41	C4	24 43	82 00	
42	C5	24 40 30	82 06	
43	C6	24 00	83 15	
44	C7	24 00	85 00	
45	C8	24 35	85 00	
46	C9	24 45	85 00	
47	C10	25 02	85 00	
48	C11	25 10	84 51	
49	C12	25 40	84 17	
50	C1 A2	25 45	81 53	
51	HARKY 2	24 55	82 00	
52	CHORA 2	25 15	82 00	
53	C12 A2	25 40	84 17	
54	C9 A2	24 45	85 00	
55	C5 A2	24 43	82 00	
56	C10 A2	25 02	85 00	(8)

Key West Master Waypoint Plan

#	DESCRIPTION	LAT	LONG	ELEV	
0	RAMP	24 34.6	81 42.5	7	
1	CHORA 342/43	25 15	82 00		NW ENTRY
2	HARKY 325/27	24 55	82 00		W ENTRY
3	TANUY 264/23	24 30	82 06		SW ENTRY
4	BAGHO 207/21	24 17	81 45		S ENTRY
5	FISHS 107/40	24 25	80 58		SE ENTRY
6	FORT	24 38	82 52		
7	DUVAL	24 34	81 49		
8	BOSTON	25 29	82 17		
9	SPOKANE	25 26	83 17		
10	EVERETT	25 25	83 28		
11	D.C.	24 55	82 17		
12	RENO	24 53	83 18		
13	CHICO	24 53	83 29		
14	TAMPA	24 33	82 23		
15	YUMA	24 18	83 21		
16	CARLSBAD	24 16	83 31		
17	NEWPORT	25 19	82 18		
18	PORTLAND	25 15	83 28		
19	BOISE	25 06	83 17		
20	SALEM	25 05	83 27		
21	JAX	24 40	82 23		
22	L.A.	24 27	83 34		
23	FRESNO	24 38	83 24		
24	FRISCO	24 39	83 35		
25	NASSAU	24 20	81 20		
26	CUBA	24 05	82 10		
27	BAGDAD	24 15	80 45		
28	KABUL	24 25	79 50		
29	465 A1	24 00	81 00		(7)



Upon leaving the Warning Area, all aircraft shall maintain 300 KTS or less until reaching the initial.

Aircraft are on an IFR Flight Plan until reaching the “initial”. Once cleared to the “initial”, you may descend to the published altitude UNLESS otherwise directed.

Maximum airspeed in the Break is 350 KIAS.


DO NOT turn off at midfield without clearance from the tower. DO NOT STOP on the active runway.

Section approaches are authorized. Section landings/touch-and-go are prohibited.

Aircraft on a visual straight-in to runway 7 shall remain south of Key West and Stock Island unless required for Safety of Flight.


KEY WEST WORKING AREAS

RHINO / HORNET / TIGER / W-174C / W-465



KEY WEST STEREO ROUTES			
AREA	CLEARANCE	NAV POINT	ALT TO/FROM
RHINO	BOCA.ONE	CHORA	16K / 9K
HORNET	BOCA.ONE	HARKY	16K / 7K
TIGER	BOCA.ONE	TANUY	16K / 5K
W-174C	BOCA.ONE	BAGHO	16K / 3K
W-465	BOCA.ONE	FISHS	15K / 14K

KEY WEST WORKING AREAS
SUN DOWNER NORTH & SOUTH / W-174C / W-465



KEY WEST STEREO ROUTES			
AREA	CLEARANCE	NAV POINT	ALT TO/FROM
RHINO	BOCA.ONE	CHORA	16K / 9K
HORNET	BOCA.ONE	HARKY	16K / 7K
TIGER	BOCA.ONE	TANUY	16K / 5K
W-174C	BOCA.ONE	BAGHO	16K / 3K
W-465	BOCA.ONE	FISHS	15K / 14K