Accessible PDF Demo: Tagged Structure for pdf.js

This document is a test fixture for PDF viewers. Every piece of real content is tagged with a structure element, page headers and footers are marked as artifacts, and the reading order follows the logical order of the document. Open it with a screen reader, or inspect the structure tree, to check that the viewer exposes the semantics correctly.

Contents

1 Headings and paragraphs 1
1.1 Second-level heading 1
1.1.1 Third-level heading 1
2 Lists 1
3 Tables 2
4 Figures and alternative text 2
5 Links and notes 2
6 Formulas 3
7 Language changes 3
8 Checklist for testers 3

1 Headings and paragraphs

Headings are tagged H1 to H3 and nest correctly without skipping levels. A screen reader user can jump between them with a single key.

1.1 Second-level heading

Body paragraphs are tagged P. This paragraph contains **strong emphasis** and *regular emphasis*, which become inline structure elements.

1.1.1 Third-level heading

Deepest heading level used in this document.

2 Lists

An unordered list, tagged L with LI, Lbl and LBody children:

- Bananas
- Apples
  - Granny Smith
  - Honeycrisp
- Cherries

An ordered list:

1. Open the document.
2. Turn on the screen reader.
3. Navigate by headings, then by list items.

3 Tables

A data table with a header row and a header column. Header cells are tagged TH with a scope, so a screen reader can announce “Q2, Finland” when reading a cell.

Region	Q1	Q2	Q3	Q4
Finland	120	135	150	170
Germany	310	295	330	360
Japan	210	240	225	260

Table 1: Quarterly sales by region, in units.

4 Figures and alternative text

The chart below is a vector graphic tagged as Figure, with alternative text that describes what it shows rather than what it looks like.




Figure 1: Q4 sales by region (same data as the last column of the table).

5 Links and notes

Links are tagged Link and connected to their link annotation, for example the pdf.js project website or the internal link back to the Tables section (Section 3). Footnotes are tagged as notes.[1]

[1] This footnote is reachable from the reference in the text.

6 Formulas

Formulas are tagged Formula and carry alternative text that a screen reader can read aloud:

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

7 Language changes

Each passage in another language is tagged with its own language, so the screen reader switches pronunciation:

- Finnish: Tämä lause on suomea, ja ruudunlukijan pitäisi lukea se suomeksi.
- German: Dieser Satz ist auf Deutsch und sollte deutsch vorgelesen werden.
- French: Cette phrase est en français.

8 Checklist for testers

Things to verify in the viewer:

1. The document title, not the file name, is shown in the window or tab title.
2. Headings, lists and the table are announced with their roles.
3. The chart’s alternative text is read instead of the picture being skipped.
4. The running header and page numbers are not read as content.
5. Text selection and copy follow the reading order.