



MikroTik

MTCNA

**MikroTik Certified Network Associate
QUESTION & ANSWERS**

QUESTION: 1

If ARP=reply-only is configured on an interface, this interface will

- Option A : accept all MAC-addresses listed in '/ip arp' as static entries
- Option B : accept IP and MAC address combinations listed in '/ip arp' list
- Option C : add new MAC addresses in '/ip arp' list
- Option D : add new IP addresses in '/ip arp' list
- Option E : accept all IP addresses listed in '/ip arp' as static entries

Correct Answer: A

QUESTION: 2

MikroTik RouterOS commands can be run once a day by:

- Option A : /system watchdog
- Option B : /system cron
- Option C : /system scheduler

Correct Answer: C

QUESTION: 3

NAT rule is going to catch SMTP traffic and send it to a specific mail server. What is the correct action for a NAT rule?

- Option A : passthrough
- Option B : dst-nat
- Option C : redirect
- Option D : tarpit

Correct Answer: B

QUESTION: 4

How many collision domains are created when you segment a network with a 12-port switch?

- Option A : 1
- Option B : 2
- Option C : 5
- Option D : 12

Correct Answer: D

QUESTION: 5

Mangle Routing (routing-mark) is possible, by using chains:

- Option A : prerouting and output
- Option B : forward and output
- Option C : prerouting and forward
- Option D : input and output
- Option E : forward and postrouting

Correct Answer: B

QUESTION: 6

To back up an IOS, what command will you use?

- Option A : backup IOS disk
- Option B : copy ios tftp
- Option C : copy tftp flash
- Option D : copy flash tftp

Correct Answer: D

QUESTION: 7

Your Company has been assigned a 172.16.25.0/25 network from your ISP. What are the possible options to divide the network into subnets?

Option A : one /23 and one /27

Option B : four times /27

Option C : two times /24

Option D : two times /26

Correct Answer: D

QUESTION: 8

Select all tunnels that support authentication of clients with a username and password.

Option A : PPPoE

Option B : OpenVPN

Option C : IPIP

Option D : PPTP/L2TP

Option E : EoIP

Correct Answer: A

QUESTION: 9

How long is level 1 (free) license valid?

Option A : 1 month

Option B : 24 hours

Option C : 1 year

Option D : Infinite time

Correct Answer: B

QUESTION: 10

Which of the following keystrokes enables safe mode in console:

Option A : Ctrl+x

Option B : Ctrl+c

Option C : Ctrl+d

Option D : Ctrl+s

Correct Answer: A

QUESTION: 11

Choose all valid hosts address range for subnet 15.242.55.62/27

Option A : 15.242.55.33 15.242.55.62

Option B : 15.242.55.32 15.242.55.63

Option C : 15.242.55.31 15.242.55.62

Option D : 15.242.55.33 15.242.55.63

Correct Answer: A

QUESTION: 12

PPPoE server only works within one Ethernet broadcast domain that it is connected to. If there is a router between server and end-user host, it will not be able to create PPPoE tunnel to that PPPoE server.

Option A : False

Option B : True

Correct Answer: A

QUESTION: 13

When sending out an ARP request, an IP host is expecting what kind of address for an answer?

- Option A : VLAN ID
- Option B : IP address
- Option C : MAC Address
- Option D : 802.11g

Correct Answer: C

QUESTION: 14

Action=redirect is applied in

- Option A : chain=srcnat
- Option B : chain=forward
- Option C : chain=dstnat

Correct Answer: C

QUESTION: 15

Where can you monitor (see addresses and ports) real-time connections which are processed by the router?

- Option A : Firewall Connection Tracking
- Option B : Firewall Counters
- Option C : Tool Torch
- Option D : Queue Tree

Correct Answer: A,C

QUESTION: 16

What are the two main types of access control lists (ACLs)? Standard, Extended, Specialized

Option A : 1 and 3

Option B : 2 and 4

Option C : 3 and 4

Option D : 1 and 2

Correct Answer: A

QUESTION: 17

To use masquerade, you need to specify

Option A : action=accept, out-interface, chain=src-nat

Option B : action=masquerade, out-interface, chain=src-nat

Option C : action=masquerade, in-interface, chain=src-nat

Option D : action=masquerade, out-interface, chain=dst-nat

Correct Answer: B

QUESTION: 18

Router A and B are both running as PPPoE servers on different broadcast domains of your network. It is possible to set Router A to use "/ppp secret" accounts from Router B to authenticate PPPoE customers.

Option A : true

Option B : false

Correct Answer: B

QUESTION: 19

Which option in the configuration of a wireless card must be disabled to cause the router to permit ONLY known clients listed in the access list to connect?

Option A : Security Profile

Option B : Default Forward

Option C : Enable Access List

Option D : Default Authenticate

Correct Answer: C

QUESTION: 20

In order to use dynamic keys in your wireless security profile for an AP, you MUST set up the dhcp server to provide the dynamic keys.

Option A : true

Option B : false

Correct Answer: B

QUESTION: 21

MikroTik RouterOS is sending logs to an external syslog server. Which protocol and port is used by RouterOS for sending logs (by default)?

Option A : UDP 514

Option B : UDP 21

Option C : UDP 113

Option D : TCP 110

Correct Answer: A

QUESTION: 22

Please select valid scan-list values in interface wireless configuration:

Option A : 5560,5620-5700

Option B : 5640~5680

Option C : default,5560,5600,5660-5700

Option D : 5540,5560,5620+5700

Correct Answer: A,C