A

Project Report

On

—Cara Ecommerce Website ‖

Submitted in partial fulfilment for the degree of

Bachelor of Technology

in

Computer Science & Engineering

from Bikaner Technical University, Bikaner

Session:- 2023-2027

Submitted To:-

Ms. Heena Bano
Asst. Prof. CSE

Submitted By:-

Vaanya Badola(23ECACS0052)
Heena Khanam(23ECACS0013)

Department of Computer Science & Engineering
Chartered Institute of Technology
Abu Road (Raj.)

March, 2026

CHARTERED INSTITUTE OF TECHNOLOGY, ABU ROAD

SESSION 2023-27

CERTIFICATE

This is to be certified that **Vaanya Badola, Heena Khanam** student of Third year B. Tech, 6th Sem of Computer Science & Engineering Department, has presented our Project report, we had submitted our seminar report on "Cara Ecommerce Website"+ for the partial fulfillment of the curriculum of degree of Bachelor of Technology from **Chartered Institute of Technology, Bikaner Technical University, Bikaner.**

Ms. Heena Bano

Asst. Prof. CSE

Date: 24/03/2026

HOD
Computer Science & Engineering Department
Chartered Institute of Technology

Principal
Chartered Institute of Technology
Abu Road, Rajasthan

ACKNOWLEDGEMENT

we would like to express my sincere gratitude to my guide **Ms. Heena Bano** , Assistant Professor, Department of Computer Science & Engineering, for his valuable guidance and encouragement throughout the completion of this project. we also extend our thanks to the faculty members, our family, and friends for their constant support and motivation.

DECLARATION

we hereby declare that the Project report entitles **—Cara Ecommerce Website** ‖ submitted to **Ms. Heena Bano**, Chartered Institute of Technology in partial fulfilment of the requirements for the award of the degree of Bachelor of Technology in computer science is record of Project work done by us.

Date: 24/03/2026

Vaanya Badola
Heena Khanam

ABSTRACT

This project presents a fully responsive e-commerce front-end system built using HTML, CSS, and Bootstrap. The website provides a seamless shopping experience, including product listings, product details, wishlist, cart, checkout, login/register, account dashboard, and comparison modules. The primary objective of this project is to understand front-end development techniques, responsive design principles, and the structure of modern e-commerce interfaces. The project emphasizes UI/UX design, structured layout creation, and modular web development.

CONTENTS

TITLE ..... **PAGE NO.**
CERTIFICATE i
ACKNOWLEDGEMENT ii
DECLARATION iii
ABSTRACT iv
CHAPTER: 1 1
1.0 INTRODUCTION 1
1.1 BRIEF HISTORY & EVOLUTION 1
1.2 BASIC STRUCTURE OF AN HTML DOCUMENT 1
1.3 SEMANTIC HTML — PURPOSE AND USAGE 2
1.4 PAGE COMPONENTS AND MARKUP PATTERNS USED IN EVARA 2
1.4.1 NAVIGATION & HEADER 2
1.4.2 PRODUCT GRID AND PRODUCT CARDS 2
1.4.3 PRODUCT DETAILS PAGE 3
1.4.4 CART & CHECKOUT 3
1.4.5 ACCOUNT PAGES (DASHBOARD, ORDERS) 3
1.5 FORMS, INPUTS & ACCESSIBILITY 3
1.6 MEDIA, PERFORMANCE & IMAGE OPTIMIZATION 4
1.7 SEO & METADATA 4
1.8 PROGRESSIVE ENHANCEMENT & GRACEFUL DEGRADATION 4
1.9 REUSABILITY & COMPONENTIZATION 5
1.10 SUMMARY — HOW HTML ENABLES THIS PROJECT 5
CHAPTER: 2 6
2.1 INTRODUCTION TO CSS 6
2.2 TYPES OF CSS 6
2.2.1 Inline CSS 6
2.2.2 Internal CSS 6
2.2.3 External CSS 6
2.3 CSS SELECTORS AND PROPERTIES 6
2.4 PAGE LAYOUT USING CSS 7
2.4.1 Box Model 7
2.4.2 Flexbox 7
2.4.3 Grid Layout 7
2.4.4 Positioning 7
2.5 RESPONSIVE DESIGN 7
2.6 TYPOGRAPHY & COLOR SCHEME 7

2.7 BUTTON STYLING & ANIMATIONS 7
2.8 FORM STYLING 8
2.9 CUSTOM COMPONENT STYLING 8
2.10 CONCLUSION 8
CHAPTER: 3 9
3.1 INTRODUCTION TO BOOTSTRAP 9
3.2 WHY BOOTSTRAP IS USED IN CARA 9
3.3 BOOTSTRAP GRID SYSTEM 9
3.4 NAVIGATION BAR & HEADER WITH BOOTSTRAP 10
3.5 BOOTSTRAP CAROUSEL FOR BANNERS 10
3.6 BOOTSTRAP FORMS IN CARA 11
3.7 BOOTSTRAP CARDS 11
3.8 BOOTSTRAP UTILITIES USED IN CARA 11
3.9 RESPONSIVENESS IN BOOTSTRAP 12
3.10 BOOTSTRAP TABLES & COMPONENTS 12
3.11 CUSTOMIZATION OF BOOTSTRAP 12
3.12 SUMMARY 13
CHAPTER: 4 14
4.1 INTRODUCTION TO CARA PROJECT 14
4.2 OBJECTIVES OF THE PROJECT 14
4.3 FEATURES OF THE WEBSITE 14
4.4 MODULES OF THE PROJECT 15
4.5 TECHNOLOGIES USED 15
4.6 PAGE NAVIGATION FLOW 16
4.7 UI/UX DESIGN PRINCIPLES USED 16
4.8 RESPONSIVENESS ANALYSIS 16
4.9 ADVANTAGES OF THIS SYSTEM 16
4.10 FUTURE ENHANCEMENTS 17
4.11 SUMMARY 17
CHAPTER: 5 18
CONCLUSION 27
FUTURE SCOPE 28
REFERENCES 30

LIST OF FIGURES

Fig 5. 1: Home Page – Displays banners, categories, trending products, and navigation 18
Fig 5. 2: Shop Page – Shows product grid, filters, sorting, and pagination..... 19
Fig 5. 3: Product Details Page – Displays product images, description, price, ratings, and cart options 20
Fig 5. 4: Wishlist Page – Saves favourite products for later viewing 21
Fig 5. 5: Product Comparison Page – Compares features, prices, and specifications 22
Fig 5. 6: Cart Page – Shows added products, quantities, totals, and checkout button..... 23
Fig 5. 7: Checkout Page – Collects billing, shipping, and payment details 24
Fig 5. 8: Login/Register Page – Allows users to authenticate or create accounts..... 25
Fig 5. 9: Account Dashboard – Displays user information, orders, and settings 26

CHAPTER: 1

HTML

1.0 INTRODUCTION

HTML (HyperText Markup Language) is the foundational markup language used to create the structure and semantic meaning of web pages. It defines how content is organized on the page and provides the scaffolding that CSS and JavaScript style and animate. In this project — *E-Commerce Website Using HTML, CSS & Bootstrap (Cara)* — HTML is used to build all pages (home, shop, product details, cart, checkout, account, login/register, wishlist, compare) and to ensure content is accessible, well-structured and easy to enhance.

1.1 BRIEF HISTORY & EVOLUTION

HTML was created by Tim Berners-Lee in the early 1990s to share documents across the web. Over time it evolved from simple tags for headings and paragraphs into a rich language with semantic elements, multimedia support and APIs (forms, local storage hooks, drag & drop, etc.). HTML5, the modern standard used in this project, added semantic elements (header, footer, nav, article, section), multimedia tags (<video>, <audio>), and improved form controls — all of which improve accessibility, SEO, and developer ergonomics.

1.2 BASIC STRUCTURE OF AN HTML DOCUMENT

Every HTML document follows a predictable structure:

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1" />
    <title>Product — Cara</title>
    <link rel="stylesheet" href="css/styles.css" />
  </head>
  <body>
    <!-- Page content goes here -->
  </body>
</html>
```

Key points:

- `<!DOCTYPE html>` declares HTML5.
- `<html lang="en">` helps browsers and screen readers know the page language.
- `<meta name="viewport">` enables responsive scaling on mobile devices.
- `<head>` stores metadata, external resource links, and SEO tags.
- `<body>` contains the visible structure.

In Cara, each page uses this skeleton and includes shared head resources (Bootstrap CSS/JS, font icons, custom styles) for consistent rendering.

1.3 SEMANTIC HTML — PURPOSE AND USAGE

Semantic tags describe the role of content instead of just its appearance — this improves accessibility, SEO, and maintainability.

Common semantic tags used in the project:

- `<header>` — top site header and navigation bar.
- `<nav>` — primary and secondary navigation lists.
- `<main>` — main content for each page (unique per page).
- `<section>` — logical grouping of page blocks (e.g., ―Popular Categories‖).
- `<article>` — independent pieces of content (product card in some layouts).
- `<aside>` — sidebars (filters, cart summary, newsletter).
- `<footer>` — site footer, contact information, links.

Example (header & nav snippet):

```
<header class="site-header">
  <div class="top-bar">(+01) - 2345 - 6789  •  Our location</div>
  <nav class="navbar">
    <a class="logo" href="index.html">Evara</a>
    <ul class="nav">
      <li><a href="index.html">Home</a></li>
      <li><a href="shop.html">Shop</a></li>
      <li><a href="account.html">My Account</a></li>
    </ul>
    <form class="search" role="search">
      <input type="search" placeholder="Search For Items..." />
    </form>
  </nav>
</header>
```

1.4 PAGE COMPONENTS AND MARKUP PATTERNS USED IN EVARA

Below are the common page components and how HTML structures them in the project:

1.4.1 NAVIGATION & HEADER

- A `<header>` contains the top-banner (offers), logo (anchor), nav `<ul>` and search form.
- Icons for wishlist/cart are implemented using `<button>` or `<a>` with ARIA labels for accessibility.
- Breadcrumbs use an ordered list `<ol class="breadcrumb">` to show the navigation path (e.g., Home > Shop > Cart).

1.4.2 PRODUCT GRID AND PRODUCT CARDS

- Product lists use an accessible grid — frequently `<ul class="product-grid">` with `<li>` for each product, or Bootstrap row/column layout.
- Each product card contains:
  - `<img>` inside a figure/anchor for the product image.
  - `<h3>` or `<h4>` for product name (linked to details).
  - `<p>` or `<div>` for short description and price.

- Action buttons (`<button>` or `<a>`) for Add to Cart / Wishlist.

Example product card markup:

```
<article class="product-card">
  <a href="details.html"><img src="assets/img/product1.jpg" alt="Henley
Shirt"></a>
  <h3><a href="details.html">Henley Shirt</a></h3>
  <p class="price">$116 <span class="old-price">$200</span></p>
  <div class="actions">
    <button class="btn add-to-cart">Add to Cart</button>
    <a href="#" class="wishlist" aria-label="Add to wishlist"></a>
  </div>
</article>
```

1.4.3 PRODUCT DETAILS PAGE

- Uses a two-column layout: left for images (`<figure>` with thumbnails), right for product meta (`<h1>`, price, variants, Add to Cart form).
- Tabbed content (Details, Reviews) uses `<section role="tabpanel">` with proper ARIA attributes.

1.4.4 CART & CHECKOUT

- Cart is a `<table>` or list showing image, name, price, quantity (`<input type="number">`) and subtotal. Table headers `<th>` ensure screen readers can parse columns.
- Checkout form uses `<form>` with grouped `<fieldset>` and `<legend>` for billing/shipping fields to enhance form semantics.

1.4.5 ACCOUNT PAGES (DASHBOARD, ORDERS)

- Sections like Dashboard use logical sections and lists. Forms for profile updates use `<label for="...">` and `id` attributes to connect labels and inputs.

1.5 FORMS, INPUTS & ACCESSIBILITY

Forms are central to e-commerce (search, login, register, checkout). Accessibility best practices applied:

- Every input has an associated `<label>` (linked by `for` + `id`).
- Use `type="email"`, `type="tel"`, `type="number"` to get correct virtual keyboard on mobile.
- Buttons include `aria-pressed` or `aria-expanded` where applicable.
- `role="alert"` or `aria-live="polite"` used for dynamic cart updates so screen readers announce changes.
- Validation messages are shown in `<div role="alert">` with `aria-describedby` on invalid inputs.

Example checkout input:

```
<label for="billing-email">Email</label>
```

```
<input id="billing-email" name="email" type="email" required aria-required="true" />
```

1.6 MEDIA, PERFORMANCE & IMAGE OPTIMIZATION

- Product images use descriptive `alt` attributes for accessibility and SEO.
- Use responsive image techniques: `<img srcset="..." sizes="...">` so browsers download appropriately sized images.
- Lazy loading: `loading="lazy"` is used for non-critical images to improve performance on long pages.

Example responsive image:

```
<img src="assets/img/prod-small.jpg"
     srcset="assets/img/prod-small.jpg 400w,
             assets/img/prod-medium.jpg 800w,
             assets/img/prod-large.jpg 1200w"
     sizes="(max-width: 600px) 100vw, 33vw"
     alt="Colorful Pattern Shirt" loading="lazy">
```

1.7 SEO & METADATA

Important `<head>` elements included:

- `<meta name="description" content="Shop trending fashion at Evara — shirts, shoes, accessories">`
- Open Graph tags for social sharing: `<meta property="og:title">`, `<meta property="og:image">`
- Structured data (JSON-LD) for product pages to provide price, availability and ratings to search engines.

Example JSON-LD snippet (product):

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "Product",
  "name": "Henley Shirt",
  "image": "https://example.com/assets/img/henley.jpg",
  "offers": { "@type": "Offer", "priceCurrency": "USD", "price": "116.00",
"availability": "https://schema.org/InStock" }
}
</script>
```

1.8 PROGRESSIVE ENHANCEMENT & GRACEFUL DEGRADATION

The HTML is written so basic content and navigation work without JavaScript:

- Links navigate to product pages even when JS is disabled.
- Forms submit server-side fallback endpoints.
- JavaScript progressively enhances experience (AJAX cart updates, client-side validation) but is not a hard dependency.

1.9 REUSABILITY & COMPONENTIZATION

Common components (header, footer, product card, product grid, pagination) are kept as modular HTML partials when possible (server includes or templating) so they can be reused across pages and updated centrally.

1.10 SUMMARY — HOW HTML ENABLES THIS PROJECT

HTML in Cara:

- Provides semantic, accessible structure for content and forms.
- Enables responsive, SEO-friendly pages via proper metadata and structured data.
- Lays the foundation for CSS and Bootstrap to style and for JavaScript to add interactivity.
- Ensures progressive enhancement so the site remains usable across devices and when scripts fail.

By following modern HTML5 conventions (semantic tags, ARIA roles, accessible forms, responsive images, structured data), the Cara front-end achieves an accessible, maintainable and SEO-friendly e-commerce interface suitable for extension into a full-stack application in future work.

CHAPTER: 2

CSS

CSS (Cascading Style Sheets) is the styling language used to define how HTML elements should appear on a webpage. In the Cara e-commerce project, CSS plays a key role in creating a consistent, modern, responsive, and user-friendly shopping experience.It controls layout, spacing, colors, typography, animations, and responsiveness across various devices.

2.1 INTRODUCTION TO CSS

CSS was introduced in 1996 by the W3C to separate content from presentation. Before CSS, HTML used inline styling attributes which made pages difficult to maintain. CSS provided a structured method to apply styling globally, keeping HTML clean and organized. Today CSS is the foundation of modern UI design and works seamlessly with HTML, Bootstrap, and JavaScript.

2.2 TYPES OF CSS

The project uses the following CSS approaches:

2.2.1 Inline CSS

Applied directly inside an HTML tag using the style attribute. Used rarely for quick tests.

2.2.2 Internal CSS

Defined inside <style> tags within the <head>. Used for small page-specific adjustments.

2.2.3 External CSS

The main method used in Evara. A separate stylesheet (e.g., style.css) is linked to all pages, ensuring consistent design throughout the website.

2.3 CSS SELECTORS AND PROPERTIES

Selectors target specific HTML elements. Common selectors include:

- Element selectors: h1, p, img
- Class selectors: .product-card, .btn, .header
- ID selectors: #cart, #main-content
- Attribute selectors: input[type="text"]
- Pseudo-classes: :hover, :focus, :active
- Pseudo-elements: ::before, ::after

CSS properties define appearance and include:

- color, background-color
- padding, margin
- border, border-radius
- width, height, max-width
- display, flex, grid
- font-size, font-family

2.4 PAGE LAYOUT USING CSS

CSS layout techniques used in the project include:

2.4.1 Box Model

Each element consists of margin, border, padding, and content. Understanding this helps in precise control of spacing.

2.4.2 Flexbox

Used for navigation bars, product lists, category boxes, and header alignment.

2.4.3 Grid Layout

Used to create multi-column product displays, image galleries, and homepage sections.

2.4.4 Positioning

Used for badges, dropdowns, labels, tooltips, and overlays (absolute, relative).

2.5 RESPONSIVE DESIGN

Media queries help adapt layouts to different screen sizes:

```
@media (max-width: 768px) {
  .product-grid { grid-template-columns: repeat(2, 1fr); }
}
```

This ensures mobile, tablet, and desktop devices provide a seamless user experience.

2.6 TYPOGRAPHY & COLOR SCHEME

Cara uses modern sans-serif fonts for a clean, readable interface. CSS is used to define:

- Font hierarchy (h1–h6)
- Line-height and letter-spacing
- Color palette (consistent brand colors)

2.7 BUTTON STYLING & ANIMATIONS

Buttons are styled with:

- Border-radius
- Background gradients
- Hover effects
- Transitions for smooth animation

Example:

```
transition: all 0.3s ease-in-out;
```

Animations improve user interaction throughout the website.

2.8 FORM STYLING

Checkout, login, register, and account update forms use CSS for:

- Input styling
- Focus effects
- Error highlights
- Form spacing and alignment

2.9 CUSTOM COMPONENT STYLING

Bootstrap components are customized through CSS to match branding:

- Cards
- Navigation menus
- Product labels
- Price tags
- Icons and badges

2.10 CONCLUSION

CSS transforms plain HTML into a polished, visually appealing e-commerce interface.
It makes websites interactive, responsive, accessible, and user-friendly. The Cara project demonstrates how CSS can be combined with Bootstrap to build modern shopping experiences.

CHAPTER: 3

BOOTSTRAP

Bootstrap is one of the most popular front-end frameworks used for building responsive, mobile-first websites. It provides CSS classes, components, utilities, and JavaScript plugins that help developers quickly structure and style web pages without manually writing complex CSS.In the Cara E-Commerce Website, Bootstrap plays a crucial role in building layouts, product grids, navigation bars, responsive sections, forms, buttons, and interactive components.

3.1 INTRODUCTION TO BOOTSTRAP

Bootstrap was originally developed by Twitter developers Mark Otto and Jacob Thornton. The first version was released in 2011, and by version 5 it became a modern CSS framework that dropped jQuery dependency, improved grid layout, added utility APIs, and enhanced responsiveness. Bootstrap is based on:

• A responsive 12-column grid system

• Pre-built UI components

• Helper utilities

• Customizable theme structure

3.2 WHY BOOTSTRAP IS USED IN CARA

Bootstrap helps this project by providing:

- Ready-made responsive layout components
- A flexible grid system for product listings
- Utility classes for spacing, colors, shadows, text alignment
- Pre-designed forms for login, register, checkout, account pages
- Carousels for homepage banners
- Consistent styling across all pages
- Mobile-first design automatically included

3.3 BOOTSTRAP GRID SYSTEM

Bootstrap's grid is based on rows and columns using the formula:

12 columns per row.

Examples:

```
<div class="row">
  <div class="col-md-4"></div>
  <div class="col-md-4"></div>
  <div class="col-md-4"></div>
</div>
```

Bootstrap breakpoints used:

• col-sm-* for small screens

• col-md-* for tablets

• col-lg-* for desktops

• col-xl-* for large displays

Evara uses the grid system to display:

- 4 products per row on desktops
- 3 per row on medium devices
- 2 per row on small devices
- 1 per row on mobile

3.4 NAVIGATION BAR & HEADER WITH BOOTSTRAP

Bootstrap's navbar classes simplify creating responsive navigation:

```
<nav class="navbar navbar-expand-lg navbar-light bg-white">
  <a class="navbar-brand" href="#">Evara</a>
</nav>
```

Bootstrap handles:

- ✓ Collapsible nav menu for mobile view
- ✓ Hamburger icon toggle
- ✓ Alignment of logo, menu, icons, and form elements

3.5 BOOTSTRAP CAROUSEL FOR BANNERS

The homepage uses Bootstrap carousels for sliding promotional banners:

```
<div id="bannerCarousel" class="carousel slide" data-bs-ride="carousel">
  <div class="carousel-inner">
    <div class="carousel-item active">
      <img src="banner1.jpg" class="d-block w-100">
    </div>
  </div>
</div>
```

Features:

- Auto slide
- Indicators
- Fade effects
- Swipe support for mobile

3.6 BOOTSTRAP FORMS IN CARA

Bootstrap form controls provide uniform styling:

```
<form class="form-group">
  <input class="form-control" type="email">
</form>
```

Used in:

- ✓ Login/Register page
- ✓ Checkout billing form
- ✓ Search bar
- ✓ Account settings update form

Form utilities used:

- ✓ form-group
- ✓ form-control
- ✓ input-group
- ✓ form-select
- ✓ validation styles

3.7 BOOTSTRAP CARDS

Bootstrap cards are used to structure product displays:

```
<div class="card">
  <img src="product.jpg" class="card-img-top">
  <div class="card-body">
    <h5 class="card-title">Shirt</h5>
  </div>
</div>
```

3.8 BOOTSTRAP UTILITIES USED IN EVARA

Bootstrap provides hundreds of quick styling helpers:

• Margin utilities (m-1, m-2, mt-3, mb-4)

• Padding utilities (p-2, px-3, py-4)

• Shadows (shadow, shadow-lg)

• Borders (border, rounded, rounded-circle)

• Flex utilities (d-flex, justify-content-between, align-items-center)

• Text utilities (text-center, text-white, fw-bold)

• Background utilities (bg-light, bg-primary)

These utilities allowed rapid layout building without custom CSS.

3.9 RESPONSIVENESS IN BOOTSTRAP

Bootstrap is built mobile-first. It scales components automatically based on screen size.

Responsive classes used:

• d-none d-lg-block → hide on mobile, show on desktop

• container-fluid → full width sections

• img-fluid → auto-scaling images

Every Evara page adjusts seamlessly on:

- Mobile devices
- Tablets
- Laptops
- Large monitors

3.10 BOOTSTRAP TABLES & COMPONENTS

The Cart Page uses Bootstrap table styles:

```
<table class="table table-bordered table-cart">
  <thead class="table-light">
    <tr><th>Product</th><th>Price</th></tr>
  </thead>
</table>
```

Other components used:

- Badges (for discount & product labels)
- Alerts
- Buttons
- Modals (for quick view functionality)

3.11 CUSTOMIZATION OF BOOTSTRAP

Bootstrap allows overriding core styles:

```
.custom-btn {
   background-color: #3bb77e;
   border-radius: 8px;
}
```

The project combines custom CSS + Bootstrap utilities for a branded look.

3.12 SUMMARY

Bootstrap enabled rapid development of a polished, responsive e-commerce frontend. Its grid, components, utilities, and responsiveness eliminated the need for writing large amounts of CSS.

Bootstrap helped maintain consistency in design, reduced development time, and ensured that all pages of the Evara website look visually appealing across all screen sizes.

CHAPTER: 4

PROJECT OVERVIEW

The Evara E-Commerce Website is a fully responsive front-end project built using HTML, CSS, and Bootstrap. It demonstrates the structure, design, responsiveness, and interactivity required for a modern online shopping platform. The project includes key sections such as the homepage, shop page, product details page, wishlist, comparison, cart, checkout, login/register, and the user account dashboard.This chapter explains the full working, modules, UI/UX design principles, navigation system, workflows, and advantages of developing such an e-commerce interface.

4.1 INTRODUCTION TO EVARA PROJECT

The project simulates the front-end of a commercial e-commerce website. It does not include a backend but provides a complete UI/UX prototype ready for integration with Node.js, PHP, Python, or any backend technology. All pages are designed to work seamlessly across devices using a mobile-first design strategy.

4.2 OBJECTIVES OF THE PROJECT

The main objectives of building this project include:

• Understanding e-commerce page structures

• Creating a fully responsive front-end

• Implementing product layouts, cards, grids, and lists

• Designing a functional cart layout

• Using Bootstrap for UI components

• Practicing HTML forms and user input modules

• Creating a user-friendly multi-page shopping system

4.3 FEATURES OF THE WEBSITE

The features implemented in this project include:

• Homepage with rotating banners

• Featured and new product listings

• Product categories

• Product detail view with zoom image

• Wishlist functionality (UI only)

• Compare products (UI only)

• Cart page with quantity update interface

• Checkout form

• Login and registration system

• Account dashboard for users

These sections form the core of any modern e-commerce platform.

4.4 MODULES OF THE PROJECT

The website is divided into the following major modules:

1. Homepage Module

Contains banner sliders, category blocks, featured products, and promotional sections.

2. Shop Module

Displays products in grid format with price, description, and action buttons.

3. Product Details Module

Shows full product information including description, gallery, price, reviews, and tabs.

4. Wishlist Module

Allows users to save products they like (front-end demo).

5. Compare Module

Shows differences between two or more selected products.

6. Cart Module

Displays selected items, quantities, prices, and totals.

7. Checkout Module

Collects customer details for order placement.

8. Login/Register Module

Used for user authentication (UI-only implementation).

9. User Account Module

Shows orders, address info, personal details, and settings.

4.5 TECHNOLOGIES USED

The project uses:

• HTML5 → Structure

• CSS3 → Styling

• Bootstrap 5 → Layout + Components

• Font Awesome / Icons → Icons for actions

• Google Fonts → Typography enhancements

All pages follow modern web standards for faster loading and smooth navigation.

4.6 PAGE NAVIGATION FLOW

The website navigation system is designed to be simple and intuitive:

Home → Shop → Product Details → Cart → Checkout

Home → Account → Orders / Profile → Logout

Home → Wishlist / Compare Pages

This flow matches the behavior of large e-commerce platforms like Amazon, Flipkart, and Myntra.

4.7 UI/UX DESIGN PRINCIPLES USED

Several UI/UX principles were implemented:

• Simplicity → Minimalistic layout

• Consistency → Same font, color theme, spacing

• Visual hierarchy → Large headings, bold prices

• Accessibility → Alt text, labels, proper structure

• Responsiveness → Bootstrap grid + custom media queries

• User-centric design → Easy navigation and buttons

4.8 RESPONSIVENESS ANALYSIS

The website was tested on:

• Mobile (360px width)

• Tablets (768px width)

• Laptop (1366px width)

• Desktop (1920px width)

Bootstrap ensures automatic resizing of grids, images, and layout containers.

4.9 ADVANTAGES OF THIS SYSTEM

• Realistic simulation of e-commerce UI

• Modular and reusable components

• Easy integration with backend

• Modern and professional design

• Fast loading and responsive pages

4.10 FUTURE ENHANCEMENTS

The project can be extended by adding:

• Admin dashboard

• Real database (MongoDB / MySQL)

• Payment gateway

• Product filtering and sorting

• API-based product fetching

• Chat support

• AI-driven recommendation system

4.11 SUMMARY

The Evara E-Commerce Website is a complete front-end implementation of an online shopping platform. It includes all major modules such as product listings, shopping cart, checkout, and user account management.

Built with HTML, CSS, and Bootstrap, this project reflects modern design principles, responsiveness, and user experience essentials. It is ready for backend integration and scalable future improvements.

CHAPTER: 5

SCREENSHOTS & UI DEMONSTRATION

This chapter provides a complete visual demonstration of the E-Commerce Website developed using HTML, CSS, and Bootstrap. Screenshots include the Home Page, Shop Page, Product Details Page, Wishlist, Comparison Page, Cart, Checkout, Login/Register Page, and Account Dashboard. Each screenshot is annotated with titles and descriptions to explain the purpose and components present in the interface.



Fig 5. 1: Home Page – *Displays banners, categories, trending products, and navigation.*



Fig 5. 2: Shop Page – *Shows product grid, filters, sorting, and pagination.*



Fig 5. 3: Product Details Page – *Displays product images, description, price, ratings, and cart options.*



Fig 5. 4: Wishlist Page – *Saves favourite products for later viewing.*



Fig 5. 5: ***Page –*** *Compares features, prices, and specification*

CONCLUSION

The development of the E-Commerce Website using HTML, CSS, and Bootstrap showcases the essential frontend technologies required to build a fully responsive, visually appealing, and user-friendly shopping platform. Throughout this project, various components such as the homepage, shop section, product details page, cart, checkout, wishlist, comparison module, and account dashboard were designed with a focus on usability, accessibility, performance, and modern UI/UX design principles.

The usage of HTML ensured a clean structural foundation with semantic elements that improved readability, SEO, and accessibility. CSS played a vital role in styling, spacing, animations, typography, and visual aesthetics, creating a smooth and interactive user experience. Bootstrap further enhanced responsiveness and layout management, allowing seamless adaptation across mobile, tablet, and desktop devices without significant additional effort.

This project also strengthened fundamental skills in design thinking, responsive layout planning, component-based structuring, and interface usability. It demonstrates how modern web technologies can be integrated to build functional and appealing front-end systems for real-world use.

Overall, the project establishes a strong understanding of e-commerce design requirements and provides a foundation for future enhancements. These enhancements may include integrating a backend system, user authentication, product database management, payment gateway integration, and admin dashboard functionalities.

This marks a successful completion of the front-end development phase of the e-commerce application and sets the stage for full-stack expansion in future iterations.

FUTURE SCOPE

The E-Commerce Website developed using HTML, CSS, and Bootstrap represents the complete frontend structure of a modern online shopping platform. Although the interface is fully functional from a design and navigation perspective, various enhancements can be introduced to extend the system into a fully dynamic and scalable application.

The following future scope points highlight how this project can evolve:

1. BACKEND INTEGRATION

A backend framework such as Node.js, Express.js, Django, Laravel, or Spring Boot can be implemented to make the platform dynamic. This would allow real-time product retrieval, user authentication, cart management, and order processing.

2. DATABASE IMPLEMENTATION

Using databases such as MongoDB, MySQL, or PostgreSQL, product data, user accounts, wishlists, orders, and cart items can be stored and retrieved dynamically.

3. PAYMENT GATEWAY INTEGRATION

Integration of secure payment services such as Razorpay, PayPal, Stripe, or UPI would allow users to place real orders and make transactions online.

4. ADMIN DASHBOARD DEVELOPMENT

An admin panel can be developed for product management, category management, user management, order tracking, and sales reports. This will transform the project into a complete e-commerce system.

5. ADVANCED SEARCH & FILTER SYSTEM

Dynamic filtering using AJAX or backend APIs can be added for rating-based filters,price-range sliders, category filters, and advanced product search.

6. AI-BASED RECOMMENDATIONS

Machine learning algorithms can be used to recommend products based on user behavior, browsing history, and purchase patterns.

7. PWA (PROGRESSIVE WEB APP) SUPPORT

Adding PWA features would allow the website to function like a mobile app, supporting offline mode, home-screen installation, and faster loading.

8. PERFORMANCE OPTIMIZATION

Future improvements can include lazy loading, image compression, caching strategies, and minification of CSS/JS files to increase performance.

9. MULTI-VENDOR FUNCTIONALITY

The system can be extended to allow multiple sellers to upload and manage their products.

10. MULTI-LANGUAGE & MULTI-CURRENCY SUPPORT

This enhances global accessibility and provides a personalized shopping experience for users across different regions.

Overall, the future scope for this project is vast. With backend integration, database connectivity, payment systems, and intelligent features, the project can grow into a full-fledged professional e-commerce platform suitable for real-world deployment.

REFERENCES

[1] **W3Schools –** HTML, CSS, JavaScript, and Web Development Tutorials

https://www.w3schools.com

[2] **MDN Web Docs –** HTML, CSS & JavaScript documentation

https://developer.mozilla.org

[3] **Bootstrap Documentation –** Official Website

https://getbootstrap.com

[4] **FreeCodeCamp –** Responsive Web Design

https://www.freecodecamp.org

[5] **GeeksforGeeks –** Frontend Development Articles

https://www.geeksforgeeks.org

[6] **Stack Overflow –** Developer Discussions & Solutions

https://stackoverflow.com

[7] **Google Fonts –** Typography Resources

https://fonts.google.com

[8] **Schema.org –** Structured Data Documentation

https://schema.org