

TEST

Execution Environment

Host name	ranajit.vadar - CCE0231.accelya.local
Local OS	Windows 11 64bit
Katalon version	9.5.0.217
Browser	Chrome 129.0.0.0
Device name	

Summary

ID	Test Suites/MOZART/TEST		
Description			
Total	23		
Passed	18	Failed	3
Error	2	Incomplete	0
Skipped	0		
Start	15-10-2024 16:42:21	End	15-10-2024 16:56:37
Elapsed	14m - 15.612s		

#	ID	Description	Status
1	Test Cases/MOZ-13515/New Test Case - Copy		PASSED
2	Test Cases/MOZ-10510/TC10_MOZ_11451 Display of Refundable Amount and FOP in the Grid		PASSED
3	Test Cases/MOZ-10510/TC 9_MOZ_11450 Verifies that the internal configuration in the database is correctly set up to define the form of payments visible in the Local Settlements module		PASSED
4	Test Cases/MOZ-10510/TC 8_MOZ_11449 Verify the Availability of Group By,My Filters, and Download Options in the Local Settlements Module		PASSED
5	Test Cases/MOZ-12692/TC_2_MOZ-13228_Verify that the system correctly stores TRIPS-Quote data in the corresponding database tables		PASSED
6	Test Cases/MOZ-11020/TC 5_MOZ_11533 Verify linking after Refund Capture		PASSED
7	Test Cases/MOZ-11020/TC 4_MOZ_11533 Verify linking after Json request		PASSED
8	Test Cases/MOZ-11020/TC 3_MOZ_11335 Verify PNR Waiver Input WS available to all client airlines		PASSED
9	Test Cases/MOZ-9700/TC 2_MOZ-9885 Verify that when the email address is not filled than user can still save it as a draft		FAILED
10	Test Cases/MOZ-9700/TC 1_MOZ_9876 Verify the email address to be marked as obligatory field		PASSED
11	Test Cases/MOZ-11020/TC 2_MOZ-11334 Verify Inclusion of Waiver Effective and Expiry Dates in WS Response		PASSED
12	Test Cases/MOZ-11020/TC 1_MOZ_11333 Verify Replacement of Internal Structure Table Names from MARS to PNR		PASSED
13	Test Cases/MOZ-12692/TC_1_MOZ-13227_Verify that the system correctly identifies a TRIPS-Quote embedded in a refund request		PASSED
14	Test Cases/MOZ-10510/TC 7_MOZ_11448 Verify Grid Display in the Local Settlements Module		PASSED

TEST

#	ID	Description	Status
15	Test Cases/MOZ-12450/TC_3_MOZ-12910_Verify that an invalid Quote and error details are logged in the database		PASSED
16	Test Cases/MOZ-12450/TC 2_MOZ-12910_Verify that store the data of embedded TKT-Quotes, including error details in case the processing fails		PASSED
17	Test Cases/MOZ-12450/TC 1_MOZ-12909_Verify that embedded TKT-Quote processed correctly, and the quote data is stored in the database tables		PASSED
18	Test Cases/MOZ-10510/TC 6_MOZ_11447 Verify Default Filtering Values in the Local Settlements Module		PASSED
19	Test Cases/MOZ-12401/TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request		FAILED
20	Test Cases/MOZ-12401/TC 1_MOZ-12623_Verify that the refund request sent successfully and that the TKT Quote was received in the response		ERROR
21	Test Cases/MOZ-12401/New Folder/TC 3_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request		ERROR
22	Test Cases/MOZ-10510/TC 5_MOZ_11446 Verify Landing Page Layout and Filtering Area for the Local Settlements Module		FAILED
23	Test Cases/MOZ-10510/TC 1_MOZ_11444 Verify Creation of the Local Settlements Module in Mozart		PASSED

New Test Case - Copy

Information

ID	Test Cases/MOZ-13515/New Test Case - Copy		
Description			
Tag			
Start	15-10-2024 16:42:22	End	15-10-2024 16:44:28
Elapsed	2m - 6.559s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	documentNumber = "6720801174"	0.004s	PASSED
2	uniqueNumber = utilityClass.GenericMethods.UniqueNumberGenerator() utilityClass.GenericMethods.UniqueNumberGenerator is PASSED	0.569s	PASSED
3	mozartLogin.Login.launchBrowser() mozartLogin.Login.launchBrowser is PASSED	35.704s	PASSED
4	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refunds")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refunds' is clicked on	11.689s	PASSED
5	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refund Capture")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refund Capture' is clicked on	1.611s	PASSED
6	selectOptionByValue(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/SelectRefundTypes"), "RF_Both", false) All options with value 'RF_Both' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/SelectRefundTypes'	0.325s	PASSED

New Test Case - Copy

#	Description	Elapsed	Status
7	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/documentNumber_Textbox"), documentNumber) Keys '6720801174' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/documentNumber_Textbox'	0.184s	PASSED
8	click(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/country_Button")) Object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/country_Button' is clicked on	0.166s	PASSED
9	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox"), "IN - India") Keys 'IN - India' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox'	0.210s	PASSED
10	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox'	0.149s	PASSED
11	selectOptionByValue(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/requestedFOP_DropDown"), "CA", false) All options with value 'CA' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/requestedFOP_DropDown'	0.184s	PASSED
12	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/couponsRequested_TextBox"), "1") Keys '1' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/couponsRequested_TextBox'	0.178s	PASSED
13	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/passengerRemarks_TextBox"), uniqueNumber) Keys '20241015164223' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/passengerRemarks_TextBox'	0.163s	PASSED

New Test Case - Copy

#	Description	Elapsed	Status
14	<code>selectOptionByValue(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/title_PassengerDetails_Select"), "Mr", false)</code> All options with value 'Mr' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/title_PassengerDetails_Select'	0.212s	PASSED
15	<code>sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/passengerName_PassengerDetails_TextBox"), "automationTest")</code> Keys 'automationTest' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/passengerName_PassengerDetails_TextBox'	0.197s	PASSED
16	<code>sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/emailAddress_PassengerDetails_TextBox"), "Katalon@studio.com")</code> Keys 'Katalon@studio.com' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/emailAddress_PassengerDetails_TextBox'	0.209s	PASSED
17	<code>selectOptionByLabel(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/select_Currency"), "INR", false)</code> All options with label 'INR' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/select_Currency'	0.203s	PASSED
18	<code>click(findTestObject("Object Repository/EK_Objects/Page_Mozart - RefundsCapture/send_Button"))</code> Object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/send_Button' is clicked on	0.336s	PASSED
19	<code>Thread.sleep(3000)</code>	3.044s	PASSED
20	<code>requestID = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression></code>	0.002s	PASSED
21	<code>for ([i = 0, i <= 2, (i++)])</code>	10.749s	PASSED

New Test Case - Copy

#	Description	Elapsed	Status
22	requestID = "O101000003"	0.003s	PASSED
23	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refunds")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refunds' is clicked on	0.098s	PASSED
24	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/click_on_refundSearch")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/click_on_refundSearch' is clicked on	1.025s	PASSED
25	click(findTestObject("EK_Objects/Page_Mozart - RefundsSearch/button_Search by ticket number")) Object: 'Object Repository/EK_Objects/Page_Mozart - RefundsSearch/button_Search by ticket number' is clicked on	0.130s	PASSED
26	selectOptionByLabel(findTestObject("EK_Objects/Page_Mozart - RefundsSearch/search_type_selectTag"), "Search by request Id", false) All options with label 'Search by request Id' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsSearch/search_type_selectTag'	0.176s	PASSED
27	setText(findTestObject("EK_Objects/Page_Mozart - RefundsSearch/input_Value_advancedFilter.idrequest"), requestID) Text 'O101000003' is set on object 'Object Repository/EK_Objects/Page_Mozart - RefundsSearch/input_Value_advancedFilter.idrequest'	0.258s	PASSED
28	click(findTestObject("EK_Objects/Page_Mozart - RefundsSearch/a_Apply")) Object: 'Object Repository/EK_Objects/Page_Mozart - RefundsSearch/a_Apply' is clicked on	0.153s	PASSED
29	mi_nsf = select * from bdmozart.mi_nsf where document_number = '\$documentNumber'	0.105s	PASSED

New Test Case - Copy

#	Description	Elapsed	Status
30	rowCount = database.DatabaseUtils.getRowCount(mi_nsf) database.DatabaseUtils.getRowCount is PASSED	3.184s	PASSED
31	originalCouponData = new java.util.HashMap()	0.002s	PASSED
32	NsfFileCouponData = new java.util.HashMap()	0.002s	PASSED
33	NoShowDataMismatch = false	0.003s	PASSED
34	for ([i = 1, i <= rowCount, (i++)]) Actual text '#ee1f25' and expected text '#ee1f25' are matched	53.890s	PASSED

TC10_MOZ_11451 Display of Refundable Amount and FOP in the Grid

Information

ID	Test Cases/MOZ-10510/TC10_MOZ_11451 Display of Refundable Amount and FOP in the Grid		
Description			
Tag			
Start	15-10-2024 16:44:28	End	15-10-2024 16:45:44
Elapsed	1m - 15.525s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	requestIdValue = "O062400001"	0.001s	PASSED
2	sqlQuery = "select * from bdmozart.md_rfnd_local_settlement where idrequest = 'O062400001'"	0.001s	PASSED
3	fop_types_dbValue = database.DatabaseUtils.executeQuery(sqlQuery, "fop_types", 1) database.DatabaseUtils.executeQuery is PASSED	3.198s	PASSED
4	paid_amount_dbValue = database.DatabaseUtils.executeQuery(sqlQuery, "balanceamounttotal", 1) database.DatabaseUtils.executeQuery is PASSED	2.865s	PASSED
5	value = paid_amount_dbValue	0.002s	PASSED
6	doubleValue = Double.parseDouble(value)	0.015s	PASSED

TC10_MOZ_11451 Display of Refundable Amount and FOP in the Grid

#	Description	Elapsed	Status
7	paid_amount_dbValue_int = doubleValue	0.001s	PASSED
8	paid_amount_dbValue = paid_amount_dbValue_int.toString()	0.002s	PASSED
9	out.println(paid_amount_dbValue)	0.001s	PASSED
10	demoPackage.MozartLogin.LoginWithChromeForEK() demoPackage.MozartLogin.LoginWithChromeForEK is PASSED	29.109s	PASSED
11	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refunds")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refunds' is clicked on	13.229s	PASSED
12	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements' is clicked on	2.909s	PASSED
13	dynamicTestObject = new com.kms.katalon.core.testobject.TestObject()	0.002s	PASSED
14	refresh() Refresh successfully	2.831s	PASSED
15	listOfRequestIds = findWebElements(findTestObject("Object Repository/EK_Objects/Page_Mozart - LocalSettlements/getListOfRequestIdFromGrid"), 10) Found web elements by test object Object Repository/EK_Objects/Page_Mozart - LocalSettlements/getListOfRequestIdFromGrid	1.944s	PASSED

TC10_MOZ_11451 Display of Refundable Amount and FOP in the Grid

#	Description	Elapsed	Status
16	refundAmount_web = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.001s	PASSED
17	refundFopPaidLocally_web = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.001s	PASSED
18	for ([row = 1, row <= listOfRequestIds.size(), (row++)])	18.098s	PASSED
19	verifyMatch(refundFopPaidLocally_web, fop_types_dbValue, true, CONTINUE_ON_FAILURE) Actual text 'CA' and expected text 'CA' are matched using regular expression	0.010s	PASSED
20	verifyMatch(refundAmount_web, paid_amount_dbValue, true, CONTINUE_ON_FAILURE) Actual text '3000' and expected text '3000' are matched using regular expression	0.004s	PASSED
21	closeBrowser() Browser is closed	0.660s	PASSED

TC 9_MOZ_11450 Verifies that the internal configuration in the database is correctly set up to define the form of payments visible in the Local Settlements module

Information

ID	Test Cases/MOZ-10510/TC 9_MOZ_11450 Verifies that the internal configuration in the database is correctly set up to define the form of payments visible in the Local Settlements module		
Description			
Tag			
Start	15-10-2024 16:45:44	End	15-10-2024 16:46:55
Elapsed	1m - 11.136s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Table_md_rfnd_local_settlement = database.DatabaseUtils.checkTableExists("md_rfnd_local_settlement") database.DatabaseUtils.checkTableExists is PASSED	3.675s	PASSED
2	verifyEqual(Table_md_rfnd_local_settlement, true, CONTINUE_ON_FAILURE) Actual object 'true' and expected object 'true' are equal	0.030s	PASSED
3	Column_paid_locally = database.DatabaseUtils.checkColumnExist("mc_fop_types", "paid_locally") database.DatabaseUtils.checkColumnExist is PASSED	2.883s	PASSED
4	verifyEqual(Column_paid_locally, true, CONTINUE_ON_FAILURE) Actual object 'true' and expected object 'true' are equal	0.004s	PASSED
5	rowCount = database.DatabaseUtils.getRowCount("select * from bdmozart.mc_fop_types where paid_locally = 't'") database.DatabaseUtils.getRowCount is PASSED	3.019s	PASSED
6	DataBaseEnableFopList = new java.util.ArrayList()	0.002s	PASSED

TC 9_MOZ_11450 Verifies that the internal configuration in the database is correctly set up to define the form of payments visible in the Local Settlements module

#	Description	Elapsed	Status
7	FilterFopList = new java.util.ArrayList()	0.001s	PASSED
8	for ([i = 1, i <= rowCount, (i++)])	14.273s	PASSED
9	demoPackage.MozartLogin.LoginWithChromeForEK() demoPackage.MozartLogin.LoginWithChromeForEK is PASSED	31.597s	PASSED
10	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refunds")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refunds' is clicked on	8.895s	PASSED
11	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements' is clicked on	1.446s	PASSED
12	click(findTestObject("EK_Objects/Page_Mozart - LocalSettlements/filter_button")) Object: 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/filter_button' is clicked on	1.184s	PASSED
13	click(findTestObject("Object Repository/EK_Objects/Page_Mozart - LocalSettlements/textbox_filter_r2_c3")) Object: 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/textbox_filter_r2_c3' is clicked on	0.407s	PASSED
14	FopValues = findWebElements(findTestObject("EK_Objects/Page_Mozart - LocalSettlements/filter_RefundFopPaidLocally_values"), 10) Found web elements by test object Object Repository/EK_Objects/Page_Mozart - LocalSettlements/filter_RefundFopPaidLocally_values	0.495s	PASSED

TC 9_MOZ_11450 Verifies that the internal configuration in the database is correctly set up to define the form of payments visible in the Local Settlements module

#	Description	Elapsed	Status
15	dynamicTestObject = new com.kms.katalon.core.testobject.TestObject()	0.001s	PASSED
16	println(FopValues.size())	0.002s	PASSED
17	for ([row = 1, row <= FopValues.size(), (row++)])	1.480s	PASSED
18	verifyMatch(size().toString(), size().toString(), true, CONTINUE_ON_FAILURE) Actual text '5' and expected text '5' are matched using regular expression	0.000s	PASSED
19	uniqueFopValues = new java.util.HashSet()	0.032s	PASSED
20	try	0.015s	PASSED
21	webFopValues = new java.util.ArrayList(uniqueFopValues)	0.000s	PASSED
22	Collections.sort(webFopValues)	0.016s	PASSED
23	Collections.sort(DataBaseEnableFopList)	0.000s	PASSED

TC 9_MOZ_11450 Verifies that the internal configuration in the database is correctly set up to define the form of payments visible in the Local Settlements module

#	Description	Elapsed	Status
24	for ([i = 0, i < DataBaseEnableFopList.size(), (i++)]) Actual text 'CQ' and expected text 'CQ' are matched using regular expression	0.031s	PASSED
25	utilityClass.CustomSoftAssert.assertAll() utilityClass.CustomSoftAssert.assertAll is PASSED	0.079s	PASSED
26	closeBrowser() Browser is closed	0.673s	PASSED

TC 8_MOZ_11449 Verify the Availability of Group By,My Filters, and Download Options in the Local Settlements Module

Information

ID	Test Cases/MOZ-10510/TC 8_MOZ_11449 Verify the Availability of Group By,My Filters, and Download Options in the Local Settlements Module		
Description			
Tag			
Start	15-10-2024 16:46:55	End	15-10-2024 16:47:27
Elapsed	31.952s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	demoPackage.MozartLogin.LoginWithChromeForEK() demoPackage.MozartLogin.LoginWithChromeForEK is PASSED	26.451s	PASSED
2	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refunds")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refunds' is clicked on	1.826s	PASSED
3	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements' is clicked on	1.494s	PASSED
4	verifyElementPresent(findTestObject("EK_Objects/Page_Mozart - LocalSettlements/filter_button"), 5, STOP_ON_FAILURE) Object 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/filter_button' is present	1.600s	PASSED
5	verifyElementPresent(findTestObject("EK_Objects/Page_Mozart - LocalSettlements/groupBy_button"), 5, STOP_ON_FAILURE) Object 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/groupBy_button' is present	0.267s	PASSED

TC_2_MOZ-13228_Verify that the system correctly stores TRIPS-Quote data in the corresponding database tables

Information

ID	Test Cases/MOZ-12692/TC_2_MOZ-13228_Verify that the system correctly stores TRIPS-Quote data in the corresponding database tables		
Description			
Tag			
Start	15-10-2024 16:47:27	End	15-10-2024 16:47:40
Elapsed	12.625s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	processJson = new utilityClass.JsonPaths()	0.016s	PASSED
2	filePath = "Test Data/Embedded TKT Quote.txt"	0.015s	PASSED
3	QuoteString = processJson.JsonStringFormatter(filePath)	0.031s	PASSED
4	apiRequests.apiConnection.runAuthToken(findTestObject("API/Demo API/Auth Token")) apiRequests.apiConnection.runAuthToken is PASSED	5.138s	PASSED
5	fullRefundResponse = sendRequest(findTestObject("API/MOZ-12692_API/MOZ-12692_EK_QUOTE_TRIPS")) Send request successfully	1.662s	PASSED
6	verifyResponseStatusCode(fullRefundResponse, 200) Verify response status code successfully	0.000s	PASSED

TC_2_MOZ-13228_Verify that the system correctly stores TRIPS-Quote data in the corresponding database tables

#	Description	Elapsed	Status
7	mozartRequestId = getElementPropertyValue(fullRefundResponse, "data[0].mozart_request_id")	0.110s	PASSED
8	queryTemplate = "select * from bdmozart.%s where %s = '%s'"	0.000s	PASSED
9	mozartRequestCondition = idrequest = '\$mozartRequestId'	0.000s	PASSED
10	mi_refund_ek_quote = String.format(queryTemplate, "mi_refund_ek_quote", "idrequest", mozartRequestId)	0.000s	PASSED
11	idQuote = database.DatabaseUtils.executeQuery(mi_refund_ek_quote, "id", 1) database.DatabaseUtils.executeQuery is PASSED	2.902s	PASSED
12	mi_refund_ek_quote_trips_detail = String.format(queryTemplate, "mi_refund_ek_quote_trips_detail", "idquote", idQuote)	0.000s	PASSED
13	idtripsdetail = database.DatabaseUtils.executeQuery(mi_refund_ek_quote_trips_detail, "id", 1) database.DatabaseUtils.executeQuery is PASSED	2.413s	PASSED
14	mi_refund_ek_quote_trips_ticket_range = String.format(queryTemplate, "mi_refund_ek_quote_trips_ticket_range", "idtripsdetail", idtripsdetail)	0.000s	PASSED

TC_2_MOZ-13228_Verify that the system correctly stores TRIPS-Quote data in the corresponding database tables

#	Description	Elapsed	Status
15	mi_refund_ek_quote_trips_tax_refund = String.format(queryTemplate, "mi_refund_ek_quote_trips_tax_refund", "idtripsdetail", idtripsdetail)	0.000s	PASSED
16	mi_refund_ek_quote_trips_form_refund_payment = String.format(queryTemplate, "mi_refund_ek_quote_trips_form_refund_payment", "idtripsdetail", idtripsdetail)	0.000s	PASSED
17	mi_refund_ek_quote_trips_loyalty_fare = String.format(queryTemplate, "mi_refund_ek_quote_trips_loyalty_fare", "idtripsdetail", idtripsdetail)	0.000s	PASSED

TC 5_MOZ_11533 Verify linking after Refund Capture

Information

ID	Test Cases/MOZ-11020/TC 5_MOZ_11533 Verify linking after Refund Capture		
Description			
Tag			
Start	15-10-2024 16:47:40	End	15-10-2024 16:49:07
Elapsed	1m - 27.466s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	demoPackage.MozartLogin.LoginWithChromeForEK() demoPackage.MozartLogin.LoginWithChromeForEK is PASSED	25.966s	PASSED
2	uniqueNumber = utilityClass.GenericMethods.UniqueNumberGenerator() utilityClass.GenericMethods.UniqueNumberGenerator is PASSED	0.003s	PASSED
3	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refunds")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refunds' is clicked on	30.428s	PASSED
4	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refund Capture")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refund Capture' is clicked on	4.040s	PASSED
5	selectOptionByValue(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/SelectRefundTypes"), "RF_Both", false) All options with value 'RF_Both' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/SelectRefundTypes'	1.156s	PASSED
6	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/documentNumber_Textbox"), "6747279623") Keys '6747279623' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/documentNumber_Textbox'	0.694s	PASSED

TC 5_MOZ_11533 Verify linking after Refund Capture

#	Description	Elapsed	Status
7	click(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/country_Button")) Object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/country_Button' is clicked on	0.605s	PASSED
8	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox"), "IN - India") Keys 'IN - India' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox'	0.500s	PASSED
9	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox'	0.524s	PASSED
10	selectOptionByValue(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/requestedFOP_DropDown"), "CA", false) All options with value 'CA' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/requestedFOP_DropDown'	1.493s	PASSED
11	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/couponsRequested_TextBox"), "1") Keys '1' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/couponsRequested_TextBox'	0.531s	PASSED
12	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/passengerRemarks_TextBox"), uniqueNumber) Keys '20241015164806' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/passengerRemarks_TextBox'	0.585s	PASSED
13	selectOptionByValue(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/title_PassengerDetails_Select"), "Mr", false) All options with value 'Mr' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/title_PassengerDetails_Select'	0.790s	PASSED

TC 5_MOZ_11533 Verify linking after Refund Capture

#	Description	Elapsed	Status
14	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/passengerName_PassengerDetails_TextBox"), "automationTest") Keys 'automationTest' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/passengerName_PassengerDetails_TextBox'	0.589s	PASSED
15	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/emailAddress_PassengerDetails_TextBox"), "Katalon@studio.com") Keys 'Katalon@studio.com' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/emailAddress_PassengerDetails_TextBox'	0.608s	PASSED
16	selectOptionByLabel(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/select_Currency"), "INR", false) All options with label 'INR' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/select_Currency'	0.770s	PASSED
17	click(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/send_Button")) Object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/send_Button' is clicked on	0.728s	PASSED
18	requestId = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.001s	PASSED
19	for ([i = 0, i <= 5, (i++)])	10.214s	PASSED
20	apiRequests.apiConnection.runAuthToken(findTestObject("API/Demo API/Auth Token")) apiRequests.apiConnection.runAuthToken is PASSED	0.206s	PASSED
21	pnrWaiverResponse = sendRequest(findTestObject("API/MOZ_11020_API/moz_11533_pnr_waiver_request")) Send request successfully	0.650s	PASSED

TC 5_MOZ_11533 Verify linking after Refund Capture

#	Description	Elapsed	Status
22	verifyResponseStatusCode(pnrWaiverResponse, 200) Verify response status code successfully	0.004s	PASSED
23	mi_pnr_waiver_remarks = "select * from bdmozart.mi_pnr_waiver_remarks where remarkstext = '" + uniqueNumber + "'"	0.002s	PASSED
24	waiverId = database.DatabaseUtils.executeQuery(mi_pnr_waiver_remarks, "waiver_id", 1) database.DatabaseUtils.executeQuery is PASSED	3.062s	PASSED
25	md_rfnd_pnr_waivers = "select * from bdmozart.md_rfnd_pnr_waivers where idrequest = '" + requestId + "'" + " order by id desc" + " "	0.001s	PASSED
26	waiverIdLinkedToRequestId = database.DatabaseUtils.executeQuery(md_rfnd_pnr_waivers, "idmipnrwaiver", 1) database.DatabaseUtils.executeQuery is PASSED	2.894s	PASSED
27	verifyMatch(waiverIdLinkedToRequestId, waiverId, false) Actual text '102' and expected text '102' are matched	0.004s	PASSED

TC 4_MOZ_11533 Verify linking after Json request

Information

ID	Test Cases/MOZ-11020/TC 4_MOZ_11533 Verify linking after Json request		
Description			
Tag			
Start	15-10-2024 16:49:07	End	15-10-2024 16:49:15
Elapsed	8.469s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	uniqueNumber = utilityClass.GenericMethods.UniqueNumberGenerator() utilityClass.GenericMethods.UniqueNumberGenerator is PASSED	0.003s	PASSED
2	demoPackage.UtilityDemo.requestNumber() demoPackage.UtilityDemo.requestNumber is PASSED	0.003s	PASSED
3	apiRequests.apiConnection.runAuthToken(findTestObject("API/Demo API/Auth Token")) apiRequests.apiConnection.runAuthToken is PASSED	0.206s	PASSED
4	pnrWaiverResponse = sendRequest(findTestObject("API/MOZ_11020_API/moz_11533_pnr_waiver_request")) Send request successfully	0.680s	PASSED
5	verifyResponseStatusCode(pnrWaiverResponse, 200) Verify response status code successfully	0.003s	PASSED
6	fullRefundResponse = sendRequest(findTestObject("API/MOZ_11020_API/moz_11533_full_refund-json")) Send request successfully	1.097s	PASSED

TC 4_MOZ_11533 Verify linking after Json request

#	Description	Elapsed	Status
7	verifyResponseStatusCode(fullRefundResponse, 200) Verify response status code successfully	0.004s	PASSED
8	mozartRequestId = getElementPropertyValue(fullRefundResponse, "data[0].mozart_request_id")	0.086s	PASSED
9	println("The mozart_request_id is: " + mozartRequestId)	0.002s	PASSED
10	mi_pnr_waiver_remarks = "select * from bdm Mozart.mi_pnr_waiver_remarks where remarkstext = " + uniqueNumber + ""	0.001s	PASSED
11	waiverId = database.DatabaseUtils.executeQuery(mi_pnr_waiver_remarks, "waiver_id", 1) database.DatabaseUtils.executeQuery is PASSED	2.982s	PASSED
12	println("The Waiver_id is: " + waiverId)	0.003s	PASSED
13	md_rfnd_pnr_waivers = "select * from bdm Mozart.md_rfnd_pnr_waivers where idrequest = " + mozartRequestId + "" + " order by id desc" + " "	0.001s	PASSED
14	waiverIdLinkedToRequestId = database.DatabaseUtils.executeQuery(md_rfnd_pnr_waivers, "idmipnrwaiver", 1) database.DatabaseUtils.executeQuery is PASSED	3.109s	PASSED
15	verifyMatch(waiverIdLinkedToRequestId, waiverId, false) Actual text '103' and expected text '103' are matched	0.004s	PASSED

TC 3_MOZ_11335 Verify PNR Waiver Input WS available to all client airlines

Information

ID	Test Cases/MOZ-11020/TC 3_MOZ_11335 Verify PNR Waiver Input WS available to all client airlines		
Description			
Tag			
Start	15-10-2024 16:49:15	End	15-10-2024 16:49:19
Elapsed	3.841s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	PnrWaiverController_check = database.DBConnection.executeQuerys("mozart_emirates", "select * from bdm Mozart.mc_endpoints_exposed", "enabled", 7) database.DBConnection.executeQuerys is PASSED	2.903s	PASSED
2	apiRequests.apiConnection.runAuthToken(findTestObject("API/Demo API/Auth Token")) apiRequests.apiConnection.runAuthToken is PASSED	0.213s	PASSED
3	response = sendRequest(findTestObject("API/MOZ_11020_API/pnr_waiver_request")) Send request successfully	0.418s	PASSED
4	if (PnrWaiverController_check == "t") Verify response status code successfully	0.004s	PASSED

TC 2_MOZ-9885 Verify that when the email address is not filled than user can still save it as a draft

Information

ID	Test Cases/MOZ-9700/TC 2_MOZ-9885 Verify that when the email address is not filled than user can still save it as a draft		
Description			
Tag			
Start	15-10-2024 16:49:19	End	15-10-2024 16:50:05
Elapsed	46.105s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	mozartLogin.Login.launchBrowser() mozartLogin.Login.launchBrowser is PASSED	32.442s	PASSED
2	uniqueNumber = utilityClass.GenericMethods.UniqueNumberGenerator() utilityClass.GenericMethods.UniqueNumberGenerator is PASSED	0.004s	PASSED
3	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refunds")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refunds' is clicked on	5.058s	PASSED
4	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refund Capture")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refund Capture' is clicked on	3.140s	PASSED
5	selectOptionByValue(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/SelectRefundTypes"), "RF_Both", false) All options with value 'RF_Both' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/SelectRefundTypes'	0.219s	PASSED
6	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/documentNumber_Textbox"), "6747279623") Keys '6747279623' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/documentNumber_Textbox'	0.185s	PASSED

TC 2_MOZ-9885 Verify that when the email address is not filled than user can still save it as a draft

#	Description	Elapsed	Status
7	click(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/country_Button")) Object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/country_Button' is clicked on	0.146s	PASSED
8	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox"), "IN - India") Keys 'IN - India' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox'	0.214s	PASSED
9	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox'	0.130s	PASSED
10	selectOptionByValue(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/requestedFOP_DropDown"), "CA", false) All options with value 'CA' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/requestedFOP_DropDown'	0.192s	PASSED
11	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/couponsRequested_TextBox"), "1") Keys '1' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/couponsRequested_TextBox'	0.139s	PASSED
12	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/passengerRemarks_TextBox"), uniqueNumber) Keys '20241015164952' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/passengerRemarks_TextBox'	0.170s	PASSED
13	selectOptionByValue(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/title_PassengerDetails_Select"), "Mr", false) All options with value 'Mr' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/title_PassengerDetails_Select'	0.205s	PASSED

TC 2_MOZ-9885 Verify that when the email address is not filled than user can still save it as a draft

#	Description	Elapsed	Status
14	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/passengerName_PassengerDetails_TextBox"), "automationTest") Keys 'automationTest' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/passengerName_PassengerDetails_TextBox'	0.222s	PASSED
15	selectOptionByLabel(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/select_Currency"), "INR", false) All options with label 'INR' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/select_Currency'	0.184s	PASSED
16	click(findTestObject("Demo/RecordingEK/Page_Mozart - RefundsCapture/Save Button")) Object: 'Object Repository/Demo/RecordingEK/Page_Mozart - RefundsCapture/Save Button' is clicked on	0.246s	PASSED
17	Thread.sleep(1000)	1.002s	PASSED
18	Draft_save_msg = getText(findTestObject("Demo/RecordingEK/Page_Mozart - RefundsCapture/Draft Save Success message")) Text of object 'Object Repository/Demo/RecordingEK/Page_Mozart - RefundsCapture/Draft Save Success message' is: 'Draft saved. The new ID Draft is 1215.'	0.060s	PASSED
19	println(Draft_save_msg)	0.001s	PASSED
20	startIndex = Draft_save_msg.indexOf("is ") + 3	0.002s	PASSED
21	numberWithDot = substring(startIndex).trim()	0.001s	PASSED

TC 2_MOZ-9885 Verify that when the email address is not filled than user can still save it as a draft

#	Description	Elapsed	Status
22	draftMsgNumber = numberWithDot.replace(".", "")	0.001s	PASSED
23	println(draftMsgNumber)	0.001s	PASSED
24	newSaveMsg = Draft_save_msg.substring(0, 32)	0.002s	PASSED
25	println(newSaveMsg)	0.002s	PASSED
26	verifyMatch(newSaveMsg, "Draft saved. The new ID Draft is", false) Actual text 'Draft saved. The new ID Draft is' and expected text 'Draft saved. The new ID Draft is' are matched	0.006s	PASSED
27	click(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/click_on_ThreeDots")) Object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/click_on_ThreeDots' is clicked on	0.116s	PASSED
28	click(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/load_Draft_Button")) Object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/load_Draft_Button' is clicked on	0.130s	PASSED
29	draftNumber = getText(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/DraftTableR1C2")) Text of object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/DraftTableR1C2' is: "	1.454s	PASSED
30	println(draftNumber)	0.002s	PASSED

TC 2_MOZ-9885 Verify that when the email address is not filled than user can still save it as a draft

#	Description	Elapsed	Status
---	-------------	---------	--------

TC 2_MOZ-9885 Verify that when the email address is not filled than user can still save it as a draft

#	Description	Elapsed	Status
31	verifyMatch(draftNumber, draftMsgNumber, false) Unable to verify match between actual text " and expected text '1215' (Root cause: com.kms.katalon.core.exception.StepFailedException: Actual text " and expected text '1215' are not matched at com.kms.katalon.core.keyword.builtin. VerifyMatchKeyword\$_verifyMatch_closure1.doCall(VerifyMatchKeyword.groovy:57) at com.kms.katalon.core.keyword.builtin. VerifyMatchKeyword\$_verifyMatch_closure1.call(VerifyMatchKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.verifyMatch (VerifyMatchKeyword.groovy:60) at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.execute (VerifyMatchKeyword.groovy:45) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.verifyMatch(BuiltinKeywords. groovy:78) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TC 2_MOZ-9885 Verify that when the email address is not filled than user can still save it as a draft.run(TC 2_MOZ-9885 Verify that when the email address is not filled than user can still save it as a draft:88) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1728990728975.run(TempTestSuite1728990728975.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43))	0.046s	FAILED

TC 2_MOZ-9885 Verify that when the email address is not filled than user can still save it as a draft

#	Description	Elapsed	Status
---	-------------	---------	--------

TC 1_MOZ_9876 Verify the email address to be marked as obligatory field

Information

ID	Test Cases/MOZ-9700/TC 1_MOZ_9876 Verify the email address to be marked as obligatory field		
Description			
Tag			
Start	15-10-2024 16:50:05	End	15-10-2024 16:50:58
Elapsed	52.499s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	demoPackage.MozartLogin.LoginWithChromeForEK() demoPackage.MozartLogin.LoginWithChromeForEK is PASSED	32.925s	PASSED
2	uniqueNumber = utilityClass.GenericMethods.UniqueNumberGenerator() utilityClass.GenericMethods.UniqueNumberGenerator is PASSED	0.003s	PASSED
3	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refunds")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refunds' is clicked on	9.427s	PASSED
4	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refund Capture")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refund Capture' is clicked on	1.795s	PASSED
5	selectOptionByValue(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/SelectRefundTypes"), "RF_Both", false) All options with value 'RF_Both' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/SelectRefundTypes'	1.100s	PASSED
6	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/documentNumber_Textbox"), "6747279623") Keys '6747279623' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/documentNumber_Textbox'	0.689s	PASSED

TC 1_MOZ_9876 Verify the email address to be marked as obligatory field

#	Description	Elapsed	Status
7	click(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/country_Button")) Object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/country_Button' is clicked on	0.562s	PASSED
8	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox"), "IN - India") Keys 'IN - India' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox'	0.587s	PASSED
9	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox'	0.520s	PASSED
10	selectOptionByValue(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/requestedFOP_DropDown"), "CA", false) All options with value 'CA' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/requestedFOP_DropDown'	1.501s	PASSED
11	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/couponsRequested_TextBox"), "1") Keys '1' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/couponsRequested_TextBox'	0.554s	PASSED
12	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/passengerRemarks_TextBox"), uniqueNumber) Keys '20241015165039' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/passengerRemarks_TextBox'	0.583s	PASSED
13	selectOptionByLabel(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/select_Currency"), "INR", false) All options with label 'INR' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/select_Currency'	0.762s	PASSED

TC 1_MOZ_9876 Verify the email address to be marked as obligatory field

#	Description	Elapsed	Status
14	emailAddressEmpty = getText(findTestObject("Object Repository/EK_Objects/Page_Mozart - RefundsCapture/EmailFieldObligatory")) Text of object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/EmailFieldObligatory' is: 'Field required'	0.515s	PASSED
15	verifyMatch(emailAddressEmpty, "Field required", false, CONTINUE_ON_FAILURE) Actual text 'Field required' and expected text 'Field required' are matched	0.004s	PASSED
16	passangerName = getText(findTestObject("Object Repository/EK_Objects/Page_Mozart - RefundsCapture/passengerName_FieldRequired")) Text of object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/passengerName_FieldRequired' is: 'Field required'	0.271s	PASSED
17	verifyMatch(passangerName, "Field required", false, CONTINUE_ON_FAILURE) Actual text 'Field required' and expected text 'Field required' are matched	0.004s	PASSED
18	Title = getText(findTestObject("Object Repository/EK_Objects/Page_Mozart - RefundsCapture/passengerTitle_FieldRequired")) Text of object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/passengerTitle_FieldRequired' is: 'Field required'	0.264s	PASSED
19	verifyMatch>Title, "Field required", false, CONTINUE_ON_FAILURE) Actual text 'Field required' and expected text 'Field required' are matched	0.003s	PASSED

TC 2_MOZ-11334 Verify Inclusion of Waiver Effective and Expiry Dates in WS Response

Information

ID	Test Cases/MOZ-11020/TC 2_MOZ-11334 Verify Inclusion of Waiver Effective and Expiry Dates in WS Response		
Description			
Tag			
Start	15-10-2024 16:50:58	End	15-10-2024 16:50:59
Elapsed	1.212s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	apiRequests.apiConnection.runAuthToken(findTestObject("API/Demo API/Auth Token")) apiRequests.apiConnection.runAuthToken is PASSED	0.268s	PASSED
2	response = sendRequest(findTestObject("API/MOZ_11020_API/pnr_waiver_request")) Send request successfully	0.519s	PASSED
3	responseBody = response.getResponseText()	0.001s	PASSED
4	println(JsonOutput.prettyPrint(responseBody))	0.084s	PASSED
5	verifyResponseStatusCode(response, 200) Verify response status code successfully	0.004s	PASSED
6	slurper = new groovy.json.JsonSlurper()	0.001s	PASSED

TC 2_MOZ-11334 Verify Inclusion of Waiver Effective and Expiry Dates in WS Response

#	Description	Elapsed	Status
7	jsonResponse = slurper.parseText(response.getResponseText())	0.002s	PASSED
8	utilityClass.CustomSoftAssert.assertTrue(waiver_effective_date != null, "waiver_effective_date is missing in the response") utilityClass.CustomSoftAssert.assertTrue is PASSED	0.019s	PASSED
9	utilityClass.CustomSoftAssert.assertTrue(waiver_expiry_date != null, "waiver_expiry_date is missing in the response") utilityClass.CustomSoftAssert.assertTrue is PASSED	0.003s	PASSED
10	utilityClass.CustomSoftAssert.assertAll() utilityClass.CustomSoftAssert.assertAll is PASSED	0.001s	PASSED

TC 1_MOZ_11333 Verify Replacement of Internal Structure Table Names from MARS to PNR

Information

ID	Test Cases/MOZ-11020/TC 1_MOZ_11333 Verify Replacement of Internal Structure Table Names from MARS to PNR		
Description			
Tag			
Start	15-10-2024 16:50:59	End	15-10-2024 16:51:16
Elapsed	16.792s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	mi_pnr_waiver = database.DatabaseUtils.checkTableExists("mi_pnr_waiver") database.DatabaseUtils.checkTableExists is PASSED	3.543s	PASSED
2	utilityClass.CustomSoftAssert.assertTrue(mi_pnr_waiver, "The mi_pnr_waiver table should be available in the database.") utilityClass.CustomSoftAssert.assertTrue is PASSED	0.002s	PASSED
3	mi_pnr_waiver_remarks = database.DatabaseUtils.checkTableExists("mi_pnr_waiver_remarks") database.DatabaseUtils.checkTableExists is PASSED	3.717s	PASSED
4	utilityClass.CustomSoftAssert.assertTrue(mi_pnr_waiver_remarks, "The mi_pnr_waiver_remarks table should be available in the database.") utilityClass.CustomSoftAssert.assertTrue is PASSED	0.002s	PASSED
5	md_rfnd_pnr_waivers = database.DatabaseUtils.checkTableExists("md_rfnd_pnr_waivers") database.DatabaseUtils.checkTableExists is PASSED	3.460s	PASSED
6	utilityClass.CustomSoftAssert.assertTrue(md_rfnd_pnr_waivers, "The md_rfnd_pnr_waivers table should be available in the database.") utilityClass.CustomSoftAssert.assertTrue is PASSED	0.002s	PASSED

TC 1_MOZ_11333 Verify Replacement of Internal Structure Table Names from MARS to PNR

#	Description	Elapsed	Status
7	controller_name_column_row_value = database.DBConnection.SQL("select * from bdmozart.mc_endpoints_exposed where controller_name = 'PnrWaiverController', 'controller_name', 1) database.DBConnection.SQL is PASSED	2.897s	PASSED
8	utilityClass.CustomSoftAssert.assertEquals(controller_name_column_row_value, "PnrWaiverController", "Expected Column value is = PnrWaiverController") utilityClass.CustomSoftAssert.assertEquals is PASSED	0.007s	PASSED
9	description_column_row_value = database.DBConnection.SQL("select * from bdmozart.mc_file_type where code = 'MWF'", "description", 1) database.DBConnection.SQL is PASSED	2.840s	PASSED
10	utilityClass.CustomSoftAssert.assertEquals(description_column_row_value, "Pnr Waiver File", "Expected Column value is = Pnr Waiver File") utilityClass.CustomSoftAssert.assertEquals is PASSED	0.002s	PASSED
11	utilityClass.CustomSoftAssert.assertAll() utilityClass.CustomSoftAssert.assertAll is PASSED	0.001s	PASSED

TC_1_MOZ-13227_Verify that the system correctly identifies a TRIPS-Quote embedded in a refund request

Information

ID	Test Cases/MOZ-12692/TC_1_MOZ-13227_Verify that the system correctly identifies a TRIPS-Quote embedded in a refund request		
Description			
Tag			
Start	15-10-2024 16:51:16	End	15-10-2024 16:51:24
Elapsed	7.722s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	processJson = new utilityClass.JsonPaths()	0.001s	PASSED
2	filePath = "Test Data/Embedded TKT Quote.txt"	0.002s	PASSED
3	QuoteString = processJson.JsonStringFormatter(filePath)	0.005s	PASSED
4	apiRequests.apiConnection.runAuthToken(findTestObject("API/Demo API/Auth Token")) apiRequests.apiConnection.runAuthToken is PASSED	0.200s	PASSED
5	fullRefundResponse = sendRequest(findTestObject("API/MOZ-12692_API/MOZ-12692_EK_QUOTE_TRIPS")) Send request successfully	1.300s	PASSED
6	verifyResponseStatusCode(fullRefundResponse, 200) Verify response status code successfully	0.004s	PASSED

TC_1_MOZ-13227_Verify that the system correctly identifies a TRIPS-Quote embedded in a refund request

#	Description	Elapsed	Status
7	mozartRequestId = getElementPropertyValue(fullRefundResponse, "data[0].mozart_request_id")	0.090s	PASSED
8	queryTemplate = "select * from bdm Mozart.%s where %s = '%s'"	0.001s	PASSED
9	mozartRequestCondition = idrequest = '\$mozartRequestId'	0.001s	PASSED
10	mi_refund_ek_quote = String.format(queryTemplate, "mi_refund_ek_quote", "idrequest", mozartRequestId)	0.000s	PASSED
11	idQuote = database.DatabaseUtils.executeQuery(mi_refund_ek_quote, "id", 1) database.DatabaseUtils.executeQuery is PASSED	2.898s	PASSED
12	quoteType = database.DatabaseUtils.executeQuery(mi_refund_ek_quote, "quote_type", 1) database.DatabaseUtils.executeQuery is PASSED	2.859s	PASSED
13	verifyMatch(quoteType, "TKT-Quote", false) Actual text 'TKT-Quote' and expected text 'TKT-Quote' are matched	0.003s	PASSED

TC 7_MOZ_11448 Verify Grid Display in the Local Settlements Module

Information

ID	Test Cases/MOZ-10510/TC 7_MOZ_11448 Verify Grid Display in the Local Settlements Module		
Description			
Tag			
Start	15-10-2024 16:51:24	End	15-10-2024 16:52:00
Elapsed	35.922s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	mozartLogin.Login.launchBrowser() mozartLogin.Login.launchBrowser is PASSED	29.316s	PASSED
2	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refunds")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refunds' is clicked on	0.153s	PASSED
3	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements' is clicked on	1.186s	PASSED
4	listOfHeaderColumns = findWebElements(findTestObject("EK_Objects/Page_Mozart - LocalSettlements/filterTable_headers"), 10) Found web elements by test object Object Repository/EK_Objects/Page_Mozart - LocalSettlements/filterTable_headers	1.309s	PASSED
5	println(listOfHeaderColumns.size())	0.003s	PASSED
6	elements = ["Request Id", "Processing Date (yyyy-mm-dd)", "Ticket Number", "Request Number", "Passenger Name", "Country", "Agent code", "Refund Amount", "Currency", "Refund FOP Paid Locally", "Reason"]	0.002s	PASSED

TC 7_MOZ_11448 Verify Grid Display in the Local Settlements Module

#	Description	Elapsed	Status
7	for ([i = 1, i < listOfHeaderColumns.size(), (i++)]) Actual text 'Reason' and expected text 'Reason' are matched	3.552s	PASSED

TC_3_MOZ-12910_Verify that an invalid Quote and error details are logged in the database

Information

ID	Test Cases/MOZ-12450/TC_3_MOZ-12910_Verify that an invalid Quote and error details are logged in the database		
Description			
Tag			
Start	15-10-2024 16:52:00	End	15-10-2024 16:52:05
Elapsed	5.343s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	filePath = "Test Data/Embbded TKT Quote - Error in Quote"	0.001s	PASSED
2	QuoteString = utilityClass.JsonPaths.JsonStringFormatter(filePath) utilityClass.JsonPaths.JsonStringFormatter is PASSED	0.005s	PASSED
3	apiRequests.apiConnection.runAuthToken(findTestObject("API/Demo API/Auth Token")) apiRequests.apiConnection.runAuthToken is PASSED	0.249s	PASSED
4	fullRefundResponse = sendRequest(findTestObject("API/MOZ-12450_API/MOZ-12909_Full_Refund_Embedded TKT")) Send request successfully	2.131s	PASSED
5	verifyResponseStatusCode(fullRefundResponse, 200) Verify response status code successfully	0.003s	PASSED
6	mozartRequestId = getElementPropertyValue(fullRefundResponse, "data[0].mozart_request_id")	0.088s	PASSED

TC_3_MOZ-12910_Verify that an invalid Quote and error details are logged in the database

#	Description	Elapsed	Status
7	queryTemplate = "select * from bdm Mozart.%s where %s = '%s'"	0.001s	PASSED
8	mozartRequestCondition = idrequest = '\$mozartRequestId'	0.001s	PASSED
9	println(mozartRequestCondition)	0.001s	PASSED
10	mi_refund_ek_quote = String.format(queryTemplate, "mi_refund_ek_quote", "idrequest", mozartRequestId)	0.001s	PASSED
11	idQuote = database.DatabaseUtils.executeQueryDemo(mi_refund_ek_quote, "id", 1) database.DatabaseUtils.executeQueryDemo is PASSED	2.452s	PASSED
12	println(idQuote)	0.001s	PASSED
13	verifyMatch(idQuote, "No current row", false) Actual text 'No current row' and expected text 'No current row' are matched	0.003s	PASSED

TC 2_MOZ-12910_Verify that store the data of embedded TKT-Quotes, including error details in case the processing fails

Information

ID	Test Cases/MOZ-12450/TC 2_MOZ-12910_Verify that store the data of embedded TKT-Quotes, including error details in case the processing fails		
Description			
Tag			
Start	15-10-2024 16:52:05	End	15-10-2024 16:52:40
Elapsed	35.037s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	processJson = new utilityClass.JsonPaths()	0.002s	PASSED
2	filePath = "Test Data/Embedded TKT Quote.txt"	0.011s	PASSED
3	QuoteString = processJson.JsonStringFormatter(filePath)	0.003s	PASSED
4	apiRequests.apiConnection.runAuthToken(findTestObject("API/Demo API/Auth Token")) apiRequests.apiConnection.runAuthToken is PASSED	0.434s	PASSED
5	fullRefundResponse = sendRequest(findTestObject("API/MOZ-12450_API/MOZ-12909_Full_Refund_Embedded TKT")) Send request successfully	1.209s	PASSED
6	verifyResponseStatusCode(fullRefundResponse, 200) Verify response status code successfully	0.003s	PASSED

TC 2_MOZ-12910_Verify that store the data of embedded TKT-Quotes, including error details in case the processing fails

#	Description	Elapsed	Status
7	mozartRequestId = getElementPropertyValue(fullRefundResponse, "data[0].mozart_request_id")	0.112s	PASSED
8	queryTemplate = "select * from bdm Mozart.%s where %s = '%s'"	0.001s	PASSED
9	mozartRequestCondition = idrequest = '\$mozartRequestId'	0.001s	PASSED
10	mi_refund_ek_quote = String.format(queryTemplate, "mi_refund_ek_quote", "idrequest", MozartRequestId)	0.001s	PASSED
11	idQuote = database.DatabaseUtils.executeQuery(mi_refund_ek_quote, "id", 1) database.DatabaseUtils.executeQuery is PASSED	3.020s	PASSED
12	mi_refund_ek_quote_passenger = String.format(queryTemplate, "mi_refund_ek_quote_passenger", "idquote", idQuote)	0.002s	PASSED
13	idpassenger = database.DatabaseUtils.executeQuery(mi_refund_ek_quote_passenger, "id", 1) database.DatabaseUtils.executeQuery is PASSED	2.851s	PASSED
14	mi_refund_ek_quote_tkt_details = String.format(queryTemplate, "mi_refund_ek_quote_tkt_details", "idpassenger", idpassenger)	0.000s	PASSED

TC 2_MOZ-12910_Verify that store the data of embedded TKT-Quotes, including error details in case the processing fails

#	Description	Elapsed	Status
15	idtktdetails = database.DatabaseUtils.executeQuery(mi_refund_ek_quote_tkt_details, "id", 1) database.DatabaseUtils.executeQuery is PASSED	3.024s	PASSED
16	mi_refund_ek_quote_tkt_coupon_details = String.format(queryTemplate, "mi_refund_ek_quote_tkt_coupon_details", "idtktdetails", idtktdetails)	0.002s	PASSED
17	mi_refund_ek_quote_tkt_original_fare = String.format(queryTemplate, "mi_refund_ek_quote_tkt_original_fare", "idtktdetails", idtktdetails)	0.001s	PASSED
18	mi_refund_ek_quote_tkt_penalty_charges = String.format(queryTemplate, "mi_refund_ek_quote_tkt_penalty_charges", "idtktdetails", idtktdetails)	0.001s	PASSED
19	mi_refund_ek_quote_tkt_refund_fare = String.format(queryTemplate, "mi_refund_ek_quote_tkt_refund_fare", "idtktdetails", idtktdetails)	0.001s	PASSED
20	mi_refund_ek_quote_tkt_used_fare = String.format(queryTemplate, "mi_refund_ek_quote_tkt_used_fare", "idtktdetails", idtktdetails)	0.001s	PASSED
21	tables = new java.util.HashMap()	0.002s	PASSED
22	tables.put("mi_refund_ek_quote", mi_refund_ek_quote)	0.001s	PASSED

TC 2_MOZ-12910_Verify that store the data of embedded TKT-Quotes, including error details in case the processing fails

#	Description	Elapsed	Status
23	tables.put("mi_refund_ek_quote_passenger", mi_refund_ek_quote_passenger)	0.003s	PASSED
24	tables.put("mi_refund_ek_quote_tkt_details", mi_refund_ek_quote_tkt_details)	0.001s	PASSED
25	tables.put("mi_refund_ek_quote_tkt_coupon_details", mi_refund_ek_quote_tkt_coupon_details)	0.001s	PASSED
26	tables.put("mi_refund_ek_quote_tkt_original_fare", mi_refund_ek_quote_tkt_original_fare)	0.001s	PASSED
27	tables.put("mi_refund_ek_quote_tkt_penalty_charges", mi_refund_ek_quote_tkt_penalty_charges)	0.002s	PASSED
28	tables.put("mi_refund_ek_quote_tkt_refund_fare", mi_refund_ek_quote_tkt_refund_fare)	0.001s	PASSED
29	tables.put("mi_refund_ek_quote_tkt_used_fare", mi_refund_ek_quote_tkt_used_fare)	0.002s	PASSED
30	for (Map\$Entry<String, String> entry : tables.entrySet()) Actual text '2660' and expected text '2660' are matched	23.775s	PASSED

TC 1_MOZ-12909_Verify that embedded TKT-Quote processed correctly, and the quote data is stored in the database tables

Information

ID	Test Cases/MOZ-12450/TC 1_MOZ-12909_Verify that embedded TKT-Quote processed correctly, and the quote data is stored in the database tables		
Description			
Tag			
Start	15-10-2024 16:52:40	End	15-10-2024 16:53:11
Elapsed	31.067s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	processJson = new utilityClass.JsonPaths()	0.002s	PASSED
2	filePath = "Test Data/EK_QUOTE_TRIPS"	0.001s	PASSED
3	QuoteString = processJson.JsonStringFormatter(filePath)	0.003s	PASSED
4	apiRequests.apiConnection.runAuthToken(findTestObject("API/Demo API/Auth Token")) apiRequests.apiConnection.runAuthToken is PASSED	0.239s	PASSED
5	fullRefundResponse = sendRequest(findTestObject("API/MOZ-12450_API/MOZ-12909_Full_Refund_Embedded TKT")) Send request successfully	1.498s	PASSED
6	verifyResponseStatusCode(fullRefundResponse, 200) Verify response status code successfully	0.004s	PASSED

TC 1_MOZ-12909_Verify that embedded TKT-Quote processed correctly, and the quote data is stored in the database tables

#	Description	Elapsed	Status
7	mozartRequestId = getElementPropertyValue(fullRefundResponse, "data[0].mozart_request_id")	0.079s	PASSED
8	queryTemplate = "select * from bdmozart.%s where %s = '%s'"	0.001s	PASSED
9	mozartRequestCondition = idrequest = '\$mozartRequestId'	0.002s	PASSED
10	mi_refund_ek_quote = String.format(queryTemplate, "mi_refund_ek_quote", "idrequest", mozartRequestId)	0.001s	PASSED
11	idQuote = database.DatabaseUtils.executeQuery(mi_refund_ek_quote, "id", 1) database.DatabaseUtils.executeQuery is PASSED	2.885s	PASSED
12	mi_refund_ek_quote_passenger = String.format(queryTemplate, "mi_refund_ek_quote_passenger", "idquote", idQuote)	0.002s	PASSED
13	idpassenger = database.DatabaseUtils.executeQuery(mi_refund_ek_quote_passenger, "id", 1) database.DatabaseUtils.executeQuery is PASSED	2.371s	PASSED
14	mi_refund_ek_quote_tkt_details = String.format(queryTemplate, "mi_refund_ek_quote_tkt_details", "idpassenger", idpassenger)	0.001s	PASSED

TC 1_MOZ-12909_Verify that embedded TKT-Quote processed correctly, and the quote data is stored in the database tables

#	Description	Elapsed	Status
15	idtktdetails = database.DatabaseUtils.executeQuery(mi_refund_ek_quote_tkt_details, "id", 1) database.DatabaseUtils.executeQuery is PASSED	2.339s	PASSED
16	mi_refund_ek_quote_tkt_coupon_details = String.format(queryTemplate, "mi_refund_ek_quote_tkt_coupon_details", "idtktdetails", idtktdetails)	0.001s	PASSED
17	mi_refund_ek_quote_tkt_original_fare = String.format(queryTemplate, "mi_refund_ek_quote_tkt_original_fare", "idtktdetails", idtktdetails)	0.001s	PASSED
18	mi_refund_ek_quote_tkt_penalty_charges = String.format(queryTemplate, "mi_refund_ek_quote_tkt_penalty_charges", "idtktdetails", idtktdetails)	0.002s	PASSED
19	mi_refund_ek_quote_tkt_refund_fare = String.format(queryTemplate, "mi_refund_ek_quote_tkt_refund_fare", "idtktdetails", idtktdetails)	0.001s	PASSED
20	mi_refund_ek_quote_tkt_used_fare = String.format(queryTemplate, "mi_refund_ek_quote_tkt_used_fare", "idtktdetails", idtktdetails)	0.001s	PASSED
21	tables = new java.util.HashMap()	0.002s	PASSED
22	tables.put("mi_refund_ek_quote", mi_refund_ek_quote)	0.001s	PASSED

TC 1_MOZ-12909_Verify that embedded TKT-Quote processed correctly, and the quote data is stored in the database tables

#	Description	Elapsed	Status
23	tables.put("mi_refund_ek_quote_passenger", mi_refund_ek_quote_passenger)	0.001s	PASSED
24	tables.put("mi_refund_ek_quote_tkt_details", mi_refund_ek_quote_tkt_details)	0.001s	PASSED
25	tables.put("mi_refund_ek_quote_tkt_coupon_details", mi_refund_ek_quote_tkt_coupon_details)	0.001s	PASSED
26	tables.put("mi_refund_ek_quote_tkt_original_fare", mi_refund_ek_quote_tkt_original_fare)	0.001s	PASSED
27	tables.put("mi_refund_ek_quote_tkt_penalty_charges", mi_refund_ek_quote_tkt_penalty_charges)	0.001s	PASSED
28	tables.put("mi_refund_ek_quote_tkt_refund_fare", mi_refund_ek_quote_tkt_refund_fare)	0.001s	PASSED
29	tables.put("mi_refund_ek_quote_tkt_used_fare", mi_refund_ek_quote_tkt_used_fare)	0.001s	PASSED
30	str = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.001s	PASSED
31	for (Map\$Entry<String, String> entry : tables.entrySet())	21.194s	PASSED

TC 6_MOZ_11447 Verify Default Filtering Values in the Local Settlements Module

Information

ID	Test Cases/MOZ-10510/TC 6_MOZ_11447 Verify Default Filtering Values in the Local Settlements Module		
Description			
Tag			
Start	15-10-2024 16:53:11	End	15-10-2024 16:54:10
Elapsed	59.059s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	demoPackage.MozartLogin.LoginWithChromeForEK() demoPackage.MozartLogin.LoginWithChromeForEK is PASSED	30.521s	PASSED
2	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refunds")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refunds' is clicked on	10.028s	PASSED
3	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements' is clicked on	1.735s	PASSED
4	click(findTestObject("EK_Objects/Page_Mozart - LocalSettlements/filter_button")) Object: 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/filter_button' is clicked on	1.290s	PASSED
5	verifyOptionSelectedByValue(findTestObject("EK_Objects/Page_Mozart - LocalSettlements/select_filter_column_r1_c1"), "date_processingdate", false, 5) All options with value 'date_processingdate' are selected in object 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/select_filter_column_r1_c1'	5.190s	PASSED

TC 6_MOZ_11447 Verify Default Filtering Values in the Local Settlements Module

#	Description	Elapsed	Status
6	verifyOptionSelectedByValue(findTestObject("EK_Objects/Page_Mozart - LocalSettlements/select_filter_column_r2_c1"), "select_request_fop_settlem", false, 5) All options with value 'select_request_fop_settlem' are selected in object 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/select_filter_column_r2_c1'	4.407s	PASSED
7	verifyOptionSelectedByValue(findTestObject("EK_Objects/Page_Mozart - LocalSettlements/select_filter_column_r3_c1"), "select_ro_isocode_country", false, 5) All options with value 'select_ro_isocode_country' are selected in object 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/select_filter_column_r3_c1'	4.586s	PASSED
8	closeBrowser() Browser is closed	1.020s	PASSED

TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

Information

ID	Test Cases/MOZ-12401/TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request		
Description			
Tag			
Start	15-10-2024 16:54:10	End	15-10-2024 16:54:43
Elapsed	32.994s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	mi_refund_ek_quote = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.003s	PASSED
2	mi_refund_ek_quote_passenger = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.002s	PASSED
3	mi_refund_ek_quote_tkt_details = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.002s	PASSED
4	mi_refund_ek_quote_tkt_coupon_details = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.001s	PASSED
5	mi_refund_ek_quote_tkt_original_fare = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.001s	PASSED

TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
6	mi_refund_ek_quote_tkt_penalty_charges = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.002s	PASSED
7	mi_refund_ek_quote_tkt_refund_fare = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.000s	PASSED
8	mi_refund_ek_quote_tkt_used_fare = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.000s	PASSED
9	idQuote = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.002s	PASSED
10	idpassenger = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.003s	PASSED
11	idtktdetails = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.001s	PASSED
12	mozartRequestld = "O090510005"	0.001s	PASSED
13	mi_refund_ek_quote = "select * from bdmozart.mi_refund_ek_quote where idrequest = '" + MozartRequestld + "'"	0.003s	PASSED

TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
14	idQuote = database.DatabaseUtils.executeQuery(mi_refund_ek_quote, "id", 1) database.DatabaseUtils.executeQuery is PASSED	2.928s	PASSED
15	mi_refund_ek_quote_passenger = "select * from bdmozart.mi_refund_ek_quote_passenger where idquote = '" + idQuote + "'"	0.002s	PASSED
16	idpassenger = database.DatabaseUtils.executeQuery(mi_refund_ek_quote_passenger, "id", 1) database.DatabaseUtils.executeQuery is PASSED	3.189s	PASSED
17	mi_refund_ek_quote_tkt_details = "select * from bdmozart.mi_refund_ek_quote_tkt_details where idpassenger = '" + idpassenger + "'"	0.001s	PASSED
18	idtktdetails = database.DatabaseUtils.executeQuery(mi_refund_ek_quote_tkt_details, "id", 1) database.DatabaseUtils.executeQuery is PASSED	3.206s	PASSED
19	mi_refund_ek_quote_tkt_coupon_details = "select * from bdmozart.mi_refund_ek_quote_tkt_coupon_details where idtktdetails = '" + idtktdetails + "'"	0.001s	PASSED
20	mi_refund_ek_quote_tkt_original_fare = "select * from bdmozart.mi_refund_ek_quote_tkt_original_fare where idtktdetails = '" + idtktdetails + "'"	0.001s	PASSED
21	mi_refund_ek_quote_tkt_penalty_charges = "select * from bdmozart.mi_refund_ek_quote_tkt_penalty_charges where idtktdetails = '" + idtktdetails + "'"	0.001s	PASSED

TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
22	mi_refund_ek_quote_tkt_refund_fare = "select * from bdmozart.mi_refund_ek_quote_tkt_refund_fare where idtktdetails = '" + idtktdetails + "'"	0.003s	PASSED
23	mi_refund_ek_quote_tkt_used_fare = "select * from bdmozart.mi_refund_ek_quote_tkt_used_fare where idtktdetails = '" + idtktdetails + "'"	0.001s	PASSED
24	processJson = new utilityClass.JsonPaths()	0.002s	PASSED
25	filePath = "Test Data/TKT Quote Json.txt"	0.001s	PASSED
26	dbMap = processJson.getColumnsWithJsonPath("mi_refund_ek_quote")	0.002s	PASSED
27	processJson.verifyJsonElementsValuesWithDatabaseValues(filePath, dbMap, mi_refund_ek_quote) Actual text 'false' and expected text 'false' are matched	2.914s	PASSED
28	dbMap1 = processJson.getColumnsWithJsonPath("mi_refund_ek_quote_passenger")	0.002s	PASSED
29	processJson.verifyJsonElementsValuesWithDatabaseValues(filePath, dbMap1, mi_refund_ek_quote_passenger) Actual text '1' and expected text '1' are matched	2.856s	PASSED
30	dbMap2 = processJson.getColumnsWithJsonPath("mi_refund_ek_quote_tkt_details")	0.002s	PASSED

TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
31	processJson.verifyJsonElementsValuesWithDatabaseValues(filePath, dbMap2, mi_refund_ek_quote_tkt_details) Actual text 'R0' and expected text 'R0' are matched	2.924s	PASSED
32	dbMap3 = processJson.getColumnsWithJsonPath("mi_refund_ek_quote_tkt_coupon_details")	0.002s	PASSED
33	processJson.verifyJsonElementsValuesWithDatabaseValues(filePath, dbMap3, mi_refund_ek_quote_tkt_coupon_details) Actual text 'Y' and expected text 'Y' are matched	3.046s	PASSED
34	dbMap4 = processJson.getColumnsWithJsonPath("mi_refund_ek_quote_tkt_original_fare")	0.006s	PASSED

TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
35	processJson.verifyJsonElementsValuesWithDatabaseValues(filePath, dbMap4, mi_refund_ek_quote_tkt_original_fare) Unable to verify match between actual text '2660' and expected text '266' (Root cause: com.kms.katalon.core.exception.StepFailedException: Actual text '2660' and expected text '266' are not matched at com.kms.katalon.core.keyword.builtin. VerifyMatchKeyword\$_verifyMatch_closure1.doCall(VerifyMatchKeyword.groovy:57) at com.kms.katalon.core.keyword.builtin. VerifyMatchKeyword\$_verifyMatch_closure1.call(VerifyMatchKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.verifyMatch (VerifyMatchKeyword.groovy:60) at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.execute (VerifyMatchKeyword.groovy:45) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.verifyMatch(BuiltinKeywords. groovy:60) at jdk.internal.reflect.GeneratedMethodAccessor23.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at utilityClass.JsonPaths.verifyJsonElementsValuesWithDatabaseValues (JsonPaths.groovy:77) at jdk.internal.reflect.GeneratedMethodAccessor116.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request. run(TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request:96) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1728990728975.run(TempTestSuite1728990728975.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	2.829s	FAILED

TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
	(DelegatingMethodAccessorImpl.java:43))		
36	dbMap5 = processJson.getColumnsWithJsonPath("mi_refund_ek_quote_tkt_penalty_charges")	0.005s	PASSED
37	processJson.verifyJsonElementsValuesWithDatabaseValues(filePath, dbMap5, mi_refund_ek_quote_tkt_penalty_charges)	2.803s	PASSED
	Actual text '0' and expected text '0' are matched		
38	dbMap6 = processJson.getColumnsWithJsonPath("mi_refund_ek_quote_tkt_refund_fare")	0.040s	PASSED
39	processJson.verifyJsonElementsValuesWithDatabaseValues(filePath, dbMap6, mi_refund_ek_quote_tkt_refund_fare)	2.763s	PASSED
	Actual text '2660' and expected text '2660' are matched		
40	dbMap7 = processJson.getColumnsWithJsonPath("mi_refund_ek_quote_tkt_used_fare")	0.000s	PASSED

TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
41	<p>processJson.verifyJsonElementsValuesWithDatabaseValues(filePath, dbMap7, mi_refund_ek_quote_tkt_used_fare)</p> <p>Unable to verify match between actual text '0' and expected text '100' (Root cause: com.kms.katalon.core.exception.StepFailedException: Actual text '0' and expected text '100' are not matched at com.kms.katalon.core.keyword.builtin. VerifyMatchKeyword\$_verifyMatch_closure1.doCall(VerifyMatchKeyword.groovy:57) at com.kms.katalon.core.keyword.builtin. VerifyMatchKeyword\$_verifyMatch_closure1.call(VerifyMatchKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.verifyMatch (VerifyMatchKeyword.groovy:60) at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.execute (VerifyMatchKeyword.groovy:45) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.verifyMatch(BuiltinKeywords. groovy:60) at jdk.internal.reflect.GeneratedMethodAccessor23.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at utilityClass.JsonPaths.verifyJsonElementsValuesWithDatabaseValues (JsonPaths.groovy:77) at jdk.internal.reflect.GeneratedMethodAccessor116.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request. run(TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request:105) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1728990728975.run(TempTestSuite1728990728975.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke</p>	2.775s	FAILED

TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
	(DelegatingMethodAccessorImpl.java:43))		

TC 1_MOZ-12623_Verify that the refund request sent successfully and that the TKT Quote was received in the response

Information

ID	Test Cases/MOZ-12401/TC 1_MOZ-12623_Verify that the refund request sent successfully and that the TKT Quote was received in the response		
Description			
Tag			
Start	15-10-2024 16:54:43	End	15-10-2024 16:54:59
Elapsed	16.306s		
Status	ERROR		

Details

#	Description	Elapsed	Status
1	apiRequests.apiConnection.runAuthToken(findTestObject("API/Demo API/Auth Token")) apiRequests.apiConnection.runAuthToken is PASSED	0.192s	PASSED
2	fullRefundResponse = sendRequest(findTestObject("API/MOZ-12401_API/MOZ-12623_Full_Refund")) Send request successfully	1.108s	PASSED
3	verifyResponseStatusCode(fullRefundResponse, 200) Verify response status code successfully	0.000s	PASSED
4	mozartRequestId = getElementPropertyValue(fullRefundResponse, "data[0].mozart_request_id")	0.079s	PASSED
5	println(mozartRequestId)	0.000s	PASSED
6	QO_Task = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.000s	PASSED

TC 1_MOZ-12623_Verify that the refund request sent successfully and that the TKT Quote was received in the response

#	Description	Elapsed	Status
7	mp_process = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.000s	PASSED

TC 1_MOZ-12623_Verify that the refund request sent successfully and that the TKT Quote was received in the response

#	Description	Elapsed	Status
8	for ([i = 0, i <= 4, (i++)]) Unable to verify match between actual text 'PS' and expected text 'OK' (Root cause: com.kms.katalon.core.exception.StepFailedException: Actual text 'PS' and expected text 'OK' are not matched at com.kms.katalon.core.keyword.builtin. VerifyMatchKeyword\$_verifyMatch_closure1.doCall(VerifyMatchKeyword.groovy:57) at com.kms.katalon.core.keyword.builtin. VerifyMatchKeyword\$_verifyMatch_closure1.call(VerifyMatchKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.verifyMatch (VerifyMatchKeyword.groovy:60) at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.execute (VerifyMatchKeyword.groovy:45) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.verifyMatch(BuiltinKeywords. groovy:60) atjdk.internal.reflect.GeneratedMethodAccessor23.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TC 1_MOZ-12623_Verify that the refund request sent successfully and that the TKT Quote was received in the response.run(TC 1_MOZ-12623_Verify that the refund request sent successfully and that the TKT Quote was received in the response:36) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1728990728975.run(TempTestSuite1728990728975.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43))	14.543s	FAILED

TC 1_MOZ-12623_Verify that the refund request sent successfully and that the TKT Quote was received in the response

#	Description	Elapsed	Status

TC 3_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

Information

ID	Test Cases/MOZ-12401/New Folder/TC 3_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request		
Description			
Tag			
Start	15-10-2024 16:54:59	End	15-10-2024 16:55:12
Elapsed	12.128s		
Status	ERROR		

Details

#	Description	Elapsed	Status
1	mi_refund_ek_quote = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.000s	PASSED
2	mi_refund_ek_quote_passenger = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.000s	PASSED
3	mi_refund_ek_quote_tkt_details = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.000s	PASSED
4	mi_refund_ek_quote_tkt_coupon_details = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.000s	PASSED
5	mi_refund_ek_quote_tkt_original_fare = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.000s	PASSED

TC 3_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
6	mi_refund_ek_quote_tkt_penalty_charges = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.000s	PASSED
7	mi_refund_ek_quote_tkt_refund_fare = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.000s	PASSED
8	mi_refund_ek_quote_tkt_used_fare = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.015s	PASSED
9	idQuote = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.000s	PASSED
10	idpassenger = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.000s	PASSED
11	idtktdetails = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.000s	PASSED
12	mi_refund_ek_quote = "select * from bdmozart.mi_refund_ek_quote where idrequest = 'O090510005'"	0.000s	PASSED
13	idQuote = database.DatabaseUtils.executeQuery(mi_refund_ek_quote, "id", 1) database.DatabaseUtils.executeQuery is PASSED	2.872s	PASSED

TC 3_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
14	mi_refund_ek_quote_passenger = "select * from bdmozart.mi_refund_ek_quote_passenger where idquote = '" + idQuote + '""	0.000s	PASSED
15	idpassenger = database.DatabaseUtils.executeQuery(mi_refund_ek_quote_passenger, "id", 1) database.DatabaseUtils.executeQuery is PASSED	2.887s	PASSED
16	mi_refund_ek_quote_tkt_details = "select * from bdmozart.mi_refund_ek_quote_tkt_details where idpassenger = '" + idpassenger + '""	0.000s	PASSED
17	idtktdetails = database.DatabaseUtils.executeQuery(mi_refund_ek_quote_tkt_details, "id", 1) database.DatabaseUtils.executeQuery is PASSED	2.996s	PASSED
18	mi_refund_ek_quote_tkt_coupon_details = "select * from bdmozart.mi_refund_ek_quote_tkt_coupon_details where idtktdetails = '" + idtktdetails + '""	0.000s	PASSED
19	mi_refund_ek_quote_tkt_original_fare = "select * from bdmozart.mi_refund_ek_quote_tkt_original_fare where idtktdetails = '" + idtktdetails + '""	0.000s	PASSED
20	mi_refund_ek_quote_tkt_penalty_charges = "select * from bdmozart.mi_refund_ek_quote_tkt_penalty_charges where idtktdetails = '" + idtktdetails + '""	0.000s	PASSED
21	mi_refund_ek_quote_tkt_refund_fare = "select * from bdmozart.mi_refund_ek_quote_tkt_refund_fare where idtktdetails = '" + idtktdetails + '""	0.000s	PASSED

TC 3_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
22	mi_refund_ek_quote_tkt_used_fare = "select * from bdmozart.mi_refund_ek_quote_tkt_used_fare where idtktdetails = " + idtktdetails + ""	0.000s	PASSED
23	mi_refund_ek_quote_map = new java.util.HashMap()	0.016s	PASSED
24	mi_refund_ek_quote_map.put("iswaiverapplied", "false")	0.000s	PASSED
25	mi_refund_ek_quote_map.put("isnoshowfeesapplied", "false")	0.000s	PASSED
26	mi_refund_ek_quote_map.put("uniquereferencenumber", "2001762368172376")	0.000s	PASSED
27	mi_refund_ek_quote_map.put("processingstatus", "Y")	0.000s	PASSED
28	mi_refund_ek_quote_map.put("quote_type", "null")	0.000s	PASSED
29	mi_refund_ek_quote_map.put("currencycode", "AED")	0.010s	PASSED
30	mi_refund_ek_quote_map.put("isnoshowfeesapplicable", "false")	0.000s	PASSED

TC 3_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
31	mi_refund_ek_quote_table = database.DatabaseUtils.getColumnNamesAndValues(mi_refund_ek_quote)	2.846s	PASSED
	database.DatabaseUtils.getColumnNamesAndValues is PASSED		

TC 3_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
32	<p>utilityClass.JsonPaths.verifyJsonElementsValuesWithDatabaseValues2 (mi_refund_ek_quote_map, mi_refund_ek_quote_table)</p> <p>Test Cases/MOZ-12401/New Folder/TC 3_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request FAILED. Reason: com.kms.katalon.core.exception.StepErrorException: org.codehaus.groovy.runtime.metaclass.MissingMethodExceptionNoStack: No signature of method: utilityClass.JsonPaths.verifyJsonElementsValuesWithDatabaseValues2() is applicable for argument types: (HashMap, HashMap) values: [[iswaiverapplied:false, isnoshowfeesapplied:false, uniquereferencenumber:2001762368172376, ...], ...] Possible solutions: verifyJsonElementsValuesWithDatabaseValues(java.lang.String, java.util.Map, java.lang.String) at com.kms.katalon.core.main.CustomKeywordDelegatingMetaClass.throwError (CustomKeywordDelegatingMetaClass.java:101) at com.kms.katalon.core.main.CustomKeywordDelegatingMetaClass.invokeStaticMethod(CustomKeywordDelegatingMetaClass.java:73) at TC 3_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request.run(TC 3_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request:83) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1728990728975.run(TempTestSuite1728990728975.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.codehaus.groovy.runtime.metaclass.MissingMethodExceptionNoStack: No signature of method: utilityClass.JsonPaths.verifyJsonElementsValuesWithDatabaseValues2() is applicable for argument types: (HashMap, HashMap) values: [[iswaiverapplied:false, isnoshowfeesapplied:false, uniquereferencenumber:2001762368172376, ...], ...] Possible solutions: verifyJsonElementsValuesWithDatabaseValues(java.lang.String, java.util.Map, java.lang.String)</p>	0.079s	ERROR

TC 5_MOZ_11446 Verify Landing Page Layout and Filtering Area for the Local Settlements Module

Information

ID	Test Cases/MOZ-10510/TC 5_MOZ_11446 Verify Landing Page Layout and Filtering Area for the Local Settlements Module		
Description			
Tag			
Start	15-10-2024 16:55:12	End	15-10-2024 16:56:08
Elapsed	56.023s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	demoPackage.MozartLogin.LoginWithChromeForEK() demoPackage.MozartLogin.LoginWithChromeForEK is PASSED	37.173s	PASSED
2	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refunds")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refunds' is clicked on	3.307s	PASSED
3	verifyElementPresent(findTestObject("EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements"), 2) Object 'Object Repository/EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements' is present	0.371s	PASSED
4	click(findTestObject("Object Repository/EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements' is clicked on	1.725s	PASSED
5	click(findTestObject("Object Repository/EK_Objects/Page_Mozart - LocalSettlements/filter_button")) Object: 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/filter_button' is clicked on	1.360s	PASSED

TC 5_MOZ_11446 Verify Landing Page Layout and Filtering Area for the Local Settlements Module

#	Description	Elapsed	Status
6	verifyElementNotPresent(findTestObject("Object Repository/EK_Objects/Page_Mozart - LocalSettlements/compact_mode"), 10) Web element with id: 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/compact_mode' located by 'By.xpath: (//div[@class='custom-control custom-switch ml-2'])[1]' is not present after '10' second(s)	0.696s	PASSED
7	verifyElementNotPresent(findTestObject("Object Repository/EK_Objects/Page_Mozart - LocalSettlements/grouped"), 10) Web element with id: 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/grouped' located by 'By.xpath: (//div[@class='custom-control custom-switch ml-2'])[2]' is not present after '10' second(s)	0.268s	PASSED

TC 5_MOZ_11446 Verify Landing Page Layout and Filtering Area for the Local Settlements Module

#	Description	Elapsed	Status
8	verifyElementNotPresent(findTestObject("Object Repository/EK_Objects/Page_Mozart - LocalSettlements/show_exceptions"), 10)	10.903s	FAILED
	<p>Unable to verify object 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/show_exceptions' is not present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/show_exceptions' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword.verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword.execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at TC 5_MOZ_11446 Verify Landing Page Layout and Filtering Area for the Local Settlements Module.run(TC 5_MOZ_11446 Verify Landing Page Layout and Filtering Area for the Local Settlements Module:36) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1728990728975.run(TempTestSuite1728990728975.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/show_exceptions' located by 'By.xpath: //div[@class='pl-1']' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p>		

TC 5_MOZ_11446 Verify Landing Page Layout and Filtering Area for the Local Settlements Module

#	Description	Elapsed	Status
---	-------------	---------	--------

at com.kms.katalon.core.webui.keyword.internal.
WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)
at com.kms.katalon.core.webui.keyword.builtin.
VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall
(VerifyElementNotPresentKeyword.groovy:122)
at com.kms.katalon.core.webui.keyword.builtin.
VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall
(VerifyElementNotPresentKeyword.groovy)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
... 21 more
)

The screenshot displays the 'Mozart - Refund Management' application. The top navigation bar includes 'Home', 'Local Settlements', 'Refunds', 'Configuration', 'System', 'Reports', and 'Dashboard'. A search bar and a filter button are visible. The 'Local Settlements' table is shown with columns: Request Id, Processing Date (yyyy-mm-dd), Ticket Number, Request Number, Passenger Name, Country, Agent code, Refund Amount, and Current. The table contains several rows of data, including entries for Argentina, United States of America, Mexico, Jordan, and United Arab Emirates. The filter section on the left shows filters for Processing Date (Equal to DD/MM/YYYY), Refund FOP Paid Locally (In), and Country (In).

Request Id	Processing Date (yyyy-mm-dd)	Ticket Number	Request Number	Passenger Name	Country	Agent code	Refund Amount	Current
0092700002	27/09/2024 09:44:22	1029349892		PS	AR - Argentina		985.00	ARS
0090510009	18/09/2024 11:58:43	2368172376	20240905192343	name	US - United States Of America		34.20	USD
0090610002	12/09/2024 07:00:10	6778689798	VT5015	MEX/FRANCISCA MS	MX - Mexico	8650971	1000.00	MXI
0091000004	10/09/2024 15:08:21	6778689798		MEX/FRANCISCA MS	MX - Mexico		200.00	MXI
0090500012	09/09/2024 13:47:32	6778689798		MEX/FRANCISCA MS	MX - Mexico		8011.00	MXI
0090900009	09/09/2024 13:47:32	6720801174		TEST	JO - Jordan		10.00	JOC
0090200012	02/09/2024 15:41:08	1029349892		XX	AE - United Arab Emirates		10.00	AEC
0090200011	02/09/2024 14:20:10	1029349892		XX	AF - United Arab Emirates		10.00	AFI

TC 1_MOZ_11444 Verify Creation of the Local Settlements Module in Mozart

Information

ID	Test Cases/MOZ-10510/TC 1_MOZ_11444 Verify Creation of the Local Settlements Module in Mozart		
Description			
Tag			
Start	15-10-2024 16:56:08	End	15-10-2024 16:56:37
Elapsed	28.999s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	demoPackage.MozartLogin.LoginWithChromeForEK() demoPackage.MozartLogin.LoginWithChromeForEK is PASSED	25.225s	PASSED
2	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refunds")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refunds' is clicked on	1.745s	PASSED
3	verifyElementPresent(findTestObject("EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements"), 2) Object 'Object Repository/EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements' is present	0.396s	PASSED
4	closeBrowser() Browser is closed	1.412s	PASSED