

TEST

Execution Environment

Host name	ranajit.vadar - CCE0231.accelya.local
Local OS	Windows 11 64bit
Katalon version	9.5.0.217
Browser	Chrome 129.0.0.0
Device name	

Summary

ID	Test Suites/MOZART/TEST		
Description			
Total	23		
Passed	18	Failed	3
Error	2	Incomplete	0
Skipped	0		
Start	15-10-2024 16:26:59	End	15-10-2024 16:41:47
Elapsed	14m - 48.115s		

#	ID	Description	Status
1	Test Cases/MOZ-13515/New Test Case - Copy		PASSED
2	Test Cases/MOZ-10510/TC10_MOZ_11451 Display of Refundable Amount and FOP in the Grid		PASSED
3	Test Cases/MOZ-10510/TC 9_MOZ_11450 Verifies that the internal configuration in the database is correctly set up to define the form of payments visible in the Local Settlements module		PASSED
4	Test Cases/MOZ-10510/TC 8_MOZ_11449 Verify the Availability of Group By,My Filters, and Download Options in the Local Settlements Module		PASSED
5	Test Cases/MOZ-12692/TC_2_MOZ-13228_Verify that the system correctly stores TRIPS-Quote data in the corresponding database tables		PASSED
6	Test Cases/MOZ-11020/TC 5_MOZ_11533 Verify linking after Refund Capture		PASSED
7	Test Cases/MOZ-11020/TC 4_MOZ_11533 Verify linking after Json request		PASSED
8	Test Cases/MOZ-11020/TC 3_MOZ_11335 Verify PNR Waiver Input WS available to all client airlines		PASSED
9	Test Cases/MOZ-9700/TC 2_MOZ-9885 Verify that when the email address is not filled than user can still save it as a draft		FAILED
10	Test Cases/MOZ-9700/TC 1_MOZ_9876 Verify the email address to be marked as obligatory field		PASSED
11	Test Cases/MOZ-11020/TC 2_MOZ-11334 Verify Inclusion of Waiver Effective and Expiry Dates in WS Response		PASSED
12	Test Cases/MOZ-11020/TC 1_MOZ_11333 Verify Replacement of Internal Structure Table Names from MARS to PNR		PASSED
13	Test Cases/MOZ-12692/TC_1_MOZ-13227_Verify that the system correctly identifies a TRIPS-Quote embedded in a refund request		PASSED
14	Test Cases/MOZ-10510/TC 7_MOZ_11448 Verify Grid Display in the Local Settlements Module		PASSED

TEST

#	ID	Description	Status
15	Test Cases/MOZ-12450/TC_3_MOZ-12910_Verify that an invalid Quote and error details are logged in the database		PASSED
16	Test Cases/MOZ-12450/TC 2_MOZ-12910_Verify that store the data of embedded TKT-Quotes, including error details in case the processing fails		PASSED
17	Test Cases/MOZ-12450/TC 1_MOZ-12909_Verify that embedded TKT-Quote processed correctly, and the quote data is stored in the database tables		PASSED
18	Test Cases/MOZ-10510/TC 6_MOZ_11447 Verify Default Filtering Values in the Local Settlements Module		PASSED
19	Test Cases/MOZ-12401/TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request		FAILED
20	Test Cases/MOZ-12401/TC 1_MOZ-12623_Verify that the refund request sent successfully and that the TKT Quote was received in the response		ERROR
21	Test Cases/MOZ-12401/New Folder/TC 3_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request		ERROR
22	Test Cases/MOZ-10510/TC 5_MOZ_11446 Verify Landing Page Layout and Filtering Area for the Local Settlements Module		FAILED
23	Test Cases/MOZ-10510/TC 1_MOZ_11444 Verify Creation of the Local Settlements Module in Mozart		PASSED

New Test Case - Copy

Information

ID	Test Cases/MOZ-13515/New Test Case - Copy		
Description			
Tag			
Start	15-10-2024 16:27:00	End	15-10-2024 16:28:59
Elapsed	1m - 59.345s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	documentNumber = "6720801174"	0.004s	PASSED
2	uniqueNumber = utilityClass.GenericMethods.UniqueNumberGenerator() utilityClass.GenericMethods.UniqueNumberGenerator is PASSED	0.551s	PASSED
3	mozartLogin.Login.launchBrowser() mozartLogin.Login.launchBrowser is PASSED	39.979s	PASSED
4	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refunds")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refunds' is clicked on	2.559s	PASSED
5	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refund Capture")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refund Capture' is clicked on	1.667s	PASSED
6	selectOptionByValue(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/SelectRefundTypes"), "RF_Both", false) All options with value 'RF_Both' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/SelectRefundTypes'	0.433s	PASSED

New Test Case - Copy

#	Description	Elapsed	Status
7	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/documentNumber_Textbox"), documentNumber) Keys '6720801174' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/documentNumber_Textbox'	0.281s	PASSED
8	click(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/country_Button")) Object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/country_Button' is clicked on	0.902s	PASSED
9	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox"), "IN - India") Keys 'IN - India' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox'	0.268s	PASSED
10	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox'	0.161s	PASSED
11	selectOptionByValue(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/requestedFOP_DropDown"), "CA", false) All options with value 'CA' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/requestedFOP_DropDown'	0.238s	PASSED
12	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/couponsRequested_TextBox"), "1") Keys '1' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/couponsRequested_TextBox'	0.161s	PASSED
13	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/passengerRemarks_TextBox"), uniqueNumber) Keys '20241015162702' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/passengerRemarks_TextBox'	0.285s	PASSED

New Test Case - Copy

#	Description	Elapsed	Status
14	<code>selectOptionByValue(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/title_PassengerDetails_Select"), "Mr", false)</code> All options with value 'Mr' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/title_PassengerDetails_Select'	0.250s	PASSED
15	<code>sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/passengerName_PassengerDetails_TextBox"), "automationTest")</code> Keys 'automationTest' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/passengerName_PassengerDetails_TextBox'	0.277s	PASSED
16	<code>sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/emailAddress_PassengerDetails_TextBox"), "Katalon@studio.com")</code> Keys 'Katalon@studio.com' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/emailAddress_PassengerDetails_TextBox'	0.308s	PASSED
17	<code>selectOptionByLabel(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/select_Currency"), "INR", false)</code> All options with label 'INR' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/select_Currency'	0.231s	PASSED
18	<code>click(findTestObject("Object Repository/EK_Objects/Page_Mozart - RefundsCapture/send_Button"))</code> Object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/send_Button' is clicked on	0.270s	PASSED
19	<code>Thread.sleep(3000)</code>	3.039s	PASSED
20	<code>requestID = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression></code>	0.002s	PASSED
21	<code>for ([i = 0, i <= 2, (i++)])</code>	4.350s	PASSED

New Test Case - Copy

#	Description	Elapsed	Status
22	requestID = "O101000003"	0.000s	PASSED
23	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refunds")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refunds' is clicked on	0.141s	PASSED
24	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/click_on_refundSearch")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/click_on_refundSearch' is clicked on	1.287s	PASSED
25	click(findTestObject("EK_Objects/Page_Mozart - RefundsSearch/button_Search by ticket number")) Object: 'Object Repository/EK_Objects/Page_Mozart - RefundsSearch/button_Search by ticket number' is clicked on	0.194s	PASSED
26	selectOptionByLabel(findTestObject("EK_Objects/Page_Mozart - RefundsSearch/search_type_selectTag"), "Search by request Id", false) All options with label 'Search by request Id' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsSearch/search_type_selectTag'	0.166s	PASSED
27	setText(findTestObject("EK_Objects/Page_Mozart - RefundsSearch/input_Value_advancedFilter.idrequest"), requestID) Text 'O101000003' is set on object 'Object Repository/EK_Objects/Page_Mozart - RefundsSearch/input_Value_advancedFilter.idrequest'	0.329s	PASSED
28	click(findTestObject("EK_Objects/Page_Mozart - RefundsSearch/a_Apply")) Object: 'Object Repository/EK_Objects/Page_Mozart - RefundsSearch/a_Apply' is clicked on	0.159s	PASSED
29	mi_nsf = select * from bdmozart.mi_nsf where document_number = '\$documentNumber'	0.106s	PASSED

New Test Case - Copy

#	Description	Elapsed	Status
30	rowCount = database.DatabaseUtils.getRowCount(mi_nsf) database.DatabaseUtils.getRowCount is PASSED	3.658s	PASSED
31	originalCouponData = new java.util.HashMap()	0.000s	PASSED
32	NsfFileCouponData = new java.util.HashMap()	0.000s	PASSED
33	NoShowDataMismatch = false	0.000s	PASSED
34	for ([i = 1, i <= rowCount, (i++)]) Actual text '#ee1f25' and expected text '#ee1f25' are matched	54.939s	PASSED

TC10_MOZ_11451 Display of Refundable Amount and FOP in the Grid

Information

ID	Test Cases/MOZ-10510/TC10_MOZ_11451 Display of Refundable Amount and FOP in the Grid		
Description			
Tag			
Start	15-10-2024 16:28:59	End	15-10-2024 16:29:55
Elapsed	55.890s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	requestIdValue = "O062400001"	0.002s	PASSED
2	sqlQuery = "select * from bdmozart.md_rfnd_local_settlement where idrequest = 'O062400001'"	0.002s	PASSED
3	fop_types_dbValue = database.DatabaseUtils.executeQuery(sqlQuery, "fop_types", 1) database.DatabaseUtils.executeQuery is PASSED	2.982s	PASSED
4	paid_amount_dbValue = database.DatabaseUtils.executeQuery(sqlQuery, "balanceamounttotal", 1) database.DatabaseUtils.executeQuery is PASSED	3.157s	PASSED
5	value = paid_amount_dbValue	0.001s	PASSED
6	doubleValue = Double.parseDouble(value)	0.016s	PASSED

TC10_MOZ_11451 Display of Refundable Amount and FOP in the Grid

#	Description	Elapsed	Status
7	paid_amount_dbValue_int = doubleValue	0.001s	PASSED
8	paid_amount_dbValue = paid_amount_dbValue_int.toString()	0.002s	PASSED
9	out.println(paid_amount_dbValue)	0.001s	PASSED
10	demoPackage.MozartLogin.LoginWithChromeForEK() demoPackage.MozartLogin.LoginWithChromeForEK is PASSED	24.360s	PASSED
11	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refunds")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refunds' is clicked on	1.535s	PASSED
12	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements' is clicked on	1.947s	PASSED
13	dynamicTestObject = new com.kms.katalon.core.testobject.TestObject()	0.000s	PASSED
14	refresh() Refresh successfully	0.991s	PASSED
15	listOfRequestIds = findWebElements(findTestObject("Object Repository/EK_Objects/Page_Mozart - LocalSettlements/getListOfRequestIdFromGrid"), 10) Found web elements by test object Object Repository/EK_Objects/Page_Mozart - LocalSettlements/getListOfRequestIdFromGrid	1.104s	PASSED

TC10_MOZ_11451 Display of Refundable Amount and FOP in the Grid

#	Description	Elapsed	Status
16	refundAmount_web = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.000s	PASSED
17	refundFopPaidLocally_web = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.000s	PASSED
18	for ([row = 1, row <= listOfRequestIds.size(), (row++)])	17.768s	PASSED
19	verifyMatch(refundFopPaidLocally_web, fop_types_dbValue, true, CONTINUE_ON_FAILURE) Actual text 'CA' and expected text 'CA' are matched using regular expression	0.016s	PASSED
20	verifyMatch(refundAmount_web, paid_amount_dbValue, true, CONTINUE_ON_FAILURE) Actual text '3000' and expected text '3000' are matched using regular expression	0.000s	PASSED
21	closeBrowser() Browser is closed	1.082s	PASSED

TC 9_MOZ_11450 Verifies that the internal configuration in the database is correctly set up to define the form of payments visible in the Local Settlements module

Information

ID	Test Cases/MOZ-10510/TC 9_MOZ_11450 Verifies that the internal configuration in the database is correctly set up to define the form of payments visible in the Local Settlements module		
Description			
Tag			
Start	15-10-2024 16:29:55	End	15-10-2024 16:31:00
Elapsed	1m - 5.490s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Table_md_rfnd_local_settlement = database.DatabaseUtils.checkTableExists("md_rfnd_local_settlement") database.DatabaseUtils.checkTableExists is PASSED	3.997s	PASSED
2	verifyEqual(Table_md_rfnd_local_settlement, true, CONTINUE_ON_FAILURE) Actual object 'true' and expected object 'true' are equal	0.039s	PASSED
3	Column_paid_locally = database.DatabaseUtils.checkColumnExist("mc_fop_types", "paid_locally") database.DatabaseUtils.checkColumnExist is PASSED	3.182s	PASSED
4	verifyEqual(Column_paid_locally, true, CONTINUE_ON_FAILURE) Actual object 'true' and expected object 'true' are equal	0.003s	PASSED
5	rowCount = database.DatabaseUtils.getRowCount("select * from bdmozart.mc_fop_types where paid_locally = 't'") database.DatabaseUtils.getRowCount is PASSED	2.930s	PASSED
6	DataBaseEnableFopList = new java.util.ArrayList()	0.003s	PASSED

TC 9_MOZ_11450 Verifies that the internal configuration in the database is correctly set up to define the form of payments visible in the Local Settlements module

#	Description	Elapsed	Status
7	FilterFopList = new java.util.ArrayList()	0.001s	PASSED
8	for ([i = 1, i <= rowCount, (i++)])	15.631s	PASSED
9	demoPackage.MozartLogin.LoginWithChromeForEK() demoPackage.MozartLogin.LoginWithChromeForEK is PASSED	24.811s	PASSED
10	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refunds")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refunds' is clicked on	4.718s	PASSED
11	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements' is clicked on	3.047s	PASSED
12	click(findTestObject("EK_Objects/Page_Mozart - LocalSettlements/filter_button")) Object: 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/filter_button' is clicked on	2.272s	PASSED
13	click(findTestObject("Object Repository/EK_Objects/Page_Mozart - LocalSettlements/textbox_filter_r2_c3")) Object: 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/textbox_filter_r2_c3' is clicked on	0.433s	PASSED
14	FopValues = findWebElements(findTestObject("EK_Objects/Page_Mozart - LocalSettlements/filter_RefundFopPaidLocally_values"), 10) Found web elements by test object Object Repository/EK_Objects/Page_Mozart - LocalSettlements/filter_RefundFopPaidLocally_values	0.478s	PASSED

TC 9_MOZ_11450 Verifies that the internal configuration in the database is correctly set up to define the form of payments visible in the Local Settlements module

#	Description	Elapsed	Status
15	dynamicTestObject = new com.kms.katalon.core.testobject.TestObject()	0.000s	PASSED
16	println(FopValues.size())	0.015s	PASSED
17	for ([row = 1, row <= FopValues.size(), (row++)])	1.523s	PASSED
18	verifyMatch(size().toString(), size().toString(), true, CONTINUE_ON_FAILURE) Actual text '5' and expected text '5' are matched using regular expression	0.000s	PASSED
19	uniqueFopValues = new java.util.HashSet()	0.047s	PASSED
20	try	0.009s	PASSED
21	webFopValues = new java.util.ArrayList(uniqueFopValues)	0.007s	PASSED
22	Collections.sort(webFopValues)	0.016s	PASSED
23	Collections.sort(DataBaseEnableFopList)	0.000s	PASSED

TC 9_MOZ_11450 Verifies that the internal configuration in the database is correctly set up to define the form of payments visible in the Local Settlements module

#	Description	Elapsed	Status
24	for ([i = 0, i < DataBaseEnableFopList.size(), (i++)]) Actual text 'CQ' and expected text 'CQ' are matched using regular expression	0.055s	PASSED
25	utilityClass.CustomSoftAssert.assertAll() utilityClass.CustomSoftAssert.assertAll is PASSED	0.087s	PASSED
26	closeBrowser() Browser is closed	1.082s	PASSED

TC 8_MOZ_11449 Verify the Availability of Group By,My Filters, and Download Options in the Local Settlements Module

Information

ID	Test Cases/MOZ-10510/TC 8_MOZ_11449 Verify the Availability of Group By,My Filters, and Download Options in the Local Settlements Module		
Description			
Tag			
Start	15-10-2024 16:31:00	End	15-10-2024 16:31:39
Elapsed	39.108s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	demoPackage.MozartLogin.LoginWithChromeForEK() demoPackage.MozartLogin.LoginWithChromeForEK is PASSED	32.067s	PASSED
2	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refunds")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refunds' is clicked on	3.272s	PASSED
3	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements' is clicked on	1.667s	PASSED
4	verifyElementPresent(findTestObject("EK_Objects/Page_Mozart - LocalSettlements/filter_button"), 5, STOP_ON_FAILURE) Object 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/filter_button' is present	1.316s	PASSED
5	verifyElementPresent(findTestObject("EK_Objects/Page_Mozart - LocalSettlements/groupBy_button"), 5, STOP_ON_FAILURE) Object 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/groupBy_button' is present	0.265s	PASSED

TC_2_MOZ-13228_Verify that the system correctly stores TRIPS-Quote data in the corresponding database tables

Information

ID	Test Cases/MOZ-12692/TC_2_MOZ-13228_Verify that the system correctly stores TRIPS-Quote data in the corresponding database tables		
Description			
Tag			
Start	15-10-2024 16:31:39	End	15-10-2024 16:31:53
Elapsed	13.790s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	processJson = new utilityClass.JsonPaths()	0.027s	PASSED
2	filePath = "Test Data/Embedded TKT Quote.txt"	0.001s	PASSED
3	QuoteString = processJson.JsonStringFormatter(filePath)	0.052s	PASSED
4	apiRequests.apiConnection.runAuthToken(findTestObject("API/Demo API/Auth Token")) apiRequests.apiConnection.runAuthToken is PASSED	5.333s	PASSED
5	fullRefundResponse = sendRequest(findTestObject("API/MOZ-12692_API/MOZ-12692_EK_QUOTE_TRIPS")) Send request successfully	2.091s	PASSED
6	verifyResponseStatusCode(fullRefundResponse, 200) Verify response status code successfully	0.003s	PASSED

TC_2_MOZ-13228_Verify that the system correctly stores TRIPS-Quote data in the corresponding database tables

#	Description	Elapsed	Status
7	mozartRequestId = getElementPropertyValue(fullRefundResponse, "data[0].mozart_request_id")	0.126s	PASSED
8	queryTemplate = "select * from bdm Mozart.%s where %s = '%s'"	0.002s	PASSED
9	mozartRequestCondition = idrequest = '\$mozartRequestId'	0.002s	PASSED
10	mi_refund_ek_quote = String.format(queryTemplate, "mi_refund_ek_quote", "idrequest", MozartRequestId)	0.004s	PASSED
11	idQuote = database.DatabaseUtils.executeQuery(mi_refund_ek_quote, "id", 1) database.DatabaseUtils.executeQuery is PASSED	2.933s	PASSED
12	mi_refund_ek_quote_trips_detail = String.format(queryTemplate, "mi_refund_ek_quote_trips_detail", "idquote", idQuote)	0.002s	PASSED
13	idtripsdetail = database.DatabaseUtils.executeQuery(mi_refund_ek_quote_trips_detail, "id", 1) database.DatabaseUtils.executeQuery is PASSED	2.746s	PASSED
14	mi_refund_ek_quote_trips_ticket_range = String.format(queryTemplate, "mi_refund_ek_quote_trips_ticket_range", "idtripsdetail", idtripsdetail)	0.001s	PASSED

TC_2_MOZ-13228_Verify that the system correctly stores TRIPS-Quote data in the corresponding database tables

#	Description	Elapsed	Status
15	mi_refund_ek_quote_trips_tax_refund = String.format(queryTemplate, "mi_refund_ek_quote_trips_tax_refund", "idtripsdetail", idtripsdetail)	0.001s	PASSED
16	mi_refund_ek_quote_trips_form_refund_payment = String.format(queryTemplate, "mi_refund_ek_quote_trips_form_refund_payment", "idtripsdetail", idtripsdetail)	0.001s	PASSED
17	mi_refund_ek_quote_trips_loyalty_fare = String.format(queryTemplate, "mi_refund_ek_quote_trips_loyalty_fare", "idtripsdetail", idtripsdetail)	0.001s	PASSED

TC 5_MOZ_11533 Verify linking after Refund Capture

Information

ID	Test Cases/MOZ-11020/TC 5_MOZ_11533 Verify linking after Refund Capture		
Description			
Tag			
Start	15-10-2024 16:31:53	End	15-10-2024 16:33:06
Elapsed	1m - 12.317s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	demoPackage.MozartLogin.LoginWithChromeForEK() demoPackage.MozartLogin.LoginWithChromeForEK is PASSED	30.839s	PASSED
2	uniqueNumber = utilityClass.GenericMethods.UniqueNumberGenerator() utilityClass.GenericMethods.UniqueNumberGenerator is PASSED	0.006s	PASSED
3	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refunds")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refunds' is clicked on	0.537s	PASSED
4	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refund Capture")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refund Capture' is clicked on	9.815s	PASSED
5	selectOptionByValue(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/SelectRefundTypes"), "RF_Both", false) All options with value 'RF_Both' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/SelectRefundTypes'	1.125s	PASSED
6	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/documentNumber_Textbox"), "6747279623") Keys '6747279623' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/documentNumber_Textbox'	0.754s	PASSED

TC 5_MOZ_11533 Verify linking after Refund Capture

#	Description	Elapsed	Status
7	click(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/country_Button")) Object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/country_Button' is clicked on	0.605s	PASSED
8	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox"), "IN - India") Keys 'IN - India' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox'	0.585s	PASSED
9	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox'	0.479s	PASSED
10	selectOptionByValue(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/requestedFOP_DropDown"), "CA", false) All options with value 'CA' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/requestedFOP_DropDown'	1.470s	PASSED
11	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/couponsRequested_TextBox"), "1") Keys '1' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/couponsRequested_TextBox'	0.574s	PASSED
12	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/passengerRemarks_TextBox"), uniqueNumber) Keys '20241015163224' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/passengerRemarks_TextBox'	0.668s	PASSED
13	selectOptionByValue(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/title_PassengerDetails_Select"), "Mr", false) All options with value 'Mr' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/title_PassengerDetails_Select'	0.730s	PASSED

TC 5_MOZ_11533 Verify linking after Refund Capture

#	Description	Elapsed	Status
14	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/passengerName_PassengerDetails_TextBox"), "automationTest") Keys 'automationTest' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/passengerName_PassengerDetails_TextBox'	0.666s	PASSED
15	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/emailAddress_PassengerDetails_TextBox"), "Katalon@studio.com") Keys 'Katalon@studio.com' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/emailAddress_PassengerDetails_TextBox'	0.684s	PASSED
16	selectOptionByLabel(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/select_Currency"), "INR", false) All options with label 'INR' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/select_Currency'	0.750s	PASSED
17	click(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/send_Button")) Object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/send_Button' is clicked on	0.707s	PASSED
18	requestId = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.002s	PASSED
19	for ([i = 0, i <= 5, (i++)])	14.078s	PASSED
20	apiRequests.apiConnection.runAuthToken(findTestObject("API/Demo API/Auth Token")) apiRequests.apiConnection.runAuthToken is PASSED	0.201s	PASSED
21	pnrWaiverResponse = sendRequest(findTestObject("API/MOZ_11020_API/moz_11533_pnr_waiver_request")) Send request successfully	0.767s	PASSED

TC 5_MOZ_11533 Verify linking after Refund Capture

#	Description	Elapsed	Status
22	verifyResponseStatusCode(pnrWaiverResponse, 200) Verify response status code successfully	0.000s	PASSED
23	mi_pnr_waiver_remarks = "select * from bdmozart.mi_pnr_waiver_remarks where remarkstext = '" + uniqueNumber + "'"	0.000s	PASSED
24	waiverId = database.DatabaseUtils.executeQuery(mi_pnr_waiver_remarks, "waiver_id", 1) database.DatabaseUtils.executeQuery is PASSED	2.949s	PASSED
25	md_rfnd_pnr_waivers = "select * from bdmozart.md_rfnd_pnr_waivers where idrequest = '" + requestId + "'" + " order by id desc" + " "	0.000s	PASSED
26	waiverIdLinkedToRequestId = database.DatabaseUtils.executeQuery(md_rfnd_pnr_waivers, "idmipnrwaiver", 1) database.DatabaseUtils.executeQuery is PASSED	2.926s	PASSED
27	verifyMatch(waiverIdLinkedToRequestId, waiverId, false) Actual text '98' and expected text '98' are matched	0.016s	PASSED

TC 4_MOZ_11533 Verify linking after Json request

Information

ID	Test Cases/MOZ-11020/TC 4_MOZ_11533 Verify linking after Json request		
Description			
Tag			
Start	15-10-2024 16:33:06	End	15-10-2024 16:33:17
Elapsed	10.972s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	uniqueNumber = utilityClass.GenericMethods.UniqueNumberGenerator() utilityClass.GenericMethods.UniqueNumberGenerator is PASSED	0.000s	PASSED
2	demoPackage.UtilityDemo.requestNumber() demoPackage.UtilityDemo.requestNumber is PASSED	0.000s	PASSED
3	apiRequests.apiConnection.runAuthToken(findTestObject("API/Demo API/Auth Token")) apiRequests.apiConnection.runAuthToken is PASSED	0.234s	PASSED
4	pnrWaiverResponse = sendRequest(findTestObject("API/MOZ_11020_API/moz_11533_pnr_waiver_request")) Send request successfully	0.853s	PASSED
5	verifyResponseStatusCode(pnrWaiverResponse, 200) Verify response status code successfully	0.005s	PASSED
6	fullRefundResponse = sendRequest(findTestObject("API/MOZ_11020_API/moz_11533_full_refund-json")) Send request successfully	2.011s	PASSED

TC 4_MOZ_11533 Verify linking after Json request

#	Description	Elapsed	Status
7	verifyResponseStatusCode(fullRefundResponse, 200) Verify response status code successfully	0.015s	PASSED
8	mozartRequestId = getElementPropertyValue(fullRefundResponse, "data[0].mozart_request_id")	0.079s	PASSED
9	println("The mozart_request_id is: " + mozartRequestId)	0.000s	PASSED
10	mi_pnr_waiver_remarks = "select * from bdm Mozart.mi_pnr_waiver_remarks where remarkstext = '" + uniqueNumber + "'"	0.000s	PASSED
11	waiverId = database.DatabaseUtils.executeQuery(mi_pnr_waiver_remarks, "waiver_id", 1) database.DatabaseUtils.executeQuery is PASSED	4.045s	PASSED
12	println("The Waiver_id is: " + waiverId)	0.000s	PASSED
13	md_rfnd_pnr_waivers = "select * from bdm Mozart.md_rfnd_pnr_waivers where idrequest = '" + mozartRequestId + "'" + " order by id desc" + " "	0.000s	PASSED
14	waiverIdLinkedToRequestId = database.DatabaseUtils.executeQuery(md_rfnd_pnr_waivers, "idmipnrwaiver", 1) database.DatabaseUtils.executeQuery is PASSED	3.431s	PASSED
15	verifyMatch(waiverIdLinkedToRequestId, waiverId, false) Actual text '99' and expected text '99' are matched	0.000s	PASSED

TC 3_MOZ_11335 Verify PNR Waiver Input WS available to all client airlines

Information

ID	Test Cases/MOZ-11020/TC 3_MOZ_11335 Verify PNR Waiver Input WS available to all client airlines		
Description			
Tag			
Start	15-10-2024 16:33:17	End	15-10-2024 16:33:21
Elapsed	4.205s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	PnrWaiverController_check = database.DBConnection.executeQuerys("mozart_emirates", "select * from bdmozart.mc_endpoints_exposed", "enabled", 7) database.DBConnection.executeQuerys is PASSED	3.178s	PASSED
2	apiRequests.apiConnection.runAuthToken(findTestObject("API/Demo API/Auth Token")) apiRequests.apiConnection.runAuthToken is PASSED	0.253s	PASSED
3	response = sendRequest(findTestObject("API/MOZ_11020_API/pnr_waiver_request")) Send request successfully	0.452s	PASSED
4	if (PnrWaiverController_check == "t") Verify response status code successfully	0.005s	PASSED

TC 2_MOZ-9885 Verify that when the email address is not filled than user can still save it as a draft

Information

ID	Test Cases/MOZ-9700/TC 2_MOZ-9885 Verify that when the email address is not filled than user can still save it as a draft		
Description			
Tag			
Start	15-10-2024 16:33:21	End	15-10-2024 16:34:07
Elapsed	46.127s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	mozartLogin.Login.launchBrowser() mozartLogin.Login.launchBrowser is PASSED	35.748s	PASSED
2	uniqueNumber = utilityClass.GenericMethods.UniqueNumberGenerator() utilityClass.GenericMethods.UniqueNumberGenerator is PASSED	0.003s	PASSED
3	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refunds")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refunds' is clicked on	0.132s	PASSED
4	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refund Capture")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refund Capture' is clicked on	3.846s	PASSED
5	selectOptionByValue(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/SelectRefundTypes"), "RF_Both", false) All options with value 'RF_Both' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/SelectRefundTypes'	0.258s	PASSED
6	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/documentNumber_Textbox"), "6747279623") Keys '6747279623' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/documentNumber_Textbox'	0.180s	PASSED

TC 2_MOZ-9885 Verify that when the email address is not filled than user can still save it as a draft

#	Description	Elapsed	Status
7	click(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/country_Button")) Object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/country_Button' is clicked on	1.014s	PASSED
8	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox"), "IN - India") Keys 'IN - India' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox'	0.229s	PASSED
9	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox'	0.118s	PASSED
10	selectOptionByValue(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/requestedFOP_DropDown"), "CA", false) All options with value 'CA' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/requestedFOP_DropDown'	0.189s	PASSED
11	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/couponsRequested_TextBox"), "1") Keys '1' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/couponsRequested_TextBox'	0.150s	PASSED
12	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/passengerRemarks_TextBox"), uniqueNumber) Keys '20241015163357' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/passengerRemarks_TextBox'	0.175s	PASSED
13	selectOptionByValue(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/title_PassengerDetails_Select"), "Mr", false) All options with value 'Mr' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/title_PassengerDetails_Select'	0.222s	PASSED

TC 2_MOZ-9885 Verify that when the email address is not filled than user can still save it as a draft

#	Description	Elapsed	Status
14	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/passengerName_PassengerDetails_TextBox"), "automationTest") Keys 'automationTest' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/passengerName_PassengerDetails_TextBox'	0.223s	PASSED
15	selectOptionByLabel(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/select_Currency"), "INR", false) All options with label 'INR' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/select_Currency'	0.170s	PASSED
16	click(findTestObject("Demo/RecordingEK/Page_Mozart - RefundsCapture/Save Button")) Object: 'Object Repository/Demo/RecordingEK/Page_Mozart - RefundsCapture/Save Button' is clicked on	0.254s	PASSED
17	Thread.sleep(1000)	1.001s	PASSED
18	Draft_save_msg = getText(findTestObject("Demo/RecordingEK/Page_Mozart - RefundsCapture/Draft Save Success message")) Text of object 'Object Repository/Demo/RecordingEK/Page_Mozart - RefundsCapture/Draft Save Success message' is: 'Draft saved. The new ID Draft is 1212.'	0.061s	PASSED
19	println(Draft_save_msg)	0.002s	PASSED
20	startIndex = Draft_save_msg.indexOf("is ") + 3	0.003s	PASSED
21	numberWithDot = substring(startIndex).trim()	0.002s	PASSED

TC 2_MOZ-9885 Verify that when the email address is not filled than user can still save it as a draft

#	Description	Elapsed	Status
22	draftMsgNumber = numberWithDot.replace(".", "")	0.002s	PASSED
23	println(draftMsgNumber)	0.001s	PASSED
24	newSaveMsg = Draft_save_msg.substring(0, 32)	0.002s	PASSED
25	println(newSaveMsg)	0.001s	PASSED
26	verifyMatch(newSaveMsg, "Draft saved. The new ID Draft is", false) Actual text 'Draft saved. The new ID Draft is' and expected text 'Draft saved. The new ID Draft is' are matched	0.003s	PASSED
27	click(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/click_on_ThreeDots")) Object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/click_on_ThreeDots' is clicked on	0.119s	PASSED
28	click(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/load_Draft_Button")) Object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/load_Draft_Button' is clicked on	0.148s	PASSED
29	draftNumber = getText(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/DraftTableR1C2")) Text of object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/DraftTableR1C2' is: "	1.303s	PASSED
30	println(draftNumber)	0.002s	PASSED

TC 2_MOZ-9885 Verify that when the email address is not filled than user can still save it as a draft

#	Description	Elapsed	Status
---	-------------	---------	--------

TC 2_MOZ-9885 Verify that when the email address is not filled than user can still save it as a draft

#	Description	Elapsed	Status
31	verifyMatch(draftNumber, draftMsgNumber, false) Unable to verify match between actual text " and expected text '1212' (Root cause: com.kms.katalon.core.exception.StepFailedException: Actual text " and expected text '1212' are not matched at com.kms.katalon.core.keyword.builtin. VerifyMatchKeyword\$_verifyMatch_closure1.doCall(VerifyMatchKeyword.groovy:57) at com.kms.katalon.core.keyword.builtin. VerifyMatchKeyword\$_verifyMatch_closure1.call(VerifyMatchKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.verifyMatch (VerifyMatchKeyword.groovy:60) at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.execute (VerifyMatchKeyword.groovy:45) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.verifyMatch(BuiltinKeywords. groovy:78) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TC 2_MOZ-9885 Verify that when the email address is not filled than user can still save it as a draft.run(TC 2_MOZ-9885 Verify that when the email address is not filled than user can still save it as a draft:88) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1728989799265.run(TempTestSuite1728989799265.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43))	0.049s	FAILED

TC 2_MOZ-9885 Verify that when the email address is not filled than user can still save it as a draft

#	Description	Elapsed	Status
---	-------------	---------	--------

TC 1_MOZ_9876 Verify the email address to be marked as obligatory field

Information

ID	Test Cases/MOZ-9700/TC 1_MOZ_9876 Verify the email address to be marked as obligatory field		
Description			
Tag			
Start	15-10-2024 16:34:07	End	15-10-2024 16:34:51
Elapsed	44.159s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	demoPackage.MozartLogin.LoginWithChromeForEK() demoPackage.MozartLogin.LoginWithChromeForEK is PASSED	27.998s	PASSED
2	uniqueNumber = utilityClass.GenericMethods.UniqueNumberGenerator() utilityClass.GenericMethods.UniqueNumberGenerator is PASSED	0.003s	PASSED
3	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refunds")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refunds' is clicked on	4.771s	PASSED
4	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refund Capture")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refund Capture' is clicked on	2.800s	PASSED
5	selectOptionByValue(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/SelectRefundTypes"), "RF_Both", false) All options with value 'RF_Both' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/SelectRefundTypes'	1.193s	PASSED
6	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/documentNumber_Textbox"), "6747279623") Keys '6747279623' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/documentNumber_Textbox'	0.668s	PASSED

TC 1_MOZ_9876 Verify the email address to be marked as obligatory field

#	Description	Elapsed	Status
7	click(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/country_Button")) Object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/country_Button' is clicked on	0.581s	PASSED
8	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox"), "IN - India") Keys 'IN - India' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox'	0.581s	PASSED
9	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/country_Button_Inside_TextBox'	0.528s	PASSED
10	selectOptionByValue(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/requestedFOP_DropDown"), "CA", false) All options with value 'CA' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/requestedFOP_DropDown'	1.453s	PASSED
11	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/couponsRequested_TextBox"), "1") Keys '1' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/couponsRequested_TextBox'	0.555s	PASSED
12	sendKeys(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/passengerRemarks_TextBox"), uniqueNumber) Keys '20241015163435' sent to object: 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/passengerRemarks_TextBox'	0.567s	PASSED
13	selectOptionByLabel(findTestObject("EK_Objects/Page_Mozart - RefundsCapture/select_Currency"), "INR", false) All options with label 'INR' are selected in object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/select_Currency'	0.801s	PASSED

TC 1_MOZ_9876 Verify the email address to be marked as obligatory field

#	Description	Elapsed	Status
14	emailAddressEmpty = getText(findTestObject("Object Repository/EK_Objects/Page_Mozart - RefundsCapture/EmailFieldObligatory")) Text of object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/EmailFieldObligatory' is: 'Field required'	0.506s	PASSED
15	verifyMatch(emailAddressEmpty, "Field required", false, CONTINUE_ON_FAILURE) Actual text 'Field required' and expected text 'Field required' are matched	0.004s	PASSED
16	passangerName = getText(findTestObject("Object Repository/EK_Objects/Page_Mozart - RefundsCapture/passengerName_FieldRequired")) Text of object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/passengerName_FieldRequired' is: 'Field required'	0.286s	PASSED
17	verifyMatch(passangerName, "Field required", false, CONTINUE_ON_FAILURE) Actual text 'Field required' and expected text 'Field required' are matched	0.003s	PASSED
18	Title = getText(findTestObject("Object Repository/EK_Objects/Page_Mozart - RefundsCapture/passengerTitle_FieldRequired")) Text of object 'Object Repository/EK_Objects/Page_Mozart - RefundsCapture/passengerTitle_FieldRequired' is: 'Field required'	0.288s	PASSED
19	verifyMatch>Title, "Field required", false, CONTINUE_ON_FAILURE) Actual text 'Field required' and expected text 'Field required' are matched	0.003s	PASSED

TC 2_MOZ-11334 Verify Inclusion of Waiver Effective and Expiry Dates in WS Response

Information

ID	Test Cases/MOZ-11020/TC 2_MOZ-11334 Verify Inclusion of Waiver Effective and Expiry Dates in WS Response		
Description			
Tag			
Start	15-10-2024 16:34:51	End	15-10-2024 16:34:52
Elapsed	1.106s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	apiRequests.apiConnection.runAuthToken(findTestObject("API/Demo API/Auth Token")) apiRequests.apiConnection.runAuthToken is PASSED	0.274s	PASSED
2	response = sendRequest(findTestObject("API/MOZ_11020_API/pnr_waiver_request")) Send request successfully	0.483s	PASSED
3	responseBody = response.getResponseText()	0.001s	PASSED
4	println(JsonOutput.prettyPrint(responseBody))	0.076s	PASSED
5	verifyResponseStatusCode(response, 200) Verify response status code successfully	0.004s	PASSED
6	slurper = new groovy.json.JsonSlurper()	0.001s	PASSED

TC 2_MOZ-11334 Verify Inclusion of Waiver Effective and Expiry Dates in WS Response

#	Description	Elapsed	Status
7	jsonResponse = slurper.parseText(response.getResponseText())	0.002s	PASSED
8	utilityClass.CustomSoftAssert.assertTrue(waiver_effective_date != null, "waiver_effective_date is missing in the response") utilityClass.CustomSoftAssert.assertTrue is PASSED	0.022s	PASSED
9	utilityClass.CustomSoftAssert.assertTrue(waiver_expiry_date != null, "waiver_expiry_date is missing in the response") utilityClass.CustomSoftAssert.assertTrue is PASSED	0.003s	PASSED
10	utilityClass.CustomSoftAssert.assertAll() utilityClass.CustomSoftAssert.assertAll is PASSED	0.001s	PASSED

TC 1_MOZ_11333 Verify Replacement of Internal Structure Table Names from MARS to PNR

Information

ID	Test Cases/MOZ-11020/TC 1_MOZ_11333 Verify Replacement of Internal Structure Table Names from MARS to PNR		
Description			
Tag			
Start	15-10-2024 16:34:52	End	15-10-2024 16:35:09
Elapsed	17.201s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	mi_pnr_waiver = database.DatabaseUtils.checkTableExists("mi_pnr_waiver") database.DatabaseUtils.checkTableExists is PASSED	3.584s	PASSED
2	utilityClass.CustomSoftAssert.assertTrue(mi_pnr_waiver, "The mi_pnr_waiver table should be available in the database.") utilityClass.CustomSoftAssert.assertTrue is PASSED	0.002s	PASSED
3	mi_pnr_waiver_remarks = database.DatabaseUtils.checkTableExists("mi_pnr_waiver_remarks") database.DatabaseUtils.checkTableExists is PASSED	3.532s	PASSED
4	utilityClass.CustomSoftAssert.assertTrue(mi_pnr_waiver_remarks, "The mi_pnr_waiver_remarks table should be available in the database.") utilityClass.CustomSoftAssert.assertTrue is PASSED	0.002s	PASSED
5	md_rfnd_pnr_waivers = database.DatabaseUtils.checkTableExists("md_rfnd_pnr_waivers") database.DatabaseUtils.checkTableExists is PASSED	3.733s	PASSED
6	utilityClass.CustomSoftAssert.assertTrue(md_rfnd_pnr_waivers, "The md_rfnd_pnr_waivers table should be available in the database.") utilityClass.CustomSoftAssert.assertTrue is PASSED	0.002s	PASSED

TC 1_MOZ_11333 Verify Replacement of Internal Structure Table Names from MARS to PNR

#	Description	Elapsed	Status
7	controller_name_column_row_value = database.DBConnection.SQL("select * from bdmozart.mc_endpoints_exposed where controller_name = 'PnrWaiverController', 'controller_name', 1) database.DBConnection.SQL is PASSED	2.905s	PASSED
8	utilityClass.CustomSoftAssert.assertEquals(controller_name_column_row_value, "PnrWaiverController", "Expected Column value is = PnrWaiverController") utilityClass.CustomSoftAssert.assertEquals is PASSED	0.006s	PASSED
9	description_column_row_value = database.DBConnection.SQL("select * from bdmozart.mc_file_type where code = 'MWF'", "description", 1) database.DBConnection.SQL is PASSED	3.137s	PASSED
10	utilityClass.CustomSoftAssert.assertEquals(description_column_row_value, "Pnr Waiver File", "Expected Column value is = Pnr Waiver File") utilityClass.CustomSoftAssert.assertEquals is PASSED	0.002s	PASSED
11	utilityClass.CustomSoftAssert.assertAll() utilityClass.CustomSoftAssert.assertAll is PASSED	0.001s	PASSED

TC_1_MOZ-13227_Verify that the system correctly identifies a TRIPS-Quote embedded in a refund request

Information

ID	Test Cases/MOZ-12692/TC_1_MOZ-13227_Verify that the system correctly identifies a TRIPS-Quote embedded in a refund request		
Description			
Tag			
Start	15-10-2024 16:35:09	End	15-10-2024 16:35:20
Elapsed	10.965s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	processJson = new utilityClass.JsonPaths()	0.002s	PASSED
2	filePath = "Test Data/Embedded TKT Quote.txt"	0.001s	PASSED
3	QuoteString = processJson.JsonStringFormatter(filePath)	0.003s	PASSED
4	apiRequests.apiConnection.runAuthToken(findTestObject("API/Demo API/Auth Token")) apiRequests.apiConnection.runAuthToken is PASSED	0.362s	PASSED
5	fullRefundResponse = sendRequest(findTestObject("API/MOZ-12692_API/MOZ-12692_EK_QUOTE_TRIPS")) Send request successfully	4.384s	PASSED
6	verifyResponseStatusCode(fullRefundResponse, 200) Verify response status code successfully	0.003s	PASSED

TC_1_MOZ-13227_Verify that the system correctly identifies a TRIPS-Quote embedded in a refund request

#	Description	Elapsed	Status
7	mozartRequestId = getElementPropertyValue(fullRefundResponse, "data[0].mozart_request_id")	0.075s	PASSED
8	queryTemplate = "select * from bdm Mozart.%s where %s = '%s'"	0.002s	PASSED
9	mozartRequestCondition = idrequest = '\$mozartRequestId'	0.001s	PASSED
10	mi_refund_ek_quote = String.format(queryTemplate, "mi_refund_ek_quote", "idrequest", mozartRequestId)	0.001s	PASSED
11	idQuote = database.DatabaseUtils.executeQuery(mi_refund_ek_quote, "id", 1) database.DatabaseUtils.executeQuery is PASSED	2.939s	PASSED
12	quoteType = database.DatabaseUtils.executeQuery(mi_refund_ek_quote, "quote_type", 1) database.DatabaseUtils.executeQuery is PASSED	2.924s	PASSED
13	verifyMatch(quoteType, "TKT-Quote", false) Actual text 'TKT-Quote' and expected text 'TKT-Quote' are matched	0.003s	PASSED

TC 7_MOZ_11448 Verify Grid Display in the Local Settlements Module

Information

ID	Test Cases/MOZ-10510/TC 7_MOZ_11448 Verify Grid Display in the Local Settlements Module		
Description			
Tag			
Start	15-10-2024 16:35:20	End	15-10-2024 16:36:44
Elapsed	1m - 23.816s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	mozartLogin.Login.launchBrowser() mozartLogin.Login.launchBrowser is PASSED	33.932s	PASSED
2	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refunds")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refunds' is clicked on	41.672s	PASSED
3	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements' is clicked on	4.094s	PASSED
4	listOfHeaderColumns = findWebElements(findTestObject("EK_Objects/Page_Mozart - LocalSettlements/filterTable_headers"), 10) Found web elements by test object Object Repository/EK_Objects/Page_Mozart - LocalSettlements/filterTable_headers	0.399s	PASSED
5	println(listOfHeaderColumns.size())	0.001s	PASSED
6	elements = ["Request Id", "Processing Date (yyyy-mm-dd)", "Ticket Number", "Request Number", "Passenger Name", "Country", "Agent code", "Refund Amount", "Currency", "Refund FOP Paid Locally", "Reason"]	0.001s	PASSED

TC 7_MOZ_11448 Verify Grid Display in the Local Settlements Module

#	Description	Elapsed	Status
7	for ([i = 1, i < listOfHeaderColumns.size(), (i++)]) Actual text 'Reason' and expected text 'Reason' are matched	3.416s	PASSED

TC_3_MOZ-12910_Verify that an invalid Quote and error details are logged in the database

Information

ID	Test Cases/MOZ-12450/TC_3_MOZ-12910_Verify that an invalid Quote and error details are logged in the database		
Description			
Tag			
Start	15-10-2024 16:36:44	End	15-10-2024 16:36:53
Elapsed	8.390s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	filePath = "Test Data/Embbded TKT Quote - Error in Quote"	0.001s	PASSED
2	QuoteString = utilityClass.JsonPaths.JsonStringFormatter(filePath) utilityClass.JsonPaths.JsonStringFormatter is PASSED	0.006s	PASSED
3	apiRequests.apiConnection.runAuthToken(findTestObject("API/Demo API/Auth Token")) apiRequests.apiConnection.runAuthToken is PASSED	0.388s	PASSED
4	fullRefundResponse = sendRequest(findTestObject("API/MOZ-12450_API/MOZ-12909_Full_Refund_Embedded TKT")) Send request successfully	4.978s	PASSED
5	verifyResponseStatusCode(fullRefundResponse, 200) Verify response status code successfully	0.004s	PASSED
6	mozartRequestId = getElementPropertyValue(fullRefundResponse, "data[0].mozart_request_id")	0.076s	PASSED

TC_3_MOZ-12910_Verify that an invalid Quote and error details are logged in the database

#	Description	Elapsed	Status
7	queryTemplate = "select * from bdm Mozart.%s where %s = '%s'"	0.001s	PASSED
8	mozartRequestCondition = idrequest = '\$mozartRequestId'	0.001s	PASSED
9	println(mozartRequestCondition)	0.002s	PASSED
10	mi_refund_ek_quote = String.format(queryTemplate, "mi_refund_ek_quote", "idrequest", mozartRequestId)	0.001s	PASSED
11	idQuote = database.DatabaseUtils.executeQueryDemo(mi_refund_ek_quote, "id", 1) database.DatabaseUtils.executeQueryDemo is PASSED	2.667s	PASSED
12	println(idQuote)	0.002s	PASSED
13	verifyMatch(idQuote, "No current row", false) Actual text 'No current row' and expected text 'No current row' are matched	0.003s	PASSED

TC 2_MOZ-12910_Verify that store the data of embedded TKT-Quotes, including error details in case the processing fails

Information

ID	Test Cases/MOZ-12450/TC 2_MOZ-12910_Verify that store the data of embedded TKT-Quotes, including error details in case the processing fails		
Description			
Tag			
Start	15-10-2024 16:36:53	End	15-10-2024 16:37:30
Elapsed	37.892s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	processJson = new utilityClass.JsonPaths()	0.000s	PASSED
2	filePath = "Test Data/Embedded TKT Quote.txt"	0.002s	PASSED
3	QuoteString = processJson.JsonStringFormatter(filePath)	0.002s	PASSED
4	apiRequests.apiConnection.runAuthToken(findTestObject("API/Demo API/Auth Token")) apiRequests.apiConnection.runAuthToken is PASSED	0.501s	PASSED
5	fullRefundResponse = sendRequest(findTestObject("API/MOZ-12450_API/MOZ-12909_Full_Refund_Embedded TKT")) Send request successfully	3.791s	PASSED
6	verifyResponseStatusCode(fullRefundResponse, 200) Verify response status code successfully	0.004s	PASSED

TC 2_MOZ-12910_Verify that store the data of embedded TKT-Quotes, including error details in case the processing fails

#	Description	Elapsed	Status
7	mozartRequestId = getElementPropertyValue(fullRefundResponse, "data[0].mozart_request_id")	0.068s	PASSED
8	queryTemplate = "select * from bdm Mozart.%s where %s = '%s'"	0.001s	PASSED
9	mozartRequestCondition = idrequest = '\$mozartRequestId'	0.001s	PASSED
10	mi_refund_ek_quote = String.format(queryTemplate, "mi_refund_ek_quote", "idrequest", MozartRequestId)	0.001s	PASSED
11	idQuote = database.DatabaseUtils.executeQuery(mi_refund_ek_quote, "id", 1) database.DatabaseUtils.executeQuery is PASSED	2.969s	PASSED
12	mi_refund_ek_quote_passenger = String.format(queryTemplate, "mi_refund_ek_quote_passenger", "idquote", idQuote)	0.002s	PASSED
13	idpassenger = database.DatabaseUtils.executeQuery(mi_refund_ek_quote_passenger, "id", 1) database.DatabaseUtils.executeQuery is PASSED	2.942s	PASSED
14	mi_refund_ek_quote_tkt_details = String.format(queryTemplate, "mi_refund_ek_quote_tkt_details", "idpassenger", idpassenger)	0.002s	PASSED

TC 2_MOZ-12910_Verify that store the data of embedded TKT-Quotes, including error details in case the processing fails

#	Description	Elapsed	Status
15	idtktdetails = database.DatabaseUtils.executeQuery(mi_refund_ek_quote_tkt_details, "id", 1) database.DatabaseUtils.executeQuery is PASSED	2.907s	PASSED
16	mi_refund_ek_quote_tkt_coupon_details = String.format(queryTemplate, "mi_refund_ek_quote_tkt_coupon_details", "idtktdetails", idtktdetails)	0.001s	PASSED
17	mi_refund_ek_quote_tkt_original_fare = String.format(queryTemplate, "mi_refund_ek_quote_tkt_original_fare", "idtktdetails", idtktdetails)	0.001s	PASSED
18	mi_refund_ek_quote_tkt_penalty_charges = String.format(queryTemplate, "mi_refund_ek_quote_tkt_penalty_charges", "idtktdetails", idtktdetails)	0.000s	PASSED
19	mi_refund_ek_quote_tkt_refund_fare = String.format(queryTemplate, "mi_refund_ek_quote_tkt_refund_fare", "idtktdetails", idtktdetails)	0.001s	PASSED
20	mi_refund_ek_quote_tkt_used_fare = String.format(queryTemplate, "mi_refund_ek_quote_tkt_used_fare", "idtktdetails", idtktdetails)	0.001s	PASSED
21	tables = new java.util.HashMap()	0.001s	PASSED
22	tables.put("mi_refund_ek_quote", mi_refund_ek_quote)	0.001s	PASSED

TC 2_MOZ-12910_Verify that store the data of embedded TKT-Quotes, including error details in case the processing fails

#	Description	Elapsed	Status
23	tables.put("mi_refund_ek_quote_passenger", mi_refund_ek_quote_passenger)	0.001s	PASSED
24	tables.put("mi_refund_ek_quote_tkt_details", mi_refund_ek_quote_tkt_details)	0.001s	PASSED
25	tables.put("mi_refund_ek_quote_tkt_coupon_details", mi_refund_ek_quote_tkt_coupon_details)	0.001s	PASSED
26	tables.put("mi_refund_ek_quote_tkt_original_fare", mi_refund_ek_quote_tkt_original_fare)	0.001s	PASSED
27	tables.put("mi_refund_ek_quote_tkt_penalty_charges", mi_refund_ek_quote_tkt_penalty_charges)	0.001s	PASSED
28	tables.put("mi_refund_ek_quote_tkt_refund_fare", mi_refund_ek_quote_tkt_refund_fare)	0.001s	PASSED
29	tables.put("mi_refund_ek_quote_tkt_used_fare", mi_refund_ek_quote_tkt_used_fare)	0.001s	PASSED
30	for (Map\$Entry<String, String> entry : tables.entrySet()) Actual text '2660' and expected text '2660' are matched	24.264s	PASSED

TC 1_MOZ-12909_Verify that embedded TKT-Quote processed correctly, and the quote data is stored in the database tables

Information

ID	Test Cases/MOZ-12450/TC 1_MOZ-12909_Verify that embedded TKT-Quote processed correctly, and the quote data is stored in the database tables		
Description			
Tag			
Start	15-10-2024 16:37:30	End	15-10-2024 16:38:04
Elapsed	33.143s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	processJson = new utilityClass.JsonPaths()	0.001s	PASSED
2	filePath = "Test Data/EK_QUOTE_TRIPS"	0.001s	PASSED
3	QuoteString = processJson.JsonStringFormatter(filePath)	0.002s	PASSED
4	apiRequests.apiConnection.runAuthToken(findTestObject("API/Demo API/Auth Token")) apiRequests.apiConnection.runAuthToken is PASSED	0.362s	PASSED
5	fullRefundResponse = sendRequest(findTestObject("API/MOZ-12450_API/MOZ-12909_Full_Refund_Embedded TKT")) Send request successfully	3.575s	PASSED
6	verifyResponseStatusCode(fullRefundResponse, 200) Verify response status code successfully	0.003s	PASSED

TC 1_MOZ-12909_Verify that embedded TKT-Quote processed correctly, and the quote data is stored in the database tables

#	Description	Elapsed	Status
7	mozartRequestId = getElementPropertyValue(fullRefundResponse, "data[0].mozart_request_id")	0.069s	PASSED
8	queryTemplate = "select * from bdm Mozart.%s where %s = '%s'"	0.001s	PASSED
9	mozartRequestCondition = idrequest = '\$mozartRequestId'	0.001s	PASSED
10	mi_refund_ek_quote = String.format(queryTemplate, "mi_refund_ek_quote", "idrequest", MozartRequestId)	0.001s	PASSED
11	idQuote = database.DatabaseUtils.executeQuery(mi_refund_ek_quote, "id", 1) database.DatabaseUtils.executeQuery is PASSED	2.973s	PASSED
12	mi_refund_ek_quote_passenger = String.format(queryTemplate, "mi_refund_ek_quote_passenger", "idquote", idQuote)	0.001s	PASSED
13	idpassenger = database.DatabaseUtils.executeQuery(mi_refund_ek_quote_passenger, "id", 1) database.DatabaseUtils.executeQuery is PASSED	2.450s	PASSED
14	mi_refund_ek_quote_tkt_details = String.format(queryTemplate, "mi_refund_ek_quote_tkt_details", "idpassenger", idpassenger)	0.001s	PASSED

TC 1_MOZ-12909_Verify that embedded TKT-Quote processed correctly, and the quote data is stored in the database tables

#	Description	Elapsed	Status
15	idtktdetails = database.DatabaseUtils.executeQuery(mi_refund_ek_quote_tkt_details, "id", 1) database.DatabaseUtils.executeQuery is PASSED	2.186s	PASSED
16	mi_refund_ek_quote_tkt_coupon_details = String.format(queryTemplate, "mi_refund_ek_quote_tkt_coupon_details", "idtktdetails", idtktdetails)	0.000s	PASSED
17	mi_refund_ek_quote_tkt_original_fare = String.format(queryTemplate, "mi_refund_ek_quote_tkt_original_fare", "idtktdetails", idtktdetails)	0.000s	PASSED
18	mi_refund_ek_quote_tkt_penalty_charges = String.format(queryTemplate, "mi_refund_ek_quote_tkt_penalty_charges", "idtktdetails", idtktdetails)	0.000s	PASSED
19	mi_refund_ek_quote_tkt_refund_fare = String.format(queryTemplate, "mi_refund_ek_quote_tkt_refund_fare", "idtktdetails", idtktdetails)	0.000s	PASSED
20	mi_refund_ek_quote_tkt_used_fare = String.format(queryTemplate, "mi_refund_ek_quote_tkt_used_fare", "idtktdetails", idtktdetails)	0.000s	PASSED
21	tables = new java.util.HashMap()	0.001s	PASSED
22	tables.put("mi_refund_ek_quote", mi_refund_ek_quote)	0.001s	PASSED

TC 1_MOZ-12909_Verify that embedded TKT-Quote processed correctly, and the quote data is stored in the database tables

#	Description	Elapsed	Status
23	tables.put("mi_refund_ek_quote_passenger", mi_refund_ek_quote_passenger)	0.001s	PASSED
24	tables.put("mi_refund_ek_quote_tkt_details", mi_refund_ek_quote_tkt_details)	0.001s	PASSED
25	tables.put("mi_refund_ek_quote_tkt_coupon_details", mi_refund_ek_quote_tkt_coupon_details)	0.001s	PASSED
26	tables.put("mi_refund_ek_quote_tkt_original_fare", mi_refund_ek_quote_tkt_original_fare)	0.001s	PASSED
27	tables.put("mi_refund_ek_quote_tkt_penalty_charges", mi_refund_ek_quote_tkt_penalty_charges)	0.000s	PASSED
28	tables.put("mi_refund_ek_quote_tkt_refund_fare", mi_refund_ek_quote_tkt_refund_fare)	0.001s	PASSED
29	tables.put("mi_refund_ek_quote_tkt_used_fare", mi_refund_ek_quote_tkt_used_fare)	0.001s	PASSED
30	str = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.001s	PASSED
31	for (Map\$Entry<String, String> entry : tables.entrySet())	21.230s	PASSED

TC 6_MOZ_11447 Verify Default Filtering Values in the Local Settlements Module

Information

ID	Test Cases/MOZ-10510/TC 6_MOZ_11447 Verify Default Filtering Values in the Local Settlements Module		
Description			
Tag			
Start	15-10-2024 16:38:04	End	15-10-2024 16:39:10
Elapsed	1m - 6.338s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	demoPackage.MozartLogin.LoginWithChromeForEK() demoPackage.MozartLogin.LoginWithChromeForEK is PASSED	29.219s	PASSED
2	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refunds")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refunds' is clicked on	17.868s	PASSED
3	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements' is clicked on	3.672s	PASSED
4	click(findTestObject("EK_Objects/Page_Mozart - LocalSettlements/filter_button")) Object: 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/filter_button' is clicked on	2.204s	PASSED
5	verifyOptionSelectedByValue(findTestObject("EK_Objects/Page_Mozart - LocalSettlements/select_filter_column_r1_c1"), "date_processingdate", false, 5) All options with value 'date_processingdate' are selected in object 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/select_filter_column_r1_c1'	4.313s	PASSED

TC 6_MOZ_11447 Verify Default Filtering Values in the Local Settlements Module

#	Description	Elapsed	Status
6	verifyOptionSelectedByValue(findTestObject("EK_Objects/Page_Mozart - LocalSettlements/select_filter_column_r2_c1"), "select_request_fop_settlem", false, 5) All options with value 'select_request_fop_settlem' are selected in object 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/select_filter_column_r2_c1'	4.093s	PASSED
7	verifyOptionSelectedByValue(findTestObject("EK_Objects/Page_Mozart - LocalSettlements/select_filter_column_r3_c1"), "select_ro_isocode_country", false, 5) All options with value 'select_ro_isocode_country' are selected in object 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/select_filter_column_r3_c1'	4.179s	PASSED
8	closeBrowser() Browser is closed	0.615s	PASSED

TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

Information

ID	Test Cases/MOZ-12401/TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request		
Description			
Tag			
Start	15-10-2024 16:39:10	End	15-10-2024 16:39:42
Elapsed	32.346s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	mi_refund_ek_quote = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.000s	PASSED
2	mi_refund_ek_quote_passenger = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.002s	PASSED
3	mi_refund_ek_quote_tkt_details = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.000s	PASSED
4	mi_refund_ek_quote_tkt_coupon_details = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.002s	PASSED
5	mi_refund_ek_quote_tkt_original_fare = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.001s	PASSED

TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
6	mi_refund_ek_quote_tkt_penalty_charges = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.001s	PASSED
7	mi_refund_ek_quote_tkt_refund_fare = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.001s	PASSED
8	mi_refund_ek_quote_tkt_used_fare = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.001s	PASSED
9	idQuote = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.001s	PASSED
10	idpassenger = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.000s	PASSED
11	idtktdetails = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.002s	PASSED
12	mozartRequestld = "O090510005"	0.000s	PASSED
13	mi_refund_ek_quote = "select * from bdmozart.mi_refund_ek_quote where idrequest = '" + MozartRequestld + "'"	0.001s	PASSED

TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
14	idQuote = database.DatabaseUtils.executeQuery(mi_refund_ek_quote, "id", 1) database.DatabaseUtils.executeQuery is PASSED	3.120s	PASSED
15	mi_refund_ek_quote_passenger = "select * from bdmozart.mi_refund_ek_quote_passenger where idquote = " + idQuote + ""	0.001s	PASSED
16	idpassenger = database.DatabaseUtils.executeQuery(mi_refund_ek_quote_passenger, "id", 1) database.DatabaseUtils.executeQuery is PASSED	2.883s	PASSED
17	mi_refund_ek_quote_tkt_details = "select * from bdmozart.mi_refund_ek_quote_tkt_details where idpassenger = " + idpassenger + ""	0.001s	PASSED
18	idtktdetails = database.DatabaseUtils.executeQuery(mi_refund_ek_quote_tkt_details, "id", 1) database.DatabaseUtils.executeQuery is PASSED	3.000s	PASSED
19	mi_refund_ek_quote_tkt_coupon_details = "select * from bdmozart.mi_refund_ek_quote_tkt_coupon_details where idtktdetails = " + idtktdetails + ""	0.001s	PASSED
20	mi_refund_ek_quote_tkt_original_fare = "select * from bdmozart.mi_refund_ek_quote_tkt_original_fare where idtktdetails = " + idtktdetails + ""	0.001s	PASSED
21	mi_refund_ek_quote_tkt_penalty_charges = "select * from bdmozart.mi_refund_ek_quote_tkt_penalty_charges where idtktdetails = " + idtktdetails + ""	0.001s	PASSED

TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
22	mi_refund_ek_quote_tkt_refund_fare = "select * from bdmozart.mi_refund_ek_quote_tkt_refund_fare where idtktdetails = '" + idtktdetails + "'"	0.001s	PASSED
23	mi_refund_ek_quote_tkt_used_fare = "select * from bdmozart.mi_refund_ek_quote_tkt_used_fare where idtktdetails = '" + idtktdetails + "'"	0.001s	PASSED
24	processJson = new utilityClass.JsonPaths()	0.001s	PASSED
25	filePath = "Test Data/TKT Quote Json.txt"	0.001s	PASSED
26	dbMap = processJson.getColumnsWithJsonPath("mi_refund_ek_quote")	0.002s	PASSED
27	processJson.verifyJsonElementsValuesWithDatabaseValues(filePath, dbMap, mi_refund_ek_quote) Actual text 'false' and expected text 'false' are matched	2.902s	PASSED
28	dbMap1 = processJson.getColumnsWithJsonPath("mi_refund_ek_quote_passenger")	0.002s	PASSED
29	processJson.verifyJsonElementsValuesWithDatabaseValues(filePath, dbMap1, mi_refund_ek_quote_passenger) Actual text '1' and expected text '1' are matched	2.883s	PASSED
30	dbMap2 = processJson.getColumnsWithJsonPath("mi_refund_ek_quote_tkt_details")	0.002s	PASSED

TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
31	processJson.verifyJsonElementsValuesWithDatabaseValues(filePath, dbMap2, mi_refund_ek_quote_tkt_details) Actual text 'R0' and expected text 'R0' are matched	3.231s	PASSED
32	dbMap3 = processJson.getColumnsWithJsonPath("mi_refund_ek_quote_tkt_coupon_details")	0.001s	PASSED
33	processJson.verifyJsonElementsValuesWithDatabaseValues(filePath, dbMap3, mi_refund_ek_quote_tkt_coupon_details) Actual text 'Y' and expected text 'Y' are matched	2.885s	PASSED
34	dbMap4 = processJson.getColumnsWithJsonPath("mi_refund_ek_quote_tkt_original_fare")	0.002s	PASSED

TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
35	processJson.verifyJsonElementsValuesWithDatabaseValues(filePath, dbMap4, mi_refund_ek_quote_tkt_original_fare) Unable to verify match between actual text '2660' and expected text '266' (Root cause: com.kms.katalon.core.exception.StepFailedException: Actual text '2660' and expected text '266' are not matched at com.kms.katalon.core.keyword.builtin. VerifyMatchKeyword\$_verifyMatch_closure1.doCall(VerifyMatchKeyword.groovy:57) at com.kms.katalon.core.keyword.builtin. VerifyMatchKeyword\$_verifyMatch_closure1.call(VerifyMatchKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.verifyMatch (VerifyMatchKeyword.groovy:60) at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.execute (VerifyMatchKeyword.groovy:45) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.verifyMatch(BuiltinKeywords. groovy:60) atjdk.internal.reflect.GeneratedMethodAccessor22.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at utilityClass.JsonPaths.verifyJsonElementsValuesWithDatabaseValues (JsonPaths.groovy:77) atjdk.internal.reflect.GeneratedMethodAccessor116.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request. run(TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request:96) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1728989799265.run(TempTestSuite1728989799265.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	2.850s	FAILED

TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
	(DelegatingMethodAccessorImpl.java:43))		
36	dbMap5 = processJson.getColumnsWithJsonPath("mi_refund_ek_quote_tkt_penalty_charges")	0.002s	PASSED
37	processJson.verifyJsonElementsValuesWithDatabaseValues(filePath, dbMap5, mi_refund_ek_quote_tkt_penalty_charges)	2.773s	PASSED
	Actual text '0' and expected text '0' are matched		
38	dbMap6 = processJson.getColumnsWithJsonPath("mi_refund_ek_quote_tkt_refund_fare")	0.002s	PASSED
39	processJson.verifyJsonElementsValuesWithDatabaseValues(filePath, dbMap6, mi_refund_ek_quote_tkt_refund_fare)	2.693s	PASSED
	Actual text '2660' and expected text '2660' are matched		
40	dbMap7 = processJson.getColumnsWithJsonPath("mi_refund_ek_quote_tkt_used_fare")	0.001s	PASSED

TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
41	<p>processJson.verifyJsonElementsValuesWithDatabaseValues(filePath, dbMap7, mi_refund_ek_quote_tkt_used_fare)</p> <p>Unable to verify match between actual text '0' and expected text '100' (Root cause: com.kms.katalon.core.exception.StepFailedException: Actual text '0' and expected text '100' are not matched at com.kms.katalon.core.keyword.builtin. VerifyMatchKeyword\$_verifyMatch_closure1.doCall(VerifyMatchKeyword.groovy:57) at com.kms.katalon.core.keyword.builtin. VerifyMatchKeyword\$_verifyMatch_closure1.call(VerifyMatchKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.verifyMatch (VerifyMatchKeyword.groovy:60) at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.execute (VerifyMatchKeyword.groovy:45) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.verifyMatch(BuiltinKeywords. groovy:60) at jdk.internal.reflect.GeneratedMethodAccessor22.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at utilityClass.JsonPaths.verifyJsonElementsValuesWithDatabaseValues (JsonPaths.groovy:77) at jdk.internal.reflect.GeneratedMethodAccessor116.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request. run(TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request:105) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1728989799265.run(TempTestSuite1728989799265.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke</p>	2.783s	FAILED

TC 2_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
	(DelegatingMethodAccessorImpl.java:43))		

TC 1_MOZ-12623_Verify that the refund request sent successfully and that the TKT Quote was received in the response

Information

ID	Test Cases/MOZ-12401/TC 1_MOZ-12623_Verify that the refund request sent successfully and that the TKT Quote was received in the response		
Description			
Tag			
Start	15-10-2024 16:39:42	End	15-10-2024 16:39:58
Elapsed	16.130s		
Status	ERROR		

Details

#	Description	Elapsed	Status
1	apiRequests.apiConnection.runAuthToken(findTestObject("API/Demo API/Auth Token")) apiRequests.apiConnection.runAuthToken is PASSED	0.553s	PASSED
2	fullRefundResponse = sendRequest(findTestObject("API/MOZ-12401_API/MOZ-12623_Full_Refund")) Send request successfully	0.684s	PASSED
3	verifyResponseStatusCode(fullRefundResponse, 200) Verify response status code successfully	0.002s	PASSED
4	mozartRequestId = getElementPropertyValue(fullRefundResponse, "data[0].mozart_request_id")	0.057s	PASSED
5	println(mozartRequestId)	0.001s	PASSED
6	QO_Task = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.001s	PASSED

TC 1_MOZ-12623_Verify that the refund request sent successfully and that the TKT Quote was received in the response

#	Description	Elapsed	Status
7	mp_process = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.001s	PASSED

TC 1_MOZ-12623_Verify that the refund request sent successfully and that the TKT Quote was received in the response

#	Description	Elapsed	Status
8	for ([i = 0, i <= 4, (i++)]) Unable to verify match between actual text 'PS' and expected text 'OK' (Root cause: com.kms.katalon.core.exception.StepFailedException: Actual text 'PS' and expected text 'OK' are not matched at com.kms.katalon.core.keyword.builtin. VerifyMatchKeyword\$_verifyMatch_closure1.doCall(VerifyMatchKeyword.groovy:57) at com.kms.katalon.core.keyword.builtin. VerifyMatchKeyword\$_verifyMatch_closure1.call(VerifyMatchKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.verifyMatch (VerifyMatchKeyword.groovy:60) at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.execute (VerifyMatchKeyword.groovy:45) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.verifyMatch(BuiltinKeywords. groovy:60) atjdk.internal.reflect.GeneratedMethodAccessor22.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TC 1_MOZ-12623_Verify that the refund request sent successfully and that the TKT Quote was received in the response.run(TC 1_MOZ-12623_Verify that the refund request sent successfully and that the TKT Quote was received in the response:36) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1728989799265.run(TempTestSuite1728989799265.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)) 	14.526s	FAILED

TC 1_MOZ-12623_Verify that the refund request sent successfully and that the TKT Quote was received in the response

#	Description	Elapsed	Status

TC 3_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

Information

ID	Test Cases/MOZ-12401/New Folder/TC 3_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request		
Description			
Tag			
Start	15-10-2024 16:39:58	End	15-10-2024 16:40:10
Elapsed	12.003s		
Status	ERROR		

Details

#	Description	Elapsed	Status
1	mi_refund_ek_quote = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.000s	PASSED
2	mi_refund_ek_quote_passenger = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.001s	PASSED
3	mi_refund_ek_quote_tkt_details = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.001s	PASSED
4	mi_refund_ek_quote_tkt_coupon_details = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.001s	PASSED
5	mi_refund_ek_quote_tkt_original_fare = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.001s	PASSED

TC 3_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
6	mi_refund_ek_quote_tkt_penalty_charges = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.001s	PASSED
7	mi_refund_ek_quote_tkt_refund_fare = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.001s	PASSED
8	mi_refund_ek_quote_tkt_used_fare = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.001s	PASSED
9	idQuote = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.001s	PASSED
10	idpassenger = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.000s	PASSED
11	idtktdetails = <not implemented yet for class: org.codehaus.groovy.ast.expr.EmptyExpression>	0.000s	PASSED
12	mi_refund_ek_quote = "select * from bdmozart.mi_refund_ek_quote where idrequest = 'O090510005'"	0.000s	PASSED
13	idQuote = database.DatabaseUtils.executeQuery(mi_refund_ek_quote, "id", 1) database.DatabaseUtils.executeQuery is PASSED	2.942s	PASSED

TC 3_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
14	mi_refund_ek_quote_passenger = "select * from bdmozart.mi_refund_ek_quote_passenger where idquote = '" + idQuote + '""	0.002s	PASSED
15	idpassenger = database.DatabaseUtils.executeQuery(mi_refund_ek_quote_passenger, "id", 1) database.DatabaseUtils.executeQuery is PASSED	2.882s	PASSED
16	mi_refund_ek_quote_tkt_details = "select * from bdmozart.mi_refund_ek_quote_tkt_details where idpassenger = '" + idpassenger + '""	0.001s	PASSED
17	idtktdetails = database.DatabaseUtils.executeQuery(mi_refund_ek_quote_tkt_details, "id", 1) database.DatabaseUtils.executeQuery is PASSED	2.847s	PASSED
18	mi_refund_ek_quote_tkt_coupon_details = "select * from bdmozart.mi_refund_ek_quote_tkt_coupon_details where idtktdetails = '" + idtktdetails + '""	0.001s	PASSED
19	mi_refund_ek_quote_tkt_original_fare = "select * from bdmozart.mi_refund_ek_quote_tkt_original_fare where idtktdetails = '" + idtktdetails + '""	0.001s	PASSED
20	mi_refund_ek_quote_tkt_penalty_charges = "select * from bdmozart.mi_refund_ek_quote_tkt_penalty_charges where idtktdetails = '" + idtktdetails + '""	0.001s	PASSED
21	mi_refund_ek_quote_tkt_refund_fare = "select * from bdmozart.mi_refund_ek_quote_tkt_refund_fare where idtktdetails = '" + idtktdetails + '""	0.001s	PASSED

TC 3_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
22	mi_refund_ek_quote_tkt_used_fare = "select * from bdmozart.mi_refund_ek_quote_tkt_used_fare where idtktdetails = '" + idtktdetails + "'"	0.001s	PASSED
23	mi_refund_ek_quote_map = new java.util.HashMap()	0.002s	PASSED
24	mi_refund_ek_quote_map.put("iswaiverapplied", "false")	0.002s	PASSED
25	mi_refund_ek_quote_map.put("isnoshowfeesapplied", "false")	0.001s	PASSED
26	mi_refund_ek_quote_map.put("uniquereferencenumber", "2001762368172376")	0.001s	PASSED
27	mi_refund_ek_quote_map.put("processingstatus", "Y")	0.001s	PASSED
28	mi_refund_ek_quote_map.put("quote_type", "null")	0.002s	PASSED
29	mi_refund_ek_quote_map.put("currencycode", "AED")	0.001s	PASSED
30	mi_refund_ek_quote_map.put("isnoshowfeesapplicable", "false")	0.001s	PASSED

TC 3_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
31	mi_refund_ek_quote_table = database.DatabaseUtils.getColumnNamesAndValues(mi_refund_ek_quote)	2.874s	PASSED
	database.DatabaseUtils.getColumnNamesAndValues is PASSED		

TC 3_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request

#	Description	Elapsed	Status
32	<p>utilityClass.JsonPaths.verifyJsonElementsValuesWithDatabaseValues2(mi_refund_ek_quote_map, mi_refund_ek_quote_table)</p> <p>Test Cases/MOZ-12401/New Folder/TC 3_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request FAILED.</p> <p>Reason:</p> <p>com.kms.katalon.core.exception.StepErrorException: org.codehaus.groovy.runtime.metaclass.MissingMethodExceptionNoStack: No signature of method: utilityClass.JsonPaths.verifyJsonElementsValuesWithDatabaseValues2() is applicable for argument types: (HashMap, HashMap) values: [[iswaiverapplied:false, isnoshowfeesapplied:false, uniquereferencenumber:2001762368172376, ...], ...]</p> <p>Possible solutions: verifyJsonElementsValuesWithDatabaseValues(java.lang.String, java.util.Map, java.lang.String)</p> <p>at com.kms.katalon.core.main.CustomKeywordDelegatingMetaClass.throwError (CustomKeywordDelegatingMetaClass.java:101)</p> <p>at com.kms.katalon.core.main.CustomKeywordDelegatingMetaClass.invokeStaticMethod(CustomKeywordDelegatingMetaClass.java:73)</p> <p>at TC 3_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request.run(TC 3_MOZ-12624_Verify Storage of TKT-Quote for Successful WS Request:83)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:150)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)</p> <p>at TempTestSuite1728989799265.run(TempTestSuite1728989799265.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.codehaus.groovy.runtime.metaclass.MissingMethodExceptionNoStack: No signature of method: utilityClass.JsonPaths.verifyJsonElementsValuesWithDatabaseValues2() is applicable for argument types: (HashMap, HashMap) values: [[iswaiverapplied:false, isnoshowfeesapplied:false, uniquereferencenumber:2001762368172376, ...], ...]</p> <p>Possible solutions: verifyJsonElementsValuesWithDatabaseValues(java.lang.String, java.util.Map, java.lang.String)</p>	0.078s	ERROR

TC 5_MOZ_11446 Verify Landing Page Layout and Filtering Area for the Local Settlements Module

Information

ID	Test Cases/MOZ-10510/TC 5_MOZ_11446 Verify Landing Page Layout and Filtering Area for the Local Settlements Module		
Description			
Tag			
Start	15-10-2024 16:40:10	End	15-10-2024 16:40:58
Elapsed	47.385s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	demoPackage.MozartLogin.LoginWithChromeForEK() demoPackage.MozartLogin.LoginWithChromeForEK is PASSED	26.166s	PASSED
2	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refunds")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refunds' is clicked on	6.885s	PASSED
3	verifyElementPresent(findTestObject("EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements"), 2) Object 'Object Repository/EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements' is present	0.260s	PASSED
4	click(findTestObject("Object Repository/EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements' is clicked on	1.534s	PASSED
5	click(findTestObject("Object Repository/EK_Objects/Page_Mozart - LocalSettlements/filter_button")) Object: 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/filter_button' is clicked on	1.154s	PASSED

TC 5_MOZ_11446 Verify Landing Page Layout and Filtering Area for the Local Settlements Module

#	Description	Elapsed	Status
6	verifyElementNotPresent(findTestObject("Object Repository/EK_Objects/Page_Mozart - LocalSettlements/compact_mode"), 10) Web element with id: 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/compact_mode' located by 'By.xpath: (//div[@class='custom-control custom-switch ml-2'])[1]' is not present after '10' second(s)	0.586s	PASSED
7	verifyElementNotPresent(findTestObject("Object Repository/EK_Objects/Page_Mozart - LocalSettlements/grouped"), 10) Web element with id: 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/grouped' located by 'By.xpath: (//div[@class='custom-control custom-switch ml-2'])[2]' is not present after '10' second(s)	0.265s	PASSED

TC 5_MOZ_11446 Verify Landing Page Layout and Filtering Area for the Local Settlements Module

#	Description	Elapsed	Status
8	<p>verifyElementNotPresent(findTestObject("Object Repository/EK_Objects/Page_Mozart - LocalSettlements/show_exceptions"), 10)</p> <p>Unable to verify object 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/show_exceptions' is not present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/show_exceptions' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword.verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword.execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at TC 5_MOZ_11446 Verify Landing Page Layout and Filtering Area for the Local Settlements Module.run(TC 5_MOZ_11446 Verify Landing Page Layout and Filtering Area for the Local Settlements Module:36) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1728989799265.run(TempTestSuite1728989799265.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/EK_Objects/Page_Mozart - LocalSettlements/show_exceptions' located by 'By.xpath: //div[@class='pl-1']' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p>	10.341s	FAILED

TC 5_MOZ_11446 Verify Landing Page Layout and Filtering Area for the Local Settlements Module

#	Description	Elapsed	Status
---	-------------	---------	--------

at com.kms.katalon.core.webui.keyword.internal.
WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)
at com.kms.katalon.core.webui.keyword.builtin.
VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall
(VerifyElementNotPresentKeyword.groovy:122)
at com.kms.katalon.core.webui.keyword.builtin.
VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall
(VerifyElementNotPresentKeyword.groovy)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
... 21 more
)

The screenshot displays the 'Mozart - Refund Management' application interface. The top navigation bar includes 'Home', 'Local Settlements', 'Refunds', 'Configuration', 'System', 'Reports', and 'Dashboard'. A search bar and a filter button are visible. The main content area shows a table titled 'Local Settlements' with columns: Request Id, Processing Date (yyyy-mm-dd), Ticket Number, Request Number, Passenger Name, Country, Agent code, Refund Amount, and Current. The table contains several rows of data, including entries for Argentina, United States of America, Mexico, Jordan, and United Arab Emirates. A filter panel on the left allows filtering by Processing Date, Refund FOP Paid Locally, and Country. The filter for Processing Date is set to 'Equal to' with the value 'DD/MM/YYYY'. The filter for Refund FOP Paid Locally is set to 'In' with the value 'Please select one or more item'. The filter for Country is set to 'In' with the value 'Please select one or more item'. The table is sorted by Processing Date in descending order.

Request Id	Processing Date (yyyy-mm-dd)	Ticket Number	Request Number	Passenger Name	Country	Agent code	Refund Amount	Current
0092700002	27/09/2024 09:44:22	1029349892		PS	AR - Argentina		985.00	ARS
0090510009	18/09/2024 11:58:43	2368172376	20240905192343	name	US - United States Of America		34.20	USD
0090610002	12/09/2024 07:00:10	6778689798	VT5015	MEX/FRANCISCA MS	MX - Mexico	8650971	1000.00	MXI
0091000004	10/09/2024 15:08:21	6778689798		MEX/FRANCISCA MS	MX - Mexico		200.00	MXI
0090500012	09/09/2024 13:47:32	6778689798		MEX/FRANCISCA MS	MX - Mexico		8011.00	MXI
0090900009	09/09/2024 13:47:32	6720801174		TEST	JO - Jordan		10.00	JOC
0090200012	02/09/2024 15:41:08	1029349892		XX	AE - United Arab Emirates		10.00	AEC
0090200011	02/09/2024 14:20:10	1079349892		XX	AF - United Arab Emirates		10.00	AFI

TC 1_MOZ_11444 Verify Creation of the Local Settlements Module in Mozart

Information

ID	Test Cases/MOZ-10510/TC 1_MOZ_11444 Verify Creation of the Local Settlements Module in Mozart		
Description			
Tag			
Start	15-10-2024 16:40:58	End	15-10-2024 16:41:47
Elapsed	48.896s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	demoPackage.MozartLogin.LoginWithChromeForEK() demoPackage.MozartLogin.LoginWithChromeForEK is PASSED	32.062s	PASSED
2	click(findTestObject("EK_Objects/Page_Mozart - Dashboard/a_Refunds")) Object: 'Object Repository/EK_Objects/Page_Mozart - Dashboard/a_Refunds' is clicked on	15.648s	PASSED
3	verifyElementPresent(findTestObject("EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements"), 2) Object 'Object Repository/EK_Objects/Page_Mozart - Dashboard/Click_On_Local_Settlements' is present	0.371s	PASSED
4	closeBrowser() Browser is closed	0.607s	PASSED