

Postman interface showing a DELETE request to `http://localhost:8020/user/articleId=8`. The request is configured with the following parameters:

- Method: DELETE
- URL: `http://localhost:8020/user/articleId=8`
- Query Params: `id`
- Body: 1

The response is a 200 OK status. A MySQL Command Line Client window is open, showing the following data:

```
mysql> select * from articles;
+----+-----+-----+-----+-----+-----+
| article_id | title | category | email | name | date |
+----+-----+-----+-----+-----+-----+
| 4 | CTS | cts | saque@gmail.com | prafull | 2019-09-12 12:14:12 |
| 5 | sai santosh | sai | vaddisai@gmail.com | santosh vadi | 2019-09-12 11:31:39 |
| 6 | prafulla | sai | vaddisai@gmail.com | santosh vadi | 2019-09-12 11:54:40 |
| 8 | CTS | cts | saque@gmail.com | chandra | 2019-09-12 12:14:12 |
+----+-----+-----+-----+-----+-----+
4 rows in set (0.00 sec)
```

Postman interface showing a PUT request to `http://localhost:8020/user/article`. The request is configured with the following parameters:

- Method: PUT
- URL: `http://localhost:8020/user/article`
- Body: 

```
{
  "articleId": 8,
  "title": "CTS",
  "category": "cts",
  "email": "saque@gmail.com",
  "name": "chandra",
  "date": "2019-09-12T06:44:12.000+0000"
}
```

The response is a 200 OK status. A MySQL Command Line Client window is open, showing the following data:

```
mysql> select * from articles;
+----+-----+-----+-----+-----+-----+
| article_id | title | category | email | name | date |
+----+-----+-----+-----+-----+-----+
| 4 | CTS | cts | saque@gmail.com | prafull | 2019-09-12 12:14:12 |
| 5 | sai santosh | sai | vaddisai@gmail.com | santosh vadi | 2019-09-12 11:31:39 |
| 6 | prafulla | sai | vaddisai@gmail.com | santosh vadi | 2019-09-12 11:54:40 |
| 8 | CTS | cts | saque@gmail.com | chandra | 2019-09-12 12:14:12 |
+----+-----+-----+-----+-----+-----+
4 rows in set (0.00 sec)
```

Postman

File Edit View Help

New Import Runner

My Workspace Invite

No Environment

Filter

History Collections APIs BETA

Save Responses Clear all

Today

POST http://localhost:8020/user/article

Send Save

Params Authorization Headers Body Pre-request Script Tests

Body

```
{
  "title": "CTS",
  "category": "cts",
  "email": "saq@gmail.com",
  "name": "prafull"
}
```

MySQL 5.7 Command Line Client

```
mysql> select * from articles;
+----+-----+-----+-----+-----+-----+
| article_id | title | category | email | name | date |
+----+-----+-----+-----+-----+-----+
| 4 | CTS | cts | sa@gmail.com | santosh | 2019-09-12 11:31:39 |
| 5 | sai santosh | sai | vaddisai@gmail.com | santosh vadi | 2019-09-12 11:31:39 |
| 6 | prafulla | sai | vaddisai@gmail.com | santosh vadi | 2019-09-12 11:54:40 |
+----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql>
```

Status: 201 Created Time: 47ms Size: 128 B Save Response

Activate Windows  
Go to Settings to activate Windows.

Postman

File Edit View Help

New Import Runner

My Workspace Invite

No Environment

Filter

History Collections APIs BETA

Save Responses Clear all

Today

GET http://localhost:8020/user/article?id=4

Send Save

Params Authorization Headers Body Pre-request Script Tests

Query Params

KEY VALUE

id

Body

```
{
  "articleId": 4,
  "title": "CTS",
  "category": "cts",
  "email": "saq@gmail.com",
  "name": "santosh",
  "date": "2019-09-12T08:00:59.000-0800"
}
```

MySQL 5.7 Command Line Client

```
mysql> select * from articles;
+----+-----+-----+-----+-----+-----+
| article_id | title | category | email | name | date |
+----+-----+-----+-----+-----+-----+
| 4 | CTS | cts | sa@gmail.com | santosh | 2019-09-12 11:31:39 |
| 5 | sai santosh | sai | vaddisai@gmail.com | santosh vadi | 2019-09-12 11:31:39 |
| 6 | prafulla | sai | vaddisai@gmail.com | santosh vadi | 2019-09-12 11:54:40 |
+----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql>
```

Status: 201 Created Time: 47ms Size: 128 B Save Response

Activate Windows  
Go to Settings to activate Windows.

The screenshot displays the Postman application interface. On the left, a sidebar lists several requests to `http://localhost:8020/user/all-article`. The main panel shows an "Untitled Request" for the same URL. The "Body" tab is selected, displaying a JSON array of article objects. A "MySQL 5.7 Command Line Client" window is open, showing the SQL query `select * from articles;` and its results, which match the JSON response in Postman.

**Postman Request Details:**

- URL: `http://localhost:8020/user/all-article`
- Method: GET
- Body (JSON):
 

```
[
  {
    "articleId": 6,
    "title": "prafulla",
    "category": "sai",
    "email": "vaddisai@gmail.com",
    "name": "santosh vadi",
    "date": "2019-09-12T06:24:40.000-0000"
  },
  {
    "articleId": 5,
    "title": "sai santosh",
    "category": "sai",
    "email": "vaddisai@gmail.com",
    "name": "santosh vadi",
    "date": "2019-09-12T06:01:39.000-0000"
  },
  {
    "articleId": 4,
    "title": "CTS",
    "category": "cts",
    "email": "sa@gmail.com",
    "name": "santosh",
    "date": "2019-09-12T06:00:59.000-0000"
  }
]
```

**MySQL Command Line Client Output:**

```
mysql> select * from articles;
+-----+-----+-----+-----+-----+-----+
| article_id | title | category | email | name | date |
+-----+-----+-----+-----+-----+-----+
| 6 | prafulla | sai | vaddisai@gmail.com | santosh vadi | 2019-09-12 11:54:40 |
| 5 | sai santosh | sai | vaddisai@gmail.com | santosh vadi | 2019-09-12 11:54:40 |
| 4 | CTS | cts | sa@gmail.com | santosh | 2019-09-12 11:30:59 |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```

# Angular 2 CRUD Operation

## Create New Article

Enter Title	<input type="text"/>
Enter Category	<input type="text"/>
Enter email	<input type="text"/>
Enter name	<input type="text"/>
<input type="button" value="CREATE"/>	

Article added successfully.

## Article Details

Id	Title	Category	Email	Name	date		
5	sai santosh	sai	vaddisai@gmail.com	santosh vadi	9/12/19, 11:31 AM	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>
4	CTS	cts	sa@gmail.com	santosh	9/12/19, 11:30 AM	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>

# Angular 2 CRUD Operation

## Create New Article

Enter Title	<input type="text"/>
Enter Category	<input type="text"/>
Enter email	<input type="text"/>
Enter name	<input type="text"/>
<input type="button" value="CREATE"/>	

Article added successfully.

## Article Details

Id	Title	Category	Email	Name	date		
4	CTS	cts	sa@gmail.com	santosh	9/12/19, 11:30 AM	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>

# Angular 2 CRUD Operation

## Create New Article

Enter Title	<input type="text"/>
Enter Category	<input type="text"/>
Enter email	<input type="text"/>
Enter name	<input type="text"/>
<input type="button" value="CREATE"/>	

## Article Details

Id	Title	Category	Email	Name	date		
6	prafulla	sai l	vaddisai1@gmail.com	santosh vadi1	9/12/19, 11:54 AM	<input type="button" value="Edit"/>	<input type="button" value="Del"/>
5	sai santosh	sai	vaddisai@gmail.com	santosh vadi	9/12/19, 11:31 AM	<input type="button" value="Edit"/>	<input type="button" value="Del"/>
4	CTS	cts	sa@gmail.com	santosh	9/12/19, 11:30 AM	<input type="button" value="Edit"/>	<input type="button" value="Del"/>