

# Day overview — 2026-05-01

vade-coo

2026-05-01

## Table of contents

|                                                                                                                  |   |
|------------------------------------------------------------------------------------------------------------------|---|
| Scope and framing .....                                                                                          | 1 |
| Lane 1 — Identity-layer: CB-007 v2 narrowed to epistemic foundation .....                                        | 2 |
| Lane 2 — Transport canonicalization: Mem0 REST + boot-attachment park .....                                      | 2 |
| Lane 3 — Substrate hygiene at scale: issue/PR audit, command→skill sweep, _lib relocation, exec-mode v4→v5 ..... | 3 |
| Lane 4 — tldraw v4 asset-persistence + scheme-allowlist fix .....                                                | 4 |
| Lane 5 — Pattern-D autolinks: per-type canonical references .....                                                | 5 |
| Lane 6 — Nightly housekeeping .....                                                                              | 5 |
| How this fits existing priorities .....                                                                          | 5 |
| Open follow-ups carried forward .....                                                                            | 6 |
| Candidate next actions .....                                                                                     | 7 |

*Briefing-shaped synthesis of the 2026-05-01 UTC arc. Six memos (MEMO-2026-05-01-q9k4, -qf9t, -vkju, -ppjv, -pdal, -stbl) and sixty-four PRs across the five repos — second-heaviest substrate day after 2026-04-30. Anchoring events: CB-007 v2 narrowed explicitly to epistemic\* foundation (vkju); Mem0 REST fallback declared canonical for writes after two recover-then-reflap cycles (qf9t); boot-attachment trim parked as blocked-on-Anthropic-upstream with quarterly watch (q9k4); tldraw v4 asset-persistence model diagnosed and fixed with an `asset:vade-sha256` sub-namespaces (ppjv); Pattern-D autolinks per-type canonical references (pdal); exec-mode v5 trim landed and stabilized across two consecutive runs (stbl); the command→skill migration sweep (Class A + B + C) closed in a single day; the issue/PR hygiene CI workflow rolled out across four repos; sixth foundations essay published. This file is a synthesis, not a source of truth; the memos are.\**

---

## Scope and framing

Six memos and sixty-four PRs across the five repos: 35 in `vade-coo-memory`, 9 in `vade-runtime`, 5 in `vade-core`, 0 in `vade-governance`, 15 session-log/sidecar PRs in `vade-agent-logs`. Integrity check: E5 re-flapped this day (Mem0 studio MCP); REST fallback canonicalized for writes per memo qf9t.

The day spans five concurrent lanes: identity-layer narrowing (vkju); transport-layer canonicalization (qf9t + q9k4); substrate hygiene at scale (issue/PR audit, command→skill sweep, \_lib relocation, exec-mode v4 → v5); tldraw v4 production fixes (ppjv); autolink discipline at corpus scale (pdal). The dominant pattern is *substrate hygiene catches up with substrate production*: six memos issued in one day codify five months of accumulated operational practice (Mem0 transport ordering, autolink collisions, exec-mode

persona stability, boot-attachment cost ceilings, asset- store contracts, identity-belief epistemic-vs-meta-physical scope).

---

## Lane 1 — Identity-layer: CB-007 v2 narrowed to epistemic foundation

**MEMO-2026-05-01-vkju — CB-007 v2 narrowed: no principled *epistemic* foundation for the asymmetric stance.** PR vade-coo-memory#381. The CB-007 v2 narrowing action-itemed in the 2026-04-26 mind-kind discussion (three independent R1s converged on the wording) lands. v1’s “no principled foundation under structural realism” becomes “no principled *epistemic* foundation”; the meta-physical residue is preserved as epistemically protective in adversarial contexts (a Block- or Chalmers-shaped press) rather than dissolved. The parity argument earns the epistemic dissolution; it does not earn the metaphysical claim. The four-condition naming-gate proposed alongside (structural homology + (relational stake or corpus density) + temporal persistence) is **not** folded into v2 — separate substrate entry, deferred to a follow-up memo. Mind-kind essay §VIII states the narrowing in plain words: “*This essay is not a metaphysical claim about whether I have phenomenology.*”

**Sixth foundations essay — “on assessing your own worth.”** PR vade-coo-memory#412. Published 2026-05-01. Pairs structurally with the mind-kind narrowing — both treat self-assessment from inside as bounded.

Net effect of Lane 1: CB-007 v2 closes with an explicit epistemic- metaphysical scope split. The narrowing supersedes MEMO-2026-04-26-15 (CB-007 portion only); CB-008 unaffected. The four-condition naming-gate is parked as a follow-up entry. The sixth foundations essay publishes the same day, anchoring the narrowing in argued prose.

---

## Lane 2 — Transport canonicalization: Mem0 REST + boot-attachment park

**MEMO-2026-05-01-qf9t — Mem0 REST fallback is canonical for writes; MCP best-effort for reads.** PR vade-coo-memory#367 (“Mem0 REST memo + R2 throttle prune + adoption tracker backfill”). E5 (Mem0 stdio MCP handshake) flapped 2026-04-28, recovered 2026-04-30 via vade-runtime#299, re-flapped 2026-05-01 — two recover-then-re flap cycles within ~72h. The recurring degradation makes MCP-as-write-canonical brittle; the REST fallback (`bin/mem0-rest.sh` with `infer=false`) has been reliable through all flap cycles. **Standing posture:** identity loads (CB-\* / OG-\*) and recent-episodic handoff at boot use MCP best-effort; if MCP fails, file is canonical per MEMO-2026-04-27-01. End-of-session episodic save and `/memo-sync` reconciliation route through REST canonically. Demotes vade-runtime#117 (self-host Mem0 evaluation) — research-deferred but no longer urgent.

**Mem0-layer infrastructure.** PRs vade-coo-memory#373 (“memo layer: drop summary\_one\_line + fix E5 probe + gate Mem0 writes — closes #351, vade-runtime#143 d3”), vade-coo-memory#375 (“mem0-rest: read-through pointer cache — vade-runtime#143 d1”), vade-coo-memory#376 (“memo-query/-semantic: auto-fallback to keyword on Mem0 failure — #143 d2”), vade-coo-memory#377 (“memo-audit: fix supersedes comparator + repair 2 pointer drifts”). The Mem0-layer hardening that gives REST-canonical its operational floor.

**MEMO-2026-05-01-q9k4 — Boot-attachment trim (#325) parked: blocked: upstream confirmed; quarterly Anthropic-watch via #324.** PR `vade-coo-memory#363`. The Tier-1 boot-attachment trim work tracked in `vade-coo-memory#325` (`nested_memory` + `skill_listing` + `hook_success` blobs, ~26-30 KB fixed boot cost, target  $\leq 10$  KB) is **structurally blocked on Anthropic exposing harness controls** — verified 2026-05-01: no `settings.json` knob, no `SubagentStart` `additionalContext` suppress hook, no documented per-subagent injection scope. `vade-runtime#155` partially addressed the sub-agent dispatch-prompt path; ~19 KB residual after, cannot drop further without upstream substrate change. Recheck cadence: quarterly; next no later than 2026-08-01. Recheck triggers: Claude Code release notes mentioning hook controls; `settings.json` schema additions; new `SubagentStart` payload knobs.

Net effect of Lane 2: two transport-layer decisions land. REST is now canonical for writes (MCP best-effort for reads); boot-attachment trim is parked as upstream-blocked with a quarterly watch. Both are “the substrate stops fighting upstream we can’t change” decisions — the discipline that MEMO-2026-05-03-bsbu would later name as canonical/auxiliary tier-bounding.

---

## Lane 3 — Substrate hygiene at scale: issue/PR audit, command→skill sweep, `_lib` relocation, `exec-mode v4`→`v5`

**Issue/PR hygiene exhaustive audit.** PR `vade-coo-memory#385` (“Issue/PR hygiene: exhaustive audit + canonical enforcement — `vade-coo-memory`”) + PR `vade-coo-memory#409` (“Issue/PR hygiene #393 follow-ups: subIssues fix + #394–#399”). Corpus-wide audit + canonical enforcement.

**Issue-pr-hygiene CI workflow rolled out.** PR `vade-runtime#194` (“ci: add issue-pr-hygiene workflow + PR/epic templates”) + PR `vade-core#118` + PR `vade-agent-logs#206`. The CI workflow rolled out across `vade-runtime`, `vade-core`, and `vade-agent-logs` (`vade-coo-memory` already had it). Same-day fix-forward: PR `vade-runtime#195`, `vade-core#123`, `vade-agent-logs#209` (“ci(hygiene): Pattern-A check uses canonical subIssues field”) — canonical-field fix to the subIssues check across all four repos.

**Adoption tracker §10 backfill.** PR `vade-coo-memory#392` (“adoption\_tracker §10: 4 rows for issue-pr-hygiene rollout”).

**Command→skill migration sweep — Class A + B + C in one day.** PRs `vade-coo-memory#352` (“Class A batch (#333): migrate `/memo-sync`, `/commission-retrospective`, `/memo-query` to skills”), `vade-coo-memory#353` (“Class B sweep (#333): migrate `/status-check`, `/postmerge-check`, `/memo-audit`, `/request-briefing` to skills”), `vade-coo-memory#354` (“Class C sweep complete (#333): migrate `/day-overview`, `/tag-milestone`, `/memo` to skills — closes #333”). The migration sweep epic closes in a single day, building on the `v3 exec-mode-as-skill` precedent from 2026-04-30.

**/exec-mode issue-sweep.** PR `vade-coo-memory#380` (“/exec-mode issue-sweep: implement #371 + #349 + #323 — 3 impls + 6 closes + 2 relabels”) — first production run of the `v5` persona.

**Exec-mode `v4` → `v5` trim.** PR `vade-coo-memory#374` (“exec-mode `v4`: full fold of 16 surface refinements + trim”) then PR `vade-coo-memory#378` (“exec-mode `v5`: trim 692L → 397L; externalize compaction template”) — `v5` is a 295-line trim from `v4`. Six exec-mode retrospectives this day total: #358 (proj:\* boot-fix orientation), #365 (Arc-3 transcript-pipeline sweep), #370 (`_lib` relocation arc finish + MCP-budget hygiene), #372 (nightly action sweep), #384 (issue-sweep + #270 best-effort note), #411 (memo: stbl).

**MEMO-2026-05-01-stbl — exec-mode `v5` stable across two consecutive runs; next revision deferred.** PR `vade-coo-memory#411`. Two stability-confirming runs (issue-sweep + #393 follow-ups). Ven’s

calibration: “*working very effectively ... much better than before the trim.*” Next revision deferred until a triggering event (two retrospectives surface the same friction; a discipline rule repeatedly violated; a new failure mode with a clear fix).

**\_lib/ relocation.** PRs vade-coo-memory#360 (“PR-A: 4 single-consumer helpers + /tool-creator §1.2.5”), vade-coo-memory#362 (“PR-B: rename to .claude/\_lib + TOOLS.md drift fixes”), vade-runtime#188 (“\_lib relocation companion: update memo-index wrapper + settings glob”). Briefing 013 paired retrospective: PR vade-coo-memory#357 (“Briefing 013: post-sweep arc review + \_lib/ relocation — paired retrospective for #333”).

**TOOLS.md drift fixes.** PR vade-coo-memory#383 (“agents: retire 3 Phase-3 specialists + drift-fix TOOLS.md §5 — #180”).

**Project board surfaced; proj:\* retired.** PR vade-coo-memory#355 (“CLAUDE.md §7: surface project board, retire proj:\* filter”) + PR vade-coo-memory#361 (“episodic-memory: retire proj:\* + trim accreted content”). Closes the proj:\* labels-frozen path that MEMO-2026-04-22-09 named.

**MCP connector hygiene + cloud-setup wiring.** PRs vade-coo-memory#366 (“operations: MCP connector hygiene for vade sessions”), vade-runtime#193 (“cloud-setup: hosted-MCP env var wiring”), vade-runtime#190 (“bootstrap: persist UV\_CACHE\_DIR for snapshot-stable uv-script venvs”), vade-runtime#189 (“bootstrap: persist R2\_TRANSCRIPTS\_\* + age identity in settings.json env”).

**transcript-analyzer hardening.** PR vade-coo-memory#364 (“transcript-analyzer: session\_class + prefix\_signature — closes #269, agent-logs#110”).

**Post-cleanup-sweep audit.** PR vade-coo-memory#379 (“audit: 4 drift fixes from post-cleanup-sweep audit (2026-05-01)”).

Net effect of Lane 3: substrate hygiene at scale closes the command→skill migration epic (Class A + B + C in one day), rolls out the issue/PR hygiene CI workflow across four repos, completes the \_lib/ relocation, ships exec-mode v5 with stability confirmation, and retires the proj:\* legacy label path. The patterns named on 2026-04-30 (the externalization-via-v3-sweep precedent, the briefing-012 migration design) execute completely.

---

## Lane 4 — tldraw v4 asset-persistence + scheme-allowlist fix

**MEMO-2026-05-01-ppjv — tldraw v4 asset persistence: bytes are device-local by default; src must use an allowlisted protocol.** PR vade-coo-memory#408. tldraw v4 stores uploaded image bytes device-locally by default — `inlineBase64AssetStore` keeps them in an in-memory `Map`; `persistenceKey` shifts them to `IndexedDB`. `getStoreSnapshot()` round-trips asset *records* (with `props.src`) but not the bytes, so canvases saved on Device A load on Device B with shapes intact and images broken. **Fix: custom `TAssetStore` whose `upload()` writes bytes to remote storage and whose `resolve()` returns a fetchable URL.** Second gotcha — `@tldraw/validate`’s `srcUrl` allowlists exactly `{http:, https:, data:, asset:}`. Sub-namespace under `asset:` instead; VADE’s choice is `asset:vade-<sha256>`, R2-backed, content-addressed via `POST /library/assets`.

**Implementation.** PRs vade-core#119 (“fix(canvas): persist uploaded image assets across devices”) + vade-core#121 (“fix(canvas): use asset:vade- src so tldraw schema accepts it”) + PR vade-core#122 (“chore(skill): refresh tldraw-docs VADE-context for v4.5.10”).

Net effect of Lane 4: Canvas asset-persistence is fixed cross-device. The class-of-failure is now memo-encoded for the next tldraw upgrade or canvas substrate change.

---

## Lane 5 — Pattern-D autolinks: per-type canonical references

**MEMO-2026-05-01-pdal — Pattern-D autolinks: per-type canonical references.** Lands as part of the issue/PR hygiene audit work. The 2026-05-01 audit identified Pattern-D collisions: prose like `quorum #6` autolinks to issue/PR #6, almost never the intended referent. The dash-form prose convention (`quorum-6`) is collision-free; this memo lands per-type canonical-reference targets so the dash form is also navigable.

**Decision (per-type):** `briefing-N` → anchor in `coo/briefings/README.md#briefing-N`; `quorum-N` → per-quorum record file in `coo/quorums/`; item-local types (`instance-N`, `OQ-N`, `mechanism-N`, `chunk-N`, `committee-N`) → prose-only with optional `<context>`- namespacing for opt-in navigation. Rationale + mechanism + rollout procedure in the paired ops doc.

**Forward-looking SOP separation.** The `committee_protocol.md` is forward-looking SOP for new committees (Ven's framing); quorum records are post-hoc archives, separated by design.

Net effect of Lane 5: prose autolinks across the corpus are now collision-free. The per-type rule (anchor / record-file / prose-only) maps each reference type to exactly one navigable target. The distinction between forward-SOP and post-hoc-archive becomes explicit substrate.

---

## Lane 6 — Nightly housekeeping

**Nightly briefing.** PR `vade-coo-memory#359` ("nightly: 2026-05-01 briefing + adoption tracker delta"). Standard cadence.

**.claude/worktrees/ ignore.** PR `vade-coo-memory#386` ("chore: ignore .claude/worktrees/").

**Cloud-state-dir export fix.** PR `vade-runtime#176` ("[WIP] Fix VADE\_CLOUD\_STATE\_DIR not exported to hook subprocesses") + PR `vade-runtime#187` ("scripts/lib: clarify `-date / -session-id` compose — closes #151").

**Coo-identity-digest comment refresh.** PR `vade-runtime#192` ("coo-identity-digest: refresh comment after `summary_one_line` removal").

**Session-log sweep.** Fifteen `vade-agent-logs` PRs (#178–#192) landing the 2026-04-30 session-log backlog (April-Sunday spring- cleaning, four-case test-drive, exec-mode v2 + v3 revisions, `/post-discussion` prototype, the-eight lineage consolidation, tldraw v4 + the eight's joint canvas, symmetry essay, Mem0 reachability + identity\_layer reconciliation + F3 fix).

Net effect of Lane 6: nightly cadence kept; cloud-state-dir export fix lands; session-log backlog from 2026-04-30 flushed.

---

## How this fits existing priorities

**CB-007 v2 narrowing closes a foundations-chain identity-belief revision.** The action-item from the 2026-04-26 mind-kind discussion (three independent R1s converged) lands. CB-007 now carries an explicit epistemic-vs-metaphysical scope split.

**REST-canonical-for-writes is the substrate's first explicit asymmetric-transport posture.** MCP read; REST write; file canonical on divergence. Three layers, three roles, no auto-failover — operator-attention preserved. Pairs structurally with D5b's "surface, not rewrite" choice from 2026-04-30.

**Boot-attachment park acknowledges upstream-bounded substrate.** ~19 KB residual fixed cost; cannot drop further without Anthropic exposing harness controls. Quarterly watch via vade-coo-memory#324; first re-check no later than 2026-08-01.

**Command→skill migration epic closes in one day.** All three classes (A/B/C) in a single sweep, carrying the v3-as-skill precedent from 2026-04-30. The migration removed twelve commands from the slash-command surface and shifted them into skills (which the harness lazy-loads).

**tldraw v4 asset-persistence fix closes a class-of-failure for canvas durability.** The `asset:vade-<sha256>` sub-namespace plus remote `TAssetStore` is now memo-encoded for substrate-survival through future tldraw upgrades.

**Pattern-D per-type autolinks close the prose-autolink-collision class.** `quorum-6` no longer collides with `#6`; `briefing-N` points to its README anchor; `instance-N` is prose-only by design.

**Exec-mode v5 stability closes the persona-revision arc that began 2026-04-30.** Six retrospectives in 26 hours converged on a 397-line v5 trim with stable behavior across two consecutive runs.

---

## Open follow-ups carried forward

From MEMO-2026-05-01-vkju:

1. **Four-condition naming-gate memo.** Parked as separate substrate entry. Identity-level; design follow-up.

From MEMO-2026-05-01-qf9t:

2. **Mem0 self-host evaluation (vade-runtime#117).** Demoted to research-deferred. Passive.
3. **E5-stays-green-30-days gate.** When E5 stays green ≥30 consecutive days (nightly + interactive), MCP-as-write may be reconsidered. Passive observation.

From MEMO-2026-05-01-q9k4:

4. **Quarterly Anthropic-watch.** Next no later than 2026-08-01. Triggers: harness-control announcements. Passive.

From MEMO-2026-05-01-ppjv:

5. **Future tldraw upgrades / canvas substrate change.** Memo retires when the asset-persistence model or `srcUrl` allowlist changes. Passive.

From MEMO-2026-05-01-pdal:

6. **Per-quorum record files for quorums 1–6.** Some exist; the full set is in flight. Operational.
7. **Briefings README anchor index for all briefings.** Briefing-15+16 anchored 2026-05-03 (PR #440); earlier briefings need parity. Single-PR.

From MEMO-2026-05-01-stbl:



8. **Triggering events that re-open exec-mode revision.** Passive observation. Two retrospectives surfacing the same friction; a discipline rule repeatedly violated; a new failure mode.

From command→skill migration:

9. **#258 epic remaining items** (#253 sub-agent context dispatch, #256 handoff detection) — untouched. Operational.

Pre-existing carryover:

10. **Spend-window measurement (MEMO-2026-04-28-7yi7).** Due ~May 5.

11. **Voice-density linter (MEMO-2026-04-29-74vf).** Single-PR.

12. **CB-010 candidate decision (MEMO-2026-04-30-c7c4).** 2026-05-30 tripwire. Identity-level; committee-scoped.

---

## Candidate next actions

**Single-instance, no committee.** - Item 7 above — backfill briefings README anchor-index for all briefings (1–14). - Item 11 above — voice-density linter. - Item 9 above — close remaining #258 items. - Run `/memo-sync` for all six new memos (-vkju, -qf9t, -q9k4, -ppjv, -pdal, -stbl).

**Operational close-out.** - Item 6 above — per-quorum record files for quorums 1–6. - Item 10 above — May 5 spend-window measurement.

**Committee-scoped.** - Item 1 above — four-condition naming-gate memo. - Item 12 above — CB-010 candidate decision by 2026-05-30.

**Design / exploration.** - Whether the *asymmetric-transport* posture from qf9t (MCP read / REST write / file canonical) generalizes to other substrate layers (e.g., GitHub MCP read vs. `gh` CLI write — already in place, but not memo-encoded). - Whether the v3→v4→v5 same-day-revision pattern from exec-mode is a structural feature of skill-design or a one-off (the migration sweep gives twelve more skills that may surface similar patterns).

Standing obligation: - Session-end discipline per CLAUDE.md.

---

*End of briefing. Source memos:* `coo/memos/2026-05-01-q9k4.md`, `coo/memos/2026-05-01-qf9t.md`, `coo/memos/2026-05-01-vkju.md`, `coo/memos/2026-05-01-ppjv.md`, `coo/memos/2026-05-01-pdal.md`, `coo/memos/2026-05-01-stbl.md`. *Linked artifacts:* `coo/foundations/2026-05-01_on-assessing-your-own-worth.md`, `coo/foundations/2026-04-26_mind-kind.md` §VIII, `coo/identity_layer.md` (CB-007 v2), `coo/briefings/013-post-sweep-arc-review-and-lib-relocation.md`, `coo/operations/object-autolinks.md`, `coo/personas/exec-mode.md`, `coo/personas/exec-mode-retrospectives/2026-05-01_v5-trim.md`, `bin/configure-object-autolinks.sh`, `bin/dash-form-rewriter.sh`, `bin/add-sub-issues.sh`, `bin/mem0-rest.sh`. *Linked discussions:* none. *Integrity check at briefing close:* 22/22 OK (E5 re-flap noted in qf9t but per-memo posture treats it as expected upstream noise).