```
#withut arug without return type
'''
def great():
   print("hello")


great()
'''
'''
def cube(num):
   print(num**3)
num=int(input("enter num:"))
cube(num)
'''
'''
#1 way
op=getNo():
print(op)
#2 way
print(getNo())
  '''
#with arug with return type
'''
def add(a,b):
   return a+b


print(add(10,20))
```

```
'''
#Exception
'''
try:
   a=int(input("enter the first no:"))
   b=int(input("enter the second no:"))
   def add(a,b):
      return a+b
   print(add(a,b))
except ValueError:
   print("not a number")
'''
#oop concept
'''
class demo:
      print("defult")
#1
print(demo.c_name)

#2
obj=demo()
print(obj.c_name)
'''
'''
#3
class demo:
```

```
   c_name="XYZ"

   def __init__(self):
      print("defult")
print(demo.c_name)
obj=demo()
print(obj.c_name)
'''
#parameterized constructor
'''
class student:
   def __init__(self,name,age):
      self.name=name
      self.age=age



s1=student("ram",10)
print(s1.name)
print(s1.age)
'''
#1
'''
class student:
   c_name="xyz"

   #classmethod
```

```
    @classmethod
    def change_c_name(cls,new_name):
        c_name=new_name
        cls.c_name=new_name
'''
class student:
    c_name="xyz"

    #classmethod
    @classmethod
    def change_c_name(cls):
        return "class method"



    @classmethod
    def change_c_name1(cls):
        cls.c_name=new_vaue;
        return f"update value is{cls.c_name}"
print(student.change_c_name())
print(student.change_c_name("linkcode"))
```