

Lecture 3: Simple Linear Regression and OLS

Economics 326 — Introduction to Econometrics II

Vadim Marmer, UBC

Introduction and Definitions

Overview of Simple Linear Regression

- The **simple linear regression model** is used to study the relationship between **two variables**.
- It has many limitations, but nevertheless there are examples in the literature where the simple linear regression is applied (e.g., stock returns predictability).
- It is also a good starting point to learning the regression technique.

Key Definitions

TABLE 2.1

Terminology for Simple Regression

y	x
Dependent variable	Independent variable
Explained variable	Explanatory variable
Response variable	Control variable
Predicted variable	Predictor variable
Regressand	Regressor

Sample vs Population

- The econometrician observes random data:

observation	dependent variable	regressor
1	Y_1	X_1
2	Y_2	X_2
$\vdots$	$\vdots$	$\vdots$
n	Y_n	X_n

- A pair X_i, Y_i is called an observation.
- Sample:** $\{(X_i, Y_i) : i = 1, \dots, n\}$.
- The population is the **joint distribution** of the sample.

Simple Linear Regression Model

Conditional Expectation Function

- We model the relationship between Y and X using the **conditional expectation**:

$$E(Y_i|X_i) = \alpha + \beta X_i.$$

- Intercept:** $\alpha = E(Y_i|X_i = 0)$.
- Slope:** β measures the effect of a unit change in X on Y :

$$\begin{aligned}\beta &= E(Y_i|X_i = x + 1) - E(Y_i|X_i = x) \\ &= [\alpha + \beta(x + 1)] - [\alpha + \beta x].\end{aligned}$$

- Marginal effect** of X on Y :

$$\beta = \frac{dE(Y_i|X_i)}{dX_i}.$$

- The effect is the same for all x .

Regression Error Term

- α and β in $E(Y_i|X_i) = \alpha + \beta X_i$ are **unknown**.
- Residual (error):**

$$U_i = Y_i - E(Y_i|X_i) = Y_i - (\alpha + \beta X_i).$$

U_i 's are **unobservable**.

- The model:**

$$\begin{aligned}Y_i &= \alpha + \beta X_i + U_i, \\ E(U_i|X_i) &= 0.\end{aligned}$$

Functional Form: Linearity

- We consider a model that is linear in the coefficients α, β : $Y_i = \alpha + \beta X_i + U_i$.
- The dependent variable and the regressor can be nonlinear functions of some other variables.
- The most popular function is log.

Log-Linear Specification

- Consider the following model:

$$\log Y_i = \alpha + \beta X_i + U_i.$$

- In this case,

$$\begin{aligned}\beta &= \frac{d(\log Y_i)}{dX_i} \\ &= \frac{dY_i/Y_i}{dX_i} = \frac{dY_i/dX_i}{Y_i}.\end{aligned}$$

- β measures **percentage** change in Y as a response to a unit change in X .
- In this model, it is assumed that the percentage change in Y is the same for all values of X (constant).
- In $\log(\text{Wage}_i) = \alpha + \beta \times \text{Education}_i + U_i$, β measures the **return** to education.

Log-Log Specification

- Consider the following model:

$$\log Y_i = \alpha + \beta \log X_i + U_i.$$

- In this model,

$$\begin{aligned}\beta &= \frac{d \log Y_i}{d \log X_i} \\ &= \frac{dY_i/Y_i}{dX_i/X_i} = \frac{dY_i}{dX_i} \frac{X_i}{Y_i}.\end{aligned}$$

- β measures **elasticity**: the percentage change in Y as a response to 1% change in X .
- Here, the elasticity is assumed to be the same for all values of X .
- Example: Cobb-Douglas production function:

$$Y = \alpha K^{\beta_1} L^{\beta_2} \implies \log Y = \log \alpha + \beta_1 \log K + \beta_2 \log L$$

(two regressors: log of capital and log of labour).

Assumption of Orthogonality

The model:

$$Y_i = \alpha + \beta X_i + U_i.$$

We assume that $E(U_i|X_i) = 0$.

- $EU_i = 0$.

$$EU_i \stackrel{\text{Law of Iterated Expectation}}{=} E E(U_i|X_i) = E 0 = 0.$$

- $Cov(X_i, U_i) = EX_i U_i = 0$.


$$\begin{aligned}EX_i U_i &\stackrel{\text{Law of Iterated Expectation}}{=} E E(X_i U_i|X_i) \\ &= E [X_i E(U_i|X_i)] = E [X_i 0] = 0.\end{aligned}$$

Decomposition into Predicted and Error Components

$$Y_i = \underbrace{\alpha + \beta X_i}_{\text{Predicted by } X} + \underbrace{U_i}_{\text{Orthogonal to } X}$$

FIGURE 2.1

$E(y|x)$ as a linear function of x .




Estimation of Parameters

Estimation Problem

FIGURE 2.2

Scatterplot of savings and income for 15 families, and the population regression $E(\text{savings}|\text{income}) = \beta_0 + \beta_1 \text{income}$.



Problem: estimate the unknown parameters α and β using the data (n observations) on Y and X .

Method of Moments Estimator

- We assume that

$$EU_i = E(Y_i - \alpha - \beta X_i) = 0.$$
$$EX_i U_i = EX_i(Y_i - \alpha - \beta X_i) = 0.$$

- An **estimator** is a function of the observable data; it can depend only on observable X and Y . Let $\hat{\alpha}$ and $\hat{\beta}$ denote the estimators of α and β .
- **Method of moments:** replace expectations with averages. **Normal equations:**

$$\frac{1}{n} \sum_{i=1}^n (Y_i - \hat{\alpha} - \hat{\beta} X_i) = 0.$$
$$\frac{1}{n} \sum_{i=1}^n X_i (Y_i - \hat{\alpha} - \hat{\beta} X_i) = 0.$$

Normal Equations

- Let $\bar{Y} = \frac{1}{n} \sum_{i=1}^n Y_i$ and $\bar{X} = \frac{1}{n} \sum_{i=1}^n X_i$ (averages).

$$\frac{1}{n} \sum_{i=1}^n (Y_i - \hat{\alpha} - \hat{\beta} X_i) = 0$$

implies

$$\begin{aligned} \frac{1}{n} \sum_{i=1}^n Y_i - \frac{1}{n} \sum_{i=1}^n \hat{\alpha} - \hat{\beta} \frac{1}{n} \sum_{i=1}^n X_i &= 0 \text{ or} \\ \bar{Y} - \hat{\alpha} - \hat{\beta} \bar{X} &= 0. \end{aligned}$$

The fitted regression line goes through the averages.

•

$$\hat{\alpha} = \bar{Y} - \hat{\beta} \bar{X}.$$

Slope Estimator Derivation

- $\hat{\alpha} = \bar{Y} - \hat{\beta} \bar{X}$ and therefore

$$\begin{aligned} 0 &= \frac{1}{n} \sum_{i=1}^n X_i (Y_i - \hat{\alpha} - \hat{\beta} X_i) \\ &= \sum_{i=1}^n X_i (Y_i - (\bar{Y} - \hat{\beta} \bar{X}) - \hat{\beta} X_i) \\ &= \sum_{i=1}^n X_i [(Y_i - \bar{Y}) - \hat{\beta} (X_i - \bar{X})] \\ &= \sum_{i=1}^n X_i (Y_i - \bar{Y}) - \hat{\beta} \sum_{i=1}^n X_i (X_i - \bar{X}). \end{aligned}$$

Final Formulas for OLS Estimators

•

$$\begin{aligned} 0 &= \sum_{i=1}^n X_i (Y_i - \bar{Y}) - \hat{\beta} \sum_{i=1}^n X_i (X_i - \bar{X}) \text{ or} \\ \hat{\beta} &= \frac{\sum_{i=1}^n X_i (Y_i - \bar{Y})}{\sum_{i=1}^n X_i (X_i - \bar{X})}. \end{aligned}$$

- Since

$$\begin{aligned} \sum_{i=1}^n X_i (Y_i - \bar{Y}) &= \sum_{i=1}^n (X_i - \bar{X}) (Y_i - \bar{Y}) = \sum_{i=1}^n (X_i - \bar{X}) Y_i \text{ and} \\ \sum_{i=1}^n X_i (X_i - \bar{X}) &= \sum_{i=1}^n (X_i - \bar{X}) (X_i - \bar{X}) = \sum_{i=1}^n (X_i - \bar{X})^2 \end{aligned}$$


we can also write

$$\hat{\beta} = \frac{\sum_{i=1}^n (X_i - \bar{X}) Y_i}{\sum_{i=1}^n (X_i - \bar{X})^2}.$$

Fitted Values and Residuals

- Fitted values:** $\hat{Y}_i = \hat{\alpha} + \hat{\beta} X_i$.
- Fitted residuals:** $\hat{U}_i = Y_i - \hat{\alpha} - \hat{\beta} X_i$.


FIGURE 2.4



True vs Fitted Regression Lines

- **True:** $Y_i = \alpha + \beta X_i + U_i$, $EU_i = EX_i U_i = 0$.
- **Fitted:** $Y_i = \hat{\alpha} + \hat{\beta} X_i + \hat{U}_i$, $\sum_{i=1}^n \hat{U}_i = \sum_{i=1}^n X_i \hat{U}_i = 0$.

FIGURE 2.5



Ordinary Least Squares (OLS) Minimization

- Minimize $Q(a, b) = \sum_{i=1}^n (Y_i - a - bX_i)^2$ with respect to a and b .

- Derivatives:

$$\frac{dQ(a, b)}{da} = -2 \sum_{i=1}^n (Y_i - a - bX_i).$$

$$\frac{dQ(a, b)}{db} = -2 \sum_{i=1}^n (Y_i - a - bX_i) X_i.$$

- First-order conditions:

$$0 = \sum_{i=1}^n (Y_i - \hat{\alpha} - \hat{\beta}X_i) = \sum_{i=1}^n \hat{U}_i.$$

$$0 = \sum_{i=1}^n (Y_i - \hat{\alpha} - \hat{\beta}X_i) X_i = \sum_{i=1}^n \hat{U}_i X_i.$$

- Method of moments = OLS:

$$\hat{\beta} = \frac{\sum_{i=1}^n (X_i - \bar{X}) Y_i}{\sum_{i=1}^n (X_i - \bar{X})^2} \quad \text{and} \quad \hat{\alpha} = \bar{Y} - \hat{\beta} \bar{X}.$$