A

Assignment Session-7

Subject : SQL

OM VADIYA
DATA SCIENCE

Q1) Create a table called Orders with columns: order_id, user_name, total_amount, and order_date. Insert 5 sample rows with different users and order amounts, including at least one NULL value for total_amount.

```
CREATE TABLE Orders (
    order_id INT PRIMARY KEY,
    user_name VARCHAR(100),
    total_amount DECIMAL(10,2),
    order_date DATE
);
---------------------------------------------
INSERT INTO Orders (order_id,
user_name, total_amount,
order_date)
VALUES
(1, 'Rahul', 1500.00, '2026-10-10'),
(2, 'Priya', 2500.50, '2026-10-12'),
(3, 'Amit', NULL, '2026-10-15'),
(4, 'Neha', 999.00, '2026-10-18'),
(5, 'Karan', 3200.00, '2026-10-20');
```

Q2) Write a SQL query to count how many orders were placed by each user in the Orders table, displaying user_name and the number of orders as order_count.

```
SELECT user_name, COUNT(*) AS order_count FROM Orders
GROUP BY user_name;
```

Q3) Write a SQL query to calculate the average total_amount of all orders in the Orders table, making sure to ignore any NULL values.

```
SELECT AVG(total_amount) AS average_amount
FROM Orders;
```

Q4) Suppose you are building a Flipkart-style dashboard: Write a SQL query to find the highest and lowest order amounts (MAX and MIN) from the Orders table, and display both values in a single result row.

```
select  max(total_amount) as max_amount , min(total_amount) as min_amount
from orders;
```

Q5) Write a SQL query to calculate the total sales (SUM of total_amount) for all orders, but only include orders where total_amount is not NULL.Use a WHERE clause to filter out NULL values before applying the SUM function.

```
select sum(total_amount) as total_amount from orders where total_amount is not NULL;
```