



Immunization

Topic tools



FULLY VACCINATED!



International Federation
of Red Cross and Red Crescent Societies
www.ifrc.org Saving lives, changing minds.



Word tree template



Vaccination is _____





Word tree template

Observations



TRAINER
SCRIPT








Vaccines


Activating the body's natural protection from disease


- 1 We are exposed to **diseases** from bacteria and viruses constantly.



- 2 When a **disease** enters the body, the body has to learn how to defend itself or it will be infected.


- 3 Your body does this by creating special **antibodies** for each and every **disease**.


- 4 This is your body's natural defence but making the right **antibodies** can take time.


- 5 **Diseases** can travel rapidly, and in unexpected ways, and our bodies do not always have enough time to make these **antibodies** before infection makes us sick.


- 6 This is where vaccines come in. They teach the body how to create **antibodies** before infection through a completely natural process.



- 7 Your **immune system** gets rid of the infection before you even know it is there because the body remembers how to protect itself, both now and in the future.





Vaccines

Activating the body's natural protection from disease



- 1 We are exposed to **diseases** from bacteria and viruses constantly.



- 2 When a **disease** enters the body, the body has to learn how to defend itself or it will be infected.



- 3 Your body does this by creating special **antibodies** for each and every **disease**.



- 4 This is your body's natural defence but making the right **antibodies** can take time.




- 5 **Diseases** can travel rapidly, and in unexpected ways, and our bodies do not always have enough time to make these **antibodies** before infection makes us sick.



- 6 This is where vaccines come in. They teach the body how to create **antibodies** before infection through a completely natural process.



- 7 Your **immune system** gets rid of the infection before you even know it is there because the body remembers how to protect itself, both now and in the future.






Vaccination is like...

Sports team analogy

Vaccination is like a test match against your strongest competitor. It helps you prepare your “game strategy” to defeat the disease when the big game, the infection, actually takes place.






Vaccination is like...

Soldier analogy

Diseases are the enemy.

Your body has a few soldiers that recognize each disease.

A vaccine helps your body make more soldiers to fight against the specific disease. So, when you see the real disease, your body can respond quickly and fight it.







Vaccination is like...

The bridge analogy

NOT VACCINATING is like choosing to swim through crocodile-infested waters, because you are worried the bridge will collapse.





Fill in the blanks: a story of disease

Ask:

Can you think of a child close to you who has recently been sick? Do you know the story of his or her disease? Let us try to piece it together. What is the child's name?

Say:

Recently, _____ got sick. His/her symptoms were _____ and _____.

When germs invade the body, they attack and multiply. This invasion is called _____ and the infection is what causes illness.

The first time the body encounters a germ, it can take several days to make and use all the germ-fighting tools needed to get over the infection.

After the infection, the immune system remembers what it learned about how to protect the body against that disease. This helps it to act quickly when it encounters the same germs again.

Vaccines help develop _____ by imitating an infection.

Some germs that cause common colds cannot be prevented by vaccines. Other, more serious diseases can be prevented by vaccines. These diseases are called _____.

I think _____'s illness _____ could have been prevented by a vaccine.

Children who are vaccinated have _____.

Most importantly – vaccine helps the body remember and to develop long-term immunity against the disease.





Name and fame

Vaccine-preventable diseases (VPD) counselling cards



Tuberculosis

Some key symptoms

Cough
Feelings of sickness or weakness
Weight loss, fever and/or night sweats.

If not prevented

Tuberculosis can cause death. Tuberculosis (TB) is one of the top 10 causes of death worldwide.

Vaccine

BCG



Tetanus

Some key symptoms

Stiffness of the neck, jaw, and other muscles often with a grinning expression
Uncontrollable spasms of the jaw ('lockjaw') and neck muscles

If not prevented

Tetanus is a very dangerous disease for newborn babies and pregnant mothers. Babies born with tetanus often die.

Vaccine

Pentavalent
(DTP + HepB = Hib)





Name and fame

Vaccine-preventable diseases (VPD) counselling cards



**Pertussis /
Whooping cough**

Some key symptoms

Fits of many, rapid coughs followed by a high-pitched “whoop” sound

If not prevented

Pertussis can cause coughing fits that make it difficult for children to eat, drink or breathe. It is most dangerous in infants.

Vaccine

Pentavalent



Measles

Early signs

high fever, runny nose and cough
red and watery eyes
small white spots inside the cheeks

After several days

A rash, usually on the face and upper neck.

If not prevented

Measles is highly contagious disease and can lead to blindness and encephalitis. It is a common cause of death among young children around the world.

Vaccine

Measles vaccine or MMR for Measles, Mumps Rubella





Name and fame

Vaccine-preventable diseases (VPD) counselling cards



Rubella

Some key symptoms

1-2 days of mild fever and swollen, tender lymph nodes, usually in the back of the neck or behind the ears. A rash then begins on the face and spreads downward.

If not prevented


Rubella infection in pregnant women can cause miscarriage or birth defects that affect children's brain, heart, eyes and ears and lead to lifelong disability.

Vaccine

MMR



Some children do not have any symptoms.



Mumps

Some key symptoms

Fever, loss of appetite, tiredness, muscle aches, headaches. Swollen glands in front of the ears or under the jaw.

If not prevented

Mumps is highly contagious and most often affects children between five and nine years old. Severe cases can lead to meningitis and deafness.

Vaccine

MMR




Some children do not have any symptoms.





Name and fame

Vaccine-preventable diseases (VPD) counselling cards



Polio

Early signs

Fever, fatigue, headache
Vomiting
Stiffness in the neck and limb pain
Polio can cause total paralysis in a matter of hours

If not prevented


Polio is a highly infectious disease that mainly affects young children. It can lead to permanent paralysis or death.

Vaccine

Polio – OPV (drops)
and/or IPV (injectable
vaccine)



**Some children do not
have any symptoms.**



Pneumonia

Some key symptoms

Fever and chills, cough
Difficulty/rapid breathing
Chest pain

If not prevented

Pneumonia is one of the largest infectious causes of death in children worldwide.

Vaccine

Pneumococcal
vaccination



**Pneumonia (lung
infection) is the most
common serious form.**





Vaccination planner

My child's name _____

Date of birth _____

Clinic location/contact _____



Pregnancy



0-2 weeks



1-3 months



6-12 months



1 year



2 years

Vaccinations required	Vaccinations done	Date to go to the clinic	What else is happening in my life around this time to help me remember?





Vaccines

For life-long protection



Pregnancy

Tetanus vaccine



First year of life

AT BIRTH:

TB, Polio and Hepatitis B vaccinations.

6 WEEKS:

Begin a series of three vaccinations for diphtheria, tetanus, pertussis, and polio.

9 MONTHS:

Have four vaccination visits, ending with measles vaccination .



Second year of life

Routine immunization allows for catch up on missed vaccinations and to increase protection from disease.

Follow-ups may be helpful added protection for measles and diphtheria, tetanus and pertussis.



School-entry

Entry into pre-school and primary school is an opportunity to make sure that children have received all the vaccinations they need – and if not, to catch up!

Children may need additional or new doses of vaccine to protect them from measles, tetanus, diphtheria, polio, chicken pox, the flu and other diseases.



Pre-teen and adolescence

In addition to another opportunity to catch-up on missed vaccines, adolescents need vaccines to protect them from infections that cause meningitis, cancer caused by HPV (human papillomavirus), whooping cough, the flu and other diseases.



Adulthood

As adults age, they are at increased risk of diseases such as the flu, hepatitis B, shingles and pneumococcal disease.

Immunization can help older adults to remain disease-free, active and healthy for longer so that they can continue to contribute to their family and community.

After animal bites and injuries, at any age



Children and adults of all ages can be infected with rabies and tetanus and will need an immediate dose of vaccine to help prevent these diseases.

RABIES: Children and adults can get rabies if they are bitten by an animal with rabies. Immediately wash the wound and get a series of the rabies vaccine to prevent onset of the disease which is almost always fatal.


TETANUS: Children and adults can get infected with tetanus when they get a scratch, cut or wound, particularly from objects found outdoors, in gardens where the bacteria can commonly be

found in dust, soil and animal feces. Immediately wash the wound, and if you have NOT been fully vaccinated for tetanus within the past ten years, get the tetanus vaccine immediately.





Making a plan ☒



I will take _____ *name of child*

to the

☐

Clinic or

☐

Outreach centre or

☐

Health camp

to protect from

_____ *name of disease*

on:

_____ *day of the week*

_____ *month*

_____ *day*






Common barriers

Card sort cards

**“My husband / wife
needs to give
permission”**


**“I do not feel that
vaccination is supported
in my community”**



**I cannot make this
decision on my own**

**“There are too many
appointments to keep
track of.”**

**“I do not know where to
go, when to go, what
vaccines do, why they're
important...”**



**I do not have all the
information**






Common barriers

Card sort cards

“My religious leaders do not support vaccination”

“Traditional healers do not believe in vaccination”



It is against my religion or culture

“I know a family whose child got very sick after vaccination.”

“I am worried about side-effects”



I do not think vaccination is safe






Common barriers

Card sort cards

“The clinic is too far away, and I cannot afford to miss a whole day of work.”


“The hours are not convenient.
We are not treated well in the clinic”



Vaccination is inconvenient

“My children are not at risk, so it is not worth it to vaccinate them.”

“I do not believe vaccines protect against disease.”




I do not think vaccines work





Common barriers

Card sort cards (templates)





Responding to resistance

Fact sheet

A parent or caregiver may not want their child to be vaccinated for multiple reasons.



Remember, the first step is to listen to their concerns with understanding and empathy. You can think of empathy as simply imagining yourselves in their shoes. Why might they believe or feel that way? What are the conditions in their lives that might make this true for them?

After you have listened patiently and expressed your understanding, respectfully provide them with accurate information and advice. Here is some dialogue that may help you respond effectively to some common scenarios.

This fact sheet may be used as a reference sheet, or as a helpful guide to facilitate a role-play exercise.

Observations:





Responding to resistance

Fact sheet

COMMUNICATION APPROACH



SAMPLE DIALOGUE

1. Actively listen

Nod frequently.
Be patient.
Do not interrupt.

2. Empathize

“I understand why you have concerns...”
“I had similar worries at first...”
“Your children are the most important thing...”
“I hear you...”
“I believe you...”
“You’re right about... but...”

3. Reframe the issue to make it specific to the family or community you’re speaking to:

a) BELIEVE VACCINE IS UNSAFE

“This vaccine has been given in this community / village / neighbourhood / area for many years, and all of the children here are fine.”

“If you think about it, you already know so many people who have been vaccinated regularly and are healthy.”

“You probably know many community leaders and religious leaders who have encouraged children to get this vaccine. That is because we all know that it is perfectly safe.”

(continued on next page)





Responding to resistance

Fact sheet

COMMUNICATION APPROACH



SAMPLE DIALOGUE

a) BELIEVE VACCINE IS UNSAFE (cont.)

“Side-effects depend on the child, and every child is a little different. Some have fever after a vaccine, while others do not. These side-effects just mean the vaccine is doing its job. Your child will be fine within a few days. And then he is protected for the rest of his life against far more serious illness”

“We are lucky we have an easy way to prevent disease in our community.”

b) BELIEVE VACCINE IS INEFFECTIVE

“I have thought about this too. But then I found out that vaccines are more effective when they are taken according to the schedule. Sometimes that means taking them several times. That’s why it is important to follow the national vaccination schedule, and not miss out any vaccines.”

“As you can imagine, it is hard to vaccinate everyone in an entire village, let alone a big city or a country. But the vaccine becomes so much more effective once everyone has it because it becomes harder for germs to find unprotected children to pass through.”

(continued on next page)





Responding to resistance

Fact sheet

COMMUNICATION APPROACH



SAMPLE DIALOGUE

b) BELIEVE VACCINE IS INEFFECTIVE (cont.)

“To make sure the vaccine works as best as it possibly can, your child needs to be strong enough to fight infections. Wash hands with soap to prevent diarrhoea, feed him good, nutritious food, together with breastfeeding until two years of age, and make sure you follow the routine immunization schedule fully.”

4. Emphasize the importance of vaccination as something we all do together, without being pushy or disrespectful

“Giving the vaccine does not just protect your children, it actually will help all of us protect our children from getting sick.”

“We have protected so many children by doing this all together.”

5. No matter the outcome, thank them for their time.

“I know you are very busy and have many things to do. Thank you for taking the time to listen to me. I only want what is best for your children and the community.”






International Federation
of Red Cross and Red Crescent Societies
www.ifrc.org Saving lives, changing minds.

VAX FACTS GAME





22

23



25



14

13



QUESTION
CARDS



0-2 WEEKS



2



4

5




2 YEARS OLD



FULLY VACCINATED!

26

3-6 MONTHS



1-3 MONTHS





Vax facts game

Introduction

Vaccinating your child is not always easy. In Vax facts, you will take on the role of a mother or father who must get your child all the vaccinations they need up to two years old.

This is a card based game. There is no die. You move around the board using two kinds of cards:

1. Question cards
2. Chance cards

a) Question cards: Test your knowledge of immunization. If you get the question right, the card tells you how many spaces you move forward. If you get it wrong, remain where you are.



b) Chance cards: Because life is unpredictable, in addition to the question cards, there are “chance cards”. These are smaller cards that are drawn only if you land on the chance space on the board. Chance cards can both support or hurt your vaccination efforts. So, some chance cards will be positive and will send you forward. Others will be barriers to vaccination, and will send you backward.

The entire game should take about 20-30 minutes to complete.

Remember:

This is about learning, so help each other out. Discuss the cards together. Talk about the images on the board and how they relate to vaccination. Have some fun on your way to fully vaccinate your two year old child!

Set-up

Vax facts can be played by up to six teams or six individual players.

1. Connect the three A4 pieces, lay out the board and have the players sit around it (A).
2. Cut and assemble the player pawns and have each player select one. Place the pawns on the ‘Start’ space (B).
3. Cut out the question and chance cards and place them in the correct space on the board (C)(D).

You are ready to play!

** Note there is no die. Players move according to the number of spaces highlighted on the card.*






Vax facts game


Play by play instructions

1. The youngest player (player 1) draws the first question card from the top of the pile. He/she then reads it out loud to the person or team to the left of them (player 2).
2. If a correct answer, player 2 moves their player pawn according to the number of spaces shown on the card. Players can discuss the answer and agree whether the answer given was correct or not.
3. If player 2 lands on a chance space after a correct answer, they must now also take a chance card and move forward or backward, depending on the card.
4. If the answer is incorrect they remain where they are. It is then the next player's turn to their left (Player 3).
5. Player 2 now reads the next question card for Player 3.

The game continues this way until time is reached or a player or team reaches the final space on the board: a fully vaccinated child.



Example question card and move



Example chance card and move

Clarifications

Players can land on the same space with no penalty.

if a player has answered incorrectly for two rounds or more in a row, they can choose to take a risk on their next turn with a chance card, instead of drawing a question card. Remember, chance cards can be both positive and negative. This could make things worse!

If a player is sent backwards they cannot go past the Start space. If for example, they are asked to go back three, but only have one space, left on the board, they would simply start at the first space.

Winning the game

The winner is the first player or team to get to complete the board and cross the two year-mark with a fully-vaccinated child!

Players do not need to land on the final space exactly. For example, if there are two spaces remaining, they can move forward three or more and still win.

If there is not enough time to complete the game, the player closest to the final space at the time of completion is the winner.





How does your body naturally defend itself when germs such as bacteria and viruses attack?

Your body fights back against the germs by making antibodies — which are the body's natural defence weapons. This is done in the body's immune system, the headquarters for the body's defence against infection and disease.

+2 →



What does it mean to have immunity against a disease?

After infection, if the same type of germ invades again, your body and antibodies will be able to recognize it and react quickly to kill it. This means that you are much less likely to get sick and develop the disease. This is called immunity.

+3 →



How does vaccination protect you from disease in the future?

Vaccines encourage your body's natural immune response by safely introducing a weakened form of the disease through the vaccine. It acts like an infection, without making you sick.

+4 →



Do vaccines offer 100 per cent protection?

Though no vaccine offers 100 per cent protection, your body will be much better able to protect itself against that disease if it ever tries to invade again and you will have long-term immunity against that particular disease.

+5 →



Name the 3 ways common vaccines are given?

1. Injection.
2. Drops (polio is one example).
3. Inhalation (some flu vaccines).

+2 →




How many children globally are estimated to be saved by vaccines every year?

It is estimated that the lives of 3-4 million children are saved by vaccines every year.

Today, immunization is considered to be one of the most important discoveries in the history of public health.


+3 →



Name three common reasons that children get sick?

- Common reasons include:
1. Poor nutrition
 2. Inadequate sanitation
 3. Lack of access to clean water
 4. Poor hygiene

+4 →



What is the difference between vaccine- preventable diseases and other types of diseases?

Vaccine-preventable diseases can be prevented with vaccines.


+1 →





Should you vaccinate your children even if the disease is not affecting your community?

Yes. Diseases can always return at any time if children are unprotected.




+2 →



Do vaccines treat or prevent disease?

Vaccines prevent disease, they are not treatment for disease.

The best decision is always to vaccinate before children in the community become sick.




+3 →



Are vaccines safe?

Yes. When vaccines are given at the right time, by qualified people, vaccination is safe and effective.




+1 →



Name two common side-effects from vaccination.

Slight fever,
Redness where the injection was given
Swelling where the injection was given
Soreness where the injection was given.

These side-effects usually go away quickly and are easily treated. Serious reactions to vaccinations are very rare.



+5 →




How do vaccines help protect people who cannot be vaccinated? What is this called?

High vaccination rates protect the most vulnerable in your community. This is called herd immunity.

When target vaccination rates are reached, it is much more difficult for disease to spread among the population. This helps protect the most vulnerable in your

community, including children who are too young to be vaccinated, people with immune system problems, and people who might be too ill for vaccination (cancer patients, for example).




+2 →




What is the national vaccination schedule for?

The national vaccination schedule is a plan that outlines which vaccines (and how many doses) should be given to children and at what age.




+3 →



Most parents already understand the importance of vaccination. Name at least two essential pieces of information they will always need to know.

1. When the next immunization is
2. Where to bring their child for the next immunization
3. What common side-effects they might expect. What they should do if these occur
4. Any misinformation or concerns should also be addressed with correct information

+4 →




Can you name five of the diseases that vaccines protect children (and adults) from?

Diphtheria
Pertussis
Tetanus
Hepatitis B
Haemophilus influenza B
Polio
Measles
Mumps
Rubella
Meningitis
Yellow fever

+5 →






What are the six important life-time stages for vaccination?

1. First year
2. Second year
3. School
4. Pre-teen
5. Adulthood

* After animal bites


+2 →



What vaccinations should a pregnant woman get?

Pregnant mothers should be vaccinated to protect their newborn babies from tetanus: up to a total of five doses during successive pregnancies.

+3 →



Why is it particularly important to vaccinate children early in life?

Babies, toddlers and young children are at their most vulnerable early in life before they are exposed to dangerous disease.


+4 →



Why is it important for children to complete the full vaccination schedule?

If they do not, they will not be fully protected against the disease. Complete vaccination = complete protection.

+3 →



What are the three categories of children that help us to think about vaccination coverage?

1. Drop-outs: are children who have started but not finished their required vaccines.
2. Unreached / resistant: are children who have not been vaccinated for various reasons.
3. Fully immunized children: have been vaccinated according to the national vaccination schedule.

+5 →



Why should we offer praise and encouragement to families who have already vaccinated their children?

Parents who are already vaccinating their children can become invaluable ambassadors for vaccination in your community.

Reassurance and praise also feels good, and can motivate people to continue the behaviour. This can lead them to access more health services for their family.

+3 →



What is one of the biggest reasons for children missing their required vaccinations?

Parents often forget or do not know when their child's next vaccination is due. The schedule is long and complex.

+4 →




Name three different ways to remind families about their child's next vaccination appointment.

1. Link the vaccination schedule to events in their real lives
2. Vaccination cards
3. National reminder systems (SMS, phone etc.)
4. Vaccination publicity campaigns
5. In person —volunteer or health-worker visits.

+5 →






Why is it important to reduce drop-outs?

Reducing the number of drop-outs (children who have started, but not completed the vaccination schedule), can have a huge impact on increasing coverage and immunity in your area. Often, it is simply a case of making sure that people know when and where to next vaccinate their children. +2 →




Can barriers to vaccination be due to people's experience with vaccination or based on their beliefs? Or both?

Both. Barriers may be in the physical world (such as long distance to the health clinic or experience being poorly treated by health workers) or internal (such as cultural norms, how they think, their beliefs, what they think others think). +3 →




Name three or six common categories for barriers to vaccination?

Cultural beliefs / social norms
Information and perception
Poor experiences with service
Concerns regarding safety of vaccines
Concerns regarding effectiveness of vaccines
Issues of mistrust of vaccine, programme, healthworker, or service provider +4 →



Name three of the most important bits of information you should share with parents regarding vaccination?

How and where children can be vaccinated
When vaccinations are due for each child
When the Next vaccination is
Why vaccination is important +5 →



Explain why the service (clinic, outreach, health worker etc) side of vaccination is so important?

It is much more difficult to encourage repeat vaccination, if the first or later experiences with the health system were negative.


The experience caregivers have with health workers and health system, whether through outreach or at the clinic, is one of the most important interactions families have with vaccination and with the health system. +2 →



Why do you think it's important to let parents know about potential side-effects?

If side effects do occur, it will always help that they have been told to expect them. This helps build trust.


It is critical that caregivers be told the common side-effects of vaccination, including fever, soreness where the vaccine is given, and swelling. +3 →



What two approaches can you take when responding to a household that does not want to vaccinate their child?

Respond with empathy, compassion and follow up with information.

On its own, providing people with information and facts to persuade them to vaccinate their children is rarely enough. What matters is that you treat people with respect and listen to their concerns with patience and compassion. +4 →




Why is it important to treat the families with compassion and respect?

It builds trust.

People naturally respond to being treated with respect. If you acknowledge and listen to their views and concerns about vaccination and do not immediately rush to correct them, you are more likely to open the channels of communication and begin to get your message across. It can be the first step to building trust. +5 →





What should you do if you cannot answer someone's question about vaccination?

If you do not know the answer to a parent's question, you should say so and offer to find someone who does. And then, make sure you follow through. This is a valuable opportunity to build trust.

+2 →



A local mother's group offers to go with you to the clinic.

+1 →



The clinic is too far.

← -1



You have your vaccination card.

+3 →



The clinic is closed.

← -2



You children share positive information about vaccination they learned at school.

+2 →



The clinic has no vaccine.

← -3



A respectful and knowledgeable health worker visits you at home.

+3 →



The health worker treats you poorly.

← -3



You heard local doctors on the radio promoting vaccination.

+1 →



You do not know when your child's next vaccination is.

← -2



A Red Cross Volunteer has arranged a ride for you to the clinic.

+1 →



A local religious leader has declared that vaccination is against your religion.

← -2



A mobile clinic has been set up in your community.

+2 →



Your mother-in-law does not support vaccination.

← -1





You received a vaccination reminder on your phone.

+1 →



Your husband does not support vaccination.

← -2



The clinic is offering free medical consultations.

+2 →



You do not think your neighbours are vaccinating their children.

← -3



Your best friend tells you about his/her great experience at the clinic.

+1 →



You heard a rumour on the radio against vaccination.

← -3



The clinic wait time is short.

+2 →



You received a WhatsApp message on your phone against vaccination.

← -1



There are toys at the clinic for your child to play with.

+1 →



Outreach teams are all men. You aren't allowed to speak with them.

← -1



The health worker / Volunteer who visits you speaks the same dialect.

+3 →



It's raining heavily, you do not want to go.

← -1



You have to work.

← -2



You can't find anyone to look after your other children.

← -3





Player pawns

Cut the pawns out along the heavy dotted line. You should have six pawns in total, which you can use to indicate where you are on the game board. Fold the pawns along the light dotted lines and use a piece of sticky tape to stick the bottom pieces of each pawn and to form a triangle-shaped pawn.

