

Community toolkit

for the healthy lifestyle:
noncommunicable
diseases (NCDs)
prevention and control module



International Federation
of Red Cross and Red Crescent Societies
www.ifrc.org Saving lives, changing minds.

In partnership with:



International Federation
of Pharmaceutical
Manufacturers & Associations




A stylized graphic on the left side of the page. It features a large tree with a brown trunk and a red canopy, set against a white background. Below the tree, there are two diagonal bands of color: a green band on top and a purple band on the bottom, both sloping downwards from left to right.


Topic 1 - Community toolkit

for the healthy lifestyle: noncommunicable diseases (NCDs)
prevention and control module

This toolkit contains five tools for topic 1. The tools can also be found at www.ifrc.org. In the order of usage, they are:

- 1.1 NCDs diagram poster
- 1.2 NCD puzzle (piece board and eight puzzle pieces of NCDs and risk factors)
 - One cardiovascular disease puzzle piece
 - One cancer puzzle piece
 - One chronic respiratory disease puzzle piece
 - One diabetes puzzle piece
 - One tobacco use puzzle pieces
 - One excess alcohol puzzle pieces
 - One unhealthy diet puzzle pieces
 - One inactivity puzzle pieces
- 1.3 First aid for a person suffering cardiac arrest emergency poster
- 1.4 First aid for a person suffering a stroke emergency poster
- 1.5 First aid for a person suffering diabetic emergency poster





Tool 1.1

NCDs diagram poster

1. Hold up this diagram of the four NCDs. Refer to the diseases listed in the branches of the tree.

2. Say:

Cardiovascular diseases, cancers, chronic respiratory diseases and diabetes account for approximately 63 per cent of the world's deaths each year. These diseases are preventable in over 80 per cent of all cases. NCDs are diseases that are not spread through infection or through other people, but typically caused by a person's own behaviours.

3. Point to the risk factors at the roots of the tree.

4. Say:

Most NCDs are caused by unhealthy diet, inactivity, using tobacco and drinking too much alcohol. Most NCDs are preventable when people:

- Increase healthy behaviours by:
 - being active
 - eating healthy foods
- Reduce or eliminate unhealthy behaviours like:
 - Using tobacco products
 - Drinking harmful amounts of alcohol







Cardiovascular diseases

1. Hold up the cardiovascular puzzle piece and then stick it to the puzzle piece board.

2. Ask:

Does anyone here have a cardiovascular disease or know someone who does? Maybe they had a heart attack or have high blood pressure or had a brain stroke?

OK, you can see that this is a big problem in our community. Cardiovascular diseases are the biggest killer of all.

3. Hold up the tobacco use, harmful use of alcohol and unhealthy diet puzzle pieces.



4. Say:

Over time, tobacco use, harmful use of alcohol and unhealthy diet can build up material in your heart and blood vessels that make it hard for blood to pass through.

5. Stick the tobacco use, harmful use of alcohol and unhealthy diet puzzle pieces to the board, so they connect to the cardiovascular diseases puzzle piece.

6. Hold up the inactivity puzzle piece.

7. Say:

Cardiovascular disease is often caused by excessive eating of unhealthy food, using tobacco, drinking too much alcohol and/or not doing enough physical activity.

- Heart attacks happen when a part of the heart muscle dies or gets damaged because there is not enough blood reaching the heart. Blood vessels cannot provide enough blood to the heart when the arteries or blood vessels are blocked.

- Strokes occur when a blood vessel in the brain becomes blocked or bleeds.


8. What happens if you have cardiovascular disease?

- If you eat a lot of unhealthy foods, your blood vessels become blocked. This makes your heart have to work too hard.
- Physical activity will help you to clear the blockages in your blood vessels.
- If you have a cardiovascular disease, you should talk to your doctor and change your health behaviours soon.

9. How can you prevent or treat cardiovascular disease?

- Being physically active helps to clear some of the blockages in the vessels and heart.
- Get your blood pressure measured regularly. The blood pressure tells you how much blockage you have in your arteries by measuring how hard your heart has to work to pump blood. Know that cardiovascular disease can be prevented and to avoid heart attack and stroke of the brain:
 - a. Stop using tobacco
 - b. Eat five servings of fruits and vegetables every day
 - c. Reduce the amount of fat and salt in your diet
 - d. Get at least 30 minutes of physical activity per day
 - e. Do not drink excessive amounts of alcohol
- Stress and worry can also increase your risk for cardiovascular disease. Meditate, exercise and enjoy time with friends and family to help reduce your stress.
- If you have cardiovascular disease, take the medicines based on your doctor's advice. Get regular check-ups done.

Tool 1.2 NCD puzzle



1. Hold up the cancer puzzle piece and stick it to the puzzle piece board.

2. Ask:

- Raise your hand if you or someone you know has cancer.
- You can see that cancer is a disease that we are all familiar with. In many cases, cancer can be prevented.

3. Say:

Cancer

- Cancer occurs when a single cell in any part of the body starts to grow abnormally and then grows uncontrollably.
- Cancer starts to grow in one organ and then can spread to other organs. When cancer grows in an organ, that organ cannot function normally and can even stop.
- Cancer is a deadly disease that can affect people from any race, gender, class and nationality.
- At least one-third of all cancer cases diagnosed are preventable. These preventable cancer deaths are linked to tobacco use, harmful use of alcohol, excessively eating unhealthy foods and being inactive.²
- Cancer can occur in different organs of your body including blood and skin. Lung cancer is one of the deadliest cancers and is most common in smokers and people who live and work with smokers.

4. Hold up each of the risk factor puzzle pieces one at a time: tobacco use, harmful use of alcohol, unhealthy diet and inactivity.


- Out of all cancer cases, 33 per cent cases can be prevented by stopping the use of tobacco, alcohol and unhealthy foods, increasing physical activity and eating more fruits and vegetables.
- Cancer occurs in different organs of your body including your blood and skin. Lung cancer is one of the deadliest cancers and is most common in smokers and people who live and work with smokers.

5. Stick the tobacco, alcohol, poor diet and inactivity puzzle pieces to the puzzle board, so they connect to the cancer puzzle piece.

6. Say:

What happens if you have cancer?

Cancer



- When cancer starts to grow in your body, cancer cells grow very quickly in the body. If untreated, the cancer will quickly spread and kill.
- If you have been diagnosed with cancer, you must seek medical attention immediately.

7. Ask:

Do you or someone you know with cancer ever shared the fear of the cancer growing so fast that it will kill them?

8. Say:

How can you prevent or treat cancer?

- Out of all cancer cases, 33 per cent cases can be prevented by stopping the use of tobacco, alcohol and unhealthy foods, increasing physical activity and eating more fruits and vegetables.
- Early diagnosis helps improve the likelihood of surviving cancer.
 - Women should get regular check-ups.
 - To screen for breast cancer:
 - Women more than 20 years of age should practice monthly breast self-exams. Self-exams can help to detect over 45 per cent of breast tumours.³
 - Women aged between 50 and 74 years should get a mammogram in every 2 years. If there is a higher risk because of family history or past cancer diagnoses, your doctor will advise if you should schedule a mammogram before 50 years of age.

- To screen for cervical cancer:
 - Women more than the age of 21 years should get a regular Pap test.

- Men should get regular check-ups and screening for cancers, as appropriate.
- Treatments include:
 - Surgery to remove the cancer cells or a complete organ that is diseased.
 - Undergoing chemotherapy and radiotherapy.



Chronic respiratory disease

1. Hold up the chronic respiratory diseases puzzle piece and stick it to the puzzle piece board.

2. Ask:

- Raise your hand if you or someone you know has trouble breathing or cannot get enough air into their lungs.
- As you can see, respiratory diseases affect many of us. In most cases, these diseases can be prevented.

3. Say:

Chronic respiratory disease

- Chronic respiratory diseases occur when your airway and/or lungs become sick and make breathing difficult.
- They are usually caused by breathing in tobacco or smoke. The good air that your body needs cannot get to your lungs and organs.

4. Hold up the tobacco puzzle piece.



5. Say:

- Chronic respiratory diseases can also occur when you inhale smoke from someone else's cigar or cigarette.
- You can also get a chronic respiratory disease when you inhale smoke regularly from a fire burning wood, animal dung or crop waste.

6. Say:

What happens if you have chronic respiratory disease?

- When not treated, it is very difficult to breathe and you will often have a feeling that you cannot get enough air to survive. It is a very scary feeling.

- When treated, medicines can help your lungs get the air you need for short periods of time.

- Repeated smoking or breathing polluted air, will dampen the chances of your lungs to recover and heal.

- A person who has a chronic respiratory disease can become worse if s/he uses tobacco, drinks harmful amounts of alcohol, excessively eats unhealthy foods and/or is physically inactive.

7. Ask:

- Do you or the person you know who has disease in the lungs ever felt the fear of not getting enough air to breathe? In what kind of situation did that happen? What did it feel like?

8. Say:

How can you prevent or treat chronic respiratory disease?

- Completely stop using tobacco.
- Stop breathing second-hand smoke from others who are smoking.
- Stop breathing smoke from fires fuelled by wood or animal dung or crop waste.⁴
- Children and youth are especially vulnerable to second-hand smoke because their bodies are still developing.
- While physical activity may be difficult, mild activity will help to prevent or ease even further problems associated with chronic respiratory diseases.
- By eating a healthy diet with plenty of fruits and vegetables, being physically active, reducing alcohol intake and eliminating tobacco and smoke inhalation, a person's body can be made stronger against complications from chronic respiratory diseases.

9. Stick the tobacco puzzle piece to the puzzle board, so it connects to the chronic respiratory diseases puzzle piece.



1. Hold up the diabetes puzzle piece and stick it to the puzzle piece board.

2. Say:

Diabetes

- Diabetes occurs when your body cannot control the level of sugar in your blood.

3. Ask:

Raise your hand if you or anyone you know has diabetes.

There are a lot of people here who know someone who is affected by diabetes.

4. Hold up the inactivity and poor diet puzzle pieces.

5. Say:

There are different types of diabetes, but the most common type – called Type 2 – affects people who have excess body weight, smoke tobacco, drink harmful amounts of alcohol, eat an unhealthy diet and/or are physically inactive.

6. Stick the inactivity and poor diet puzzle pieces to the puzzle board, so they connect to the diabetes puzzle piece.

7. Hold up the tobacco and alcohol puzzle pieces.

8. Say:

Using tobacco or drinking harmful amounts of alcohol will also contribute to the risk of diabetes.

9. Stick the tobacco and alcohol puzzle pieces to the puzzle board, so they connect to the diabetes puzzle piece.

Diabetes



10. Say:

Diabetes can affect people of any age, race, gender or nationality.

Adults need to monitor their own sugar, fats and calorie intake and physical activity levels and monitor the sugar intake and activity levels of their children too.

11. Say:

What happens if you have diabetes?

- When you have diabetes, you may feel like you need to urinate often, you may be extremely thirsty or hungry all the time, feel extremely tired, have cuts or bruises that take a long time to heal or have a tingly feeling in your hands and feet.
- Sometimes, people can have diabetes and not even know they have it. Getting your blood sugar tested is the best way to see if you are at risk.
- Having diabetes can double your risk of heart attacks and strokes of the brain, failure of the kidneys and even blockages in your blood vessels and nervous system that can mean amputation of the feet and/or loss of eyesight.

How can you prevent or treat diabetes?


- Treatment for people with diabetes includes reducing the amount of sugar, fat and calories they eat and drink.
- Diabetics usually also have to give themselves pills or injections every day.
- Diabetes medication is expensive and puts many families in debt. It requires regular purchases of needles, testing kits and bottles of insulin for the rest of your life or as long as you have the disease.
- Type 2 diabetes, caused by an unhealthy lifestyle, can be prevented through adopting and maintaining healthy behaviours.
- If you already have Type 2 diabetes, you can reverse the effects of the disease by adopting and maintaining healthy behaviours.
- To stop the effects of Type 2 diabetes, you would need to stop eating sugary, fat and high-calorie foods and drinks and become more active.
- You also need to stop the use of tobacco products and drinking harmful amounts of alcohol.



Tool 1.2

Puzzle pieces

Make a colour copy and cut the pieces out along the dotted line. It is recommended to laminate or protect the pieces to prevent them from tearing. You should have 8 puzzle pieces in total, which you can use to place on the NCD Puzzle board. Use a piece of sticky tape to stick the puzzle pieces to their appropriate spots. Carefully remove the puzzle pieces after each NCD has been explained to re-use for the next NCD.



NCD puzzle pieces

Risk factor puzzle pieces



Cardiac arrest emergency

What does it look like?



Chest
discomfort



Arm or back
discomfort



Neck or jaw
discomfort



Feeling light-
headed or breaking
into a cold sweat



Trouble breathing,
with or without
chest discomfort




Feeling sick
or discomfort in
your stomach

If any of these symptoms occur:

- Call emergency services or get the person to a doctor or health clinic immediately.
- Get the person to calm down and relax.
- Put the person in a comfortable position.
- Let them take medication if they ask – do not give it on your own.
- Monitor their breathing and consciousness.





Tool 1.3

First aid for a person suffering cardiac arrest

Cardiac arrest is when blood cannot reach the heart because of a blockage in your blood vessels, causing your heart to stop.

What does it look like?

Symptoms can vary, but most people suffering a heart attack have an unpleasant feeling like pressure or pain in the middle of the chest. Additionally, a person suffering from a heart attack can:

- **Feel pain in other areas of the upper body.**
- **Have shortness of breath.**
- **May have cold sweats, nausea, or dizziness.**

If any of these symptoms occur:

- **Call emergency services or get the person to a doctor or health clinic immediately.**
- **Get the person to calm down and relax.**
- **Put the person in a comfortable position.**
- **Let them take medication if they ask – do not give it on your own.**
- **Monitor their breathing and consciousness.**





Stroke emergency

What does it look like?



Face

Face look uneven?



Arm

One arm hanging down?



Speech

Slurred speech?




Call emergency services

If any of these symptoms occur:

- Call emergency services or get the person to a doctor or health clinic immediately.
- Ask the person to stay calm and relax.
- Put the person in a comfortable position.
- Monitor their breathing and consciousness.





Topic 1.4

First aid for a person suffering a stroke

.....

A stroke is when oxygen cannot reach the brain because of a blockage in the vessels.

What does it look like?

Symptoms occur suddenly and depend on the location and size of the part of the brain affected. Each case is different, but some of the symptoms that can occur include:

- **Sudden numbness or weakness in the face, arm or leg, especially on one side of the body.**
- **Sudden confusion, trouble speaking or understanding.**
- **Sudden trouble seeing in one or both eyes.**
- **Sudden trouble walking, dizziness, loss of balance or coordination.**
- **Sudden severe headache with no apparent cause.**

If any of these symptoms occur:

- **Call emergency services or get the person to a doctor or health clinic immediately.**
- **Ask the person to stay calm and relax.**
- **Put the person in a comfortable position.**
- **Monitor their breathing and consciousness.**



International Federation
of Red Cross and Red Crescent Societies

www.ifrc.org Saving lives, changing minds.



Diabetic emergency

What does it look like?



Mood changes



Trembling



Paleness



Sweating



Dizziness



Blurred Vision



Headaches




Extreme Tiredness



Increase/decrease
in hunger

If any of these symptoms occur:

- Find out if the person has diabetes.
- If they are capable, ask the person to measure their blood sugar level.
- If they are capable, help them to treat themselves with sugar or glucose as needed.
- If the person is unconscious, does not respond to treatment or is not behaving safely, call emergency services or get the person to a doctor or health clinic immediately.



Topic 1.5

First aid for a person suffering a diabetic emergency

A diabetic emergency is when a person's blood sugar levels are too low or too high and the body is unable to regulate the levels.

What does it look like?


Symptoms can vary, but most people suffering a diabetic emergency suffer the following symptoms in this sequence:

1. **Hunger and/or headache.**
2. **Anxiety and/or tremors.**
3. **Psychotic behaviour – the person acts as if they are intoxicated.**
4. **Loss of consciousness and possibly a seizure.**

If any of these symptoms occur:

- **Call emergency services or get the person to a doctor or health clinic immediately.**
- **Ask the person to stay calm and relax.**
- **Put the person in a comfortable position.**
- **Monitor their breathing and consciousness.**





Topic 2 - Community toolkit

for the healthy lifestyle: noncommunicable diseases (NCDs)
prevention and control module

This toolkit contains five tools for topic 2. The tools can also be found at www.ifrc.org. In the order of usage, they are:

- 2.1 The Dangerous Four posters
 - Tobacco use
 - Excess alcohol
 - Unhealthy diet
 - Physical inactivity
- 2.2 “How much is too much?” alcohol serving size poster
- 2.3 Healthy eating guide and Fruit and vegetable serving sizes posters
- 2.4 Exercise cards
 - Squat
 - Lunge
 - Plank
 - Bent knee push-up
- 2.5 Healthy lifestyle game
 - Player directions
 - Colour game board
 - Game die
 - Set of “1st roll NCD cards”
 - One set of colour loan coupons
 - Red Bucks (in ‘1’s and ‘5’s)
 - One set of colour game cards



Tobacco use

Brain



Nicotine makes you anxious, nervous, moody and depressed when you are NOT smoking

Mouth and teeth




- › Teeth turn yellow
- › Bad breath
- › Causes gum disease and mouth cancer

Throat




Causes cancer of the throat and voicebox

Lungs




- › Increases risk of lung cancer
- › Can cause bronchitis and emphysema

Skin




Causes wrinkles




Muscles and joints

- › Oxygen has a harder time reaching your muscles
- › Can increase risk of arthritis




Heart

- › Narrows blood vessels and makes your heart work too hard
- › Can block arteries, cause heart attacks and strokes



Stomach and intestines

Increases risk of stomach cancer




Reproductive organs

Increases risk of cancer of the reproductive organs



Other organs

Increases risk of cancer of the bladder, kidney and pancreas



Tool 2.1 - The Dangerous Four

Tobacco use

1. Show the tobacco poster. As you read the following data on tobacco use, refer to the picture on the poster as needed for emphasis.

2. Say:

Does anyone here use tobacco or know someone who uses tobacco?

3. Say:

Tobacco use

Let us look at how tobacco affects the body.

Using tobacco products is the most dangerous behaviour and puts you and those around you – at the greatest risk for diabetes, cancer, cardiovascular diseases and chronic respiratory diseases.

- Tobacco products contain tar, which damage your lungs, your throat, mouth and your entire body.
- Tar and carbon monoxide produced when tobacco is lit cause damage to the body.
- Nicotine is an addictive material in tobacco that becomes difficult to quit once you become addicted.¹
- Smoke from tobacco and other organic materials contain dangerous chemicals that cause many genetic mutations in the body.²
- **ALL forms of tobacco are deadly, including:**
 - Cigarettes or bidis
 - Cigars, also known as cheroots, stumphen or dhumtis
 - Kreteks
 - Clay pipes, also known as suipa, chillum or hookli
 - Water pipes, also known as shisha or hubbly bubbly
 - Chewing tobacco, also known as plug, loose-leaf, snuff or twist³
 - Breathing in smoke from another person’s tobacco smoking or even breathing in the smoke from a fire burning from wood, animal dung or crop waste is even MORE dangerous.
- Breathing tobacco smoke is especially dangerous for infants and children since their lungs are in the developmental stage and are highly vulnerable.

- In men, tobacco use can greatly increase the risk of impotence.
- With every bit of tobacco used, the damage becomes greater with continued tobacco use the risk of NCDs increases many folds.
- Younger bodies are more likely to become damaged by tobacco. The younger you are when you start using tobacco, the more damage occurs to your body since a younger body is still developing and is much more vulnerable to tobacco and smoke.

4. Continue to refer to the poster and say:
Let us look at how tobacco affects each part of your body.

- Worst of all, tobacco contains tar and nicotine that is addictive. This means that once you start, it will be even harder to stop.
- Tobacco affects your mouth and teeth first. It makes your teeth turn yellow and gives you bad breath.
- Tobacco use means that your skin is more likely to wrinkle and you are more likely to lose your hair at a younger age.
- Tobacco and smoke also causes cancer of the gum, mouth, throat and voice box, as well as lung cancer.
- Smoking tobacco makes you cough and can lead to bronchitis and emphysema.
- Smoking affects your other organs too and predisposes you to be diagnosed with cancer of the bladder, kidney, pancreas, stomach or sex organs.
- Tobacco makes your blood vessels grow smaller making your heart work harder and can lead to another NCD – cardiovascular disease.

5. Ask:

So what can you do?

Stop smoking, using tobacco products and/or breathing smoke from other smokers or even from a cooking stove. Breathe clean, fresh air.

6. Ask:

- If you live or work next to a person who smokes when you are in the same room, did you know that you are at a greater risk? What can you do about it?
- If you cook with a wood or coal stove, were you aware of the dangers of breathing in the smoke of these fires? What can you do about it?
- How can you stop or get someone that you love to stop using tobacco?
- Sudden trouble walking, dizziness, loss of balance or coordination.
- Sudden severe headache with no apparent cause.

7. Let’s look at the poster to see how the entire body is affected.




Excess alcohol

Brain




- Excessive use of alcohol can cause brain damage
- Can cause stroke

Throat




Can cause bleeding in the throat

Lungs




Can cause breathing to become irregular or stop

Muscles and joints




Can weaken muscles

Bones




Can weaken bones and cause osteoporosis




Heart

Can cause irregular heartbeat




Stomach and intestines

- Can cause bleeding ulcers in stomach
- Can increase risk of intestinal ulcers and cancer



Reproductive organs


- Can cause impotence in men
- Can cause infertility in women
- For pregnant women, can cause birth defects



Other organs

Can cause liver disease or liver failure





Tool 2.1 - The Dangerous Four

Excess alcohol

1. Show the Excess alcohol poster. As you read the following data on excessive amounts of alcohol, refer to the picture on the poster as needed for emphasis.

2. Ask:

Does anyone here drink too much alcohol – so much that it makes your life more difficult – or knows someone who does?

3. Say:

Let us look at how excessive amounts of alcohol affect the body.

- Too much alcohol increases your risk of cancer, liver diseases and cardiovascular diseases.
- When you drink, the alcohol is absorbed directly into your bloodstream.
- The alcohol in your blood has to be processed by the liver. The liver can only process one standard serving of alcohol per hour.
- Any extra alcohol after one serving is in your bloodstream where it now has direct access to all your organs as it waits for the liver to be ready to process it. As the alcohol-soaked blood flows through every major organ, it causes damage, making you more vulnerable to NCDs like cancer, cardiovascular diseases, chronic respiratory diseases and diabetes.
- **The major organs that are most greatly affected are:**
 - **Liver:** Excessive use of alcohol causes the liver to become sick and filled with scar tissue. Too much alcohol can cause cancer of the liver and other organs.
 - **Digestive organs:** Your entire digestive system including your stomach, small intestines, oesophagus and pancreas are all affected by consistent excess alcohol. Cancer and chronic respiratory diseases are more likely to develop in these organs if you drink too much.
 - **Reproductive organs:**
 - In men, too much alcohol can cause impotence.

- In women, too much alcohol can make it difficult to become pregnant.
- If a woman is already pregnant, it is likely that drinking alcohol will hurt the unborn baby and cause the child to be born with birth defects.

4. Ask

So what can you do?

- Avoid alcohol if you can. If you must drink,
- Men should drink no more than two moderate-sized alcoholic drinks per day.
- Women should drink no more than one moderate-sized alcoholic drink per day.
- Pregnant women should not drink any alcohol.

5. How much is too much?

See the How much is too much? poster (tool 2.2) for approximate amounts that equal one drink.

6. Ask:

What are some ways to stop or get someone that you love to stop drinking too much?

7. Let's look at the poster to see how the entire body is affected.



Unhealthy diet

Brain




Can cause feelings of exhaustion and/or depression

Mouth and teeth




- Eating salt, fat and sugar triggers body to want more unhealthy fat, sugar and salt
- Can cause cavities

Heart




Sugary and fattening food AND too much food can block arteries and make your heart work too hard



Stomach and intestines

- Can cause constipation
- Eating or drinking too much sugar puts undue stress on digestive system and causes body to store fat



Other organs

- Can cause you to frequently become ill
- Causes blood sugar to become imbalanced
- Causes your cells to age faster
- If an organ in your body does not have all the ingredients it needs from the foods you eat to do its job well, it simply will not do its job well or even at all and is much more likely to become sick and stop working
- Increases adrenaline that increases body's level of stress





Tool 2.1- The Dangerous Four

Unhealthy diet

1. Show the unhealthy diet poster. As you read the following data on unhealthy diet, refer to the picture on the poster as needed for emphasis.

2. Say:

Let us look at how unhealthy foods affect the body.

- When you eat food, your body will digest and process it into energy according to its requirement and whatever is surplus will be stored as fat in the blood vessels, heart and other organs.
- This extra fat blocks your arteries and makes your heart work harder to push your blood through to the rest of your body. Fat also gets stored in your organs that makes your organs work extra hard to do their job.
- All foods have calories that fuel the body. A high-calorie food is not necessarily a high-grade or high-quality food.
- Fruits and vegetables have a small number of calories but are a high-grade or high-quality fuel. They contain a lot of water and fibre as well as vitamins and minerals that your body needs to feel and be well.
- Some foods that are high in calories like lard, butter, candy, fried foods are low-quality fuel. They usually just contain things that your body does not really need. They contain too much fat, which blocks up your heart and blood vessels, making you heart work harder than it should.
- Sugar, when eaten or drunk, turns to fat and makes your cells sick.
- When your body continually does not get all the vitamins, minerals and water it needs in the foods you eat, your body struggles to do its work well and you will feel tired, exhausted and unwell.
- If an organ in your body does not have all the ingredients it needs from the foods you eat to do its job well, it simply will not do its job well or even at all and is much more likely to become sick and stop working.
- When your body organs do not work well or stop functioning, you can become very sick or even die.
- Drinking sugary drinks only adds more stress to your body as it tries to process the sugar and puts you at risk for diabetes and cardiovascular disease.

Let us look at what healthy foods are and talk about how they help your body. Then we will look at some unhealthy foods and talk about how they hurt your body.

3. Show the healthy eating guide posters from your toolkit that show foods that your participants eat, have access to and that are familiar in your community.

4. Ask:

So, what can you do?

- You can drink lots of water – about 4 to 5 large glasses every day helps your body to wash out the bad things your body is trying to get rid of, helps you to defecate more often and gives your body the fluid it needs to work properly.
- Eat five servings of fruits and vegetables every day.
- Limit the amount of fat, sugar and salt you eat. Too much of these can hurt you and make you sick.

5. Healthy eating guide

See the Healthy eating guide poster (tool 2.3) for a comparison of healthy versus unhealthy foods and how healthy foods benefit your body and vice versa.

6. Fruit and vegetable serving sizes

See the Fruit and vegetable serving sizes poster (tool 2.3) for what a serving size is. It is adapted to your local context.

7. Ask:


- Does anyone here eat five servings of fruits and vegetables every day?
- Does anyone here drink enough water every day – about 4 to 5 large glasses?
- What is your favourite unhealthy food?
- What is your favourite healthy food?
- How can you make your favourite unhealthy food healthier?
- How does it feel to know about the bad things in unhealthy food and what damage it can do to your body?
- How can you make sure to feed yourself and your family enough fruits and vegetables every day?

8. Let's look at the poster to see how the entire body is affected.




Physical inactivity

Lungs



Produce less oxygen

Skin




Lack of nutrients leads to unhealthy skin and hair, exhaustion, headaches, low moods and difficulties in concentrating

Muscles and joints




When you do not use your muscles, you lose muscle mass. You gain weight easily and become weaker

Heart



Your heart muscles grow weak and it becomes a strain to do basic activities

Stomach and intestines




Can cause constipation

Bones




Can weaken bones and cause osteoporosis

Other organs



Your body becomes weak and more likely to become sick



Tool 2.1- The Dangerous Four

Physical inactivity

1. Show the inactivity poster. As you read the following data on inactivity, refer to the picture on the poster as needed for emphasis.

2. Say:

Let us look at how doing too little physical activity affects the body.

- Physical activity keeps muscles, joints, bones, tendons – all your body parts moving and working to the fullest potential.
- When you do not use your body, it loses flexibility and the ability to do the things they should be able to do. The less you use your muscles, the more muscle you lose.
- When you consistently do less than 30 minutes of activity each day, your lungs produce less oxygen just as your body demands more oxygen.
- When you consistently do less than 30 minutes of activity each day, your heart pushes less blood through it, you have a hard time making defecate and your bones and muscles actually start to weaken.
- In this weakened state, your body is vulnerable – it is not working at 100 per cent and is much more likely to become sick.
- As soon as you sit down, the activity in your muscles slows down, your body stops burning energy efficiently and your body starts to lose much of its ability to break down fat in your body.
- The longer you stay inactive, the more your muscles break down, the less able your body is to pump blood and breathe efficiently and you are at a higher risk of having diabetes, cardiovascular disease, cancer and chronic respiratory disease.

3. Ask:

So, what can you do?

- Become a little more active each day.
- Try to move your body as much as you can throughout the day every day.
- Walk to school, the market or work when you can.

- Stretch your muscles by doing stretching exercises or yoga twice a week.
- Give your muscles a workout by doing simple exercises that stress the muscle safely to make them stronger like push-ups, sit-ups and squats.

4. Ask:

- Raise your hand if you get at least 30 minutes of activity a day.
- What are some of the reasons that it may be difficult for you to get 30 minutes of exercise each day?
- How do you feel after doing exercise?
- How can you make sure to get more exercise?
- Would you like to do some simple exercises now? Let us do some together!

Refer to the exercise guide poster to guide people through a few basic exercises.

5. Let's look at the poster to see how the entire body is affected.

How much is too much?

Harmful use of alcohol is more than one standard serving size per hour.

1 STANDARD DRINK CONTAINS 10G OF PURE ALCOHOL

1SD =



Half Pint
Beer/Stout/
Ale

or



Pub Measure Spirit

or



Small Glass Wine

... and some drinks are more than one Standard Drink (10g of pure alcohol)

2SD



Pint Beer/Stout/Ale

2SD



Double Pub Spirit

2SD



Pint Cider

2SD



Large Bottle Alcopop

2SD




Quarter Bottle Wine

8SD



Bottle of Wine

2SD



Large Can Beer



Tool 2.2 - *How much is too much?*

Harmful use of alcohol

1. Say:

- One serving determines how much alcohol is in a specific drink by its size.
- A beer has a lower alcohol percentage than Arak or whiskey. This means that you can drink a glass of beer or a small shot glass of Arak and they both count as one alcoholic drink.
- Knowing how much alcohol is in the alcoholic drink is important.


2. Ask:

- How much is too much?
- How can you limit your alcohol when you are drinking with friends?
- Think of ways to tell your friends that you want to limit your alcohol and how they can help you to change your behaviours





Healthy eating guide




Effects on the body

- ✓ Preserves vision — can prevent or delay all age-related eye problems like macular degeneration, cataract, myopia, dryness and infections
- ✓ Promotes and heals damaged cells in the brain and nervous system
- ✓ Significantly improves learning capacity and motor skills
- ✓ Effective antidepressant
- ✓ Lowers blood cholesterol levels
- ✓ Improves blood sugar control
- ✓ Lowers the risk of heart disease and diabetes
- ✓ Strengthens the muscles in the heart
- ✓ Boost your immunity and can keep you from becoming sick or getting an infection
- ✓ Helps prevent disease and ageing in the body
- ✓ Reduces belly fat and risk factors for cardiovascular disease
- ✓ Lowers body weight, lowers total fat mass and reduces fat in the liver that can cause obesity and diabetes
- ✓ Has antibiotic properties that reduces infections
- ✓ Prevents constipation and improves digestion
- ✓ Can prevent and stop cancer growth

Effects on the body

- ✗ Lack of nutrients leads to unhealthy skin and hair, exhaustion, headaches, low moods and difficulties in concentrating
- ✗ Allows bacteria to grow in your mouth that eat holes in your teeth
- ✗ Causes blood sugar to become imbalanced and leads to sad moods and exhaustion
- ✗ Increases adrenaline that increases body's level of stress
- ✗ Can lead to more dangerous material in your blood that can cause diabetes, cardiovascular disease and liver disease
- ✗ Causes unhealthy weight gain
- ✗ Provides few or no nutrients that your body needs
- ✗ Can cause constipation due to lack of fibre and water content
- ✗ Causes your cells to age faster





Tool 2.3

Healthy eating guide

1. Show the unhealthy diet poster. As you read the following data on unhealthy diet, refer to the picture on the poster as needed for emphasis.

2. Say:

Let us look at how unhealthy foods affect the body.

- When you eat food, your body will digest and process it into energy according to its requirement and whatever is surplus will be stored as fat in the blood vessels, heart and other organs.
- This extra fat blocks your arteries and makes your heart work harder to push your blood through to the rest of your body. Fat also gets stored in your organs that makes your organs work extra hard to do their job.
- All foods have calories that fuel the body. A high-calorie food is not necessarily a high-grade or high-quality food.
- Fruits and vegetables have a small number of calories but are a high-grade or high-quality fuel. They contain a lot of water and fibre as well as vitamins and minerals that your body needs to feel and be well.
- Some foods that are high in calories like lard, butter, candy, fried foods are low-quality fuel. They usually just contain things that your body does not really need. They contain too much fat, which blocks up your heart and blood vessels, making you heart work harder than it should.
- Sugar, when eaten or drunk, turns to fat and makes your cells sick.
- When your body continually does not get all the vitamins, minerals and water it needs in the foods you eat, your body struggles to do its work well and you will feel tired, exhausted and unwell.
- If an organ in your body does not have all the ingredients it needs from the foods you eat to do its job well, it simply will not do its job well or even at all and is much more likely to become sick and stop working.
- When your body organs do not work well or stop functioning, you can become very sick or even die.
- Drinking sugary drinks only adds more stress to your body as it tries to process the sugar and puts you at risk for diabetes and cardiovascular disease.

Let us look at what healthy foods are and talk about how they help your body. Then we will look at some unhealthy foods and talk about how they hurt your body.

3. Show the healthy eating guide posters from your toolkit that show foods that your participants eat, have access to and that are familiar in your community.

4. Ask:

So, what can you do?

- You can drink lots of water – about 4 to 5 large glasses every day helps your body to wash out the bad things your body is trying to get rid of, helps you to defecate more often and gives your body the fluid it needs to work properly.
- Eat five servings of fruits and vegetables every day.
- Limit the amount of fat, sugar and salt you eat. Too much of these can hurt you and make you sick.






5. Ask:






- Does anyone here eat five servings of fruits and vegetables every day?
- Does anyone here drink enough water every day – about 4 to 5 large glasses?
- What is your favourite unhealthy food?
- What is your favourite healthy food?
- How can you make your favourite unhealthy food healthier?
- How does it feel to know about the bad things in unhealthy food and what damage it can do to your body?
- How can you make sure to feed yourself and your family enough fruits and vegetables every day?


6. Let's look at the poster to see how the entire body is affected.



Fruit and vegetable serving sizes

Fruit  250ml is...			
 1 small apple	 1 large banana	 1/8 of a large melon	 dried fruit
 1 medium grapefruit	 12 grapes	 1 large orange	 1 large peach
 1 medium pear	 1/4 of a pineapple	 2 large plums	 7 large berries
 1 large tomato	 1 medium mango	 1/2 papaya	 6 lychees

Vegetables  250ml is...			
 2 asparagus spears	 cooked beans	 1 large pepper	 6 small broccoli florets
 2 medium carrots	 1/4 head of cauliflower	 2 celery stalks	 1 large corn ear
 1/2 of a medium cucumber	 10 green beans	 cooked green leaves	 2 large raw green leaves
 1 squash or zucchini	 1 large baked potato	 1 1/2 onions	 mashed pumpkin



- 1) about 6 cm in diameter
- 2) about 20 cm long
- 3) an adult handful
- 4) about 10 cm in diameter
- 5) a little bigger than the size of an adult fist
- 6) about the size of a child’s fist
- 7) about 7.5 cm in diameter or the size of an adult fist
- 8) an adult handful of black, garbanzo, etc.
- 9) a generous handful
- 10) 15 cm long
- 11) 30 cm long
- 12) an adult handful of kale, chard, etc.
- 13) lettuce, spinach, etc.
- 14) 20 cm long or about 1/2 of a large yellow crookneck

Tool 2.3

Fruit and vegetable serving sizes

Fruit portions

Fresh fruit: See the front of this chart.

Dried fruit: A portion of dried fruit is around 30g. This is about one heaped tablespoon of raisins, currants or sultanas, one tablespoon of mixed fruit, two figs, three prunes or one handful of dried banana chips.

Tinned fruit in natural juice: One portion is roughly the same quantity of fruit that you would eat for a fresh portion, such as two pear or peach halves, six apricot halves or eight segments of tinned grapefruit.

Vegetable portions

Fresh vegetables: See the front of this chart.

Tinned and frozen vegetables: Roughly the same quantity as you would eat for a fresh portion.



Pulses and beans: However much you eat, beans and pulses count as a maximum of one portion a day.

Potatoes: Potatoes do not count towards your 5-A-DAY. They are classified nutritionally as a starchy food, because when eaten as part of a meal they are usually used in place of other sources of starch such as bread, rice or pasta. Although they do not count towards your 5-A-DAY, potatoes do play an important role in your diet as a starchy food.

Juices and smoothies: One 150ml glass of unsweetened 100 per cent fruit or vegetable juice can count as a portion. But only one glass counts, further glasses of juice do not count toward your total 5-A-DAY portions.

Squat

Exercise cards





Tool 2.4 - Exercise cards

Squat

Step 1

Starting Position: Begin standing with your feet slightly wider than hip-width and your toes turned out slightly. Your hands are by your sides with your palms facing inward. Pull the shoulders down your back toward your hips.

Step 2

Engage your abdominal/core muscles to stabilize your spine (“bracing”). Keep your chest lifted and your chin parallel to the floor. Shift your weight back onto your heels as your hips begin to push toward the wall behind you.

Step 3

Downward Phase: Begin this phase by hinging at the hips, shifting them back and down. Your hips and knees bend simultaneously. As you lower your hips the knees bend and will start to shift forward slowly. Try to prevent your knees from traveling too far forward past the toes. Keep the abdominals/core muscles engaged and try to keep your back flat (do not tuck the tail or arch the lower back).

Step 4

Continue to lower yourself until your thighs are parallel or almost parallel to the floor. If your heels begin to lift off the floor or your torso begins to round, return to start position. Be aware of any movement that may occur at your feet, ankles and knees. Work to ensure that the feet do not move, the ankles do not collapse in or out and the knees remain lined up with the second toe.

Return to Step 1

Upward Phase: While maintaining the position of your back, chest and head and with the abdominals engaged, exhale and return to start position by pushing your feet into the floor through your heels. The hips and torso should rise together. Keep the heels flat on the floor and knees aligned with the second toe.

Lunge


Exercise cards

1



2





Tool 2.4 - Exercise cards

Lunge

Step 1

Starting Position: Stand with your feet together. Pull your shoulder blades toward your hips. Engage your abdominal/core muscles (“brace”) to stabilize your spine.

Step 2

In preparation to step forward, slowly lift one foot off the floor and find your balance on the standing leg. Try not to move the standing foot and maintain balance without wobbling. Pause. Hold this position briefly before stepping forward. The raised foot should land on the heel first. Slowly shift your body weight onto the lead foot, placing it firmly on the floor. As you shift your body weight to the lead foot/leg, avoid the tendency to tilt or sway the upper body and try not to move the forward foot.

As you step forward into the lunge, focus on a downward movement of your hips toward the floor. Avoid driving your hips forward. This will help control the forward movement of your shinbone over your foot. Continue lowering your body to a comfortable position or until your front thigh becomes parallel with the floor and your shinbone is in a slight forward lean. During the movement, slightly bend forward at your hips. Keep the back straight.

Return to Step 1

Firmly push off with the front leg, with both your thighs and butt muscles to return to your upright, starting position.


Plank


Exercise cards

1



2





Tool 2.4 - Exercise cards

Plank

Step 1

Starting Position: Lie on your stomach on an exercise mat or floor with your elbows close to your sides and directly under your shoulders, palms down and fingers facing forward. Engage your abdominal/core muscles. It should feel like you are tightening a corset around your ribs, waist and lower torso. Contract your thigh muscles to straighten your legs strongly and flex your ankles, (tucking your toes towards your shins).

Step 2



Upward Phase. Slowly lift your torso and thighs off the floor or mat. Keep your torso and legs rigid. Do not allow any sagging in your ribcage or lower back. Avoid hiking your hips into the air or bending the knees. Keep the shoulders away from the ears (no shrugging). The shoulders should be directly over your elbows with your palms facing down through the entire exercise. Continue to breathe, keeping the abdominals strong while holding this position. Try holding this position for 5 seconds or more.


Return to Step 1

Downward Phase: Keep the torso and legs stiff as you slowly and gently lower your body back towards the mat or floor.

Bent knee push-up

Exercise cards





Tool 2.4 - Exercise cards

Bent knee push-up

Step 1

Starting Position: Come to a hands and knees position (quadruped) on the mat with your hands directly under your shoulders; fingers facing forward and knees under your hips? Engage the abdominals and pull the shoulder blades down your back.

Step 2

Reposition your knees as needed to create a straight line in your body from the knees, through the torso and out through the head. There should be no bend at the hips. Keep the abdominals braced.


Step 3


Downward Phase: Keeping the torso rigid and head aligned with your spine, slowly bend your elbows and lower your body toward the floor. Do not allow your lower back to sag or your hips to hike upward. Continue to lower yourself until your chest or chin touch the mat or floor. Your elbows should remain close to the sides of your body or flare outwards slightly.

Return to Step 1

Upward Phase: Maintaining a rigid torso and head aligned with your spine, press upward through your arms. Do not allow your lower back to sag or your hips to hike upward. Continue pressing until the elbows are straight.

Healthy lifestyle game





Tool 2.5 - Healthy lifestyle game

Game board

1. Say:

Approximately 100 million people each year are pushed into poverty when they have to pay directly for health care costs caused by poor habits. These health care costs come from lost wages or salary when people are too ill to work, to pay for a doctor or clinic fees, a stay in a hospital, medicine and other costs. If you are not yet paying these costs and engage in one or more of the four risk factors, you will likely one day soon be affected by these costs. Let us look at these costs to help you see how unhealthy habits affect your body and ultimately, your wallet.

2. If working with a large group, place in groups of four players per group.
3. Explain that one of the players will also play the role of the bank, in addition to playing the game. Have each group decide who their banker is in their group.
4. If conducting a home visit, play with any interested family members in one group.
5. Distribute to each group a healthy lifestyles game kit.
6. Read through the directions with them. Answer any questions they may have.
7. Give the groups 20 minutes to play the game.

After the game ends, lead a discussion on the group's experience playing the game.


- **What did you like about the game?**
- **What was frustrating about the game?**
- **Who won by living a long life? How did they win?**
- **Who died early in the game? What happened?**
- **Who ended up with the most money?**
- **Who ended up with the least money?**
- **Is buying healthy foods that might be more expensive than unhealthy foods worth the extra cost? Explain your response.**
- **What costs are associated with unhealthy habits?**

It is easy to make additional healthy lifestyle game kits for use with larger community groups. Go to www.ifrc.org. Look for the topic 2 folder and download this file. Open it on your computer. Click on the healthy lifestyles game materials folder. In the folder, you will find templates and sheets for creating additional paper copies of the healthy lifestyle game kit.

To make additional kits, do the following for EACH additional game kit you want to make:

- a. Print out the player directions document. Black and white (b/w) is fine. Staple sheets together.
- b. Print out the healthy lifestyles game board document in colour.
- c. Print out the dice template document. B/w is fine. Follow the directions on the template to make the dice.
- d. Player pawns – any collection of items can be used as pawns: coins, shells, stones or paperclips. Make each distinguishable by colour or shape.
- e. Print out the “1st roll NCD cards” document. B/w is fine. Cut out each card separately.
- f. Open the loan coupons document. Print out one set of loan coupons (b/w is fine), including:
 - **Twenty 1RB loan coupons**
 - **Twenty 5RB loan coupons**
 - **Twenty 10RB loan coupons**
 - **Twenty 20RB loan coupons**Cut out each coupon separately.
- g. Open the “Red Bucks” document. Print out one set of Red Bucks (RB) (b/w is fine):
 - **Twenty-one 5RB bills**
 - **Sixty 1RB bills**Cut out each RB separately.
- h. Open the game cards document. Print out one set of game cards in colour. Cut out each game card separately.
- i. Assemble all pieces into a bag or box. Label with healthy lifestyle game kit.





Tool 2.5 - Healthy lifestyle game

Player directions

The purpose of the game is to see the financial, physical, mental and emotional struggles that a person with their NCD faces.

The goal of the game is to reach the finish line successfully holding at least 1RB and no outstanding loan coupons.

If during the game, a player needs money to complete the activity on a card they draw, they can get a loan for the amount from the bank. For example, if a card states that they must pay 2RB but have no money, they simply take two “1RB” loan coupons from the bank and keep them in their hand.

Contents of game kit (for every four players):

- Player directions
- Colour game board
- Game die
 - a. Set of “1st roll NCD cards”
 - b. One set of colour loan coupons, including:
 - Twenty 1RB loan coupons
 - Twenty 5RB loan coupons
 - Twenty 20RB loan coupons
 - Twenty 20RB loan coupons
 - c. Red Bucks:
 - Twenty-four 5RB bills
 - Sixty 1RB bills
 - d. One set of colour game cards

The amounts of materials above are for four players per game.

You will need to find pawns to use in the game. These can be found locally such as stones, coloured paperclips, different coins, seashells, slips of paper or any other materials where you can differentiate between the players in each game. You will also need to make copies of the RB bills and loan coupons and cut each out..



International Federation
of Red Cross and Red Crescent Societies

www.ifrc.org Saving lives, changing minds.

Tool 2.5 - Healthy lifestyle game

Player directions

1. Open the board. The game board is made up of 35 spaces.
2. Each player chooses a pawn.
3. Each player receives 25 Red Bucks(RB).
4. Each game card consists of four colour-coded lines of directions. Place the set of game cards next to the board.

BEFORE YOU START:

5. The 1st roll determines each person's NCD status for the full game:
 1. Cancer
 2. Cardiovascular disease
 3. Diabetes
 4. Chronic respiratory disease
 5. Low-risk individual without an NCD – a healthy individual!
 6. Roll again to get a diagnosis
6. No one moves their pawn in the first round. The oldest player rolls the dice first to determine their NCD diagnosis. The other players roll to determine their NCD diagnosis. The NCD that they “roll” is their NCD for the remainder of the game. Each person takes an NCD card with their diagnosis and places it face-up in front of them for the remainder of the game as a reminder to themselves and the rest of the group. If someone rolls a “6,” they should roll again until they receive a diagnosis.

Each player should have a different diagnosis. If you roll “cancer” and another player has that diagnosis, roll again.
7. Now that every player has a diagnosis explain that all players start at the start line. For the next round and all rounds afterwards, they roll the dice and move their pawn the same number of spaces as the number they roll. The number on the dice that is facing the player is the number that they have rolled. When it is their turn, they move their pawn the correct number of spaces, pick up a card and read only the line that corresponds to the NCD that is their “diagnosis.”
8. Players follow the directions on each card they pick up.
 - a. If a player must pay RBs, the money they pay goes into the bank.
 - b. If a player runs out of money, they must buy a loan coupon from the bank to pay their debt.
 - c. If a player's card tells them to go back or forward, they should move their pawn but may NOT draw another card. Play moves to the next player.
 - d. All players advance towards the finish line. The only way they can get out of the game prematurely is if they pull a card that says that their NCD was fatal and killed their pawn. If they die, they should take over the bank duties for the remaining players.
 - e. When a player passes the picture of bills, they may collect 5RBs from the bank. If they receive a card that instructs them to go back on the game board and they pass a picture of the bills, they must pay 6RB to the bank.
9. Continue play until the first player holding at least 1RB (NOT a loan coupon) crosses the finish line alive.









Red Bucks (1RB)

If more RB are needed, copy this sheet as needed.
Cut the Red Bucks out along the dotted line.



Red Bucks (5RB)

If more RB are needed, copy this sheet as needed.
Cut the Red Bucks out along the dotted line.



Loan coupons

If more loan coupons are needed, copy this sheet as needed.
Cut the loan coupons out along the dotted line.



Tool 2.5 - Healthy lifestyle game

Game die

Cut the shape out on the dotted lines to get one shape. Fold each square inward so the die forms a cube with the numbers on the outside. Tape the edges to make a die.



International Federation
of Red Cross and Red Crescent Societies

www.ifrc.org Saving lives, changing minds.

1st roll NCD cards

Cut the cards out on the dotted lines.



1

Cancer

Cardiovascular disease

2

3

Diabetes

4

Chronic lung disease

1

Cancer

Cardiovascular disease

2

3

Diabetes

4

Chronic lung disease

No NCD

5

No NCD

5



Game cards (6)

Cut the cards out on the dotted lines.



DIABETES:
You choose fruit over candy.
Go ahead one space.

CHRONIC RESPIRATORY DISEASE:
You walk to the market. Go ahead one space.

CARDIOVASCULAR DISEASE:
You do not smoke a cigarette today.
Go ahead one space.

CANCER:
You only had one small drink.
Go ahead one space.

No NCD:
You went for a walk today. Smile at the other players.

DIABETES:
Your feet are tingling and you are scared. Pay 3RB for the doctor visit.

CHRONIC RESPIRATORY DISEASE:
You wake up unable to breathe. Pay 4RB for transport and a doctor visit.

CARDIOVASCULAR DISEASE:
You go for a walk and you feel good. Go forward one space.

CANCER:
You must get chemotherapy once a week. Pay 15RB.

No NCD:
Your obese sister was just diagnosed with diabetes. You show her how to prepare healthier meals. Go forward one space.

DIABETES:
You only had one small drink.
Go ahead one space.

CHRONIC RESPIRATORY DISEASE:
Your friend told you that you looked healthy. You feel great. Go ahead 1 space.

CARDIOVASCULAR DISEASE:
You eat 2 bags of potato crisps. Go back 1 space.

CANCER:
You eat 5 servings of fruits and vegetables today. You feel good. Go ahead 1 space.

No NCD:
You walk to work everyday. You save \$3 RB by not taking a taxi. Get 3 RB from the bank.

DIABETES:
You are very obese and have difficulty moving. The bus driver makes you pay for two fares because you take up too much room. Pay 1 RB.

CHRONIC RESPIRATORY DISEASE:
Your spouse would not kiss you anymore because of your bad breath. Go back one space.

CARDIOVASCULAR DISEASE:
Your body stops. You die from a heart attack. Remove your pawn from the game.

CANCER:
You must miss work to have chemotherapy. Pay 10RB.

No NCD:
Your children eat healthy snacks instead of chocolate. Their doctor tells them that they are healthy. Go forward two spaces.

DIABETES:
Pay 5RB for a hospital visit.

CHRONIC RESPIRATORY DISEASE:
You have tried to stop smoking but you cannot. You smoke three cigarettes in defeat. Go back three spaces and pay 3RB.

CARDIOVASCULAR DISEASE:
You need medicine for your high blood pressure. You do not have enough for both school fees and the medicine. If you choose school fees, go back five spaces. If you choose medicine, go back five spaces.

CANCER:
Your cancer has spread. The doctor said you must eat healthier and get some exercise if you can. Pay 4 RB and go back one space.

No NCD:
Your neighbour who has diabetes has no money to pay the doctor. You watch her eat so much sugar and she does not stop. Give her a hug.

DIABETES:
You drink soda only once this week. Go forward one space.

CHRONIC RESPIRATORY DISEASE:
You are always nervous and anxious until you smoke a cigarette. You learn how to knit to keep your hands busy. Go forward one space.

CARDIOVASCULAR DISEASE:
You cannot climb the stairs to your bedroom anymore. You must rent a hospital bed for your living room. Pay 8RB.

CANCER:
You eat healthier and you find you do feel a little better. Go forward one space.

No NCD:
Your spouse gets sick. You have to take a day off from work to care for him. Lose 3RB.



Game cards (6)

Cut the cards out on the dotted lines.



DIABETES:
You eat two candy bars. Go back one space.

CHRONIC RESPIRATORY DISEASE:
You go for a clinical assessment. Go forward one space.

CARDIOVASCULAR DISEASE:
You smoked three cigarettes today. Go back two spaces.

CANCER:
You drank three beers with a friend. Go back one space.

No NCD:
You do not snore like your obese sister. Hug another player.

DIABETES:
You eat candy in bed when no one can see. Go back one space.

CHRONIC RESPIRATORY DISEASE:
You learn that you also have throat cancer. Pay 5RB for the doctor visit. For the rest of the game, you will read and follow the instructions for both cancer AND chronic respiratory disease.

CARDIOVASCULAR DISEASE:
Your doctor gives you a bunch of medicine you have to take. Pay 10RB for medicine and medical supplies.

CANCER:
You do not eat healthy foods because you are depressed about having cancer. Go back one space.

No NCD:
You got a perfect score on your assessment card. Go forward one space.

DIABETES:
Your body is overwhelmed. You slip into a coma. Pay 5RB to the hospital.

CHRONIC RESPIRATORY DISEASE:
You go to a pub just to smell the smoke. You do not smoke but your lungs are still damaged from the smoke. Go back one space.

CARDIOVASCULAR DISEASE:
Your vision is blurred and you do not feel well. You have to go to the emergency room. Pay 8RB.

CANCER:
You ate two candy bars. Pay 1RB.

No NCD:
You have not missed a day of work in three years because of your good health. Your boss gives you a bonus of 10 RB from the bank.

DIABETES:
You go to the Red Cross Red Crescent branch office for an assisted assessment. Go forward one space.

CHRONIC RESPIRATORY DISEASE:
You have just been diagnosed with rheumatoid arthritis. Pay 4RB for a doctor visit.

CARDIOVASCULAR DISEASE:
You stopped smoking 1 week ago. Go forward two spaces.

CANCER:
You lose your job. Try to borrow 10RB from another player. If they do not agree, go back four spaces.

No NCD:
At the health clinic, your blood pressure is healthy. Get 1RB from the bank.

DIABETES:
You cannot breathe easily and you get scared. Pay 2RB for an emergency visit.

CHRONIC RESPIRATORY DISEASE:
Your children tell you that your cigarettes are killing you. You are scared and attend the Red Cross Red Crescent support meeting. Go ahead one space.

CARDIOVASCULAR DISEASE:
You have a terrible headache all day. Miss a turn.

CANCER:
You must have surgery. Pay 15RB.

No NCD:
Your mother just died of cancer. You are worried. You go for an assessment at your health clinic and are told you are at low risk because of your healthy lifestyle. Go forward two spaces.

DIABETES:
You eat a bag of sweets and your blood sugar spikes. Pay 5RB for the doctor visit.

CHRONIC RESPIRATORY DISEASE:
Your teeth become yellow. Pay 2RB to the dentist.

CARDIOVASCULAR DISEASE:
A nurse must come and give you medicine in your arm once a week. Pay 15RB.

CANCER:
You need more medicines. Pay 10RB.

No NCD:
Your family has a history of cardiovascular disease. You monitor your cholesterol and your weight and keep your health in check. Go forward one space.





DIABETES:
Your friend is diagnosed with cancer. You decide to get a clinical assessment. Go ahead two spaces.

CHRONIC RESPIRATORY DISEASE:
Your sister is diagnosed with cardiovascular disease. You decide to get another assisted assessment. Go ahead one space.

CARDIOVASCULAR DISEASE:
You are depressed and smoke more than normal.

CANCER:
Your son is diagnosed with diabetes. You are depressed and forget to take your medication. Go back three spaces.

No NCD:
Your doctor tells you that you are in excellent health. Go forward one space.

DIABETES:
You smoke after eating chocolate cake every night. You say that it makes you think more clearly. Go back two spaces.

CHRONIC RESPIRATORY DISEASE:
You get bronchitis and must miss work. Pay 3RB for missing work and 5RB for the hospital visit.

CARDIOVASCULAR DISEASE:
You need surgery. Pay 25RB.

CANCER:
You feel weak but you have to work – you have so little money. Miss a turn.

No NCD:
You only drink one small drink. Get 2RB for the money you saved.

DIABETES:
You run out of insulin at work and must leave work to get some more. Pay 2RB for missing work.

CHRONIC RESPIRATORY DISEASE:
You buy cigarettes with a filter instead of unfiltered. Pay 2RB and miss a turn.

CARDIOVASCULAR DISEASE:
Your spouse tells you that she has chronic respiratory disease from breathing your second-hand smoke. Go back two spaces.

CANCER:
You need medicine to fight the cancer. Your child needs money to pay school fees. If you choose the medicine, go back five spaces. If you choose the school fees, go back five spaces.

No NCD:
You can keep up with your children when they play. Laugh out loud and get the other players to laugh with you. Get 1RB from the bank for each other player that you can get to laugh.

DIABETES:
You need more insulin. Your son also needs money for school fees. You cannot afford both. If you choose the medicine, go back five spaces. If you choose the school fees, go back five spaces.

CHRONIC RESPIRATORY DISEASE:
Your blood pressure is high because the tobacco makes your blood work harder. Pay 3RB for medicine.

CARDIOVASCULAR DISEASE:
You no longer drink more than one glass of beer after work. Go forward one space.

CANCER:
You recover from surgery. Pay 3RB for a missed day of work.

No NCD:
You take your sister to the clinic for her cholesterol test. She has high cholesterol. You get your cholesterol tested too and your levels are excellent. Go forward one space.

DIABETES:
You are depressed all day. You miss your clinical assessment appointment. Go back two spaces.

CHRONIC RESPIRATORY DISEASE:
You are so tired you sleep all day and miss your support meeting. Go back one space.

CARDIOVASCULAR DISEASE:
You feel pain in your arm and chest. You call an ambulance. Pay 12RB for the ambulance and doctor visit.

CANCER:
You need to buy bandages to cover your surgery wound. Pay 2RB for medical supplies.

No NCD:
Your body measurements are considered healthy. You look 10 years younger than your older sister. Go forward one space.

DIABETES:
You run out of your insulin. Pay 10RB for a week's supply.

CHRONIC RESPIRATORY DISEASE:
Your eyesight becomes blurred. Your doctor says you need an operation. Pay 15RB.

CARDIOVASCULAR DISEASE:
You are afraid to fall asleep each night because you are afraid you will not wake up again. You do not get enough sleep. Go back two spaces.

CANCER:
You go for two walks every day for 15 minutes. You always feel better and sleep better afterwards. Go forward one space.

No NCD:
Your spouse smokes and spends all the money you save. Tell your spouse how tobacco hurts your family physically and financially. Go forward one space.





DIABETES:
You miss work because you do not feel well.
Pay 3RB for a missed day of work.

CHRONIC RESPIRATORY DISEASE:
You have pain in your chest and cannot go to work. Pay 3RB for a missed day of work.

CARDIOVASCULAR DISEASE:
You cannot stop coughing - your boss sends you home. Pay 2RB for missed work.

CANCER:
You feel terrible. You lie in bed all day and wish for better health. Go back one space.

No NCD:
You feel great today. Get 1RB.

DIABETES:
You drink four glasses of alcohol every day because you think it does not have sugar (it does). Go back two spaces.

CHRONIC RESPIRATORY DISEASE:
Your body stops. You die from respiratory disease. Remove your pawn from the game.

CARDIOVASCULAR DISEASE:
You feel weak.
Pay 3RB for a missed day of work.

CANCER:
Your daughter stops smoking in the house. You breathe easier. Thank your daughter and move forward one space.

No NCD:
Your children tell you that they prefer fruits over unhealthy snacks. Go forward two spaces.

DIABETES:
You are having a difficult time focusing your eyes. Go back two spaces.

CHRONIC RESPIRATORY DISEASE:
Your baby coughs every time you smoke in the same room. You have to take her to the doctor for medicine. Pay 4RB.

CARDIOVASCULAR DISEASE:
You eat five servings of fruits and vegetables today. You feel good. Go ahead one space.

CANCER:
You chose fruit over candy. Go ahead one space.

No NCD:
Your spouse tells you that you are beautiful. Get 1RB from the bank.

DIABETES:
You drink 2 litres of water and NO soda today. Go forward one space.

CHRONIC RESPIRATORY DISEASE:
Your husband tells you that you look old with all your wrinkles around your mouth and eyes even though you are only 30 years old. Go back one space.

CARDIOVASCULAR DISEASE:
You eat a salad instead of a burger. Go forward one space.

CANCER:
Your body stops. You die from cancer. Remove your pawn from the game.

No NCD:
You visit your brother who smokes heavily. You breathe in lots of his second hand smoke and you do not feel well. Lose 1RB.

DIABETES:
Your body stops. You die from diabetes. Remove your pawn from the game.

CHRONIC RESPIRATORY DISEASE:
You need more medicine. Pay 2RB.

CARDIOVASCULAR DISEASE:
Pay 3RB for a missed day of work.

CANCER:
Pay 10RB for your spouse to stay home from work this week to care for you.

No NCD:
You have money in savings – enough to go on that vacation holiday you have always wanted. Go forward three spaces.

DIABETES:
You go for a walk to the market to buy fresh vegetables. Go forward two spaces.

CHRONIC RESPIRATORY DISEASE:
You eat carrots instead of smoking. You are sick of carrots but you have not smoked in 2 days. Go forward two spaces.

CARDIOVASCULAR DISEASE:
You do not do exercise because you are afraid of a heart attack. Go back one space.

CANCER:
You drink too much because drinking makes you forget you have cancer. You get arrested for drunken driving. Pay 30RB.

No NCD:
You maintain a healthy body weight and do not eat too much sugar, fat or salt. You do not have to buy new larger clothes. Get 5RB from the bank.





Topic 3 - Community toolkit

for the healthy lifestyle: noncommunicable diseases (NCDs)
prevention and control module

This toolkit contains three tools for topic 3. The tools can also be found at www.ifrc.org. In the order of usage, they are:

- 3.1 NCD risk assessment card with a self assessment on the front and assisted and clinical assessment on the back. Volunteer guidance sheet is included for each type of assessment.
- 3.2 Measuring strip
- 3.3 Body Mass Index (BMI) chart
- 3.4 Home-based psychosocial support for NCD diagnosis

NCD risk assessment card

Answer each behaviour question.

Self

3 Points

2 Points

1 Point

-1 Point

Add up all your points below.

Healthy diet:

5 servings of fruit and/or vegetables per day, everyday.



I eat 5 or more servings daily



I eat some but less than 5 servings daily



I do not eat regularly

Physical activity:

30 minutes of activity everyday that keeps your body moving. Activities can be walking, riding a bicycle, stretching etc.



30 minutes or more daily



Less than 30 minutes daily



I am not physically active

Excess alcohol:

Excess alcohol is more than 1 drink for women or 2 drinks for men each day.



I drink 0-1 alcoholic drinks per day



I drink 1-2 drinks per day



I drink more than 3 drinks per day

Tobacco use:

Tobacco use includes smoking or chewing tobacco products, or living or working in the same room as someone who smokes



I have never used tobacco



I stopped using tobacco less than 2 years ago



I use tobacco or am exposed to any kind of smoke

What your self-assessment score means:

4 – 6 points = You are unhealthy, putting you at **high risk** of having an NCD.

7 – 11 points = You have some unhealthy behaviours that put you at a **medium risk** of having an NCD

12 points = You are healthy. You are at a **low risk** of having an NCD. Well done!

B

Your total behaviour points:

C

Are you a man older than 45 years or a woman older than 55 years?



Yes

+0 point



No

+1 point

Do you have a family history of having NCDs?



Yes

+0 point



No

+1 point

D

Your final self-assessment score:

Add points from B and C.

4-7 points

Go for a clinical assessment.

8-13 points

Go for an assisted assessment.

14 points

EXCELLENT!! Go for an assessment to check all your health stats!



International Federation
of Red Cross and Red Crescent Societies
www.ifrc.org Saving lives, changing minds.

Tool 3.1

NCD risk assessment card

Date: _____

If you are female, are you pregnant? ☐ yes ☐ no

Age: _____

Health facility: _____

Assisted

Clinical

Waist circumference:

A measurement of the abdomen to determine if you carry an unhealthy amount of fat around your waist.



Men: < 102 cm
Women: < 88 cm



Men: > 102 cm
Women: > 88 cm

Body Mass Index (BMI):

A measurement to check if you are underweight or overweight.



Between 18.5 and 25



Between 25.5 and 30



Greater than 30

Blood pressure:

A measurement of how efficiently your blood travels in your body to deliver oxygen and nutrients to your organs.



Between 90/60 - mmHg and 120/80 mmHg



Between 120/80 mmHg and 140/90 mmHg



Greater than 140/90 mmHg

Waist measurement: _____

Height: _____

Weight: _____

BMI: _____

Blood Pressure: _____

Blood sugar levels:

The amount of sugar in your blood after having consumed no food or drink for 8 hours before the test. This measures how well your body processes sugar.



< 100 mg/dl



110-126 mg/dl



> 126 mg/dl

Blood sugar: _____

Cholesterol:

A measure of the amount of material in your blood vessels that blocks or slows down blood flow to and from the heart.



< 190 mg/dl



190-320 mg/dl



> 320 mg/dl

DL Cholesterol: _____

Note: If blood pressure is lower than 90/60, refer to a health clinic immediately.

Your assisted assessment score:

3

GOOD JOB! Go for a clinical assessment to get all your health data. Come back every year for an **assisted assessment**.

1-2

Adopt healthier behaviours to lower your risk. Go for a clinical assessment to get all your health data. Come back for another **assisted assessment** in 1-3 months.

1-3

You may already have an NCD or you are at high risk for having an NCD. Get to a health clinic for a **clinical assessment**.

Your clinical assessment score:

2

You are at **low risk** of having an NCD.

GOOD JOB!

Continue to practice good behaviours. Come back next year for a check-up to maintain your good health!

1

You are at **medium risk** for having an NCD.

You should monitor your behaviours to prevent NCDs. Get another assisted assessment and clinical assessment in one year.

1

You may already have an NCD or you are at **high risk** of having an NCD.

Make an appointment to see a doctor for a more thorough assessment.

Health action plan

My behaviour goal: _____

My motivation for changing: _____

My behaviour change plan: _____

My support network: _____



International Federation
of Red Cross and Red Crescent Societies
www.ifrc.org Saving lives, changing minds.

Self

1. Bring plenty of blank assessment cards with you to your meeting or home visit. Bring your display assessment card from the toolkit for all to see and follow along with.

2. Say:

- Knowledge is the first step to better health.
 - In understanding your own risk level for NCDs, you can determine if you are at low, medium or high risk of getting an NCD.
 - Based on your results, you can also discuss and consider how to lower your risk.
3. Distribute NCD risk assessment cards to all community members. Allow them to take extra as needed.
 4. Hold up the display NCD risk assessment card for all to see.

5. Say:

There are three parts of the NCD risk assessment card. In section A – self-assessment cards – you can do today. The assisted assessment and the clinical assessment will be discussed a bit later. I will show you how I would complete each and then allow you all to complete your own self-scoring cards.

6. Say:

In section A, I will rate my own personal behaviour for each risk factor as written in each of the coloured boxes. I will give myself a score for each row.

Then in Section B, I add up my points.

Using a marker and the display NCD self-assessment card, read aloud each prompt and circle your responses directly on the card. Add up all your points on the prompts.

Go to the next set of questions on the card.

7. Say:

In section C, the questions prompt me for more personal information – my biological gender, my age and family history.

I will circle my answer to each of the three questions.

8. Using a whiteboard marker and the display NCD self-assessment card, write your responses directly on the card. Model how you would follow the arrows following your response to the question.

9. Say:

In Section D, I add my total points from section B and section C to find my assessment score.

If I have been advised to go for an advised assessment, I would go as soon as possible to make sure I fully understand my NCD risk.

10. Ask if there are any questions.

11. Say:

Now if I already have an NCD and I am taking steps to treat that disease, I would still want to take the self-assessment on the first four questions – the questions about behaviour.

If I already have an NCD, I want to be especially careful about making the healthiest choices I can. My consistent healthy choices will help to relieve some of the problems associated with my disease AND help to reduce my risk of contracting another NCD.

12. Provide pencils to the group and paper tape measures.

13. Say:

Now you will have some time to privately complete your own NCD risk self-assessment card. You can take 5 minutes to read through just the self-assessment card and find your score.

14. Go through the room, seeing if anyone needs assistance.
15. Ask if anyone would like to share. If so, discuss their risk factors and scores. Do not force anyone to share.

16. Say:

For those of you who scored a 14 smiley faces – excellent! Keep up the good work.

- We will continue to discuss the other three levels of assessment for the group to understand how they would later have these cards completed and what the scores mean.

17. Advise beneficiaries to always consult a doctor if they have any health concerns that require immediate attention.

Assisted

1. Before the full group presentation/discussion, ask for a volunteer to help you role play the assisted assessment scenario. Discuss with the volunteer how you will demonstrate the assessment for the group to see and show how the assisted assessment card is used to determine risk.
2. Hold up the display NCD risk assessment card for all to see and turn it over to the side showing the assisted and clinical assessments.

3. Say:

An assisted assessment involves measuring your waist circumference, height, weight and blood pressure. To demonstrate the assisted assessment, I will use a volunteer. Can my volunteer please come up?

4. Thank you for volunteering. _____ will pretend to be a beneficiary coming in for an assisted assessment and I will be the health worker. Ready?
5. Distribute NCD risk assessment cards to all community members. Allow them to take extra as needed.

6. Say:

Let us start with the first prompt – waist circumference. Too much fat around the belly is an indicator of risk.

I will measure starting at the top of their hip bone, then bring it all the way around – level with their navel.

I make sure it is not too tight and that the tape measure is held parallel to the floor.

I also make sure that the person does not hold their breath while being measured.

- Demonstrate measuring their waist circumference. Start at the top of the hip bone, then bring it all the way around – level with their navel. Make sure it is not too tight and that the tape measure is held parallel to the floor. Make sure the person does not hold their breath while being measured.

7. Using a marker, demonstrate how to complete the waist circumference prompt on the display assisted assessment section of the card.
- Write the actual measurement in the box and circle the face that corresponds to their measurement.

8. Say:

Now we will measure their BMI. The BMI is a measure of your height and weight to make a determination of whether you are okay, overweight or obese.

First I ask them to remove their shoes.

I use my tape measure to measure their height. I write their height on their assessment card in the box.

Then I place a scale on a flat, even surface and ask them to step on it without their shoes. I write their weight on their assessment card in the box.

9. Demonstrate the measuring of their height using the tape measure and their weight using a scale on flat, solid ground.

10. Say:

Now, I look at the BMI chart. Using their height and weight, I find where their two numbers intersect and find their BMI number.

Demonstrate the taking of the person's height and weight and using the BMI chart to measure BMI.

Using a whiteboard marker, write the actual height and weight measurements in the box and circle the face that corresponds to their measurement.

11. Say:

Now we will measure their blood pressure. Blood pressure is a measure of how hard your arteries have to work to keep the blood flowing to your heart and brain.

First I will ask them to sit quietly for a minute.

I will use a blood pressure cuff to measure their blood pressure.

I place the blood pressure cuff snugly around the upper arm, at the same height as the heart while the person is seated with their arm supported. I make sure that the correct size of cuff is used or the reading will not be accurate.

This is an automatic cuff. I press the button and wait for the cuff to inflate, deflate and then write their blood pressure readings in the box on their card.

I will take the blood pressure in the other arm in the exact same manner. If there is a difference of more than 10 mm Hg between the measurements of the two arms, note this on the assessment card as well for their doctors to be aware of. This difference can mean an increased risk for cardiovascular disease.

I write their height on their assessment card in the box.

12. Demonstrate the taking of the person's blood pressure.
13. Using a whiteboard marker, write the actual blood pressure measurements in the box on the display assessment card and circle the face that corresponds to their measurement.
14. Using the marker, circle the beneficiary's scores directly on the card. Add up all the points on the prompts and read their results and score interpretation aloud.

15. Say:



If you received 3:
Good job! To keep healthy, it is a good idea to go for a clinical assessment to get all your health data. Come back every year for an assisted assessment.



If you received 1 to 2:
Adopt healthier behaviours to lower your risk. Go for a clinical assessment to get all your health data. Come back for another assisted assessment in 1 to 3 months.



If you received 1 to 3:
You may already have an NCD or you are at high risk for having an NCD. Get to a health clinic for a clinical assessment.

If your score results indicate that you should go for a clinical assessment, please go to your nearest medical clinic or public health centre as soon as possible to make sure you fully understand your risk.

16. Ask if there are any questions.
17. Announce the time and place when your branch office is available to conduct the assisted assessments. Assisted assessment sessions should be held at least every 3 months so that beneficiaries can check in on a regular basis.
18. Advise beneficiaries to always consult a doctor if they have any health concerns that require immediate attention.

Tool 3.1 - NCD risk assessment card

Guidance

Clinical

1. Before the full group presentation/discussion, ask for a volunteer to help you role play the clinical assessment scenario. Discuss with the volunteer how you will demonstrate the assessment for the group to see and show how the clinical assessment card is used to determine risk.
2. Hold up the display assessment card for all to see and turn it over to the side showing the assisted and clinical assessments.

3. Say:

For your clinical assessment, these are the measures that will be taken of your body. To demonstrate the clinical assessment, I will use a volunteer. Can my volunteer please come up?

4. Thank you for volunteering. _____ will pretend to be a community member coming in for a clinical assessment and I will be the doctor or medical professional. Ready?
5. Conduct a role play with the volunteer to demonstrate the necessary preparation for a blood test – namely no eating or drinking 8 hours before the test.
6. Prompt the volunteer for their assessment card so that the doctor can see the existing risk factors. Remind the group to bring their assessment cards with them to the doctor.
7. Pretend to draw blood from the volunteer.

8. Say:

As your doctor, I am glad that you came in for a clinical assessment. I will send your blood to the laboratory to assess it there. They will examine your blood to determine how much sugar is in your blood. This measure of blood sugar helps us to know how well your body is able to process sugar. This measure lets us know if there are any problems we need to know about. Some patients come in and have an NCD they may not know about. This test helps to get them the treatment they need.

The laboratory will also test the blood for cholesterol, a substance in your body that can build up if you eat too much fat and sugar. If this cholesterol becomes too much, it can build up inside your arteries and blood vessels, making your heart work harder to push blood through. If your heart always has to work too hard, you can be at greater risk for NCDs.

9. Say:

Now let us pretend that a week has passed and the laboratory results on the beneficiary’s blood have been processed. Let us see how the beneficiary did on their clinical assessment card.

10. Continue the role play. Give made-up blood sugar levels and cholesterol levels of the beneficiary. Talk with the beneficiary about what these laboratory results mean, using the clinical assessment card as a guide.
11. Using a whiteboard marker, demonstrate how the medical professional and beneficiary together would complete the fasting blood sugar prompt on the clinical assessment card. Assign a point value.
12. Using a whiteboard marker, demonstrate how the medical professional and beneficiary together would complete the cholesterol prompt on the clinical assessment card. Assign a point value.
13. Using the marker, circle the beneficiary’s scores directly on the display card. Add up all the points on the prompts and read their results and score interpretation aloud.

14. Say:



2 = You are at low risk of having an NCD.

Good job! Continue to practice good behaviours. Go back to your doctor every year to maintain your good health.



1 = You are at medium risk of having an NCD.

You should monitor your behaviours to prevent NCDs. Get another assisted assessment and a clinical assessment next year.



1 = You may already have an NCD or you are at high risk for having an NCD.

Make an appointment to see a doctor for a more thorough assessment.


15. Ask and answer any questions.
16. Provide details of clinics, doctors, hospitals and laboratories in the vicinity that can conduct the clinical assessments.
17. Advise beneficiaries to always consult a doctor if they have any health concerns that require immediate attention.

Tool 3.2

Measuring Strip (first part)

Cut the pieces of measuring strip out along the dotted line. You should have 8 pieces in total. Use pieces of sticky tape to stick the pieces together (A to A, B to B etc.), making sure the arrows with lines touch exactly, until you have one long measuring strip.

You will need two long strips – 1 to measure height and 1 to measure waist circumference.



International Federation
of Red Cross and Red Crescent Societies


www.ifrc.org Saving lives, changing minds.

Tool 3.2

Measuring Strip (second part)

Cut the pieces of measuring strip out along the dotted line. You should have 8 pieces in total. Use pieces of sticky tape to stick the pieces together (A to A, B to B etc.), making sure the arrows with lines touch exactly, until you have one long measuring strip.


You will need two long strips – 1 to measure height and 1 to measure waist circumference.



International Federation
of Red Cross and Red Crescent Societies

www.ifrc.org Saving lives, changing minds.

Body Mass Index (BMI)



Home-based psychosocial support for NCD diagnosis

Psychosocial support is the holistic first-order intervention that can be delivered in four simple steps, which are:



Step 1. Engage appropriately

- Calm the distressed person
- Make the person feel comfortable
- Reassure the person appropriately as they are sharing their concern



Step 2. Actively listen with appropriate non-verbal communication

- Take time to listen when the person describes their concerns
- Empathize and validate feelings expressed by the person
- Use direct and simple language as much as possible
- Listen and look into the person's eyes, if appropriate to do so. Repeat any key words that they say to demonstrate that you are actively listening
- Listen non-judgementally without interrupting or being critical
- Do NOT give advice or false assurances. For example, "Everything is just fine. I am sure the doctor is wrong"



Step 3. Stay close

- Newly diagnosed people may need constant reassurance. You may hear them, "I just cannot believe that I have ____" or begin to panic when they think of other people with the same disease who are suffering greatly or who have died as a result of the disease. Reassure them that they can still make some healthy changes to reverse the disease and allow the body to heal itself, get stronger and fight the disease.
- Visit newly diagnosed community members and their family often in the first few weeks. Household visits are recommended no fewer than three times a week initially.
- Provide additional support if the person is not following the guidance of medical professionals.
- Engage the person's family, as appropriate.



Step 4: Provide general care and practical help

- Connect the person to medical and social support networks including family members, friends, neighbours and clinics.
- Provide them resources and support in the beginning of new healthy behaviours.
 - Provide information about where they can get quality, inexpensive fruits and vegetables – necessary for them to fight disease.
 - Suggest ways to get them moving and active – another way to fight disease.
 - If appropriate, provide them resources and support in reducing or stopping their excess alcohol use and/or tobacco use.
- Identify those people who need further counselling or intervention.
- Regularly check in on those people who may not respond to your intervention.
- Link them to systems of support such as local clinics that provide insulin for diabetes, facilities that provide cancer care, heart health support and/or care for those with chronic respiratory diseases.
- Follow up at least two more times over the next week.



Guidance

1. In the event that a community member is diagnosed with an NCD, it is advised that the volunteer conducts no fewer than three home visits to provide psychosocial support as needed and to follow-up with any information, to answer any questions and provide support as appropriate.
2. On home visits, the volunteer should identify the community member's primary risk factors and support them in behaviour changes to prevent further complications. Regular self-assessments and assisted assessments will help the community member to gain control of their diagnosis and work towards a healthier lifestyle.



Topic 4 - Community toolkit

for the healthy lifestyle: noncommunicable diseases (NCDs)
prevention and control module

This toolkit contains four tools for topic 4. The tools can also be found at www.ifrc.org. In the order of usage, they are:

- 4.1 Five stages of behaviour change poster
- 4.2 Slides and ladders of behaviour change kit (game board)
- 4.3 Slides and ladders of behaviour change kit (game pieces)
 - a. 3 ladders
 - b. 4 slides
 - c. 2 figures
- 4.4 Behaviour change stages game kit:
 - a. Large game board
 - b. 40 behaviour change cards




Five stages of behaviour change

There are four conditions for success in changing a personal behaviour:


1. Defining a clear and simple goal.
2. Gathering sufficient and accurate knowledge to make a clear plan.
3. Having lots of personal motivation to follow through.
4. Having and relying on a supportive environment.





Tool 4.2 - Slides and ladders of behaviour change kit

Game board



For facilitators – training of volunteers:

1. Get participants into pairs.
2. Give each pair a paper copy of the game materials (pieces for facilitator training).
3. Instruct each pair to come up with a story about behaviour change. They should place the ladders and slide to match the actions of a story they tell using the slides and steps pieces. Give them 15 minutes to come up with a story.
4. Each person in the pair should have a chance to tell a story using the board and pieces.

The stick figure shape can be used to illustrate the story given in this guidance, where the audience will see the community member shape slide and climb towards positive behaviour change.

1. Say:

Behaviour change is difficult. There is no single perfect solution for everyone to be able to do a specific behaviour.

The path to making healthy behaviour changes is very much like the path on this game board. Every day, you move forward a little bit, advancing one day at a time.

Sometimes, you will leap ahead into the next stage or step of behaviour change and it all seems a bit easier.

Sometimes, you may have a good day or a bad day and you will slip back into your old unhealthy behaviour. Sometimes the slide is a little bit down – maybe even slide down a step, but sometimes you may slide all the way back – all the way back to the first stage of knowledge.

But every time you slide, you simply find yourself where you have ended up and you just keep moving a little bit forward again. Behaviour change is not simple, but it is worthwhile. Your life depends on it.

2. Use one of the stick figures on the board to represent a community member going through the slides and steps of behaviour change as you read the following. The number in the parentheses tells you where to place Ben on the board as you talk. The female figure can also be used, depending on your audience.

3. Say:

This is a community member. His name is Ben.

Ben goes to a community session with his friend and learns all about NCDs. He never knew that smoking (1), too much alcohol (2), unhealthy diet (3) and inactivity (4) could cause so much trouble. He did not know until the meeting that they could cause cancer (5), respiratory diseases and cardiovascular diseases (6). He did not even know what diabetes was until he attended the meeting, but he does now (7). Ben is at knowledge stage.

Ben agrees that changing unhealthy behaviours is important (8). He talks to his mother who also agrees (9). Ben and his mother think about what the risk factors mean to their health (10). Ben is so energized and committed to change he immediately goes up a stage (ladder) to the intention stage (18). Ben decides that he will change his unhealthy diet (19). He is excited to get started but is unsure how to do so, so he talks to his mother about preparing healthier meals (20). He buys fruits and vegetables and gets ready to start changing his diet the following week (21). Ben is at the intention stage.


Ben starts to eat healthier (22). He tries to eat five fruits and vegetables every day (23). He finds new foods to try that are healthy (24). He feels great (25) until one day the price of fruits and vegetables goes up so high that Ben cannot afford to buy any. He goes back to eating cheap, fried foods (12). As he feels worse and worse because of his unhealthy diet, he knows that he must get back to healthier eating (13). He decides he must do something (14). He is back at the approval stage.

Ben commits that he will buy what fresh foods he can afford and will stop eating unhealthy foods (15). He plants a small vegetable garden to grow his own healthy foods (16). He makes a deal with a man who grows mangoes that he will clean his house in exchange for a reduced price on his mangoes (17). He gets a free mango and immediately eats it (26), starting his healthy eating program sooner than next week. He feels good and he is back in the practice stage.

Continue the story as you like through to advocacy stage.

Game pieces


Cut the shapes out on the dotted lines to get the game pieces. Put a piece of sticky tape on each piece to use on the game board. Carefully remove the pieces as you demonstrate the game as not to damage the board.



Advocacy							
Practice							
Intention							
Approval							
Knowledge							

Tool 4.4 - Behaviour change stages game kit

Game board and guidance



1. This game is appropriate for play with groups of 4 to 5 people per group.
2. Each group gets a behaviour change stages board, a set of game pieces and a packet of behaviour change stages cards.
3. Each group must work together to correctly identify the behaviour change stage of the person who made the statement on the card.
4. Groups should place each of the behaviour change stages cards on their own board at the correct stage.
5. Groups have 15 minutes to discuss and place their cards on their board.
6. Lead the full group into a discussion about why each card is placed where it is.

Cut the cards out on the dotted lines.
There should be 8 cards of equal size.



My daughter told me about the dangers of not eating five servings of fruits and vegetables a day. Now I know about healthy eating.

My family and I watched a video on the internet that shows how tar in cigarettes blocks my husband's lungs when he smokes and makes it hard for him to breathe. Now we all know why tobacco is bad for his health and our health.

My father just lost thirty pounds just by eating more fruits and vegetables. He told me that I am too fat and should lose some weight too. I have some information about how eating fruits and vegetables can help me be healthy.

My family attended a Red Cross community health session and learnt about the dangers of tobacco use. We now know a few things about the dangers about tobacco.

A Red Cross Volunteer works with our community to talk about the dangers of drinking too much. Thanks to her help, we know about the dangers of too much alcohol.

I saw a program on the television that said that my body will stop working very well if I don't do some physical activity every day. I have some more information about physical activity.

A doctor from the clinic has been telling his patients about how too much alcohol can kill brain cells. Many people heard the information but do not know what to do about it.

I read a book that said that sitting in one spot for too long makes your muscles start to get weak. I learned some new information.

Cut the cards out on the dotted lines.
There should be 8 cards of equal size.



I think cooking meals with more vegetables is a great idea. I think vegetables are inexpensive so I think it is a good idea.

My family talked and we think it is a good idea that people should stop smoking. While my husband and I would like to quit, we don't think we can do it.

My family agrees that eating more fruits and vegetables is a good idea, but the market is so far away from our house.

I would like to stop smoking but I will get fat if I do.

I think I should stop drinking so much every night. I always feel so badly the next day and my body is feeling tired and not well. I think it is a good idea to stop but I don't want to give up going out with my friends so I will keep drinking.

At the market, a group of women vendors agree that walking to the market each day is good for the body. But they agree that this means they will have to wake up ten minutes earlier and they agree that they need the sleep more than the exercise.

A group of friends agree that drinking less is a good idea, but they worry that their other friends will make fun of them. They are worried that they will look weak.

I would like to walk to work but I will be all sweaty when I get there. My boss would not like that.



Our family really should eat more fruits and vegetables. My wife and I will buy some at the market this week and try it.

I am tired of all this coughing. I will cut down to one cigarette a day for a week and then cut down to one cigarette a week. I will start Sunday morning.

I will allow myself a small treat each day that I eat five servings of fruits and vegetables. I bought the fruits and vegetables and a small box of chocolates. I will start tomottorow!

My sister and I think we can try giving up cigarettes. We think it will be hard but our mother has asked us to do this and I want to be a good daughter. We will start on Sunday.

I want to be alive to meet my grandchildren one day. I will only have one drink a week - on Saturday nights. I am starting tonight.

The group of women know it will be difficult to walk to the market - it is hot and they will tire so quickly. But they agree that it will get easier if they do it together and that it will help them feel better. They agree to try it two days next week.

I know I shouldn't drink so much when I am with my friends. The Red Cross tells me that I am damaging my body and I want to live a long time. I will try stopping after one beer next time I go drinking.

A class teacher convinces her students that they will feel great if they ride their bicycle to school each day instead of taking the bus - it is not so far and should only take about ten minutes each way. They agree to start this Monday.

Cut the cards out on the dotted lines.
There should be 8 cards of equal size.



Our family ate five servings of fruits and vegetables yesterday and already ate two servings at breakfast today. My son already said that he is full - didn't even ask for his usual snack. This feels good!

An RC support group for smokers began their healthy behaviours program an hour ago. Everyone has stopped smoking. Some people said that they don't feel great about losing cigarettes - one woman just wanted to scream. They agree to support each other and keep it up for as long as they can.

A group of young mothers meet at the health clinic to discuss how they are doing at serving five servings of fruits and vegetables everyday to their families but they are not sure what a serving looks like. It's expensive but they agree to try to keep this up.

My husband and I stopped smoking last night. We both really wanted a cigarette this morning but thought of our lungs trying to get better and the feeling went away for awhile. Neither of us has lit a cigarette and we are proud of ourselves.

I haven't had more than one glass of gin for the past three days and I feel okay. I wanted a second glass but I remembered my high risk level on my RC assessment, so I stopped.

I walked to and from work every day for the last week. My legs were tired but I felt so much better when I got home.

I gave up all alcohol. The Red Cross volunteer scared me - but I love to drink. I don't want to die but I am not sure how long I can keep this up. So far, so good.

I walked to the market three times this week just like I planned!

Cut the cards out on the dotted lines.
There should be 8 cards of equal size.



My family has been eating vegetables at every meal and eating fruit for dessert for five months now. We all feel great and my daughter's skin problems have cleared up. We will never give up eating fresh fruits and vegetables.

I have been tobacco free for two months now. My wife still smokes at home which makes it difficult for me. I try to tell her how much better she will feel if she gives it up but she is stubborn. I have been telling everyone how good I feel and trying to get them to quit too!

I have been eating five servings of fruits and vegetables every day for two months and it feels normal - like part of my routine. Everything feels better. I have been trying to get my friends to try this!

My brother and I have been tobacco free for two months now. I still crave cigarettes sometimes but I am enjoying tasting food again. My brother said he forgot how good food can taste! We both like to taste food more than I like to taste tobacco! We want to tell everyone how to feel this good!

The group of men who agreed to limit their alcohol use have not had more than two servings of alcohol a week for the last two months. They support each other if someone else tries to make them drink more. Other friends are asking the group how they can cut back too! The group happily tells them and asks if they want to join their group.

I have been walking to and from work every day for the last two months. I feel good and it is now part of my routine. Everyone asks me my secret for looking healthier! I tell them!

I have not had any beer for the last two months. I have lost weight in my stomach and I have saved \$100 a month. I am trying to talk my friends into coming walking with me instead of drinking! I think it's working!

A group of young mothers have been walking together to and from the temple every day for the last two months. They feel good but they worry about the upcoming monsoon season. They agree to start an indoor exercise group and will invite others to join them!



Topic 5 - Community toolkit

for the healthy lifestyle: noncommunicable diseases (NCDs) prevention and control module

This toolkit contains five tools for topic 5. The tools can also be found at www.ifrc.org. In the order of usage, they are:

- 5.1 Guidance for health action planning
- 5.2 Effects of quitting tobacco poster
- 5.3 Effects of drinking less alcohol poster
- 5.4 Effects of a healthy diet poster
- 5.5 Effects of physical activity poster

Guidance for health action planning

1. Ask people to look at their completed NCD risk assessment cards from the previous session.
2. Hold up and display the NCD risk assessment card for all to see.

3. Say:

You already completed the NCD risk self-assessment card earlier in this module. I will show you how to look at your results and decide if you would like to develop a health action plan today to help you adopt healthier behaviours. If you need some time to think about it, then that is okay too.

I will demonstrate how I would complete my health action plan based on my results. If you decide to develop a plan, you will have an idea how to do so. You can also ask for help from any Red Cross Red Crescent volunteer who can help you.

4. Say:

There are four critical elements if you want to successfully change your behaviour:

- Define a clear and simple goal.
- Gather sufficient and accurate knowledge to make a clear plan.
- Have lots of personal motivation to follow through.
- Have and rely on a supportive environment.

These things are all very personal and unique to each person so everyone's action plan will be different.

5. The first question asks for what behaviour I want to start OR stop doing. I might want to start eating more fruits and vegetables or I might want to stop smoking. I would write in this top box whatever behaviour I WANT to have.
6. Using a marker and a NCD self-assessment card, write your behaviour goal directly on the card. You can use pictures or text.

7. Say:

I would need to think then about the reason that I really want to achieve this goal. Do I want this goal because my Red Cross Red Crescent volunteer said I should or maybe because I want to live a long life for my children? The motivation is the reason in your heart why you want to achieve the goal. It is usually always personal and is rarely because someone told you to do so. The motivation usually always stays the same.



Guidance for health action planning

Using a marker and a NCD self-assessment card, write your motivation directly on the card in the second box. You can use pictures or text.

8. Say:

I now need to come up with a plan. The plan lets me define how I plan to stop unhealthy behaviours and start healthy behaviours. The plan is how I plan to keep up the healthy behaviours even when I do not want to, when it is hard to keep going. The plan defines what I will do when I really want to stop because it is difficult and it will be difficult at times.

9. Using a marker and a NCD self-assessment card, write a little about your plan. Write your plan to keep doing the healthy behaviour, what you will do when you want to stop and how you will refer to your motivation to keep going. Write also what you will do when you “slide” back – like in the slides and steps game – and stop doing the healthy behaviour. Discuss how you will get back on track and write this in the box. You can use pictures or text.

10. Say:

The final critical piece in planning a health action plan is to identify your support network – who you will rely on when you need support or encouragement. You can also define how and when these people will help you. You can have one friend whom you go for a walk with every day to keep you moving. You might have a friend you call every time you want to eat some unhealthy food and you really, really want to eat it but know you should not. You might go to Red Cross Red Crescent meetings or even visit an online support group to meet other people also struggling with your specific behaviour change.

11. Using a marker and a NCD self-assessment card, write a little about your support network. You can use pictures or text.
12. Ask if there are any questions.



Effects of quitting tobacco



Brain

Within 5 years of quitting, the risk of stroke is half that of smokers.

Mouth and teeth

Within 5 years of quitting, the risk of contracting mouth cancer is half that of smokers.

Throat

Within 5 years of quitting, the risk of contracting throat and esophagus cancer is half that of smokers.

Within 10 years, the risk of larynx cancer is reduced.

Lungs

Within 2 weeks after quitting, lung function improves.

Within 9 weeks of quitting, the cilia in the lungs are better able to prevent smoker's cough and clean the lungs to reduce the risk of infections.

Within 10 years, the risk of death by lung cancer is half that of smokers'.

Muscles and joints

Muscles are getting more oxygen through the blood.

Heart and blood

Within 20 minutes of quitting, your heart rate and blood pressure drop back to normal levels.

Within 12 hours of quitting, the level of carbon monoxide in the blood drops to normal.

Within 1 year of quitting, the risk of cardiovascular disease is half that of smokers.


The risk of cardiovascular disease is the same as non-smokers.

Reproductive organs

Within 5 years of quitting, women's risk of contracting cervical cancer is half that of smokers.

Other organs

Within 10 years, the risk of pancreatic cancer is reduced.





Tool 5.2

Effects of quitting tobacco

1. Say:

As a smoker, quitting tobacco is the single best decision you can make for improving the quality of your life. Those who quit before they turn 51 years of age² cut their chances of dying within the next 15 years by half, as compared with people who do not quit. Even smokers who stop in their 60s increase their life expectancy by 1 year. When you quit smoking, you live longer and those extra years are spent in better health.

- **About 20 minutes after your last cigarette, your body already has begun to respond to your decision to quit smoking:**
 - Your blood pressure goes down, easing stress on your heart and blood vessels.
 - Your pulse rate slows, easing stress on the heart.
 - The temperature of your hands and feet increases as your blood moves more efficiently through your body.
- About 8 hours after you quit smoking, your blood has begun to recover from the effects of smoking. The levels of both carbon monoxide and oxygen in your bloodstream return to normal.
- Within 24 hours, your chance of a heart attack has already decreased as your system repairs itself.
- About 48 hours after you quit smoking, nerve endings deadened by the habit have begun to regenerate and your sense of taste and smell has already improved. Your immune system is beginning to heal itself and your risk of infections decreases.
- A few weeks later after you quit smoking, your circulation has improved and your lungs have begun to function better. Walking and exercising become much easier. Within the first few months, your phlegm production has decreased and you will not find yourself coughing or wheezing as much.
 - **Other benefits include:**

- a. Your bad breath is gone.
 - b. The tobacco stains on your teeth, fingers and fingernails start to fade.
 - c. The smoke smell starts to fade from your hair, clothes, car and home.
 - d. You have more overall energy and are better able to enjoy life.
- Within 1 to 9 months your lungs start working better. You will have less coughing, congestion and you will not lose your breath so easily.

The long-term benefits of quitting tobacco are even more beneficial.

- Within 1 year: You have lowered your risk of cardiovascular disease by half. You have lowered your risk of chronic respiratory disease, diabetes and cancer.
- Within 2 years: You have significantly lowered your risk of NCDs, provided you are practicing other healthy behaviours.
- Within 10 years: Your risk of lung cancer is now half that of people who keep smoking. You also have an even lower risk for ulcers and other cancers, including cancer of the mouth, throat, oesophagus, pancreas, kidneys and bladder.
- Within 15 years: Your risk of coronary heart disease is now comparable to that of people who never smoked a single cigarette. Your risk of dying also is nearly back to the same level as that of non-smokers.³

2. Ask:

- How many people used to use tobacco?
- Has anyone here tried to stop using tobacco?
- How do you feel? How can you make sure that you will not use tobacco anymore?
- What is your specific behaviour goal?
- Would anyone like to share their motivation for making this behaviour change?
- Would anyone like to share their behaviour change plan that helps you continue the behaviour change?
- Who or what is your support network?
- How many people here already have successfully stopped using tobacco? How do you feel? How do you say no to smoking, especially when you would really like a cigarette?
- Can you share any tips with the people just starting their behaviour change, such as chewing gum, spending time with other friends who are trying to quit and keeping your hands busy like with knitting?

3. Let's look at the poster to see how the entire body is affected.

Effects of drinking less alcohol



Brain

You will be able to think clearer and feel more alert, more aware of what is happening around you.


Your attention span may improve and you can focus longer on people and tasks.

More restful, continuous sleep.



Heart and blood

Blood sugar level normalises – less stress on the heart.




Other organs

Your liver starts to recover and heal.

Blood sugar normalises – less stress on the pancreas.

Reduced risk of breast cancer in women.



Mouth and teeth

Reduced risk for cancer of the mouth.



Throat

Oesophagus begins to heal

Reduced risk of throat and oesophagus cancer.





Tool 5.3

Effects of drinking less alcohol

1. Say:

When you reduce your drinking to no more than 1 alcoholic drink a day, your body may not feel well initially depending on how much you drank before. But this means that your body is trying to heal itself and the discomfort will make behaviour change more difficult. But if you continue to drink no more than 1 drink per day, your body will soon respond positively.

2. After you continue to monitor your drinking:

- You will be able to think clearer and feel more alert, more aware of what is happening around you.
- When you stop drinking, the damage stops and the body begins to start to heal.
- While the first few weeks will make you more irritable or easily annoyed, you will eventually feel a sense of well-being and happiness with your achievement. You will feel better about yourself and proud of your accomplishment.
- You will save yourself a lot of money that you otherwise would have spent on alcohol.
- If you were a heavy drinker, your liver takes a bit longer to recover because it has been working overtime for so many years and it is tired.
- You are better able to retain fluids as alcohol makes you lose water from your body. You are less likely to be dehydrated.
- Your attention span may improve and you can focus longer on people and tasks.

3. Ask:

- How many people used to drink more than 1 drink per day?
- Has anyone here tried to limit their drinking to one alcoholic drink per day?
- How do you feel? How can you make sure that you not drink more than one alcoholic drink per day?

- What is your specific behaviour goal?
- Would anyone like to share their motivation for making this behaviour change?
- Would anyone like to share their behaviour change plan that helps you to continue the behaviour change?
- Who or what is your support network?
- How many people here already have successfully limited their alcoholic drinks to no more than 1 per day? How do you feel? How do you say no to more than one drink, especially when you would rather keep drinking?
- Can you share any tips with the people just starting their behaviour change?

For those who are heavy drinkers there could be some withdrawal symptoms that can be self managed or can be consulted with a physician. However, if you begin to experience any of the symptoms below please seek the advice of a physician.

4. Let's look at the poster to see how the entire body is affected.



Effects of a healthy diet



Brain

You feel energized physically and mentally.
Better sleep.
Promotes and heals damaged cells in the brain and nervous system.
Significantly improves learning capacity.
Effective antidepressant.

Heart and blood

The linings of your blood vessels begin to stretch a bit and increases the flow of blood to your body's tissues and organs.

The fatty material in your blood vessels is being removed continuously meaning your heart and blood vessels do not have to work so hard.

Your cholesterol, blood pressure, blood sugar, triglycerides, glucose and insulin levels slowly normalize.

Strengthens the muscles in the heart.

Stomach and intestines

Your body normally processes sugar first. Now that you are restricting your sugar your body begins to burn fat in your body and organs helping you to lose weight and normalize your blood sugar levels.

Your intestines are working more effectively and it will be easy to make poo every day, not diarrhoea, but normal poo.

Other organs

Your liver is healing as it no longer has to work so hard to filter the bad foods from your blood stream.

Lowers body weight, lowers total fat mass.

Preserves vision — can prevent or delay all age related eye problems like muscular degeneration, cataract, myopia, dryness and infections.



1. Say:

Eating a healthy diet means eating five servings of fruits and vegetables every day and limiting the salt, sugar and fat in your diet.

A healthy diet positively affects all four NCDs, as a healthy diet means your body always has all that energy it needs to work as well as it can do so with great efficiency. A healthy and well-fed body allows you to fight disease.

1. Immediately after starting a healthy diet behaviour change, your body begins to feel the effects.
2. After 15 minutes: You feel energized physically and mentally.
3. After 3 hours: The linings of your blood vessels begin to stretch a bit and increases the flow of blood to your body’s tissues and organs.
4. After 6 hours: The good cholesterol in your blood begins to remove the fatty material in your blood vessels.
5. After 12 hours: Your body normally processes sugar first. Now that you are restricting your sugar your body begins to burn fat in your body and organs helping you to lose weight and normalize your blood sugar levels.
6. After 16 hours: Your body feels good and you will sleep well since your body received what it needs.
7. After 24 hours: Your body has started the process of eliminating excess water and toxins from your system.
8. After 3 days: You will start to lose weight if you are heavy. Your blood pressure improves, your cholesterol becomes lower and your blood sugar is now normal.
9. After 1 week: Your intestines are working more effectively and it will be easy to make defecate every day, not diarrhoea, but normal defecate. Cholesterol, the bad material in your blood ves-sels is slowly being removed.
10. After 2 weeks: If your body was heavy, you may have lost some unhealthy fat.
11. After 1 month: The fatty material in your blood vessels is being removed continuously meaning your heart and blood vessels do not have to work so hard. Your liver is healing as it no longer has to work so hard to filter the bad foods from your blood stream.
12. After 12 weeks: Your cholesterol, blood pressure, blood sugar, triglycerides, glucose and insulin levels – all important to be normal to be at a low NCD risk will normalize.
13. After 6 months: You probably have lost a lot of weight and feel very good. Your body is getting and using all the vitamins and minerals it needs to work its best. Your blood sugar and insulin production has normalized. Your energy levels have increased dramatically.

Tool 5.4

Effects of a healthy diet

2. Ask:

- How many people once ate an unhealthy diet?
- Why did you think it was unhealthy? What did you eat?
- Has anyone here tried to stop eating an unhealthy diet?
- Why was it difficult to stop eating an unhealthy diet?
- How can you make sure that you do not eat unhealthy foods?
- What is your specific behaviour goal?
- Would anyone like to share their motivation for making this behaviour change?
- Would anyone like to share their behaviour change plan that helps you continue the positive behaviour change?
- Who or what is your support network?
- How many people here already have successfully changed their diet to a healthy diet? How do you feel? How do you say no to unhealthy foods, especially when you would really want foods that are bad for your health?
- What are the types of healthy foods that you eat that make it easier for you to continue your healthy behaviours? Why do you like them?
- Can you share any tips with the people just starting their behaviour change?

Limiting salt means

Adults should eat no more than about one full teaspoon of salt a day. Children should eat less. You can start by avoiding adding any salt when you cook or when you are at the table. You can also cut back on soy sauce and other salty sauces.

Limiting sugar means

Limit for women is about six teaspoons of sugar a day. For men, it is about nine teaspoons. In general, avoid or limit sweets, cakes, biscuits, chocolate, fizzy drinks and some juice drinks.

Limiting fat means

The limit for adults is about five tablespoons. Grill, bake, poach or steam food instead of frying. Trim fat and take skin off meat before cooking.

3. Let’s look at the poster to see how the entire body is affected.

Effects of physical activity



Brain

Calming effect on brain.
Recovers from stress quickly.
More energy.
Increased alertness.
Better sleep.

Lungs

Your lungs and muscles that help you to breathe in and out become stronger.

Skin

Improved skin tone.

Muscles and joints

Increased flow of oxygen to muscles.
Your muscles and the tissues holding your muscles to your bones get stronger.
Your joints become more stable.
Your joints will become more flexible and less likely to be injured.
Your muscles get stronger.

Heart and blood

Stronger, larger heart muscle.
Your heart does not have to work as hard to pump blood to your organs.
Body enjoys increased blood flow throughout body.

Stomach and intestines


Less constipation.

Bones

Your bones increase in width and density, making you less vulnerable to bone breaks.

Other organs

Your posture or the way you hold your body will improve as regular activity keeps your body flexible.
Your body will start to get rid of extra fat in your vessels and body and you can lose weight.



Tool 5.5

Effects of physical activity

1. Say:

The effects on the body after physical activity are many. While it may feel uncomfortable at first, the body is reacting to a new activity and will quickly adjust. When you are active, your body will enjoy increased blood flow and oxygen delivery to the muscles as your muscle temperature rises and your heart rate increases, making the heart stronger.

2. As you continue to keep active:

- Your bones increase in width and density, making you less vulnerable to bone breaks.
- Your muscles and the tissues holding your muscles to your bones get stronger.
- Your joints become more stable.
- Your joints will become more flexible and less likely to be injured.
- Your muscles get stronger.
- You are able to do physical activity and move easier and for longer without getting tired.
- Your heart muscle gets stronger and larger.
- Your heart does not have to work as hard to pump blood to your organs.
- Your body recovers quicker from stress.
- You have more blood that carries more nutrients and oxygen to your body and bad air out, making your body more efficient.
- You are at a lower risk for cardiovascular disease.
- Your lungs and muscles that help you to breathe in and out become stronger.
- Your stress levels will decrease, making you calmer and less tense.
- Your posture or the way you hold your body will improve as regular activity keeps your body flexible.
- Your body will start to get rid of extra fat in your vessels and body and you can lose weight.¹

3. Ask:

- How many people have started becoming physically active? How does it feel? How can you make sure that you keep active?
- What is your specific behaviour goal?
- Would anyone like to share their motivation for making this behaviour change?
- Would anyone like to share their behaviour change plan that helps you continue the behaviour change?
- Who or what is your support network?
- How many people here already are physically active for at least 30 minutes a day? How does it feel? How do you stay active, especially when you would rather just sit or lay down?
- Can you share any tips with people who are trying to become more physically active?

4. Let's look at the poster to see how the entire body is affected.



For more information on this IFRC publication, please contact:

**International Federation of Red Cross and
Red Crescent Societies**

P.O. Box 372
CH-1211 Geneva 19
Switzerland
Telephone: +41 22 730 4272
Telefax: +41 22 733 0395

Email: secretariat@ifrc.org



International Federation
of Red Cross and Red Crescent Societies

www.ifrc.org Saving lives, changing minds.