Southern black-throated finch



Southern Black-throated Finch

We are investigating occurrence data of <u>Southern black-throated finch</u> in Australia from the **Atlas of Living Australia**, and make a map showing the spatial locations of sightings for 2024.

```
#> # A tibble: 6 × 5

#> lat lon year eventDate scientificName

#> <dbl> <dbl> <dbl> <dtm> <chr>
#> 1 -30.9 149. 2024 2024-12-17 00:00:00 Poephila (Poephila) acuticauda

#> 2 -21.0 140. 2024 2024-08-04 13:39:00 Poephila (Poephila) acuticauda

#> 3 -20.9 140. 2024 2024-08-04 13:39:00 Poephila (Poephila) cincta


#> 4 -20.7 140. 2024 2024-05-07 14:00:00 Poephila (Poephila) acuticauda

#> 5 -20.6 140. 2024 2024-04-24 07:38:00 Poephila (Poephila) acuticauda


#> 6 -20.6 140. 2024 2024-05-15 16:01:00 Poephila (Poephila) acuticauda
```

the length of the records is 568

Monthly Distribution of organism (2024)





Data Regularity & Temporal Gaps




Nearest Weather Station Mapping

Pattern Analysis







Datasets Overview

We have organized the Southern black-throated finch occurrence and weather station data into the following structured datasets, stored in the data/ directory:

- southern_black_throated_finch_2024.rda
 Contains Southern black-throated finch occurrence records across all states in Australia.
- southern_black_throated_finch_2024_ws.rda
 An enhanced version of the occurrence data, merged with the nearest weather station information, including:

```
--Station ID (weather_station_id)
--Station name (stname)
--Geographic details (lat.y, lon.y, address, city, state)
```

- southern_black_throated_finch_top_weather.rda
 Focuses on weather data from the top 3 most frequently recorded stations associated with Southern black-throated finch occurrences.
- weather_stations.rda
 A standalone dataset of all unique weather stations in Australia, providing reference metadata for cross-referencing.