
BIOSmart®
Drawn to Perfection
by BioVent
DENTAL IMPLANT SYSTEMS

BIOSmart®

PRODUCT

Conical-Hex Connection



Unique and Easy Protocol

We offer a simple and reliable solution for all possible clinical situations...
the doctor uses only one surgical kit to perform operations with all implant types.


Ideal Connection

DXL® implants have a "sealed-fit" conical-hex implant-abutment interface.


Surface

DXL® "SBAE" (Sand-Blasted Acid-Etched) surface is a latest generation of this type of standardized surface.

1500x magnification



5000x magnification



The surface morphology of DXL® dental implants has the ideal parameters to ensure the bond between the jaw bone and the dental implant.

The SBAE surface has micropores and homogenity. These micropores grow through the entire thickness of the oxide layer.
When combining, they create a multi-layered surface – thus the implant surface area is significantly increased.
This allows boney tissue not only to grow deeply into the micropores, but also to grow between them.
Respectively, the contact between the boney tissue and the implant surface is strengthened.
The unique properties of the surface can allow performing a prosthetic rehabilitation at an earlier stage,
as well as significantly reduce the risk of implant-loss during implant placement under one-stage protocol.


BIOSmart®


Internal Conical Connection / Platform Switching

Prevents crestal bone loss after implant placement
11° tapered double contact connection design

SLA SURFACE

Safe surface with no residual acid
Make faster and effective osseo-integration





Wide Collar (Flat Collar)

Distributes occlusal load more broadly,
reducing pressure on the crestal bone.

Tapered Design Body

Tapered design body helps to
secure initial stability

Self-tapping, Aggressive Thread Design

Minimizes drilling steps and improves tactile feedback during placement.
Provides sufficient mechanical stability even in low-density bone areas such as D3-D4.



Apex Rounded


Reduces risk of membrane perforation during sinus lifting

BIOSmart®

BIO SMART IMPLANT



BIO SMART
Implant include cover screw.



DIAMETER

3.5

COLOURCODE

YELLOW

INTERNAL HEX


2.24

BIOSmart®

BIO SMART IMPLANT



BIO SMART
Implant include cover screw.



DIAMETER

4.0

COLOURCODE

RED

INTERNAL HEX


2.24

BIOSmart®

BIO SMART IMPLANT



BIO SMART
Implant include cover screw.



DIAMETER

4.5

COLOURCODE

GREEN

INTERNAL HEX

2.24

BIOSmart®

BIO SMART IMPLANT



BIO SMART
Implant include cover screw.



DIAMETER

5.5

COLOURCODE

BLUE

INTERNALHEX


2.24


BIOSmart®

BIO SMART SHORT IMPLANT



BIO SMART
Implant include cover screw.





BIOSmart®

PROSTHETIC PARTS



BIOSmart®


Temporary Abutment
Cemented Abutment
Angled Abutment
FreeMilling Abutment
CCM Cast Abutment
Pick-Up Impression Coping
Fixture Lab Analog
Transfer Impression Coping
Fixture Cover Screw
Healing Abutment
12 Hex Driver
D
H
Regular & Wide

BIOSmart®

Cemented Abutment



Hex

Diameter	4.5 (D)
G/H \ P/H	7.0mm (P/H)
1.0mm (G/H)	BIO-CH-45107
2.0mm (G/H)	BIO-CH-45207
3.0mm (G/H)	BIO-CH-45307
4.0mm (G/H)	BIO-CH-45407
5.0mm (G/H)	BIO-CH-45507



Non-Hex

Diameter	4.5 (D)
G/H \ P/H	7.0mm (P/H)
1.0mm (G/H)	BIO-CN-45107
2.0mm (G/H)	BIO-CN-45207
3.0mm (G/H)	BIO-CN-45307
4.0mm (G/H)	BIO-CN-45407
5.0mm (G/H)	BIO-CN-45507

Angled Abutment



Hex

Diameter	4.5 (D)	
Length \ Angle	15 (A)	25 (A)
2.0mm (L)	BIO-AA-45152	BIO-AA-45252
3.0mm (L)	BIO-AA-45153	BIO-AA-45253
4.0mm (L)	BIO-AA-45154	BIO-AA-45254



Non-Hex


Diameter	4.5 (D)	
Length \ Angle	15 (A)	25 (A)
2.0mm (L)	BIO-AN-45152	BIO-AN-45252
3.0mm (L)	BIO-AN-45153	BIO-AN-45253
4.0mm (L)	BIO-AN-45154	BIO-AN-45254

BIOSmart®

MULTI UNIT ABUTMENT




BIOSmart®


Multi Temporary Abutment
Multi CCM Cast Cylinder
Multi Ti-Link Cylinder
MultiPick-UP Impression Coping
Multi Lab Analog
Multi Transfer Impression Coping
Multi Straight Abutment Driver
Multi Straight Abutment
Multi Angled Abutment
Multi Healing Cap
1.2 Hex Driver

BIOSmart®


Multi Straight Abutment





G/H \ Diameter	4.8 (D)
1.5mm (G/H)	BIO-MS-4815
2.5mm (G/H)	BIO-MS-4825
3.5mm (G/H)	BIO-MS-4835
4.5mm (G/H)	BIO-MS-4845

Multi Angled Abutment





Diameter	4.8 (D)	
Length \ Angle	17 (A)	30 (A)
2.5mm (L)	BIO-MAH-481725	
3.5mm (L)	BIO-MAH-481735	BIO-MAH-483035
4.5mm (L)	BIO-MAH-481745	BIO-MAH-483045
5.5mm (L)	BIO-MAH-481755	BIO-MAH-483055
6.5mm (L)		BIO-MAH-483065

BIOSmart®

Ball Abutment

G/H \ Diameter	3.5 (D)
1.0mm (G/H)	BIO-BA-3510
2.0mm (G/H)	BIO-BA-3520
3.0mm (G/H)	BIO-BA-3530
4.0mm (G/H)	BIO-BA-3540
5.0mm (G/H)	BIO-BA-3550
6.0mm (G/H)	BIO-BA-3560



Ball Abutment Components



Ball Abutment Cap Set
BIO-BACS



Ball Abutment Retainer Set
BIO-BARS



Ball Abutment O-ring Set
BIO-BAOS



Ball Abutment Lab Analog
BIO-BALA



Ball Abutment Driver
BIO-BAD


BIOSmart®

DIGITAL WORKFLOW




BIOSmart®

PROSTHETIC FLOW CHART



BIOSmart®

Ti-Link Abutment





Hex

Diameter / P/H	4.5 (D)
G/H	3.8mm (P/H)
1.0mm (G/H)	BIO-TILH-4510
2.0mm (G/H)	BIO-TILH-4520



Non-Hex

Diameter / P/H	4.5 (D)
G/H	3.8mm (P/H)
1.0mm (G/H)	BIO-TILN-4510
2.0mm (G/H)	BIO-TILN-4520

ScanBody




P/H / Diameter	4.3 (D)
10.0mm (P/H)	BIO-SB-4310



P/H / Diameter	4.3 (D)
10.0mm (P/H)	BIO-I-SB-4310 (Triangular)

BIOSmart®

Ti-Base Abutment



Angulated Screw Channels

Allows for up to 25 angulation, providing flexibility in implant placement

Anti-Rotation Features

Incorporated an anti-rotation design to ensure precise crown alignment and prevent rotational displacement

Customizable Post Height

While the chimney height of 6 mm also supports high restorations, it can be shortened in individual cases to 5, 4mm adapting to every clinical situation. For natural emergence profiles and perfect margin fit



Gingival Height

Available from 0.6mm to 3.5mm for more flexibility
0.6mm / 1.5mm / 2.5mm / 3.5mm

Wide platform for more support

A wide-platform design is implemented to maximize prosthetic support and ensure stable crown fixation.

ASC Driver

Special screw and Ballscrewdriver allows angulation of up to 25° ensures easy and reliable tightening.

Note

Note

Note



Nordstern Park 12, 52134 Herzogenrath, Germany



AVCILAR GROUP

www.avcilargroup.com