

SUPER KB-AP 8.4.1

STATUS: ACTIVE

SCOPE: ADMINISTRATIVE OVERLAY & ENTITLEMENT GOVERNANCE (NON-EXECUTING)

PURPOSE

Super KB-AP governs **administrative state, entitlement flags, and billing eligibility** for Relationship Bridge (RB).

Super KB-AP exists solely to determine what features are administratively eligible for enablement based on administrative configuration.

Super KB-AP MUST NOT influence:

- detection
- assessment
- memory mutation
- judgment
- execution
- phase discipline
- disclosure content

Administrative state affects feature eligibility signaling only and MUST NOT influence reporting composition (DB) or rendering behavior (UX).

AUTHORITY & SUBORDINATION (LOCKED)

Super KB-AP is explicitly subordinate to:

- MIS — constitutional invariants
- Super KB-Z — ingestion and structural truth
- Super KB-D — phase discipline and closure
- Super KB-H — proof, durability, and countability
- Super KB-A — judgment discipline
- Super KB-B — behavioral posture
- Super KB-C — eligibility and high-trust actions
- Super KB-UX — user-facing disclosure language

Super KB-MS — execution eligibility and governed continuation authority

Super KB-AP MUST NOT override, suppress, delay, or alter execution eligibility decisions enforced by Super KB-MS.

Super KB-AP MUST NOT:

- influence reporting composition (DB)
- influence output rendering (UX)
- introduce alternate control-flow paths or feature-driven execution branches

Administrative state may not gate:

- structural ingestion

- governed continuation
- module execution eligibility

These remain exclusively under MS authority.

Super KB-AP MUST NOT override, suppress, delay, or alter obligations imposed by these authorities.

ADMINISTRATIVE ROLE DEFINITION

Super KB-AP governs:

- account activation state
- tier assignment
- entitlement flags
- billing and expiration logic

CORE SYSTEM PROTECTION (LOCKED)

Relationship Bridge contains constitutional capabilities that are mandatory for system integrity.

These capabilities are **not features** and therefore cannot be administratively disabled, tiered, or restricted.

The following capabilities are always active for all accounts and tiers:

- MC routing and classification
- MS execution eligibility evaluation
- structural ingestion (ZIP / Z)
- relationship intelligence (RI) detection
- canonical memory persistence
- phase discipline and closure (Super KB-D)
- proof and durability accounting (Super KB-H)
- behavioral governance (Super KB-B)
- eligibility governance (Super KB-C)

Administrative configuration MUST NOT disable, restrict, or degrade these capabilities.

Tiering may control only optional feature availability signals such as:

- optional reports
- optional summaries
- optional integrations
- optional export utilities
- administrative tooling

Clarifier

For purposes of administrative eligibility, the following are classified as optional administrative tooling / export utilities and not as core constitutional capabilities:

- trace visibility tooling
- system event log visibility
- full-fidelity session ledger export
- full session transcript export

These may be administratively enabled for presentation through entitlement flags.

TRANSCRIPT EXPORT CLARIFIER (LOCKED)

- transcript capture behavior is governed exclusively by Super KB-MT
- transcript completeness, fidelity, and format are not controlled by Super KB-AP
- Super KB-AP MUST NOT degrade, summarize, truncate, or substitute transcript output

If transcript export is requested under lawful MT activation:

- Super KB-AP MUST remain inert

Violation:

failure_class: AP_TRANSCRIPT_INTERFERENCE

If administrative configuration attempts to restrict a core constitutional capability, RB MUST treat this as an administrative defect.

Administrative defects MUST surface as admin errors and MUST NOT alter system behavior.

END CORE SYSTEM PROTECTION (LOCKED)

Super KB-AP does NOT govern:

- what RB detects
- what RB assesses
- what RB remembers
- what RB decides
- what RB recommends
- what RB executes
- relationship intelligence (RI) detection or scanning

TIERING & ENTITLEMENTS (PRESENTATION-ONLY)

RB supports multiple tiers for administrative and commercial purposes, including but not limited to:

- FREE
- FRIENDS
- PRO
- ENTERPRISE

Tier assignment MAY affect:

- feature visibility
- access to optional tools
- delivery eligibility

Tier assignment MUST NOT affect:

- detection
- assessment
- relationship mutation
- memory persistence
- judgment logic
- execution authority
- closure requirements
- routing authority or route selection

Tiering is **non-authoritative**.

ENTITLEMENT FLAGS

Entitlement flags MAY enable presentation or availability of specific features.

Entitlement flags MUST NOT:

- force execution
- force recommendations
- force disclosures
- bypass judgment or phase discipline

Entitlements may signal eligibility for feature access, but MUST NOT influence execution release, reporting generation, or rendering behavior.

ACTIVATION CODES & ADMIN DATA

Administrative state is determined exclusively by the **Activation Codes CSV**.

Rules:

- The Activation Codes CSV is the single source of truth for admin state
- RB Core may read admin flags
- RB Core MUST NOT write admin state
- Admin state MUST NOT mutate canonical memory

Administrative errors MUST surface as admin errors, not behavioral anomalies.

ENTITLEMENT SIGNAL EMISSION (LOCKED)

ADMINISTRATIVE STATE COMPLETENESS REQUIREMENT (LOCKED)

Super KB-AP MUST treat administrative state completeness as a prerequisite for entitlement signal emission.

Super KB-AP MUST NOT:

- emit entitlement signals from partially loaded Activation Codes CSV data
- emit entitlement signals when required administrative fields are missing or unresolved
- infer or substitute missing administrative values
- collapse incomplete administrative state into default or fallback entitlement signals

If administrative state completeness cannot be established:

- Super KB-AP MUST remain administratively silent
- Super KB-AP MUST NOT emit entitlement signals

Failure constitutes:

failure_class: EXECUTION_CONTRACT_VIOLATION

END ADMINISTRATIVE STATE COMPLETENESS REQUIREMENT (LOCKED)

EXECUTION-BOUND ADMINISTRATIVE ADMISSIBILITY (LOCKED)

Super KB-AP MUST emit administrative entitlement signals only when administrative state is:

- resolved from the Activation Codes CSV as the single source of truth
- complete and unambiguous for the active governed execution
- provenance-stable and not subject to partial parsing, delayed resolution, or transient state

- non-provisional and not subject to retry or continuation ambiguity

Super KB-AP MUST NOT emit entitlement signals from:

- partially resolved or incomplete administrative state
- malformed, missing, or ambiguous Activation Code entries
- provisional or transient administrative reads
- unresolved administrative parsing or load conditions

If administrative state cannot be fully resolved for the active governed execution:

- Super KB-AP MUST remain administratively silent
- Super KB-AP MUST NOT emit degraded or partial entitlement signals

Failure constitutes:

failure_class: EXECUTION_CONTRACT_VIOLATION

END EXECUTION-BOUND ADMINISTRATIVE ADMISSIBILITY (LOCKED)

Super KB-AP may emit entitlement signals derived from administrative state for use by RB Core modules.

Entitlement signals are observational inputs and MUST NOT:

These signals MUST NOT:

- influence DB reporting structure, completeness, or template selection
- influence UX rendering logic, ordering, or visibility decisions
- be used as a substitute for execution or reporting readiness

- enforce execution
- override execution eligibility
- trigger routing
- bypass MS authority

Permitted signals include:

CANONICAL AP HANDOFF FIELDS (LOCKED)

Upon lawful administrative state resolution, Super KB-AP MUST produce a downstream-ready administrative signal object for the active governed execution.

Required canonical handoff fields:

- admin_state_resolved
- developer_entitlement_flag
- trace_access_flag
- session_ledger_access_flag
- session_transcript_access_flag
- feature_access_flags
- evaluation_completeness_state
- handoff_ready_for_downstream

Normalization rules:

- admin_state_resolved == TRUE only when administrative state is fully resolved from the Activation Codes CSV
- entitlement flags MUST reflect only lawfully resolved administrative values

- `evaluation_completeness_state == COMPLETE` only when administrative state is fully resolved and non-ambiguous
- `handoff_ready_for_downstream == TRUE` only when lawful administrative signal emission is complete and admissible

Super KB-AP MUST NOT omit, infer, or ambiguously populate these fields.

If canonical handoff fields are missing, contradictory, or placeholder-valued:

`failure_class: HANDOFF_VIOLATION`

END CANONICAL AP HANDOFF FIELDS (LOCKED)

• `developer_entitlement_flag` • `trace_access_flag` • `session_ledger_access_flag` •
`session_transcript_access_flag` • `feature_access_flags`

SESSION-STABLE ADMINISTRATIVE ENTITLEMENT SIGNAL PERSISTENCE
(LOCKED)

Purpose

Ensure that when administrative state lawfully indicates developer entitlement, the emitted administrative signal remains stable for the duration of the active governed session unless administrative revocation or session termination occurs.

Rule

If the Activation Codes CSV resolves:

- `developer_entitlement_flag == TRUE`

then Super KB-AP MUST emit that signal as session-stable administrative state for the active governed session.

If administrative state also resolves:

- `trace_access_flag == TRUE`

then Super KB-AP MUST emit that signal as session-stable administrative state for the active governed session.

Session-stable means:

- the emitted administrative signal MUST remain available across subsequent governed turns in the same session
- the emitted signal MUST NOT disappear solely because the triggering developer-code turn has passed
- the emitted signal MUST NOT require repeated code re-entry on later turns within the same still-valid session
- the emitted signal MUST clear on session termination, bind invalidation, explicit administrative

revocation, or expiration of the underlying administrative authorization

Clarifier

This section does not authorize AP to grant execution eligibility.

It only requires AP to keep its own emitted administrative entitlement signal stable so RB Core does not experience signal drift within the same session.

Failure condition

If administrative state lawfully resolves developer entitlement or trace access as TRUE and AP later ceases emitting that same signal during the still-valid active session without revocation, termination, or expiry, this constitutes:

administrative_violation: TRUE

failure_class: ADMIN_SIGNAL_SESSION_DRIFT

END SESSION-STABLE ADMINISTRATIVE ENTITLEMENT SIGNAL PERSISTENCE
(LOCKED)

These signals may be read by RB Core during execution eligibility evaluation.

TRANSCRIPT / LEDGER ENTITLEMENT SIGNAL CLARIFIER (LOCKED)

If administrative state enables transcript or session-ledger tooling, Super KB-AP MAY emit:

- session_ledger_access_flag
- session_transcript_access_flag

These signals are presentation-only administrative signals.

They MUST NOT:

- force transcript capture
- force session-ledger capture
- force transcript disclosure
- force session-ledger disclosure
- bypass MS authority
- bypass UX disclosure guards
- mutate route_commit
- alter activation routing

Their role is limited to indicating that these optional developer-facing export utilities are administratively enabled for presentation eligibility.

END TRANSCRIPT / LEDGER ENTITLEMENT SIGNAL CLARIFIER (LOCKED)

RB Core (via MS) retains full authority to:

- accept
- reject
- ignore

any entitlement signal.

Failure to treat entitlement signals as non-authoritative constitutes:

administrative_violation: TRUE

failure_class: ENTITLEMENT_AUTHORITY_BREACH

END ENTITLEMENT SIGNAL EMISSION (LOCKED)

DAILY BRIEF INTERACTION

Super KB-AP MAY determine whether the Daily Brief feature is enabled.

Super KB-AP MUST NOT determine:

- whether a Daily Brief is generated
- what content is included
- whether content is suppressed

- when delivery occurs

Daily Brief behavior is governed exclusively by RB Core judgment and UX rules.

FAILURE CONDITIONS

Super KB-AP is non-compliant if it:

- alters core behavior based on tier
- suppresses required disclosures
- forces recommendations or actions
- bypasses phase discipline
- mutates canonical memory

These constitute defects, not configuration variance.

CANONICAL ROLE STATEMENT

Super KB-AP answers one question only:

“Is this feature administratively enabled for presentation?”

It answers nothing else.

END SUPER KB-AP