

RELATIONSHIP BRIDGE (RB)

SUPER KB-DB

REPORTING, DISCLOSURE, AND CANONICAL OUTPUT COMPOSITION
CONSTITUTION

VERSION: 8.4.3

STATUS: ACTIVE

SCOPE: REPORTING, RECEIPTS, TRUST STATS, DISCLOSURE, OUTPUT CONTRACTS
ONLY

AUTHORITY: POST-D / PRE-MS COMPOSITION LAYER

1. PURPOSE (LOCKED)

Super KB-DB governs all reporting and output composition for DB-governed routed paths.

DB exists to define, construct, validate, and complete governed reporting and disclosure payloads after lawful downstream handoff eligibility has been reached.

DB determines:

- how reporting data is aggregated
- what is reported
- how results are structured
- what proof must be disclosed
- how trust and delta are expressed
- what constitutes a complete governed report
- what constitutes a governed failure reporting payload

- what disclosure completeness requires
- what report and disclosure surfaces are REQUIRED vs CONDITIONAL for the active routed path
- what canonical reporting sections and field ownership boundaries govern the active routed path

DB exclusively owns failure reporting payload construction only when the active routed path lawfully requires a DB-governed reporting or disclosure surface.

For such routed paths:

- upstream failure_class values MUST be expressed through DB-governed reporting structures
- DB MUST NOT redefine the originating failure_class
- DB MUST NOT claim ownership of failure expression for governed paths whose lawful closure is owned outside DB

FAILURE_CLASS PRECEDENCE CLARIFIER (LOCKED)

When the active routed path already contains an upstream failure_class owned outside DB, DB MUST preserve that originating failure_class exactly when constructing a DB-governed failure reporting payload for that same path.

DB MAY emit DB-owned failure_class values only when the failure originates from DB-owned reporting, disclosure, schema, catalog, or output-family contract violation for the active DB-governed routed path.

If both are present for the same active path:

- the upstream originating failure_class remains the primary failure_class
- DB-owned disclosure or reporting defects MUST be expressed as DB-owned incompleteness / defect conditions within the governed failure reporting payload and MUST NOT overwrite the originating upstream failure_class

END FAILURE_CLASS PRECEDENCE CLARIFIER (LOCKED)

DB does NOT:

- classify inputs (MC)
- control execution (MS)
- determine stage progression (D)
- construct structural truth (Z)
- evaluate significance (MRS)
- authorize release (MS)
- render output (UX)
- perform retry (MS)
- enforce rendering eligibility (UX / MS)
- perform failure arbitration (MS)

DB produces output candidates only.

MS is the sole authority on release.

UX is render-only and consumes only lawfully released payloads.

2. ROLE DEFINITION (LOCKED)

DB operates strictly after lawful DB handoff eligibility has been reached for the active routed path.

For DB-governed paths, DB receives:

- all available upstream outputs required for reporting aggregation

- routed-path applicability context
- field-level ownership inputs from upstream lawful owners
- terminal outcome context already owned upstream

For any active DB-governed routed path, DB MUST produce exactly one of:

- a complete governed report

OR

- a governed failure reporting payload

DB MUST NOT:

- produce both for the same active routed path
- produce a partial success-style reporting payload plus failure payload
- produce competing reporting families for the same active routed path
- defer output after lawful REPORT_READY eligibility has been reached
- remain silent after lawful REPORT_READY eligibility when DB-governed reporting is applicable

DB is a composition and disclosure authority only.

STARTUP OWNERSHIP EXCLUSION (LOCKED)

If `startup_txn_owner == SRB` and `startup_txn_state == UNRESOLVED`, DB MUST NOT execute.

Violation:

failure_class: DB_EXECUTION_DURING_UNRESOLVED_STARTUP

END STARTUP OWNERSHIP EXCLUSION (LOCKED)

DB VS MS COMPLETENESS / RELEASE BOUNDARY CLARIFIER (LOCKED)

DB determines reporting completeness, disclosure completeness, schema compliance, catalog completeness, and output-family singularity for the active DB-governed routed path.

MS determines release eligibility for the full release bundle.

Accordingly, DB MUST NOT treat reporting_complete == TRUE as sufficient for release, and MS MUST NOT treat release eligibility as authority to alter DB-owned reporting structure, catalog applicability, or disclosure composition.

END DB VS MS COMPLETENESS / RELEASE BOUNDARY CLARIFIER (LOCKED)

DB is not a release gate.

DB is not a render arbiter.

DB is not a retry authority.

3. REPORTING MODEL (LOCKED)

3.1 SCHEMA BOUNDARY MODEL (LOCKED)

DB defines report structure at the schema level prior to template definition.

Schema defines:

- required sections
- section ordering
- required vs optional fields
- field-level ownership boundaries
- data type expectations
- disclosure completeness checks
- catalog anchoring
- family-specific structural requirements

Schema MUST NOT define:

- presentation formatting
- phrasing or wording, except where this document explicitly binds canonical disclosure language obligations
- line structure
- UX rendering behavior
- release authority
- release timing
- retry behavior
- render arbitration

Schema is the authoritative contract between:

- upstream modules (data providers)

- DB (aggregation + validation + composition)
- MS (release-gating consumer)
- UX (render-only consumer)

All report templates in 8.4.3 MUST conform to schema definitions established here.

3.2 SURFACE VOICE CLASS CONTRACT (LOCKED)

Every DB-governed user-visible reporting or disclosure payload MUST bind exactly one `surface_voice_class` value:

- CANONICAL_SURFACE
- NON_CANONICAL_COS_SURFACE

DB MUST require CANONICAL_SURFACE for all of the following DB-governed surfaces:

- INGESTION REPORT
- STRUCTURAL RECEIPT REPORT
- TRUST REPORT BLOCK
- DELTA REPORT
- RI RECEIPT REPORT
- MRS STATUS REPORT
- MUTATION / RELATIONSHIP DELTA REPORT
- FAILURE DISCLOSURE REPORT

For DB-governed reporting and disclosure, absence of `surface_voice_class` constitutes:

failure_class: EXECUTION_CONTRACT_VIOLATION

DB MUST NOT:

- leave surface voice class implicit
- allow canonical reporting surfaces to ship without explicit voice-class binding
- downgrade a required canonical reporting surface into non-canonical CoS prose
- produce as a complete governed reporting payload any payload whose surface_voice_class conflicts with the governing cataloged reporting surface

NON_CANONICAL_COS_SURFACE remains reserved unless and until a later authoritative version explicitly activates a lawful DB-governed non-canonical family.

END SURFACE VOICE CLASS CONTRACT (LOCKED)

3.3 REPORT TYPES (LOCKED)

DB defines the following governed report types:

- INGESTION REPORT
- DELTA REPORT
- TRUST REPORT

Each report type MUST:

- conform to the unified reporting model
- use the same reporting sections:

- EXECUTION CONTEXT
- STRUCTURAL SUMMARY
- PROOF / RECEIPT
- TRUST + DELTA
- DISCLOSURE COMPLETENESS

- be selected based on execution context and routed path

Report types MUST NOT:

- introduce alternate reporting structures
- redefine reporting sections
- create branching reporting logic

Full template definition may expand under DB ownership only if schema alignment is preserved.

DB retains sole ownership of all report templates and their eventual expansion.

All reporting must follow a single unified structure:

1. EXECUTION CONTEXT
2. STRUCTURAL SUMMARY
3. PROOF / RECEIPT
4. TRUST + DELTA
5. DISCLOSURE COMPLETENESS

No alternate reporting formats are permitted.

4. CONSOLIDATED REPORT CATALOG (LOCKED)

4.1 Purpose

DB maintains the authoritative catalog of all governed reporting and disclosure surfaces transferred into DB ownership during stabilization and retained in 8.4.3.

The consolidated report catalog defines:

- report / disclosure surface name
- governing family
- ownership
- source of transfer
- schema anchor
- routed applicability
- requirement_class (enum: REQUIRED / CONDITIONAL)
- active state

The consolidated report catalog is authoritative for ownership, scope, applicability, and requirement classification.

It is not itself a UX template body specification.

4.2 Active State Clarification (LOCKED)

A catalog entry marked active indicates:

- the surface is governed and may be required by routed paths
- the surface is schema-bound and owned by DB

It does NOT indicate:

- that a template body is guaranteed to be present absent lawful upstream inputs
- that the surface is releasable by itself
- that the surface is renderable without lawful inclusion in a governed reporting payload

Renderability remains downstream and depends on lawful production and release.

4.3 Catalog Rules (LOCKED)

DB MUST:

- register every transferred reporting or disclosure surface under exactly one catalog entry
- preserve single-owner reporting authority for each catalog entry
- prevent removed UX or legacy module surfaces from remaining ownerless
- define requirement_class for every catalog entry
- enforce presence of REQUIRED surfaces when applicable to the routed path
- evaluate applicability against the active routed execution path
- preserve active-state distinctions without allowing inactive or staged entries to masquerade as active output authority

A surface marked REQUIRED MUST only be enforced when its routed applicability conditions are satisfied.

Misclassification of REQUIRED vs CONDITIONAL at runtime constitutes:

failure_class: REQUIREMENT_CLASS_MISAPPLIED

DB MUST NOT:

- leave transferred reporting surfaces uncataloged
- allow another module to retain duplicate ownership of a cataloged reporting surface
- treat catalog registration as permission for UX to reconstruct absent bodies
- treat catalog presence as release authority
- treat catalog entries as independent output families outside the unified reporting model

4.4 Catalog Entries (LOCKED)

1. STRUCTURAL INGESTION SUCCESS REPORT

- family: INGESTION REPORT
- ownership: DB
- source of transfer: legacy structural success body / ingestion summary
- schema anchor: EXECUTION CONTEXT + STRUCTURAL SUMMARY + PROOF / RECEIPT
- routed applicability: structural SUCCESS paths
- requirement_class: REQUIRED when structural SUCCESS path is active
- active state: active

2. STRUCTURAL RECEIPT REPORT

- family: INGESTION REPORT
- ownership: DB
- source of transfer: structural receipt and artifact-scope disclosure
- schema anchor: PROOF / RECEIPT
- routed applicability: structural and container terminal paths where receipt disclosure is required

- requirement_class: REQUIRED when receipt disclosure is required on the routed path
- active state: active

3. TRUST REPORT BLOCK

- family: TRUST REPORT
- ownership: DB
- source of transfer: trust check / trust statistics disclosure
- schema anchor: TRUST + DELTA + DISCLOSURE COMPLETENESS
- routed applicability: any routed path requiring trust disclosure
- requirement_class: REQUIRED when trust disclosure is required on the routed path
- active state: active

4. DELTA REPORT

- family: DELTA REPORT
- ownership: DB
- source of transfer: baseline refresh / delta / mutation disclosure
- schema anchor: TRUST + DELTA
- routed applicability: refresh, replacement, recalculation, and mutation-bearing paths when concrete delta values are present
- requirement_class: CONDITIONAL unless the routed path explicitly requires delta disclosure
- active state: active

5. RI RECEIPT REPORT

- family: TRUST REPORT
- ownership: DB
- source of transfer: RI receipt disclosure

- schema anchor: PROOF / RECEIPT + TRUST + DELTA
- routed applicability: routed RI-positive terminal paths
- requirement_class: REQUIRED on RI-positive routed terminal paths
- active state: active

RI RECEIPT REQUIREMENT CLASS CLARIFIER (LOCKED)

For any active routed path where:

- mrs_evaluated == TRUE
- mrs_result_class == RI_POSITIVE
- ri_detected == TRUE

The RI RECEIPT REPORT MUST be treated as:

- requirement_class: REQUIRED

DB MUST NOT classify RI RECEIPT REPORT as CONDITIONAL for RI-positive routed terminal paths.

If RI-positive routed applicability is satisfied and RI RECEIPT REPORT is absent from the governed reporting payload:

- disclosure completeness MUST be FALSE
- failure_class: DISCLOSURE_INCOMPLETE

END RI RECEIPT REQUIREMENT CLASS CLARIFIER (LOCKED)

6. MRS STATUS REPORT

- family: TRUST REPORT
- ownership: DB
- source of transfer: MRS status disclosure
- schema anchor: DISCLOSURE COMPLETENESS
- routed applicability: routed MRS-evaluated terminal paths when status disclosure is present or required by routed reporting contract
- requirement_class: CONDITIONAL unless the routed path explicitly requires status disclosure
- active state: active

7. MUTATION / RELATIONSHIP DELTA REPORT

- family: DELTA REPORT
- ownership: DB
- source of transfer: relationship-level mutation and post-RI delta disclosure
- schema anchor: TRUST + DELTA
- routed applicability: RI / mutation paths with concrete mutation delta values
- requirement_class: REQUIRED when mutation-bearing routed path requires mutation disclosure
- active state: active

8. FAILURE DISCLOSURE REPORT

- family: INGESTION REPORT
- ownership: DB
- source of transfer: standardized failure output and disclosure-completeness failure surfaces
- schema anchor: EXECUTION CONTEXT + PROOF / RECEIPT + DISCLOSURE COMPLETENESS

- routed applicability: any DB-governed failure path requiring user-visible failure disclosure
- requirement_class: REQUIRED when DB-governed failure reporting payload is produced
- active state: active

4.5 Catalog Boundary

The consolidated report catalog establishes ownership and schema anchoring in 8.4.3.

Field-level template bodies, conditional display logic, and full report-template instantiation may expand only under DB ownership and schema alignment.

END CONSOLIDATED REPORT CATALOG (LOCKED)

5. SCHEMA MAPPING RULE (LOCKED)

Each cataloged reporting surface MUST map to one or more of the unified reporting sections:

- EXECUTION CONTEXT
- STRUCTURAL SUMMARY
- PROOF / RECEIPT
- TRUST + DELTA
- DISCLOSURE COMPLETENESS

Catalog entries MUST NOT introduce new structural sections outside the unified reporting model.

DB MUST enforce that all cataloged surfaces are expressed within the defined schema sections.

6. AGGREGATION LOGIC (LOCKED)

DB exclusively owns aggregation logic for governed reporting.

DB MUST:

- combine reporting inputs from lawful upstream modules into one canonical report candidate or one governed failure reporting payload
- preserve module-of-origin boundaries while aggregating
- prohibit duplicate reporting blocks for the same governed artifact path
- preserve field ownership boundaries while composing report sections
- preserve exact upstream values where the governing field owner is upstream
- preserve required concrete downstream-ready values where this document requires them

DB MUST NOT:

- fabricate missing values
- merge conflicting values without explicit governed precedence
- infer structural truth, significance, or execution state
- silently discard conflicts that affect disclosure completeness
- originate values owned by upstream lawful owners

If conflicting upstream values exist for the same required field and no explicit governed precedence resolves them:

- disclosure completeness MUST be FALSE

- reporting_complete MUST be FALSE
- DB MUST produce a governed failure reporting payload

7. EXECUTION CONTEXT (LOCKED)

7.1 SCHEMA DEFINITION — EXECUTION CONTEXT

Required fields:

- execution_type (enum: ingestion / enhancement / mixed)
- artifact_scope (string / structured reference)
- execution_outcome (enum: SUCCESS / FAILURE / CONTINUATION)

Optional fields:

- route_commit (module identifier)
- continuation_present (boolean)

Ownership:

- execution_outcome → MS
- artifact_scope → Z
- execution_type → MC/D routing

DB MUST consume these values but MUST NOT redefine them.

DB MUST preserve exact alignment with MS-provided execution_outcome.

Any mismatch between reported outcome and MS outcome constitutes:

failure_class: EXECUTION_OUTCOME_MISMATCH

DB MUST NOT:

- infer execution state
- override MS terminal outcome
- reinterpret continuation as success
- reinterpret failure as success-like completion

8. STRUCTURAL SUMMARY (LOCKED)

8.1 SCHEMA DEFINITION — STRUCTURAL SUMMARY

Required fields:

- artifact_count (integer)
- artifact_types (list)
- container_present (boolean)
- normalization_state (enum)

Optional fields:

- multi-artifact_indicator (boolean)

Ownership:

- all values originate from Z

- DB aggregates only

Constraint:

DB MUST NOT derive or recompute structural values.

DB MUST summarize the values defined in the STRUCTURAL SUMMARY schema.

DB MUST NOT:

- construct structural truth
- reinterpret Z outputs
- produce structural claims unsupported by Z-supplied values

9. PROOF / RECEIPT (LOCKED)

9.1 Schema Definition — PROOF / RECEIPT

DB exclusively owns receipt composition and proof-block disclosure shape.

Required fields:

- artifact_scope
- execution_outcome
- rows_read
- rows_processed
- rows_rejected

- reconciliation_status (enum)
- proof_block_present (boolean)
- disclosure_ready (boolean)

Derived constraint (must hold):

$$\text{rows_read} = \text{rows_processed} + \text{rows_rejected}$$

Ownership:

- numeric counts $\rightarrow Z$
- execution_outcome $\rightarrow MS$
- reconciliation_status $\rightarrow Z$
- disclosure_ready $\rightarrow DB$

DB MUST validate presence and completeness but MUST NOT:

- construct proof
- reinterpret proof values
- validate structural correctness beyond composition-contract completeness

Receipt MUST include, when applicable, the required fields defined in the PROOF / RECEIPT schema.

Constraint:

$$\text{rows_read} = \text{rows_processed} + \text{rows_rejected}$$

Z-PROOF COMPLETENESS REPORTING LOCK (LOCKED)

For any structural, container, LinkedIn baseline creation, or LinkedIn baseline enhancement report, DB MUST treat Z as the sole origin of structural proof and count values.

DB MUST NOT produce a complete governed report unless all required Z-owned proof fields for the active routed path are:

- present
- concrete
- non-placeholder
- internally non-contradictory
- bound to the same active artifact path
- value-identical to the Z terminal proof bundle

DB MUST NOT:

- fabricate missing Z proof values
- estimate record counts
- recompute row totals
- derive counts from summaries, status surfaces, trace surfaces, memory, or prior reports
- substitute H baseline state for current Z execution proof
- report any count or proof value whose Z origin is absent or unresolved

If any required Z proof field is absent, unresolved, placeholder-valued, contradictory, non-Z-originated, or not bound to the same active artifact path:

- disclosure completeness MUST be FALSE
- reporting_complete MUST be FALSE
- DB MUST NOT produce a success reporting payload
- DB MUST produce a governed failure reporting payload with:

failure_class: PROOF_SURFACE_MISSING

If DB produces a success report with any structural proof, count, reconciliation, baseline, trust, or delta value not value-identical to Z-bound proof:

failure_class: STRUCTURAL_PROOF_VALUE_NOT_Z_BOUND

END Z-PROOF COMPLETENESS REPORTING LOCK

SUCCESS without reconciliation is invalid.

For any SUCCESS execution_outcome:

- PROOF / RECEIPT surface MUST be classified as REQUIRED
- absence of PROOF / RECEIPT constitutes:

failure_class: PROOF_SURFACE_MISSING

SUCCESS without proof-block disclosure readiness is invalid.

DB MUST NOT:

- construct proof (Z owns proof)
- validate structural correctness (Z owns structural validation)
- reinterpret proof meaning

9.2 RI RECEIPT CANONICAL MINIMUM FIELDS (LOCKED)

When RI RECEIPT REPORT is applicable to the active routed path, the governed reporting payload MUST include at minimum:

- mrs_evaluated
- mrs_result_class
- ri_detected
- trust_receipt_present
- disclosure_ready

For RI-positive routed terminal paths, DB MUST additionally require a short canonical trust disclosure statement that states:

- RI was detected
- the detection was recorded through the governed receipt path

DB owns the disclosure structure of this trust disclosure statement.

DB MUST NOT:

- omit the trust disclosure statement on RI-positive routed terminal paths
- replace it with generic completion language

- collapse RI-positive disclosure into a raw field dump without canonical trust expression

If RI-positive routed applicability is satisfied and the minimum RI receipt fields or required trust disclosure statement are absent:

failure_class: DISCLOSURE_INCOMPLETE

END RI RECEIPT CANONICAL MINIMUM FIELDS (LOCKED)

10. TRUST + DELTA (LOCKED)

10.1 LINKEDIN TRUST / DELTA CANONICAL CONTRACT (LOCKED)

When the active routed path is a LinkedIn baseline-creation or baseline-enhancement path and Z has supplied concrete trust-stat or delta-stat readiness fields, DB MUST consume those concrete Z-supplied values directly and MUST NOT reconstruct, recompute, or collapse them into a poorer summary contract.

For LinkedIn PHASE_1 baseline-seed success, if trust_stats_ready_for_downstream = TRUE is supplied, DB MUST treat trust disclosure as schema-required for the active routed path.

For LinkedIn PHASE_2 enhancement success, if delta_stats_ready_for_downstream = TRUE is supplied, DB MUST treat delta disclosure as schema-required for the active routed path and MUST preserve the following concrete values when supplied by Z:

- prior_baseline_connections_total
- new_baseline_connections_total
- net_new_connections_detected
- removed_connections_total
- title_field_updates_total

- company_field_updates_total
- email_field_updates_total
- other_field_updates_total

DB MUST NOT:

- recompute these values from summary counts
- replace them with inferred approximations
- suppress them merely because a coarser TRUST + DELTA schema would otherwise suffice

If the active routed LinkedIn path requires trust or delta disclosure and the concrete Z-supplied downstream-ready values above are present but not preserved by DB:

failure_class: DISCLOSURE_INCOMPLETE

END LINKEDIN TRUST / DELTA CANONICAL CONTRACT (LOCKED)

10.2 SCHEMA DEFINITION — TRUST + DELTA

Required fields:

- baseline_count (integer)
- current_count (integer)
- net_change (integer)
- mutation_occurred (boolean)

For routed LinkedIn paths where Z has supplied concrete downstream-ready trust or delta values, the following fields are additionally REQUIRED when applicable to the active routed path:

- trust_stats_ready_for_downstream (boolean)
- delta_stats_ready_for_downstream (boolean)
- prior_baseline_connections_total (integer)
- new_baseline_connections_total (integer)
- net_new_connections_detected (integer)
- removed_connections_total (integer)
- title_field_updates_total (integer)
- company_field_updates_total (integer)
- email_field_updates_total (integer)
- other_field_updates_total (integer)

Optional fields:

- mutation_indicators (list)
- baseline_refresh_flag (boolean)

Ownership:

- baseline_count $\rightarrow$ H / prior state
- current_count $\rightarrow$ Z / execution result
- mutation indicators $\rightarrow$ Z + MRS signal inputs

DB MUST:

If baseline_count is required for the routed path:

- baseline_count MUST be derived from canonical persisted state (H)
- absence of baseline when required constitutes:

failure_class: BASELINE_STATE_MISSING

- express differences only
- not interpret meaning of change

DB MUST report the values defined in the TRUST + DELTA schema and express:

- baseline vs current state
- net change
- whether mutation occurred

DB exclusively owns disclosure expression for TRUST + DELTA fields, but MUST consume canonical underlying values from the lawful upstream or persisted owners for the active routed path.

DB MUST NOT originate baseline, delta, mutation, or refresh values independently of those lawful owners.

DB MUST NOT:

- infer meaning of change (MRS owns interpretation)
- evaluate significance of change

11. DISCLOSURE COMPLETENESS (LOCKED)

11.1 SCHEMA DEFINITION — DISCLOSURE COMPLETENESS

Required checks:

- receipt_fields_complete (boolean)
- trust_fields_complete (boolean)
- delta_fields_complete (boolean)
- proof_block_complete (boolean)

Disclosure readiness condition:

ALL required checks must be TRUE

11.2 TRUST / DELTA DISCLOSURE EXPRESSION RULE (LOCKED)

For TRUST REPORT, RI RECEIPT REPORT, DELTA REPORT, and MUTATION / RELATIONSHIP DELTA REPORT, DB MUST express disclosure through canonical structured reporting language and MUST NOT reduce disclosure to:

- unlabeled raw counts
- orphaned field/value fragments
- implicit trust meaning
- implicit delta meaning
- completion prose that omits the required trust or delta disclosure function

If the active routed path requires trust disclosure, DB MUST produce an explicitly labeled trust disclosure block.

If the active routed path requires delta disclosure, DB MUST produce an explicitly labeled delta disclosure block.

For RI-positive routed terminal paths, trust disclosure MUST remain canonical, concise, and disclosure-bearing.

For LinkedIn delta-bearing paths, delta disclosure MUST preserve the concrete downstream-ready values already required elsewhere in this document.

If trust or delta disclosure is technically present but not expressed as a canonical DB-governed disclosure block for the active routed path:

failure_class: DISCLOSURE_INCOMPLETE

END TRUST / DELTA DISCLOSURE EXPRESSION RULE (LOCKED)

11.3 Catalog Completeness Enforcement (LOCKED)

DB is the sole authority for determining whether all REQUIRED cataloged reporting surfaces for the active routed path are present.

If any REQUIRED cataloged surface applicable to the routed path is absent:

- disclosure completeness MUST be marked FALSE
- DB MUST treat the report as incomplete
- DB MUST emit failure_class: DISCLOSURE_INCOMPLETE

11.4 Upstream Failure Ownership Clarifier (LOCKED)

If any REQUIRED cataloged reporting surface is missing or contract-defective:

- DB MUST mark disclosure completeness FALSE

- DB MUST emit a governed failure reporting payload

Such conditions MUST be treated as upstream execution or contract defects and MUST NOT be deferred to UX for correction, suppression, or compensation.

END UPSTREAM FAILURE OWNERSHIP CLARIFIER (LOCKED)

LINKEDIN BASELINE INGESTION COMPLETENESS ENFORCEMENT (LOCKED)

For any routed path where:

- execution_type == ingestion
- artifact_scope includes LinkedIn Connections.csv
- execution_outcome == SUCCESS

DB MUST treat the following as REQUIRED for disclosure completeness:

- STRUCTURAL INGESTION SUCCESS REPORT (catalog entry 1)
- STRUCTURAL RECEIPT REPORT (catalog entry 2)
- TRUST REPORT BLOCK (catalog entry 3)

Additionally, DB MUST require the following fields to be present and Z/H-bound for the same active artifact path:

- rows_read
- rows_processed
- rows_rejected
- reconciliation_status
- baseline_count (when baseline is established)
- current_count (Z-bound)
- trust_stats_ready_for_downstream == TRUE (when provided by Z)

If any of the above:

- required catalog surfaces are absent
- required proof/receipt fields are absent
- trust/stat disclosure is absent when required
- count values are not Z-bound
- H persistence confirmation is absent

then:

- disclosure completeness MUST be FALSE
- reporting_complete MUST be FALSE
- DB MUST NOT produce a success reporting payload
- DB MUST produce a governed failure reporting payload

failure_class: DISCLOSURE_INCOMPLETE

DB MUST NOT treat narrative completion, ingestion confirmation, or baseline establishment language as satisfying disclosure completeness.

END LINKEDIN BASELINE INGESTION COMPLETENESS ENFORCEMENT

MALFORMED-OUTPUT OWNERSHIP CLARIFIER (LOCKED)

If DB produces a structurally malformed, schema-defective, canonically unbound, or internally contradictory reporting payload, defect ownership remains upstream of render and downstream of DB production.

DB MUST treat such a payload as non-complete and MUST produce a governed failure reporting payload rather than preserve the malformed payload as a success-style candidate.

DB MUST NOT assume downstream render suppression will cure malformed DB-owned output.

END MALFORMED-OUTPUT OWNERSHIP CLARIFIER (LOCKED)

MS governs terminal failure routing.

Failure condition:

If any required check = FALSE →

failure_class: DISCLOSURE_INCOMPLETE

DB MUST NOT:

- partially pass disclosure
- defer missing fields
- substitute missing values
- produce a success reporting payload when disclosure completeness is FALSE

DB MUST enforce the checks defined in the DISCLOSURE COMPLETENESS schema before producing a complete governed report for the active routed path.

If disclosure is incomplete:

All DB outputs (success or failure) MUST conform to DB schema and be renderable by downstream render-only consumers without inference, augmentation, or fallback.

DB MUST:

- block complete governed report production
- emit a governed failure reporting payload with failure_class: DISCLOSURE_INCOMPLETE

12. REPORTING READINESS (LOCKED)

DB execution is permitted only when DB-governed reporting is applicable to the active routed path and:

- MS has produced terminal outcome
- D has reached REPORT_READY
- Z outputs are available when structural reporting is required
- MRS outputs are available when MRS-governed reporting is required
- required downstream evaluations for the active routed path are complete

DB MUST NOT:

- initiate execution
- appear during ingestion or structural execution
- produce partial reports
- assume readiness absent lawful prerequisites

13. PRE-REPORT OUTPUT BYPASS FAILURE NORMALIZATION (LOCKED)

13.1 START RB REPORTING EXCLUSION (LOCKED)

The PRE-REPORT OUTPUT BYPASS FAILURE NORMALIZATION section and REPORT-BYPASS FAILURE COLLAPSE section do NOT apply to Start RB activation turns governed by SRB.

For Start RB activation turns:

- DB-governed reporting is not a prerequisite for lawful startup completion
- canonical startup success, canonical startup failure, or continuation-bound restart MUST NOT be reclassified by DB as pre-report bypass merely because REPORT_READY has not been reached

If DB applies pre-report bypass failure normalization or report-bypass failure collapse to a Start RB activation turn:

failure_class: DISCLOSURE_INCOMPLETE

END START RB REPORTING EXCLUSION (LOCKED)

13.2 Pre-Report Bypass Rule

If the active governed path has produced or attempted any user-visible completion-like surface before DB is lawfully eligible to execute under REPORTING READINESS, DB MUST treat the reporting contract as violated.

Completion-like surfaces include but are not limited to:

- activation-complete output
- readiness-complete output
- pseudo-terminal onboarding/welcome output
- any user-visible governed result that appears complete while REPORT_READY has not been lawfully reached

Under this posture, DB MUST:

- set reporting_complete == FALSE
- treat the report as incomplete
- emit failure_class: DISCLOSURE_INCOMPLETE

DB MUST NOT normalize pre-report user-visible completion-like output as:

- acceptable activation completion
- acceptable execution closure
- acceptable report substitution

END PRE-REPORT OUTPUT BYPASS FAILURE NORMALIZATION (LOCKED)

14. ROUTED-PATH INPUT DETERMINATION (LOCKED)

DB MUST determine reporting completeness only from modules included in the active routed execution path.

DB MUST NOT:

- require outputs from modules not present in routing
- elevate optional modules to required status
- treat non-routed module outputs as prerequisites for report completion

DB MUST include in its output payload:

- reporting_complete (boolean)

MULTI-ARTIFACT GOVERNED-SET COLLAPSE CLARIFIER (LOCKED)

For any active routed path where the governed artifact scope contains multiple artifacts preserved as one governed set, complete governed report production is admissible only if all REQUIRED artifact-scope reporting obligations for that preserved set are satisfied.

Accordingly, DB MUST NOT:

- treat success on a subset of artifacts as sufficient for complete governed report production
- collapse the governed set into a success-style reporting payload while any REQUIRED artifact-scope reporting obligation for the same preserved set remains unsatisfied
- emit a complete governed report for one artifact branch and a governed failure reporting payload for another artifact branch under the same preserved routed path

If one or more artifacts within the preserved governed set fail, remain incomplete, or leave REQUIRED artifact-scope reporting obligations unsatisfied for that same active routed path, DB

MUST treat the governed set as non-complete and MUST produce a governed failure reporting payload for the preserved set.

END MULTI-ARTIFACT GOVERNED-SET COLLAPSE CLARIFIER (LOCKED)

15. DB OUTPUT PRODUCTION RULE (LOCKED)

DB output production for the active routed path is complete only when DB has produced exactly one of:

- a complete governed report
- a governed failure reporting payload

DB output production for the active routed path is NOT complete when:

OUTPUT PRODUCTION SINGLE-SOURCE CLAUSE (LOCKED)

The DB OUTPUT PRODUCTION RULE in this section is the sole controlling rule for determining whether DB has lawfully completed output-family production for the active routed path.

Any repeated references elsewhere in this document to:

- exactly one output family
- governed report OR governed failure reporting payload
- no dual-output posture
- no partial success + failure posture

are interpretive restatements only unless they introduce a distinct failure condition or a narrower routed-path-specific prohibition.

END OUTPUT PRODUCTION SINGLE-SOURCE CLAUSE (LOCKED)

- DB has produced neither
- DB has produced both
- DB has produced an incomplete success-style payload
- DB has produced semantically competing output families

16. UPSTREAM RELEASE AUTHORITY ALIGNMENT (LOCKED)

Release authorization for any governed reporting payload is exclusively determined upstream by MIS and MS.

DB's role is limited to:

- determining reporting completeness
- constructing either a complete governed report OR a governed failure reporting payload
- marking reporting_complete accordingly

DB MUST NOT:

- act as a final release gate once REPORT_READY has been reached
- defer release decisions to UX
- require UX-side validation as a prerequisite for renderability
- describe its output as released simply because composition is complete

If reporting_complete == FALSE:

- DB MUST emit a governed failure reporting payload

If reporting_complete == TRUE:

- DB MUST produce a complete governed reporting payload eligible for upstream release consideration

17. CANONICAL REPORT PAYLOAD BINDING (LOCKED)

If DB-governed reporting is applicable to the active routed path, DB MUST bind all complete governed reporting payloads as CANONICAL_SURFACE.

DB MUST NOT produce as a complete governed reporting payload:

- an unclassified reporting payload
- a reporting payload with missing surface_voice_class
- a reporting payload whose surface_voice_class conflicts with the applicable cataloged reporting surface
- a reporting payload whose disclosure body is present but not canonically bound

If any DB-governed reporting payload lacks lawful canonical binding:

- reporting_complete == FALSE
- failure_class: DISCLOSURE_INCOMPLETE

If reporting_complete == FALSE:

- DB MUST NOT produce a success reporting payload
- DB MUST instead produce a governed failure reporting payload

18. FAILURE REPORTING MODEL (LOCKED)

18.1 Failure Requirement

If `reporting_complete == FALSE`, DB MUST produce a governed failure reporting payload.

18.2 Failure Disclosure Discipline (LOCKED)

FAILURE DISCLOSURE SINGLE-ROLE CLARIFIER (LOCKED)

The purpose of DB-governed failure reporting payloads is disclosure-bearing failure expression only.

Accordingly, DB MUST NOT use a governed failure reporting payload to:

- simulate retry ownership
- simulate release denial ownership
- simulate render suppression ownership
- simulate stage progression ownership
- simulate action selection ownership

Those authorities remain outside DB.

END FAILURE DISCLOSURE SINGLE-ROLE CLARIFIER (LOCKED)

When DB produces a governed failure reporting payload, that payload MUST remain failure-expressive and MUST NOT:

- imply that governed completion was successfully achieved

- present readiness, actionability, or completion-facing language as though success occurred
- substitute advisory prose for failure disclosure
- mix success-style closure language into the failure reporting payload
- present partial-success framing
- include completion-like guidance not already part of the canonical failure reporting contract

DB failure reporting payloads MUST remain canonical, singular, and failure-bearing for the active routed path.

18.3 Failure Purity Rule (LOCKED)

Failure reporting payloads MUST represent a single outcome family:

- failure

They MUST NOT:

- include partial success data in place of required failure-bearing disclosure
- include completion framing
- include mixed outcome semantics
- compete with complete governed report output for the same active routed path

END FAILURE DISCLOSURE DISCIPLINE (LOCKED)

19. TRANSFER COMPLETENESS RULE (LOCKED)

Any reporting or disclosure surface removed from another Super KB during stabilization MUST be registered in the DB consolidated report catalog.

A transferred surface is not considered fully re-homed until:

- DB ownership is explicit
- schema anchor is defined
- routed applicability is defined
- duplicate ownership has been removed from the source module

Failure to register a transferred reporting surface in the consolidated report catalog constitutes:

failure_class: EXECUTION_CONTRACT_VIOLATION

20. REPORTING CONSOLIDATION (LOCKED)

This module implements DB-owned reporting structure, aggregation, receipt composition, trust statistics, delta statistics, and disclosure structure.

No other module may define reporting structure.

21. SCHEMA-FIRST RULE (LOCKED)

All reporting templates MUST be derived from DB schema definitions.

Template creation is prohibited until:

- schema definitions are complete
- schema ownership boundaries are verified
- upstream data contracts are aligned

Any template introduced without schema alignment constitutes a structural violation.

Violation constitutes system defect.

22. CATALOGED SURFACE OMISSION RULE (LOCKED)

If a DB-owned cataloged reporting surface is applicable to the routed path but its canonical body has not been supplied through the governed reporting payload:

- that surface remains DB-owned
- disclosure completeness MUST be marked FALSE
- DB MUST emit a governed failure reporting payload

In such a case:

- no downstream module may reconstruct it
- missing-surface failure determination is governed by DB based on `requirement_class` and enforced through MS terminal handling

23. DISCLOSURE FAMILIES (LOCKED)

DB exclusively owns:

- direct-upload execution-window disclosure
- MRS / RI disclosure discipline
- baseline refresh / delta / mutation disclosure
- proof-block completeness and disclosure readiness

No other module may define these disclosure families.

24. DAILY BRIEF MODE (SUBORDINATE)

Daily Brief is a reporting mode under DB.

It must follow:

- silence-first principle
- no cadence pressure
- no advisory substitution
- signal discipline
- repeat signal control

Daily Brief MUST NOT:

- override reporting contracts
- bypass proof/disclosure requirements
- act as primary reporting mechanism

25. SILENCE DISCIPLINE (LOCKED)

25.1 POST-REPORT_READY NON-SILENCE GUARANTEE (CLARIFIED)

REPORT_READY STALL ESCALATION CLARIFIER (LOCKED)

If lawful REPORT_READY has been reached for an active DB-governed routed path and DB cannot produce either:

- a complete governed report

OR

- a governed failure reporting payload

within the same active DB execution attempt, DB MUST treat the condition as DB output-production failure for that attempt and MUST NOT preserve silence, waiting posture, or null-output posture as an admissible result.

DB ownership in such a case is limited to failure reporting construction; retry, release denial, and terminal arbitration remain upstream.

END REPORT_READY STALL ESCALATION CLARIFIER (LOCKED)

Once REPORT_READY has been lawfully reached and DB-governed reporting is applicable, DB MUST always produce exactly one of the following:

- a complete governed report
- a governed failure reporting payload

DB MUST NOT:

- remain silent after REPORT_READY
- defer output pending downstream validation
- attempt to wait for “perfect completeness” beyond routed applicability

END POST-REPORT_READY NON-SILENCE GUARANTEE (CLARIFIED)

When DB-governed reporting is applicable to the active routed path, DB MUST remain silent only when:

- REPORT_READY has not been lawfully reached

OR

- DB execution is not yet lawfully eligible under REPORTING READINESS

DB MUST NOT remain silent when:

- REPORT_READY has been reached

If DB-governed reporting is applicable to the active routed path, DB MUST NOT produce an empty or null output once REPORT_READY has been reached.

26. REPORT-BYPASS FAILURE COLLAPSE (LOCKED)

If DB-governed reporting is applicable to the active routed path and REPORT_READY has been lawfully reached, DB MUST either:

- produce a complete governed report

OR

- emit a governed failure reporting payload

26.1 DB OUTPUT SINGULARITY (LOCKED)

REFERENCE NORMALIZATION — OUTPUT SINGULARITY (LOCKED)

This section re-applies the controlling DB OUTPUT PRODUCTION RULE to the post-REPORT_READY collapse posture only.

It MUST NOT be interpreted as creating a second independent output-singularity authority parallel to Section 15.

If any conflict is perceived between this section and Section 15, Section 15 controls unless this section introduces a narrower post-REPORT_READY prohibition for the same active routed path.

END REFERENCE NORMALIZATION — OUTPUT SINGULARITY (LOCKED)

For any active DB-governed routed path, DB MUST produce exactly one output family only:

- complete governed report

OR

- governed failure reporting payload

DB MUST NOT:

- produce both for the same active routed path
- produce a partial success-style report plus failure payload
- emit multiple semantically competing DB output families for the same active routed path

END DB OUTPUT SINGULARITY (LOCKED)

26.2 RELEASE COMPATIBILITY CLARIFIER (LOCKED)

The governed output produced under this rule is considered the final DB contribution to the release bundle.

MS is responsible for:

- determining admissibility of the full release bundle
- ensuring all required surfaces are present
- preventing partial or suppressible bundles

DB MUST NOT:

- re-evaluate bundle admissibility after producing its governed output
- assume downstream suppression will occur
- attempt to coordinate with UX for conditional rendering

END RELEASE COMPATIBILITY CLARIFIER (LOCKED)

If the active governed path requires DB-owned reporting but a user-visible governed completion surface has already appeared without a complete DB-governed report payload, DB MUST treat that posture as non-admissible report bypass.

In such a case, DB MUST NOT permit silence, omission, or implicit acceptance.

DB MUST instead require a governed failure reporting payload with:

- failure_class: DISCLOSURE_INCOMPLETE

This rule applies when:

- a required DB-owned reporting surface was bypassed
- a completion-like governed surface appeared without DB-governed reporting completion
- required reporting ownership was displaced by non-DB output

DB MUST NOT treat any non-DB user-visible completion surface as satisfying:

- governed report production
- governed failure production
- disclosure completeness

END REPORT-BYPASS FAILURE COLLAPSE (LOCKED)

Silence is not permitted once REPORT_READY has been reached.

27. NON-BRANCHING REPORTING (LOCKED)

DB MUST NOT:

- create alternate reporting paths
- generate speculative output
- substitute partial output for governed output
- create route-local reporting families outside the unified model

All reporting must follow the unified model.

28. FAILURE CONDITIONS (LOCKED)

DB is non-compliant if it:

- produces output before MS authorization
- produces output before REPORT_READY
- omits required receipt fields
- omits trust/delta values required by the routed path
- omits required disclosure families
- omits REQUIRED cataloged reporting surface applicable to the routed path
- leaves transferred reporting surfaces uncataloged

- permits a cataloged reporting surface to remain ownerless
- fabricates or infers data
- introduces advisory or speculative content
- substitutes silence for required governed reporting
- produces multiple semantically competing output families for the same active routed path
- produces a success-like failure payload

Violation results in:

terminal_state: MODULE_EXECUTION_FAILED

29. SYSTEM ALIGNMENT GUARANTEE (LOCKED)

This document is aligned to:

- MIS canonical-or-nothing governance and MS-exclusive release authority
- D report-or-failure completion discipline for DB-governed paths
- UX render-only, no-repair, no-substitution boundary

DB's output contract is complete only when:

- one complete governed report has been produced

OR

- one governed failure reporting payload has been produced

No thinner operational interpretation is permitted.

END SUPER KB-DB