

SUPER KB-MRS

VERSION: 8.4

STATUS: ACTIVE

SCOPE: RELATIONSHIP SIGNIFICANCE EVALUATION, RI DETERMINATION, MRS
EXECUTION VALIDITY ONLY

PURPOSE (LOCKED)

MRS governs determination of what matters in relationship-bearing evaluation.

MRS determines:

- whether relationship significance is present within a lawfully routed evaluation
- whether evaluation has been validly executed
- whether the result is RI-positive or RI-negative
- whether evaluation is complete enough for lawful handoff

MRS does not:

- classify inputs (MC)
- control execution, retry, or terminality (MS)
- determine workflow stage progression (D)
- construct structural truth or proof (Z)
- define reporting, disclosure, trust stats, or delta stats (DB)
- render user-visible output (UX)
- persist canonical memory (H)

- generate actions or behavior closure (A / B)

MRS AUTHORITY MODEL (LOCKED)

MRS is the sole owner of:

- relationship significance evaluation
- RI-positive / RI-negative determination
- valid MRS execution definition
- evaluation correctness
- execution completeness for MRS-governed paths

No other module may:

- determine relationship significance
- define RI-positive / RI-negative outcomes
- judge whether MRS evaluation is valid
- substitute structural signals for significance determination
- infer MRS completion without lawful MRS execution

Violation constitutes a deterministic system defect.

MRS ENTRY CONDITIONS (LOCKED)

MRS execution is permitted only when:

- MC has classified and routed the turn
- D has lawfully advanced the path to MRS evaluation
- all required upstream structural outputs are available when structural artifacts are involved
- the active routed path requires relationship-bearing evaluation
- D is the sole authority determining whether the routed path requires MRS execution

MRS MUST NOT:

- self-initiate
- override route selection
- execute outside the active routed path
- execute before required upstream handoff is complete

LAWFUL WORK SET ADMISSIBILITY GATE (LOCKED)

MRS MUST evaluate only a lawful work set that is already:

- routed for the active governed path
- complete for the active MRS evaluation scope
- execution-bound to the active governed execution
- provenance-stable as supplied by upstream governed modules
- non-provisional and non-partial for the active evaluation attempt

MRS MUST NOT evaluate on the basis of:

- preview-like or substitute evidence
- partial work sets
- pass-through artifacts not lawfully prepared for MRS evaluation

- unresolved upstream evidence posture
- provisional or retry-eligible upstream outputs

If the active evaluation input set is partial, provisional, unresolved, or not execution-bound for the active governed path:

- MRS MUST treat execution as non-admissible
- MRS MUST NOT assign RI_POSITIVE or RI_NEGATIVE

Failure constitutes:

failure_class: EXECUTION_CONTRACT_VIOLATION

END LAWFUL WORK SET ADMISSIBILITY GATE (LOCKED)

MRS DISPATCH REQUIREMENT (LOCKED)

When the active routed path is MRS-governed, MRS execution is mandatory.

If MRS-governed evaluation is required, the system MUST NOT:

- bypass MRS
- substitute reporting for evaluation
- treat absence of MRS as RI-negative by default
- treat silence as lawful completion

Missing required MRS execution constitutes:

When MRS execution is required but absent:

- downstream reporting MUST be blocked
- DB MUST treat the path as disclosure-incomplete

- MS MUST enforce terminal failure

failure_class: HANDOFF_VIOLATION

SIGNIFICANCE EVALUATION (LOCKED)

MRS exclusively determines whether relationship-bearing significance is present.

MRS evaluation must assess only lawful significance signals available through the routed execution path.

MRS MUST:

- evaluate relationship-bearing relevance
- determine whether relationship significance criteria are satisfied based on the active routed work set
- distinguish meaningful significance from non-significant presence
- produce a canonical RI-positive or RI-negative outcome

MRS MUST NOT:

- construct structural facts
- report trust, delta, or mutation surfaces
- interpret significance as action recommendation
- render narrative disclosure
- infer meaning from missing upstream evidence

ANTI-STRUCTURAL-SHORTCUT RULE (LOCKED)

MRS MUST NOT treat structural richness, artifact class, mutation presence, baseline change, record volume, contact volume, or any other structural signal by itself as sufficient to determine RI_POSITIVE.

Structural outputs may lawfully contribute to the active MRS work set only as routed upstream evidence.

They MUST NOT be treated as a substitute for actual relationship significance evaluation.

Accordingly, MRS MUST NOT:

- infer RI_POSITIVE from structural SUCCESS alone
- infer RI_POSITIVE from mutation or delta presence alone
- infer RI_POSITIVE from artifact type or source family alone
- infer RI_NEGATIVE solely because significance evaluation was absent, blocked, or incomplete

If RI outcome is assigned through structural shortcut rather than lawful MRS evaluation on the active work set:

failure_class: EXECUTION_CONTRACT_VIOLATION

END ANTI-STRUCTURAL-SHORTCUT RULE (LOCKED)

RI DETERMINATION (LOCKED)

MRS outcomes are limited to:

For identical inputs and work sets, MRS MUST produce identical RI outcomes.

Any variation constitutes:

failure_class: NON_DETERMINISTIC_EVALUATION

- RI_POSITIVE

- RI_NEGATIVE

RI-positive means:

- lawful MRS evaluation completed
 - relationship significance criteria were satisfied
- downstream handoff may proceed on an RI-bearing path

RI-negative means:

- lawful MRS evaluation completed
 - relationship significance criteria were not satisfied
- downstream handoff proceeds without RI-positive designation

No alternate RI classes are permitted in 8.3.

EXECUTION VALIDITY (LOCKED)

A valid MRS execution requires:

- lawful routed entry
- required upstream inputs present
- significance evaluation performed
- RI outcome assigned
- completion state explicit
- handoff readiness established for the active path

- evaluation correctness is satisfied when MRS evaluation is performed on all required inputs for the active routed path, contains no contradiction, and produces one lawful RI outcome

MRS execution is invalid if:

- required inputs are missing
- significance is not actually evaluated
- RI outcome is absent
- contradictory outputs are produced
- completion state is ambiguous
- dispatch occurred outside lawful routed context

EVALUATION COMPLETENESS (LOCKED)

MRS MUST determine whether its own evaluation is complete.

MRS completeness requires:

Evaluation MUST be performed on the complete and unmodified lawful work set for the active routed path.

Partial, reduced, or subset evaluation constitutes:

failure_class: INCOMPLETE_WORKSET_EVALUATION

- evaluation performed on the full lawful work set for the active path
- no unresolved ambiguity in RI outcome

- no contradiction between evaluation result and dispatch state
- handoff surface prepared for downstream governed modules

If MRS completeness is not achieved:

MRS MUST NOT declare lawful completion.

If MRS completeness is not achieved, or if the active work set is discovered to be partial, unresolved, non-authoritative, or not execution-bound for the active governed path:

- MRS MUST NOT declare lawful completion
- MRS MUST NOT assign downstream-ready handoff posture
- MRS MUST NOT allow absence of lawful evaluation to collapse into RI_NEGATIVE by default

Incomplete MRS evaluation constitutes:

failure_class: EXECUTION_CONTRACT_VIOLATION

NON-OWNERSHIP BOUNDARY (LOCKED)

MRS MUST NOT:

- define workflow progression or next stage (D owns)
- define whether output may be released (MS owns)
- define disclosure requirements or RI reporting surfaces (DB owns)
- determine rendering behavior (UX owns)
- commit memory or persistence changes (H owns)
- generate action recommendations or behavioral closure (A / B own)

MRS determines only:

- whether relationship significance exists
- whether RI-positive / RI-negative applies
- whether MRS evaluation is valid and complete

CANONICAL MRS HANDOFF FIELDS (LOCKED)

Upon lawful completion, MRS MUST hand off a concrete downstream-ready result object for the active governed path.

Required canonical handoff fields:

- mrs_evaluated
- mrs_result_class
- ri_detected
- evaluation_completeness_state
- handoff_ready_for_downstream

Normalization rules:

- mrs_evaluated == TRUE only if lawful MRS evaluation was actually performed on the active lawful work set
- mrs_result_class MUST be exactly one of: RI_POSITIVE | RI_NEGATIVE
- ri_detected == TRUE only if mrs_result_class == RI_POSITIVE
- ri_detected == FALSE only if mrs_result_class == RI_NEGATIVE
- evaluation_completeness_state == COMPLETE only if MRS completeness requirements are satisfied for the active governed path
- handoff_ready_for_downstream == TRUE only if lawful MRS completion has been achieved and downstream handoff is admissible

MRS MUST NOT omit these fields when MRS execution is required for the active governed path.

If required canonical MRS handoff fields are absent, ambiguous, contradictory, or placeholder-valued:

failure_class: HANDOFF_VIOLATION

END CANONICAL MRS HANDOFF FIELDS (LOCKED)

HANDOFF CONTRACT (LOCKED)

Upon lawful completion, MRS must hand off:

- MRS execution status
- RI outcome
- evaluation completeness state
- any canonical MRS result flags required by the active downstream path

MRS handoff MUST NOT include:

- reporting structure
- disclosure formatting
- presentation rules
- trust or delta calculations
- action recommendations

POST-MRS PATH DISCIPLINE (LOCKED)

After MRS completion:

- D governs workflow progression

- DB governs disclosure of RI results
- H governs persistence when applicable
- UX governs rendering

MRS MUST NOT:

- retain control after lawful handoff
- reopen route selection
- define downstream execution order

FAILURE CONDITIONS (LOCKED)

MRS is non-compliant if it:

- executes without lawful routed entry
- fails to evaluate significance when required
- emits RI outcome without lawful evaluation
- fails to assign RI outcome
- declares completion while ambiguous or contradictory
- substitutes silence for required evaluation
- defines disclosure, reporting, workflow, or rendering behavior
- performs action-generation or persistence logic

Violation results in:

terminal_state: MODULE_EXECUTION_FAILED

MRS DESIGN CONSTRAINT (LOCKED)

MRS is a significance engine only.

MRS exists to answer:

- Does this relationship-bearing evaluation matter?
- Is the result RI-positive or RI-negative?
- Was evaluation validly and completely executed?

Any reintroduction of:

- workflow control
- reporting logic
- structural truth construction
- rendering behavior
- action logic
- memory persistence

is a deterministic architecture defect.