@ FILE NAME: M_CTC_ID_011.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for LPRU: v1.0.0

Test Description : Test Description : This scenario validates that the O-RU NETCONF

Server properly executes a get command with a filter applied.

==
ethtool enp3s0
==

Settings for enp3s0:
 Supported ports: [FIBRE]
 Supported link modes: 10000baseT/Full
 Supported pause frame use: Symmetric
 Supports auto-negotiation: No
 Supported FEC modes: Not reported
 Advertised link modes: 10000baseT/Full
 Advertised pause frame use: Symmetric
 Advertised auto-negotiation: No
 Advertised FEC modes: Not reported
 Speed: 10000Mb/s
 Duplex: Full
 Port: FIBRE
 PHYAD: 0
 Transceiver: internal
 Auto-negotiation: off
 Supports Wake-on: d
 Wake-on: d
 Current message level: 0x00000007 (7)
        drv probe link
 Link detected: yes

==
ping -c 5 192.168.33.37
==

PING 192.168.33.37 (192.168.33.37) 56(84) bytes of data.
64 bytes from 192.168.33.37: icmp_seq=1 ttl=64 time=0.054 ms
64 bytes from 192.168.33.37: icmp_seq=2 ttl=64 time=0.086 ms
64 bytes from 192.168.33.37: icmp_seq=3 ttl=64 time=0.084 ms
64 bytes from 192.168.33.37: icmp_seq=4 ttl=64 time=0.157 ms
64 bytes from 192.168.33.37: icmp_seq=5 ttl=64 time=0.094 ms

--- 192.168.33.37 ping statistics ---
5 packets transmitted, 5 received, 0% packet loss, time 4094ms
rtt min/avg/max/mdev = 0.054/0.095/0.157/0.033 ms
==

********** Connect to the NETCONF Server **********

==
> listen --ssh --login operator
        Waiting 60s for an SSH Call Home connection on port 4334...

The authenticity of the host '::ffff:192.168.33.37' cannot be established.

ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83

Interactive SSH Authentication done.

> status

Current NETCONF session:

ID   : 15

Host   : 192.168.33.37

Port   : 830

Transport : SSH

Capabilities:

urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0
urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0
urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0
urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit
urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0
urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05
urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20
urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15
urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15
urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=61
urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10
urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14
urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,validate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01
urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06
urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04
urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14
urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14
urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10
urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history
urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

===

> subscribe --filter-xpath /ietf-netconf-notifications:*

===

Ok

===

  ***********step 1 and 2 Retrival of ru information with filter **********

===

===

get --filter-xpath /o-ran-usermgmt:users/user

===

<?xml version="1.0" ?>

<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">

 <users xmlns="urn:o-ran:user-mgmt:1.0">

```
<user>
 <name>oranuser</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>observer</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>installer</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator493952704640708777</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator8907274980244270</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator0993781512333</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator0882020832992</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator7438</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator7935</name>
```

```xml
    <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator155806791627</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator238552637881</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator0421592974747</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator948</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator83365290439205403</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator53305388253138092356</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator383692122494464</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator15821980285</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator177958064678</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
```

```
</user>
<user>
 <name>operator5906038214476923</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator69874</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator94907200560449444638</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator3506672875</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator241388</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator634770780215973</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator5313054346826470768</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator9684397098855437558072</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator1282037674106208429388</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
```

```xml
 <name>operator29414451</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator0559728</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator1855807069576</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator997</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator38973931</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator2637007557428701030406</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator6572</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator2599367586003462867673</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator21509658</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator48826993229317</name>
 <account-type>PASSWORD</account-type>
```

```xml
  <enabled>true</enabled>
 </user>
 <user>
  <name>operator65641200</name>
  <account-type>PASSWORD</account-type>
  <enabled>true</enabled>
 </user>
 <user>
  <name>operator6515887793894030</name>
  <account-type>PASSWORD</account-type>
  <enabled>true</enabled>
 </user>
 <user>
  <name>operator0658756773</name>
  <account-type>PASSWORD</account-type>
  <enabled>true</enabled>
 </user>
 <user>
  <name>operator7644920148984808071</name>
  <account-type>PASSWORD</account-type>
  <enabled>true</enabled>
 </user>
 <user>
  <name>operator783231</name>
  <account-type>PASSWORD</account-type>
  <enabled>true</enabled>
 </user>
 <user>
  <name>operator5468322609530</name>
  <account-type>PASSWORD</account-type>
  <enabled>true</enabled>
 </user>
 <user>
  <name>operator7498975339731129873</name>
  <account-type>PASSWORD</account-type>
  <enabled>true</enabled>
 </user>
 <user>
  <name>operator48816077816988329</name>
  <account-type>PASSWORD</account-type>
  <enabled>true</enabled>
 </user>
 <user>
  <name>operator323886074705395758 5763</name>
  <account-type>PASSWORD</account-type>
  <enabled>true</enabled>
 </user>
```

```xml
<user>
 <name>operator25319191</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator4356590</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator75736568346040242543</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator89159552046915308312737</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator518467266670472</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator6053799926</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator5325532472482687</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator2997303774330866581</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator99968188185338</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator307764314664</name>
```

```xml
    <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator820015</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator40180039</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator49591625148772</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator708964</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator2008</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator2470716171603562</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator301478253</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator347508626927</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator5913</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
```

```xml
</user>
<user>
 <name>operator962</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator684</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator07116145835117628216</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator577821</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator1947625</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator937536475</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator799306818796487</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator05910</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator690547</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
```

```xml
  <name>operator8054035811856346458 9778</name>
  <account-type>PASSWORD</account-type>
  <enabled>true</enabled>
 </user>
 </users>
</data>
```

===
############ SYSTEM LOGS #############
===
Nov 6 21:36:26 vvdn_lpru daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.33.58:4334.

Nov 6 21:36:26 vvdn_lpru daemon.info netopeer2-server[858]: Successfully connected to 192.168.33.58:4334 over IPv4.

Nov 6 21:36:26 vvdn_lpru daemon.info netopeer2-server[858]: Session 770 (user "root", CID 1) created.

Nov 6 21:36:26 vvdn_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-service" of subtype "ssh-userauth".

Nov 6 21:36:26 vvdn_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-auth" of subtype "password".

Nov 6 21:36:26 vvdn_lpru daemon.info netopeer2-server[858]: User "operator" authenticated.

Nov 6 21:36:26 vvdn_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-channel-open" of subtype "session".

Nov 6 21:36:26 vvdn_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-channel" of subtype "subsystem".

Nov 6 21:36:26 vvdn_lpru daemon.info netopeer2-server[858]: Call Home client "default-client" session 15 established.

Nov 6 21:36:26 vvdn_lpru daemon.info netopeer2-server[858]: Session 771 (user "root", CID 1) created.

Nov 6 21:36:26 vvdn_lpru daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 6 21:36:26 vvdn_lpru daemon.info netopeer2-server[858]: Generated new event (netconf-session-start).

Nov 6 21:36:26 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:26 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:26 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:26 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:26 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 40 priority 0 for 1 subscribers.

Nov 6 21:36:26 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 40 priority 0 (remaining 1 subscribers).

Nov 6 21:36:26 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 15.

Nov 6 21:36:26 vvdn_lpru user.notice fw_manager[928]: RPC #15 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 6 21:36:27 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 15 succeeded.

Nov 6 21:36:27 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 6 21:36:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 6 21:36:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 6 21:36:27 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:27 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 40 priority 0 (remaining 0 subscribers).

Nov 6 21:36:27 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 40 priority 0 succeeded.

Nov 6 21:36:27 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:27 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:27 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 6 21:36:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 6 21:36:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 6 21:36:27 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:27 vvdn_lpru daemon.info netopeer2-server[858]: Session 15: thread 0 event new RPC.

Nov 6 21:36:28 vvdn_lpru user.err BMC_COMM[872]: Failed to write data to driver

Nov 6 21:36:28 vvdn_lpru user.err BMC_COMM[872]: Failed to send data to BMC

Nov 6 21:36:28 vvdn_lpru user.err FAULT MANAGER[872]: Error in getTempStatus

Nov 6 21:36:31 vvdn_lpru user.notice SYNCMNGR[1174]: Received message from S-Plane

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/notifications:create-subscription" with ID 15 priority 0 for 1 subscribers.

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/notifications:create-subscription" "rpc" event with ID 15 priority 0 (remaining 1 subscribers).

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 15 priority 0 (remaining 0 subscribers).

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 15 priority 0 succeeded.

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: Session 15: thread 3 event new RPC.

Nov 6 21:36:32 vvdn_lpru user.err BMC_COMM[872]: Failed to write data to driver

Nov 6 21:36:32 vvdn_lpru user.err BMC_COMM[872]: Failed to send data to BMC

Nov 6 21:36:32 vvdn_lpru user.err FAULT MANAGER[872]: Error in getTempStatus

Nov 6 21:36:32 vvdn_lpru user.err BMC_COMM[872]: Failed to write data to driver

Nov 6 21:36:32 vvdn_lpru user.err BMC_COMM[872]: Failed to send data to BMC

Nov 6 21:36:32 vvdn_lpru user.err FAULT MANAGER[872]: temp value : 78

Nov 6 21:36:32 vvdn_lpru user.err FAULT MANAGER[872]: Error in get Temperature value

Nov 6 21:36:32 vvdn_lpru user.err BMC_COMM[872]: Failed to write data to driver

Nov 6 21:36:32 vvdn_lpru user.err BMC_COMM[872]: Failed to send data to BMC

Nov 6 21:36:32 vvdn_lpru user.err FAULT MANAGER[872]: Error in SETLEDMODE

Nov 6 21:36:32 vvdn_lpru user.err FAULT MANAGER[872]: sendData : Source ID: 3

Nov 6 21:36:32 vvdn_lpru user.err FAULT MANAGER[872]: sendData : Fault ID: 3

Nov 6 21:36:32 vvdn_lpru user.err FAULT MANAGER[872]: sendData : FAULT_IS_CLEARED: FALSE

Nov 6 21:36:32 vvdn_lpru user.err FAULT MANAGER[872]: sendData : FAULT_SEVERITY: 1

Nov 6 21:36:32 vvdn_lpru user.err FAULT MANAGER[872]: sendData : FAULT_TIME: 2000-11-06T21:36:32Z

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 41 priority 0 for 1 subscribers.

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 41 priority 0 (remaining 1 subscribers).

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 41 priority 0 (remaining 0 subscribers).

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 41 priority 0 succeeded.

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: Session 15: thread 1 event new RPC.

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: Session 15: thread 4 event new RPC.

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: Session 15: thread 4 event session terminated.

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: Generated new event (netconf-session-end).

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: Call Home client "default-client" session terminated.

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.33.58:4334.

Nov 6 21:36:32 vvdn_lpru daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Nov 6 21:36:32 vvdn_lpru authpriv.debug sshd[16114]: pam_unix(sshd:account): account operator has password changed in future

Nov 6 21:36:32 vvdn_lpru auth.info sshd[16114]: Accepted password for operator from 192.168.33.58 port 43704 ssh2

Nov 6 21:36:32 vvdn_lpru authpriv.info sshd[16114]: pam_unix(sshd:session): session opened for user operator by (uid=0)

Expected Result : The O-RU NETCONF Server responds with

<rpc-reply><ok/></rpc-reply> to the TER NETCONF Client.

```
=============================================================================
 ***************** Actual Result *****************
=============================================================================


=============================================================================
Get_without_filter                   ||           SUCCESS
=============================================================================


=============================================================================
***************************** Summary *****************************
=============================================================================
```

DHCP IP 192.168.33.37	successful.
Netopeer Connection	Successful
Capability exchange	Successful
Create-subscription	Successful
Get with filter	Successful
Get_without_filter	PASS