@ **FILE NAME:** 26.txt

@ **TEST SCOPE:** M PLANE O-RAN CONFORMANCE

@ **Software Release for LPRU:** v1.0.0

Test Description : This scenario is MANDATORY.

This test validates eAxC configuration and validation. The test scenario is intentionally limited in scope to be applicable to any O-RU hardware design.

This scenario corresponds to the following chapters in [3]:

Chapter 6 Configuration Management

Chapter 12.2 User plane message routing

==
ethtool enp3s0
==

Settings for enp3s0:
 Supported ports: [FIBRE]
 Supported link modes: 10000baseT/Full
 Supported pause frame use: Symmetric
 Supports auto-negotiation: No
 Supported FEC modes: Not reported
 Advertised link modes: 10000baseT/Full
 Advertised pause frame use: Symmetric
 Advertised auto-negotiation: No
 Advertised FEC modes: Not reported
 Speed: 10000Mb/s
 Duplex: Full
 Port: FIBRE
 PHYAD: 0
 Transceiver: internal
 Auto-negotiation: off
 Supports Wake-on: d
 Wake-on: d
 Current message level: 0x00000007 (7)
       drv probe link
 Link detected: yes

==
ping -c 5 192.168.33.37
==

PING 192.168.33.37 (192.168.33.37) 56(84) bytes of data.
64 bytes from 192.168.33.37: icmp_seq=1 ttl=64 time=0.059 ms
64 bytes from 192.168.33.37: icmp_seq=2 ttl=64 time=0.149 ms
64 bytes from 192.168.33.37: icmp_seq=3 ttl=64 time=0.143 ms
64 bytes from 192.168.33.37: icmp_seq=4 ttl=64 time=0.144 ms
64 bytes from 192.168.33.37: icmp_seq=5 ttl=64 time=0.142 ms

--- 192.168.33.37 ping statistics ---
5 packets transmitted, 5 received, 0% packet loss, time 4094ms
rtt min/avg/max/mdev = 0.059/0.127/0.149/0.035 ms
==

********* Connect to the NETCONF Server **********

==

> listen --ssh --login operator
        Waiting 60s for an SSH Call Home connection on port 4334...
        The authenticity of the host '::ffff:192.168.33.37' cannot be established.
        ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83

Interactive SSH Authentication done.

> status

Current NETCONF session:

ID   : 14

Host   : 192.168.33.37

Port   : 830

Transport : SSH

Capabilities:

 urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0

urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0

urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0

urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit

urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0

urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05

urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20

urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15

urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15

urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=61

urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10

urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14

urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valid ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01

urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06

urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04

urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14

urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14

urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10

urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history

urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

==

> **subscribe --filter-xpath /ietf-netconf-notifications:***

==

Ok

===
################## **Pre get filter** ##################
===

===
> get --filter-xpath /o-ran-uplane-conf:user-plane-configuration
===

```xml
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
 <user-plane-configuration xmlns="urn:o-ran:uplane-conf:1.0">
  <low-level-tx-links>
   <name>lltxlink0</name>
   <processing-element>element0</processing-element>
   <tx-array-carrier>txarraycarrier0</tx-array-carrier>
   <low-level-tx-endpoint>slltx-endpoint0</low-level-tx-endpoint>
  </low-level-tx-links>
  <low-level-tx-links>
   <name>lltxlink1</name>
   <processing-element>element0</processing-element>
   <tx-array-carrier>txarraycarrier0</tx-array-carrier>
   <low-level-tx-endpoint>slltx-endpoint1</low-level-tx-endpoint>
  </low-level-tx-links>
  <low-level-tx-links>
   <name>lltxlink2</name>
   <processing-element>element0</processing-element>
   <tx-array-carrier>txarraycarrier0</tx-array-carrier>
   <low-level-tx-endpoint>slltx-endpoint2</low-level-tx-endpoint>
  </low-level-tx-links>
  <low-level-tx-links>
   <name>lltxlink3</name>
   <processing-element>element0</processing-element>
   <tx-array-carrier>txarraycarrier0</tx-array-carrier>
   <low-level-tx-endpoint>slltx-endpoint3</low-level-tx-endpoint>
  </low-level-tx-links>
  <low-level-rx-links>
   <name>llrxlink0</name>
   <processing-element>element0</processing-element>
   <rx-array-carrier>rxarraycarrier0</rx-array-carrier>
   <low-level-rx-endpoint>sllrx-endpoint0</low-level-rx-endpoint>
  </low-level-rx-links>
  <low-level-rx-links>
   <name>llrxlink1</name>
   <processing-element>element0</processing-element>
   <rx-array-carrier>rxarraycarrier0</rx-array-carrier>
   <low-level-rx-endpoint>sllrx-endpoint1</low-level-rx-endpoint>
  </low-level-rx-links>
  <low-level-rx-links>
   <name>llrxlink2</name>
```

```
<processing-element>element0</processing-element>
<rx-array-carrier>rxarraycarrier0</rx-array-carrier>
<low-level-rx-endpoint>sllrx-endpoint2</low-level-rx-endpoint>
</low-level-rx-links>
<low-level-rx-links>
<name>llrxlink3</name>
<processing-element>element0</processing-element>
<rx-array-carrier>rxarraycarrier0</rx-array-carrier>
<low-level-rx-endpoint>sllrx-endpoint3</low-level-rx-endpoint>
</low-level-rx-links>
<low-level-tx-endpoints>
<name>slltx-endpoint0</name>
<compression>
 <compression-type>STATIC</compression-type>
 <iq-bitwidth>16</iq-bitwidth>
</compression>
<cp-length>352</cp-length>
<cp-length-other>288</cp-length-other>
<offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
<number-of-prb-per-scs>
 <scs>KHZ_30</scs>
 <number-of-prb>273</number-of-prb>
</number-of-prb-per-scs>
<e-axcid>
 <o-du-port-bitmask>65024</o-du-port-bitmask>
 <band-sector-bitmask>448</band-sector-bitmask>
 <ccid-bitmask>56</ccid-bitmask>
 <ru-port-bitmask>7</ru-port-bitmask>
 <eaxc-id>1</eaxc-id>
</e-axcid>
</low-level-tx-endpoints>
<low-level-tx-endpoints>
<name>slltx-endpoint1</name>
<compression>
 <compression-type>STATIC</compression-type>
 <iq-bitwidth>16</iq-bitwidth>
</compression>
<cp-length>352</cp-length>
<cp-length-other>288</cp-length-other>
<offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
<number-of-prb-per-scs>
 <scs>KHZ_30</scs>
 <number-of-prb>273</number-of-prb>
</number-of-prb-per-scs>
<e-axcid>
 <o-du-port-bitmask>65024</o-du-port-bitmask>
 <band-sector-bitmask>448</band-sector-bitmask>
 <ccid-bitmask>56</ccid-bitmask>
 <ru-port-bitmask>7</ru-port-bitmask>
```

```
  <eaxc-id>2</eaxc-id>
 </e-axcid>
</low-level-tx-endpoints>
<low-level-tx-endpoints>
 <name>slltx-endpoint2</name>
 <compression>
  <compression-type>STATIC</compression-type>
  <iq-bitwidth>16</iq-bitwidth>
 </compression>
 <cp-length>352</cp-length>
 <cp-length-other>288</cp-length-other>
 <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
 <number-of-prb-per-scs>
  <scs>KHZ_30</scs>
  <number-of-prb>273</number-of-prb>
 </number-of-prb-per-scs>
 <e-axcid>
  <o-du-port-bitmask>65024</o-du-port-bitmask>
  <band-sector-bitmask>448</band-sector-bitmask>
  <ccid-bitmask>56</ccid-bitmask>
  <ru-port-bitmask>7</ru-port-bitmask>
  <eaxc-id>3</eaxc-id>
 </e-axcid>
</low-level-tx-endpoints>
<low-level-tx-endpoints>
 <name>slltx-endpoint3</name>
 <compression>
  <compression-type>STATIC</compression-type>
  <iq-bitwidth>16</iq-bitwidth>
 </compression>
 <cp-length>352</cp-length>
 <cp-length-other>288</cp-length-other>
 <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
 <number-of-prb-per-scs>
  <scs>KHZ_30</scs>
  <number-of-prb>273</number-of-prb>
 </number-of-prb-per-scs>
 <e-axcid>
  <o-du-port-bitmask>65024</o-du-port-bitmask>
  <band-sector-bitmask>448</band-sector-bitmask>
  <ccid-bitmask>56</ccid-bitmask>
  <ru-port-bitmask>7</ru-port-bitmask>
  <eaxc-id>4</eaxc-id>
 </e-axcid>
</low-level-tx-endpoints>
<low-level-rx-endpoints>
 <name>sllrx-endpoint0</name>
 <compression>
  <compression-type>STATIC</compression-type>
```

```
  <iq-bitwidth>16</iq-bitwidth>
 </compression>
<cp-length>352</cp-length>
<cp-length-other>288</cp-length-other>
<offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
<number-of-prb-per-scs>
 <scs>KHZ_30</scs>
 <number-of-prb>273</number-of-prb>
</number-of-prb-per-scs>
<ul-fft-sampling-offsets>
 <scs>KHZ_30</scs>
</ul-fft-sampling-offsets>
<e-axcid>
 <o-du-port-bitmask>65024</o-du-port-bitmask>
 <band-sector-bitmask>448</band-sector-bitmask>
 <ccid-bitmask>56</ccid-bitmask>
 <ru-port-bitmask>7</ru-port-bitmask>
 <eaxc-id>1</eaxc-id>
</e-axcid>
<non-time-managed-delay-enabled>false</non-time-managed-delay-enabled>
</low-level-rx-endpoints>
<low-level-rx-endpoints>
 <name>sllrx-endpoint1</name>
 <compression>
  <compression-type>STATIC</compression-type>
  <iq-bitwidth>16</iq-bitwidth>
 </compression>
<cp-length>352</cp-length>
<cp-length-other>288</cp-length-other>
<offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
<number-of-prb-per-scs>
 <scs>KHZ_30</scs>
 <number-of-prb>273</number-of-prb>
</number-of-prb-per-scs>
<ul-fft-sampling-offsets>
 <scs>KHZ_30</scs>
</ul-fft-sampling-offsets>
<e-axcid>
 <o-du-port-bitmask>65024</o-du-port-bitmask>
 <band-sector-bitmask>448</band-sector-bitmask>
 <ccid-bitmask>56</ccid-bitmask>
 <ru-port-bitmask>7</ru-port-bitmask>
 <eaxc-id>2</eaxc-id>
</e-axcid>
<non-time-managed-delay-enabled>false</non-time-managed-delay-enabled>
</low-level-rx-endpoints>
<low-level-rx-endpoints>
<name>sllrx-endpoint2</name>
<compression>
```

```xml
    <compression-type>STATIC</compression-type>
   <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
   <scs>KHZ_30</scs>
   <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <ul-fft-sampling-offsets>
   <scs>KHZ_30</scs>
  </ul-fft-sampling-offsets>
  <e-axcid>
   <o-du-port-bitmask>65024</o-du-port-bitmask>
   <band-sector-bitmask>448</band-sector-bitmask>
   <ccid-bitmask>56</ccid-bitmask>
   <ru-port-bitmask>7</ru-port-bitmask>
   <eaxc-id>3</eaxc-id>
  </e-axcid>
  <non-time-managed-delay-enabled>false</non-time-managed-delay-enabled>
 </low-level-rx-endpoints>
 <low-level-rx-endpoints>
  <name>sllrx-endpoint3</name>
  <compression>
   <compression-type>STATIC</compression-type>
   <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
   <scs>KHZ_30</scs>
   <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <ul-fft-sampling-offsets>
   <scs>KHZ_30</scs>
  </ul-fft-sampling-offsets>
  <e-axcid>
   <o-du-port-bitmask>65024</o-du-port-bitmask>
   <band-sector-bitmask>448</band-sector-bitmask>
   <ccid-bitmask>56</ccid-bitmask>
   <ru-port-bitmask>7</ru-port-bitmask>
   <eaxc-id>4</eaxc-id>
  </e-axcid>
  <non-time-managed-delay-enabled>false</non-time-managed-delay-enabled>
 </low-level-rx-endpoints>
 <tx-array-carriers>
  <name>txarraycarrier0</name>
```

```
<absolute-frequency-center>646667</absolute-frequency-center>
<center-of-channel-bandwidth>3700005000</center-of-channel-bandwidth>
<channel-bandwidth>100000000</channel-bandwidth>
<gain>0.0</gain>
<downlink-radio-frame-offset>0</downlink-radio-frame-offset>
<downlink-sfn-offset>0</downlink-sfn-offset>
<rw-duplex-scheme>TDD</rw-duplex-scheme>
<rw-type>NR</rw-type>
<state>DISABLED</state>
<type>NR</type>
<duplex-scheme>TDD</duplex-scheme>
</tx-array-carriers>
<rx-array-carriers>
 <name>rxarraycarrier0</name>
 <absolute-frequency-center>646667</absolute-frequency-center>
 <center-of-channel-bandwidth>3700005000</center-of-channel-bandwidth>
 <channel-bandwidth>100000000</channel-bandwidth>
 <downlink-radio-frame-offset>0</downlink-radio-frame-offset>
 <downlink-sfn-offset>0</downlink-sfn-offset>
 <gain-correction>0.0</gain-correction>
 <n-ta-offset>25600</n-ta-offset>
 <state>DISABLED</state>
 <type>NR</type>
 <duplex-scheme>TDD</duplex-scheme>
</rx-array-carriers>
<tx-arrays>
 <name>slltx-endpoint0</name>
 <number-of-rows>1</number-of-rows>
 <number-of-columns>1</number-of-columns>
 <number-of-array-layers>1</number-of-array-layers>
 <horizontal-spacing>1.0</horizontal-spacing>
 <vertical-spacing>1.0</vertical-spacing>
 <normal-vector-direction>
  <azimuth-angle>1.0</azimuth-angle>
  <zenith-angle>1.0</zenith-angle>
 </normal-vector-direction>
 <leftmost-bottom-array-element-position>
  <x>1.0</x>
  <y>1.0</y>
  <z>1.0</z>
 </leftmost-bottom-array-element-position>
 <band-number>78</band-number>
</tx-arrays>
<tx-arrays>
 <name>slltx-endpoint1</name>
 <number-of-rows>1</number-of-rows>
 <number-of-columns>1</number-of-columns>
 <number-of-array-layers>1</number-of-array-layers>
 <horizontal-spacing>1.0</horizontal-spacing>
```

```xml
<vertical-spacing>1.0</vertical-spacing>
<normal-vector-direction>
 <azimuth-angle>1.0</azimuth-angle>
 <zenith-angle>1.0</zenith-angle>
</normal-vector-direction>
<leftmost-bottom-array-element-position>
 <x>1.0</x>
 <y>1.0</y>
 <z>1.0</z>
</leftmost-bottom-array-element-position>
<band-number>78</band-number>
</tx-arrays>
<tx-arrays>
 <name>slltx-endpoint2</name>
 <number-of-rows>1</number-of-rows>
 <number-of-columns>1</number-of-columns>
 <number-of-array-layers>1</number-of-array-layers>
 <horizontal-spacing>1.0</horizontal-spacing>
 <vertical-spacing>1.0</vertical-spacing>
 <normal-vector-direction>
  <azimuth-angle>1.0</azimuth-angle>
  <zenith-angle>1.0</zenith-angle>
 </normal-vector-direction>
 <leftmost-bottom-array-element-position>
  <x>1.0</x>
  <y>1.0</y>
  <z>1.0</z>
 </leftmost-bottom-array-element-position>
 <band-number>78</band-number>
</tx-arrays>
<tx-arrays>
 <name>slltx-endpoint3</name>
 <number-of-rows>1</number-of-rows>
 <number-of-columns>1</number-of-columns>
 <number-of-array-layers>1</number-of-array-layers>
 <horizontal-spacing>1.0</horizontal-spacing>
 <vertical-spacing>1.0</vertical-spacing>
 <normal-vector-direction>
  <azimuth-angle>1.0</azimuth-angle>
  <zenith-angle>1.0</zenith-angle>
 </normal-vector-direction>
 <leftmost-bottom-array-element-position>
  <x>1.0</x>
  <y>1.0</y>
  <z>1.0</z>
 </leftmost-bottom-array-element-position>
 <band-number>78</band-number>
</tx-arrays>
<rx-arrays>
```

```xml
<name>sllrx-endpoint0</name>
<number-of-rows>1</number-of-rows>
<number-of-columns>1</number-of-columns>
<number-of-array-layers>1</number-of-array-layers>
<horizontal-spacing>1.0</horizontal-spacing>
<vertical-spacing>1.0</vertical-spacing>
<normal-vector-direction>
 <azimuth-angle>1.0</azimuth-angle>
 <zenith-angle>1.0</zenith-angle>
</normal-vector-direction>
<leftmost-bottom-array-element-position>
 <x>1.0</x>
 <y>1.0</y>
 <z>1.0</z>
</leftmost-bottom-array-element-position>
<band-number>78</band-number>
</rx-arrays>
<rx-arrays>
 <name>sllrx-endpoint1</name>
 <number-of-rows>1</number-of-rows>
 <number-of-columns>1</number-of-columns>
 <number-of-array-layers>1</number-of-array-layers>
 <horizontal-spacing>1.0</horizontal-spacing>
 <vertical-spacing>1.0</vertical-spacing>
 <normal-vector-direction>
  <azimuth-angle>1.0</azimuth-angle>
  <zenith-angle>1.0</zenith-angle>
 </normal-vector-direction>
 <leftmost-bottom-array-element-position>
  <x>1.0</x>
  <y>1.0</y>
  <z>1.0</z>
 </leftmost-bottom-array-element-position>
 <band-number>78</band-number>
</rx-arrays>
<rx-arrays>
 <name>sllrx-endpoint2</name>
 <number-of-rows>1</number-of-rows>
 <number-of-columns>1</number-of-columns>
 <number-of-array-layers>1</number-of-array-layers>
 <horizontal-spacing>1.0</horizontal-spacing>
 <vertical-spacing>1.0</vertical-spacing>
 <normal-vector-direction>
  <azimuth-angle>1.0</azimuth-angle>
  <zenith-angle>1.0</zenith-angle>
 </normal-vector-direction>
 <leftmost-bottom-array-element-position>
  <x>1.0</x>
  <y>1.0</y>
```

```
 <z>1.0</z>
 </leftmost-bottom-array-element-position>
 <band-number>78</band-number>
</rx-arrays>
<rx-arrays>
 <name>sllrx-endpoint3</name>
 <number-of-rows>1</number-of-rows>
 <number-of-columns>1</number-of-columns>
 <number-of-array-layers>1</number-of-array-layers>
 <horizontal-spacing>1.0</horizontal-spacing>
 <vertical-spacing>1.0</vertical-spacing>
 <normal-vector-direction>
  <azimuth-angle>1.0</azimuth-angle>
  <zenith-angle>1.0</zenith-angle>
 </normal-vector-direction>
 <leftmost-bottom-array-element-position>
  <x>1.0</x>
  <y>1.0</y>
  <z>1.0</z>
 </leftmost-bottom-array-element-position>
 <band-number>78</band-number>
</rx-arrays>
<relations>
 <entity>0</entity>
 <array1>
  <tx-array-name>slltx-endpoint0</tx-array-name>
 </array1>
 <array2>
  <rx-array-name>sllrx-endpoint0</rx-array-name>
 </array2>
 <types/>
 <types>
  <relation-type>COALOCATED</relation-type>
  <pairs>
   <element-array1>1</element-array1>
   <element-array2>0</element-array2>
  </pairs>
 </types>
</relations>
<relations>
 <entity>1</entity>
 <array1>
  <tx-array-name>slltx-endpoint1</tx-array-name>
 </array1>
 <array2>
  <rx-array-name>sllrx-endpoint1</rx-array-name>
 </array2>
 <types/>
 <types>
```

```
  <relation-type>COALOCATED</relation-type>
  <pairs>
   <element-array1>1</element-array1>
   <element-array2>1</element-array2>
  </pairs>
 </types>
</relations>
<relations>
 <entity>2</entity>
 <array1>
  <tx-array-name>slltx-endpoint2</tx-array-name>
 </array1>
 <array2>
  <rx-array-name>sllrx-endpoint2</rx-array-name>
 </array2>
 <types/>
 <types>
  <relation-type>COALOCATED</relation-type>
  <pairs>
   <element-array1>1</element-array1>
   <element-array2>2</element-array2>
  </pairs>
 </types>
</relations>
<relations>
 <entity>3</entity>
 <array1>
  <tx-array-name>slltx-endpoint3</tx-array-name>
 </array1>
 <array2>
  <rx-array-name>sllrx-endpoint3</rx-array-name>
 </array2>
 <types/>
 <types>
  <relation-type>COALOCATED</relation-type>
  <pairs>
   <element-array1>1</element-array1>
   <element-array2>3</element-array2>
  </pairs>
 </types>
</relations>
<endpoint-types>
 <id>1</id>
 <supported-section-types>
  <section-type>1</section-type>
 </supported-section-types>
 <supported-section-types>
  <section-type>3</section-type>
 </supported-section-types>
```

```xml
<supported-frame-structures>193</supported-frame-structures>
<managed-delay-support>MANAGED</managed-delay-support>
<multiple-numerology-supported>false</multiple-numerology-supported>
<max-sections-per-symbol>46</max-sections-per-symbol>
<max-sections-per-slot>644</max-sections-per-slot>
<max-prb-per-symbol>273</max-prb-per-symbol>
<max-numerologies-per-symbol>1</max-numerologies-per-symbol>
</endpoint-types>
<static-low-level-tx-endpoints>
 <name>slltx-endpoint0</name>
 <array>slltx-endpoint0</array>
 <endpoint-type>1</endpoint-type>
 <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-tx-endpoints>
 <name>slltx-endpoint1</name>
 <array>slltx-endpoint1</array>
 <endpoint-type>1</endpoint-type>
 <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-tx-endpoints>
 <name>slltx-endpoint2</name>
 <array>slltx-endpoint2</array>
 <endpoint-type>1</endpoint-type>
 <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-tx-endpoints>
 <name>slltx-endpoint3</name>
 <array>slltx-endpoint3</array>
 <endpoint-type>1</endpoint-type>
 <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-rx-endpoints>
 <name>sllrx-endpoint0</name>
 <array>sllrx-endpoint0</array>
 <endpoint-type>1</endpoint-type>
 <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<static-low-level-rx-endpoints>
 <name>sllrx-endpoint1</name>
 <array>sllrx-endpoint1</array>
 <endpoint-type>1</endpoint-type>
 <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<static-low-level-rx-endpoints>
 <name>sllrx-endpoint2</name>
 <array>sllrx-endpoint2</array>
 <endpoint-type>1</endpoint-type>
 <capacity-sharing-groups>1</capacity-sharing-groups>
```

```
</static-low-level-rx-endpoints>
<static-low-level-rx-endpoints>
 <name>sllrx-endpoint3</name>
 <array>sllrx-endpoint3</array>
 <endpoint-type>1</endpoint-type>
 <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<endpoint-capacity-sharing-groups/>
<endpoint-capacity-sharing-groups>
 <id>1</id>
 <max-managed-delay-endpoints>4</max-managed-delay-endpoints>
 <max-non-managed-delay-endpoints>0</max-non-managed-delay-endpoints>
 <max-endpoints>4</max-endpoints>
 <max-sections-per-symbol>46</max-sections-per-symbol>
 <max-sections-per-slot>644</max-sections-per-slot>
 <max-prb-per-symbol>273</max-prb-per-symbol>
 <max-numerologies-per-symbol>1</max-numerologies-per-symbol>
</endpoint-capacity-sharing-groups>
</user-plane-configuration>
</data>
```

==
STEP 1 The TER NETCONF Client assigns unique eAxC_IDs to low-level-rx-endpoints. The same set of eAxC_IDs is also assigned to low-level-tx-endpoints. The TER NETCONF Client uses <rpc><editconfig>.
==

==
> edit-config --target running --config --defop replace
==

==
******* Replace with below xml ********
==

```xml
<config xmlns="urn:ietf:params:xml:ns:netconf:base:1.0">
<user-plane-configuration xmlns="urn:o-ran:uplane-conf:1.0">
<low-level-tx-links>
  <name>lltxlink0</name>
  <processing-element>element0</processing-element>
   <tx-array-carrier>txarraycarrier0</tx-array-carrier>
  <low-level-tx-endpoint>slltx-endpoint0</low-level-tx-endpoint>
</low-level-tx-links>
<low-level-tx-links>
  <name>lltxlink1</name>
  <processing-element>element0</processing-element>
  <tx-array-carrier>txarraycarrier0</tx-array-carrier>
  <low-level-tx-endpoint>slltx-endpoint1</low-level-tx-endpoint>
</low-level-tx-links>
<low-level-tx-links>
  <name>lltxlink2</name>
  <processing-element>element0</processing-element>
  <tx-array-carrier>txarraycarrier0</tx-array-carrier>
  <low-level-tx-endpoint>slltx-endpoint2</low-level-tx-endpoint>
</low-level-tx-links>
<low-level-tx-links>
  <name>lltxlink3</name>
  <processing-element>element0</processing-element>
  <tx-array-carrier>txarraycarrier0</tx-array-carrier>
  <low-level-tx-endpoint>slltx-endpoint3</low-level-tx-endpoint>
</low-level-tx-links>

<low-level-rx-links>
  <name>llrxlink0</name>
  <processing-element>element0</processing-element>
  <rx-array-carrier>rxarraycarrier0</rx-array-carrier>
  <low-level-rx-endpoint>sllrx-endpoint0</low-level-rx-endpoint>
</low-level-rx-links>
<low-level-rx-links>
```

```xml
  <name>llrxlink1</name>
  <processing-element>element0</processing-element>
  <rx-array-carrier>rxarraycarrier0</rx-array-carrier>
  <low-level-rx-endpoint>sllrx-endpoint1</low-level-rx-endpoint>
</low-level-rx-links>
<low-level-rx-links>
  <name>llrxlink2</name>
  <processing-element>element0</processing-element>
  <rx-array-carrier>rxarraycarrier0</rx-array-carrier>
  <low-level-rx-endpoint>sllrx-endpoint2</low-level-rx-endpoint>
</low-level-rx-links>
<low-level-rx-links>
  <name>llrxlink3</name>
  <processing-element>element0</processing-element>
  <rx-array-carrier>rxarraycarrier0</rx-array-carrier>
  <low-level-rx-endpoint>sllrx-endpoint3</low-level-rx-endpoint>
</low-level-rx-links>

<low-level-tx-endpoints>
  <name>slltx-endpoint0</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_30</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
    <band-sector-bitmask>448</band-sector-bitmask>
    <ccid-bitmask>56</ccid-bitmask>
    <ru-port-bitmask>7</ru-port-bitmask>
    <eaxc-id>1</eaxc-id>
  </e-axcid>
</low-level-tx-endpoints>
<low-level-tx-endpoints>
  <name>slltx-endpoint1</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
```

```xml
      <scs>KHZ_30</scs>
      <number-of-prb>273</number-of-prb>
    </number-of-prb-per-scs>
    <e-axcid>
      <o-du-port-bitmask>65024</o-du-port-bitmask>
      <band-sector-bitmask>448</band-sector-bitmask>
      <ccid-bitmask>56</ccid-bitmask>
      <ru-port-bitmask>7</ru-port-bitmask>
      <eaxc-id>2</eaxc-id>
    </e-axcid>
  </low-level-tx-endpoints>
  <low-level-tx-endpoints>
    <name>slltx-endpoint2</name>
    <compression>
      <compression-type>STATIC</compression-type>
      <iq-bitwidth>16</iq-bitwidth>
    </compression>
    <cp-length>352</cp-length>
    <cp-length-other>288</cp-length-other>
    <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
    <number-of-prb-per-scs>
      <scs>KHZ_30</scs>
      <number-of-prb>273</number-of-prb>
    </number-of-prb-per-scs>
    <e-axcid>
      <o-du-port-bitmask>65024</o-du-port-bitmask>
      <band-sector-bitmask>448</band-sector-bitmask>
      <ccid-bitmask>56</ccid-bitmask>
      <ru-port-bitmask>7</ru-port-bitmask>
      <eaxc-id>3</eaxc-id>
    </e-axcid>
  </low-level-tx-endpoints>
  <low-level-tx-endpoints>
    <name>slltx-endpoint3</name>
    <compression>
      <compression-type>STATIC</compression-type>
      <iq-bitwidth>16</iq-bitwidth>
    </compression>
    <cp-length>352</cp-length>
    <cp-length-other>288</cp-length-other>
    <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
    <number-of-prb-per-scs>
      <scs>KHZ_30</scs>
      <number-of-prb>273</number-of-prb>
    </number-of-prb-per-scs>
    <e-axcid>
      <o-du-port-bitmask>65024</o-du-port-bitmask>
      <band-sector-bitmask>448</band-sector-bitmask>
      <ccid-bitmask>56</ccid-bitmask>
```

```
    <ru-port-bitmask>7</ru-port-bitmask>
    <eaxc-id>4</eaxc-id>
  </e-axcid>
</low-level-tx-endpoints>

<low-level-rx-endpoints>
  <name>sllrx-endpoint0</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_30</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <ul-fft-sampling-offsets>
    <scs>KHZ_30</scs>
  </ul-fft-sampling-offsets>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
    <band-sector-bitmask>448</band-sector-bitmask>
    <ccid-bitmask>56</ccid-bitmask>
    <ru-port-bitmask>7</ru-port-bitmask>
    <eaxc-id>1</eaxc-id>
  </e-axcid>
  <non-time-managed-delay-enabled>false</non-time-managed-delay-enabled>
</low-level-rx-endpoints>
<low-level-rx-endpoints>
  <name>sllrx-endpoint1</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_30</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <ul-fft-sampling-offsets>
    <scs>KHZ_30</scs>
  </ul-fft-sampling-offsets>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
    <band-sector-bitmask>448</band-sector-bitmask>
```

```
    <ccid-bitmask>56</ccid-bitmask>
    <ru-port-bitmask>7</ru-port-bitmask>
    <eaxc-id>2</eaxc-id>
  </e-axcid>
  <non-time-managed-delay-enabled>false</non-time-managed-delay-enabled>
</low-level-rx-endpoints>
<low-level-rx-endpoints>
  <name>sllrx-endpoint2</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_30</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <ul-fft-sampling-offsets>
    <scs>KHZ_30</scs>
  </ul-fft-sampling-offsets>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
    <band-sector-bitmask>448</band-sector-bitmask>
    <ccid-bitmask>56</ccid-bitmask>
    <ru-port-bitmask>7</ru-port-bitmask>
    <eaxc-id>3</eaxc-id>
  </e-axcid>
  <non-time-managed-delay-enabled>false</non-time-managed-delay-enabled>
</low-level-rx-endpoints>
<low-level-rx-endpoints>
  <name>sllrx-endpoint3</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_30</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <ul-fft-sampling-offsets>
    <scs>KHZ_30</scs>
  </ul-fft-sampling-offsets>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
```

```
    <band-sector-bitmask>448</band-sector-bitmask>
    <ccid-bitmask>56</ccid-bitmask>
    <ru-port-bitmask>7</ru-port-bitmask>
    <eaxc-id>4</eaxc-id>
  </e-axcid>
  <non-time-managed-delay-enabled>false</non-time-managed-delay-enabled>
</low-level-rx-endpoints>
<tx-array-carriers>
  <name>txarraycarrier0</name>
  <absolute-frequency-center>646667</absolute-frequency-center>
  <center-of-channel-bandwidth>3700005000</center-of-channel-bandwidth>
  <channel-bandwidth>100000000</channel-bandwidth>
  <gain>0</gain>
  <downlink-radio-frame-offset>0</downlink-radio-frame-offset>
  <downlink-sfn-offset>0</downlink-sfn-offset>
  <rw-duplex-scheme>TDD</rw-duplex-scheme>
  <rw-type>NR</rw-type>
</tx-array-carriers>
<rx-array-carriers>
  <name>rxarraycarrier0</name>
  <absolute-frequency-center>646667</absolute-frequency-center>
  <center-of-channel-bandwidth>3700005000</center-of-channel-bandwidth>
  <channel-bandwidth>100000000</channel-bandwidth>
  <downlink-radio-frame-offset>0</downlink-radio-frame-offset>
  <downlink-sfn-offset>0</downlink-sfn-offset>
  <gain-correction>0</gain-correction>
  <n-ta-offset>25600</n-ta-offset>
</rx-array-carriers>
</user-plane-configuration>

              </config>
```

==

STEP 2 The O-RU NETCONF Sever responds with the <rpc-reply> message indicating compeletion of the requested procedure.

==

Ok

==

################# Post get filter #################

==

==

> get --filter-xpath /o-ran-uplane-conf:user-plane-configuration

==

```xml
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
 <user-plane-configuration xmlns="urn:o-ran:uplane-conf:1.0">
  <low-level-tx-links>
   <name>lltxlink0</name>
   <processing-element>element0</processing-element>
   <tx-array-carrier>txarraycarrier0</tx-array-carrier>
   <low-level-tx-endpoint>slltx-endpoint0</low-level-tx-endpoint>
  </low-level-tx-links>
  <low-level-tx-links>
   <name>lltxlink1</name>
   <processing-element>element0</processing-element>
   <tx-array-carrier>txarraycarrier0</tx-array-carrier>
   <low-level-tx-endpoint>slltx-endpoint1</low-level-tx-endpoint>
  </low-level-tx-links>
  <low-level-tx-links>
   <name>lltxlink2</name>
   <processing-element>element0</processing-element>
   <tx-array-carrier>txarraycarrier0</tx-array-carrier>
   <low-level-tx-endpoint>slltx-endpoint2</low-level-tx-endpoint>
  </low-level-tx-links>
  <low-level-tx-links>
   <name>lltxlink3</name>
   <processing-element>element0</processing-element>
   <tx-array-carrier>txarraycarrier0</tx-array-carrier>
   <low-level-tx-endpoint>slltx-endpoint3</low-level-tx-endpoint>
  </low-level-tx-links>
  <low-level-rx-links>
   <name>llrxlink0</name>
   <processing-element>element0</processing-element>
   <rx-array-carrier>rxarraycarrier0</rx-array-carrier>
   <low-level-rx-endpoint>sllrx-endpoint0</low-level-rx-endpoint>
  </low-level-rx-links>
  <low-level-rx-links>
```

```xml
<name>llrxlink1</name>
<processing-element>element0</processing-element>
<rx-array-carrier>rxarraycarrier0</rx-array-carrier>
<low-level-rx-endpoint>sllrx-endpoint1</low-level-rx-endpoint>
</low-level-rx-links>
<low-level-rx-links>
<name>llrxlink2</name>
<processing-element>element0</processing-element>
<rx-array-carrier>rxarraycarrier0</rx-array-carrier>
<low-level-rx-endpoint>sllrx-endpoint2</low-level-rx-endpoint>
</low-level-rx-links>
<low-level-rx-links>
<name>llrxlink3</name>
<processing-element>element0</processing-element>
<rx-array-carrier>rxarraycarrier0</rx-array-carrier>
<low-level-rx-endpoint>sllrx-endpoint3</low-level-rx-endpoint>
</low-level-rx-links>
<low-level-tx-endpoints>
<name>slltx-endpoint0</name>
<compression>
 <compression-type>STATIC</compression-type>
 <iq-bitwidth>16</iq-bitwidth>
</compression>
<cp-length>352</cp-length>
<cp-length-other>288</cp-length-other>
<offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
<number-of-prb-per-scs>
 <scs>KHZ_30</scs>
 <number-of-prb>273</number-of-prb>
</number-of-prb-per-scs>
<e-axcid>
 <o-du-port-bitmask>65024</o-du-port-bitmask>
 <band-sector-bitmask>448</band-sector-bitmask>
 <ccid-bitmask>56</ccid-bitmask>
 <ru-port-bitmask>7</ru-port-bitmask>
 <eaxc-id>1</eaxc-id>
</e-axcid>
</low-level-tx-endpoints>
<low-level-tx-endpoints>
<name>slltx-endpoint1</name>
<compression>
 <compression-type>STATIC</compression-type>
 <iq-bitwidth>16</iq-bitwidth>
</compression>
<cp-length>352</cp-length>
<cp-length-other>288</cp-length-other>
<offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
<number-of-prb-per-scs>
 <scs>KHZ_30</scs>
```

```
 <number-of-prb>273</number-of-prb>
 </number-of-prb-per-scs>
<e-axcid>
 <o-du-port-bitmask>65024</o-du-port-bitmask>
 <band-sector-bitmask>448</band-sector-bitmask>
 <ccid-bitmask>56</ccid-bitmask>
 <ru-port-bitmask>7</ru-port-bitmask>
 <eaxc-id>2</eaxc-id>
 </e-axcid>
</low-level-tx-endpoints>
<low-level-tx-endpoints>
 <name>slltx-endpoint2</name>
 <compression>
  <compression-type>STATIC</compression-type>
  <iq-bitwidth>16</iq-bitwidth>
 </compression>
 <cp-length>352</cp-length>
 <cp-length-other>288</cp-length-other>
 <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
 <number-of-prb-per-scs>
  <scs>KHZ_30</scs>
  <number-of-prb>273</number-of-prb>
 </number-of-prb-per-scs>
 <e-axcid>
  <o-du-port-bitmask>65024</o-du-port-bitmask>
  <band-sector-bitmask>448</band-sector-bitmask>
  <ccid-bitmask>56</ccid-bitmask>
  <ru-port-bitmask>7</ru-port-bitmask>
  <eaxc-id>3</eaxc-id>
 </e-axcid>
</low-level-tx-endpoints>
<low-level-tx-endpoints>
 <name>slltx-endpoint3</name>
 <compression>
  <compression-type>STATIC</compression-type>
  <iq-bitwidth>16</iq-bitwidth>
 </compression>
 <cp-length>352</cp-length>
 <cp-length-other>288</cp-length-other>
 <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
 <number-of-prb-per-scs>
  <scs>KHZ_30</scs>
  <number-of-prb>273</number-of-prb>
 </number-of-prb-per-scs>
 <e-axcid>
  <o-du-port-bitmask>65024</o-du-port-bitmask>
  <band-sector-bitmask>448</band-sector-bitmask>
  <ccid-bitmask>56</ccid-bitmask>
  <ru-port-bitmask>7</ru-port-bitmask>
```

```xml
  <eaxc-id>4</eaxc-id>
 </e-axcid>
</low-level-tx-endpoints>
<low-level-rx-endpoints>
 <name>sllrx-endpoint0</name>
 <compression>
  <compression-type>STATIC</compression-type>
  <iq-bitwidth>16</iq-bitwidth>
 </compression>
 <cp-length>352</cp-length>
 <cp-length-other>288</cp-length-other>
 <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
 <number-of-prb-per-scs>
  <scs>KHZ_30</scs>
  <number-of-prb>273</number-of-prb>
 </number-of-prb-per-scs>
 <ul-fft-sampling-offsets>
  <scs>KHZ_30</scs>
 </ul-fft-sampling-offsets>
 <e-axcid>
  <o-du-port-bitmask>65024</o-du-port-bitmask>
  <band-sector-bitmask>448</band-sector-bitmask>
  <ccid-bitmask>56</ccid-bitmask>
  <ru-port-bitmask>7</ru-port-bitmask>
  <eaxc-id>1</eaxc-id>
 </e-axcid>
 <non-time-managed-delay-enabled>false</non-time-managed-delay-enabled>
</low-level-rx-endpoints>
<low-level-rx-endpoints>
 <name>sllrx-endpoint1</name>
 <compression>
  <compression-type>STATIC</compression-type>
  <iq-bitwidth>16</iq-bitwidth>
 </compression>
 <cp-length>352</cp-length>
 <cp-length-other>288</cp-length-other>
 <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
 <number-of-prb-per-scs>
  <scs>KHZ_30</scs>
  <number-of-prb>273</number-of-prb>
 </number-of-prb-per-scs>
 <ul-fft-sampling-offsets>
  <scs>KHZ_30</scs>
 </ul-fft-sampling-offsets>
 <e-axcid>
  <o-du-port-bitmask>65024</o-du-port-bitmask>
  <band-sector-bitmask>448</band-sector-bitmask>
  <ccid-bitmask>56</ccid-bitmask>
  <ru-port-bitmask>7</ru-port-bitmask>
```

```
 <eaxc-id>2</eaxc-id>
 </e-axcid>
 <non-time-managed-delay-enabled>false</non-time-managed-delay-enabled>
 </low-level-rx-endpoints>
 <low-level-rx-endpoints>
 <name>sllrx-endpoint2</name>
 <compression>
  <compression-type>STATIC</compression-type>
  <iq-bitwidth>16</iq-bitwidth>
 </compression>
 <cp-length>352</cp-length>
 <cp-length-other>288</cp-length-other>
 <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
 <number-of-prb-per-scs>
  <scs>KHZ_30</scs>
  <number-of-prb>273</number-of-prb>
 </number-of-prb-per-scs>
 <ul-fft-sampling-offsets>
  <scs>KHZ_30</scs>
 </ul-fft-sampling-offsets>
 <e-axcid>
  <o-du-port-bitmask>65024</o-du-port-bitmask>
  <band-sector-bitmask>448</band-sector-bitmask>
  <ccid-bitmask>56</ccid-bitmask>
  <ru-port-bitmask>7</ru-port-bitmask>
  <eaxc-id>3</eaxc-id>
 </e-axcid>
 <non-time-managed-delay-enabled>false</non-time-managed-delay-enabled>
 </low-level-rx-endpoints>
 <low-level-rx-endpoints>
 <name>sllrx-endpoint3</name>
 <compression>
  <compression-type>STATIC</compression-type>
  <iq-bitwidth>16</iq-bitwidth>
 </compression>
 <cp-length>352</cp-length>
 <cp-length-other>288</cp-length-other>
 <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
 <number-of-prb-per-scs>
  <scs>KHZ_30</scs>
  <number-of-prb>273</number-of-prb>
 </number-of-prb-per-scs>
 <ul-fft-sampling-offsets>
  <scs>KHZ_30</scs>
 </ul-fft-sampling-offsets>
 <e-axcid>
  <o-du-port-bitmask>65024</o-du-port-bitmask>
  <band-sector-bitmask>448</band-sector-bitmask>
  <ccid-bitmask>56</ccid-bitmask>
```

```xml
  <ru-port-bitmask>7</ru-port-bitmask>
  <eaxc-id>4</eaxc-id>
 </e-axcid>
 <non-time-managed-delay-enabled>false</non-time-managed-delay-enabled>
</low-level-rx-endpoints>
<tx-array-carriers>
 <name>txarraycarrier0</name>
 <absolute-frequency-center>646667</absolute-frequency-center>
 <center-of-channel-bandwidth>3700005000</center-of-channel-bandwidth>
 <channel-bandwidth>100000000</channel-bandwidth>
 <gain>0.0</gain>
 <downlink-radio-frame-offset>0</downlink-radio-frame-offset>
 <downlink-sfn-offset>0</downlink-sfn-offset>
 <rw-duplex-scheme>TDD</rw-duplex-scheme>
 <rw-type>NR</rw-type>
 <state>DISABLED</state>
 <type>NR</type>
 <duplex-scheme>TDD</duplex-scheme>
</tx-array-carriers>
<rx-array-carriers>
 <name>rxarraycarrier0</name>
 <absolute-frequency-center>646667</absolute-frequency-center>
 <center-of-channel-bandwidth>3700005000</center-of-channel-bandwidth>
 <channel-bandwidth>100000000</channel-bandwidth>
 <downlink-radio-frame-offset>0</downlink-radio-frame-offset>
 <downlink-sfn-offset>0</downlink-sfn-offset>
 <gain-correction>0.0</gain-correction>
 <n-ta-offset>25600</n-ta-offset>
 <state>DISABLED</state>
 <type>NR</type>
 <duplex-scheme>TDD</duplex-scheme>
</rx-array-carriers>
<tx-arrays>
 <name>slltx-endpoint0</name>
 <number-of-rows>1</number-of-rows>
 <number-of-columns>1</number-of-columns>
 <number-of-array-layers>1</number-of-array-layers>
 <horizontal-spacing>1.0</horizontal-spacing>
 <vertical-spacing>1.0</vertical-spacing>
 <normal-vector-direction>
  <azimuth-angle>1.0</azimuth-angle>
  <zenith-angle>1.0</zenith-angle>
 </normal-vector-direction>
 <leftmost-bottom-array-element-position>
  <x>1.0</x>
  <y>1.0</y>
  <z>1.0</z>
 </leftmost-bottom-array-element-position>
 <band-number>78</band-number>
```

```xml
</tx-arrays>
<tx-arrays>
 <name>slltx-endpoint1</name>
 <number-of-rows>1</number-of-rows>
 <number-of-columns>1</number-of-columns>
 <number-of-array-layers>1</number-of-array-layers>
 <horizontal-spacing>1.0</horizontal-spacing>
 <vertical-spacing>1.0</vertical-spacing>
 <normal-vector-direction>
  <azimuth-angle>1.0</azimuth-angle>
  <zenith-angle>1.0</zenith-angle>
 </normal-vector-direction>
 <leftmost-bottom-array-element-position>
  <x>1.0</x>
  <y>1.0</y>
  <z>1.0</z>
 </leftmost-bottom-array-element-position>
 <band-number>78</band-number>
</tx-arrays>
<tx-arrays>
 <name>slltx-endpoint2</name>
 <number-of-rows>1</number-of-rows>
 <number-of-columns>1</number-of-columns>
 <number-of-array-layers>1</number-of-array-layers>
 <horizontal-spacing>1.0</horizontal-spacing>
 <vertical-spacing>1.0</vertical-spacing>
 <normal-vector-direction>
  <azimuth-angle>1.0</azimuth-angle>
  <zenith-angle>1.0</zenith-angle>
 </normal-vector-direction>
 <leftmost-bottom-array-element-position>
  <x>1.0</x>
  <y>1.0</y>
  <z>1.0</z>
 </leftmost-bottom-array-element-position>
 <band-number>78</band-number>
</tx-arrays>
<tx-arrays>
 <name>slltx-endpoint3</name>
 <number-of-rows>1</number-of-rows>
 <number-of-columns>1</number-of-columns>
 <number-of-array-layers>1</number-of-array-layers>
 <horizontal-spacing>1.0</horizontal-spacing>
 <vertical-spacing>1.0</vertical-spacing>
 <normal-vector-direction>
  <azimuth-angle>1.0</azimuth-angle>
  <zenith-angle>1.0</zenith-angle>
 </normal-vector-direction>
 <leftmost-bottom-array-element-position>
```

```xml
  <x>1.0</x>
  <y>1.0</y>
  <z>1.0</z>
 </leftmost-bottom-array-element-position>
 <band-number>78</band-number>
</tx-arrays>
<rx-arrays>
 <name>sllrx-endpoint0</name>
 <number-of-rows>1</number-of-rows>
 <number-of-columns>1</number-of-columns>
 <number-of-array-layers>1</number-of-array-layers>
 <horizontal-spacing>1.0</horizontal-spacing>
 <vertical-spacing>1.0</vertical-spacing>
 <normal-vector-direction>
  <azimuth-angle>1.0</azimuth-angle>
  <zenith-angle>1.0</zenith-angle>
 </normal-vector-direction>
 <leftmost-bottom-array-element-position>
  <x>1.0</x>
  <y>1.0</y>
  <z>1.0</z>
 </leftmost-bottom-array-element-position>
 <band-number>78</band-number>
</rx-arrays>
<rx-arrays>
 <name>sllrx-endpoint1</name>
 <number-of-rows>1</number-of-rows>
 <number-of-columns>1</number-of-columns>
 <number-of-array-layers>1</number-of-array-layers>
 <horizontal-spacing>1.0</horizontal-spacing>
 <vertical-spacing>1.0</vertical-spacing>
 <normal-vector-direction>
  <azimuth-angle>1.0</azimuth-angle>
  <zenith-angle>1.0</zenith-angle>
 </normal-vector-direction>
 <leftmost-bottom-array-element-position>
  <x>1.0</x>
  <y>1.0</y>
  <z>1.0</z>
 </leftmost-bottom-array-element-position>
 <band-number>78</band-number>
</rx-arrays>
<rx-arrays>
 <name>sllrx-endpoint2</name>
 <number-of-rows>1</number-of-rows>
 <number-of-columns>1</number-of-columns>
 <number-of-array-layers>1</number-of-array-layers>
 <horizontal-spacing>1.0</horizontal-spacing>
 <vertical-spacing>1.0</vertical-spacing>
```

```
<normal-vector-direction>
 <azimuth-angle>1.0</azimuth-angle>
 <zenith-angle>1.0</zenith-angle>
</normal-vector-direction>
<leftmost-bottom-array-element-position>
 <x>1.0</x>
 <y>1.0</y>
 <z>1.0</z>
</leftmost-bottom-array-element-position>
<band-number>78</band-number>
</rx-arrays>
<rx-arrays>
 <name>sllrx-endpoint3</name>
 <number-of-rows>1</number-of-rows>
 <number-of-columns>1</number-of-columns>
 <number-of-array-layers>1</number-of-array-layers>
 <horizontal-spacing>1.0</horizontal-spacing>
 <vertical-spacing>1.0</vertical-spacing>
 <normal-vector-direction>
 <azimuth-angle>1.0</azimuth-angle>
 <zenith-angle>1.0</zenith-angle>
</normal-vector-direction>
<leftmost-bottom-array-element-position>
 <x>1.0</x>
 <y>1.0</y>
 <z>1.0</z>
</leftmost-bottom-array-element-position>
<band-number>78</band-number>
</rx-arrays>
<relations>
 <entity>0</entity>
 <array1>
 <tx-array-name>slltx-endpoint0</tx-array-name>
 </array1>
 <array2>
 <rx-array-name>sllrx-endpoint0</rx-array-name>
 </array2>
 <types/>
 <types>
 <relation-type>COALOCATED</relation-type>
 <pairs>
  <element-array1>1</element-array1>
  <element-array2>0</element-array2>
 </pairs>
 </types>
</relations>
<relations>
 <entity>1</entity>
 <array1>
```

```
 <tx-array-name>slltx-endpoint1</tx-array-name>
</array1>
<array2>
 <rx-array-name>sllrx-endpoint1</rx-array-name>
</array2>
<types/>
<types>
 <relation-type>COALOCATED</relation-type>
 <pairs>
  <element-array1>1</element-array1>
  <element-array2>1</element-array2>
 </pairs>
</types>
</relations>
<relations>
 <entity>2</entity>
 <array1>
  <tx-array-name>slltx-endpoint2</tx-array-name>
 </array1>
 <array2>
  <rx-array-name>sllrx-endpoint2</rx-array-name>
 </array2>
 <types/>
 <types>
  <relation-type>COALOCATED</relation-type>
  <pairs>
   <element-array1>1</element-array1>
   <element-array2>2</element-array2>
  </pairs>
 </types>
</relations>
<relations>
 <entity>3</entity>
 <array1>
  <tx-array-name>slltx-endpoint3</tx-array-name>
 </array1>
 <array2>
  <rx-array-name>sllrx-endpoint3</rx-array-name>
 </array2>
 <types/>
 <types>
  <relation-type>COALOCATED</relation-type>
  <pairs>
   <element-array1>1</element-array1>
   <element-array2>3</element-array2>
  </pairs>
 </types>
</relations>
<endpoint-types>
```

```
<id>1</id>
<supported-section-types>
 <section-type>1</section-type>
</supported-section-types>
<supported-section-types>
 <section-type>3</section-type>
</supported-section-types>
<supported-frame-structures>193</supported-frame-structures>
<managed-delay-support>MANAGED</managed-delay-support>
<multiple-numerology-supported>false</multiple-numerology-supported>
<max-sections-per-symbol>46</max-sections-per-symbol>
<max-sections-per-slot>644</max-sections-per-slot>
<max-prb-per-symbol>273</max-prb-per-symbol>
<max-numerologies-per-symbol>1</max-numerologies-per-symbol>
</endpoint-types>
<static-low-level-tx-endpoints>
 <name>slltx-endpoint0</name>
 <array>slltx-endpoint0</array>
 <endpoint-type>1</endpoint-type>
 <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-tx-endpoints>
 <name>slltx-endpoint1</name>
 <array>slltx-endpoint1</array>
 <endpoint-type>1</endpoint-type>
 <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-tx-endpoints>
 <name>slltx-endpoint2</name>
 <array>slltx-endpoint2</array>
 <endpoint-type>1</endpoint-type>
 <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-tx-endpoints>
 <name>slltx-endpoint3</name>
 <array>slltx-endpoint3</array>
 <endpoint-type>1</endpoint-type>
 <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-rx-endpoints>
 <name>sllrx-endpoint0</name>
 <array>sllrx-endpoint0</array>
 <endpoint-type>1</endpoint-type>
 <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<static-low-level-rx-endpoints>
 <name>sllrx-endpoint1</name>
 <array>sllrx-endpoint1</array>
 <endpoint-type>1</endpoint-type>
```

```
  <capacity-sharing-groups>1</capacity-sharing-groups>
 </static-low-level-rx-endpoints>
<static-low-level-rx-endpoints>
 <name>sllrx-endpoint2</name>
 <array>sllrx-endpoint2</array>
 <endpoint-type>1</endpoint-type>
 <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<static-low-level-rx-endpoints>
 <name>sllrx-endpoint3</name>
 <array>sllrx-endpoint3</array>
 <endpoint-type>1</endpoint-type>
 <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<endpoint-capacity-sharing-groups/>
<endpoint-capacity-sharing-groups>
 <id>1</id>
 <max-managed-delay-endpoints>4</max-managed-delay-endpoints>
 <max-non-managed-delay-endpoints>0</max-non-managed-delay-endpoints>
 <max-endpoints>4</max-endpoints>
 <max-sections-per-symbol>46</max-sections-per-symbol>
 <max-sections-per-slot>644</max-sections-per-slot>
 <max-prb-per-symbol>273</max-prb-per-symbol>
 <max-numerologies-per-symbol>1</max-numerologies-per-symbol>
</endpoint-capacity-sharing-groups>
</user-plane-configuration>
</data>
```

==

############ SYSTEM LOGS #############

==

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.33.58:4334.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Successfully connected to 192.168.33.58:4334 over IPv4.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Session 733 (user "root", CID 1) created.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-service" of subtype "ssh-userauth".

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-auth" of subtype "password".

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: User "operator" authenticated.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-channel-open" of subtype "session".

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-channel" of subtype "subsystem".

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Call Home client "default-client" session 14 established.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Session 734 (user "root", CID 1) created.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Generated new event (netconf-session-start).

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 37 priority 0 for 1 subscribers.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 37 priority 0 (remaining 1 subscribers).

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 14.

Nov 6 21:35:54 vvdn_lpru user.notice fw_manager[928]: RPC #14 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 14 succeeded.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 37 priority 0 (remaining 0 subscribers).

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 37 priority 0 succeeded.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Session 14: thread 3 event new RPC.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get-config" with ID 8 priority 0 for 1 subscribers.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get-config" "rpc" event with ID 8 priority 0 (remaining 1 subscribers).

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 8 priority 0 (remaining 0 subscribers).

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 8 priority 0 succeeded.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:35:54 vvdn_lpru daemon.info netopeer2-server[858]: Session 14: thread 1 event new RPC.

Nov 6 21:35:56 vvdn_lpru user.err BMC_COMM[872]: Failed to write data to driver

Nov 6 21:35:56 vvdn_lpru user.err BMC_COMM[872]: Failed to send data to BMC

Nov 6 21:35:56 vvdn_lpru user.err FAULT MANAGER[872]: Error in getTempStatus

Nov 6 21:35:59 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:35:59 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:35:59 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:35:59 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:35:59 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/notifications:create-subscription" with ID 14 priority 0 for 1 subscribers.

Nov 6 21:35:59 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/notifications:create-subscription" "rpc" event with ID 14 priority 0 (remaining 1 subscribers).

Nov 6 21:35:59 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 14 priority 0 (remaining 0 subscribers).

Nov 6 21:35:59 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 14 priority 0 succeeded.

Nov 6 21:35:59 vvdn_lpru daemon.info netopeer2-server[858]: Session 14: thread 3 event new RPC.

Nov 6 21:35:59 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:35:59 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:35:59 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:35:59 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:35:59 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:edit-config" with ID 28 priority 0 for 1 subscribers.

Nov 6 21:35:59 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 28 priority 0 (remaining 1 subscribers).

Nov 6 21:35:59 vvdn_lpru daemon.info netopeer2-server[858]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Nov 6 21:35:59 vvdn_lpru daemon.info netopeer2-server[858]: No datastore changes to apply.

Nov 6 21:35:59 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 28 priority 0 (remaining 0

subscribers).

Nov 6 21:35:59 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 28 priority 0 succeeded.

Nov 6 21:35:59 vvdn_lpru daemon.info netopeer2-server[858]: Session 14: thread 0 event new RPC.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/vvdn_lpru-wdm:system-apps/fw_manager", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 1.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/vvdn_lpru-wdm:system-apps/operations_manager", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 2.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/vvdn_lpru-wdm:system-apps/sync_manager", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 3.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 3 priority 0 (remaining 0 subscribers).

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:edit-config" with ID 29 priority 0 for 1 subscribers.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 29 priority 0 (remaining 1 subscribers).

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: No datastore changes to apply.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 29 priority 0 (remaining 0 subscribers).

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 29 priority 0 succeeded.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Session 14: thread 3 event new RPC.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 38 priority 0 for 1 subscribers.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 38 priority 0 (remaining 1 subscribers).

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-uplane-conf:user-plane-configuration/tx-arrays" with ID 12.

Nov 6 21:36:00 vvdn_lpru user.notice UPLANECONF[1185]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/tx-arrays" REQUESTED

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 12 succeeded.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/rx-arrays" with ID 12.

Nov 6 21:36:00 vvdn_lpru user.notice UPLANECONF[1185]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/rx-arrays" REQUESTED

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 12 succeeded.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/relations" with ID 12.

Nov 6 21:36:00 vvdn_lpru user.notice UPLANECONF[1185]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/relations" REQUESTED

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 12 succeeded.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint0", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint0", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint1", but it is not

required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint1", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint2", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint2", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint3", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint3", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/endpoint-types" with ID 12.

Nov 6 21:36:00 vvdn_lpru user.notice UPLANECONF[1185]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/endpoint-types" REQUESTED

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 12 succeeded.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers" with ID 12.

Nov 6 21:36:00 vvdn_lpru user.notice UPLANECONF[1185]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers" REQUESTED

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 12 succeeded.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/rx-array-carriers" with ID 12.

Nov 6 21:36:00 vvdn_lpru user.notice UPLANECONF[1185]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/rx-array-carriers" REQUESTED

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 12 succeeded.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/static-low-level-tx-endpoints" with ID 12.

Nov 6 21:36:00 vvdn_lpru user.notice UPLANECONF[1185]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/static-low-level-tx-endpoints" REQUESTED

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 12 succeeded.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint0", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-types/id" with the value "1", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint1", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-types/id" with the value "1", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value

"slltx-endpoint2", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-types/id" with the value "1", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint3", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-types/id" with the value "1", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/static-low-level-rx-endpoints" with ID 12.

Nov 6 21:36:00 vvdn_lpru user.notice UPLANECONF[1185]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/static-low-level-rx-endpoints" REQUESTED

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 12 succeeded.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint0", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-types/id" with the value "1", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint1", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-types/id" with the value "1", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint2", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-types/id" with the value "1", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint3", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-types/id" with the value "1", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/endpoint-capacity-sharing-groups" with ID 12.

Nov 6 21:36:00 vvdn_lpru user.notice UPLANECONF[1185]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/endpoint-capacity-sharing-groups" REQUESTED

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 12 succeeded.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 38 priority 0 (remaining 0 subscribers).

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 38 priority 0 succeeded.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Session 14: thread 0 event new RPC.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:edit-config" with ID 30 priority 0 for 1 subscribers.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 30 priority 0 (remaining 1 subscribers).

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: No datastore changes to apply.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 30 priority 0 (remaining 0 subscribers).

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 30 priority 0 succeeded.

Nov 6 21:36:00 vvdn_lpru daemon.info netopeer2-server[858]: Session 14: thread 1 event new RPC.

Nov 6 21:36:00 vvdn_lpru user.err BMC_COMM[872]: Failed to write data to driver

Nov 6 21:36:00 vvdn_lpru user.err BMC_COMM[872]: Failed to send data to BMC

Nov 6 21:36:00 vvdn_lpru user.err FAULT MANAGER[872]: Error in getTempStatus

Nov 6 21:36:00 vvdn_lpru user.err BMC_COMM[872]: Failed to write data to driver

Nov 6 21:36:00 vvdn_lpru user.err BMC_COMM[872]: Failed to send data to BMC

Nov 6 21:36:00 vvdn_lpru user.err FAULT MANAGER[872]: temp value : 78

Nov 6 21:36:00 vvdn_lpru user.err FAULT MANAGER[872]: Error in get Temperature value

Nov 6 21:36:00 vvdn_lpru user.err BMC_COMM[872]: Failed to write data to driver

Nov 6 21:36:00 vvdn_lpru user.err BMC_COMM[872]: Failed to send data to BMC

Nov 6 21:36:00 vvdn_lpru user.err FAULT MANAGER[872]: Error in SETLEDMODE

Nov 6 21:36:00 vvdn_lpru user.err FAULT MANAGER[872]: sendData : Source ID: 3

Nov 6 21:36:00 vvdn_lpru user.err FAULT MANAGER[872]: sendData : Fault ID: 3

Nov 6 21:36:00 vvdn_lpru user.err FAULT MANAGER[872]: sendData : FAULT_IS_CLEARED: FALSE

Nov 6 21:36:00 vvdn_lpru user.err FAULT MANAGER[872]: sendData : FAULT_SEVERITY: 1

Nov 6 21:36:00 vvdn_lpru user.err FAULT MANAGER[872]: sendData : FAULT_TIME: 2000-11-06T21:36:00Z

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/vvdn_lpru-wdm:system-apps/pm_manager", but it is not required.

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 4.

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 4 priority 0 (remaining 0 subscribers).

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/vvdn_lpru-wdm:system-apps/sys_monitor", but it is not required.

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 5.

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 5 priority 0 (remaining 0 subscribers).

Nov 6 21:36:01 vvdn_lpru user.notice SYNCMNGR[1174]: Received message from S-Plane

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/vvdn_lpru-wdm:system-apps/nw_manager", but it is not required.

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 6.

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 6 priority 0 (remaining 0 subscribers).

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/vvdn_lpru-wdm:system-apps/radio_manager", but it is not required.

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 7.

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 7 priority 0 (remaining 0 subscribers).

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/vvdn_lpru-wdm:system-apps/um_manager", but it is not required.

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 8.

Nov 6 21:36:01 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 8 priority 0 (remaining 0 subscribers).

Nov 6 21:36:04 vvdn_lpru user.err BMC_COMM[872]: Failed to write data to driver

Nov 6 21:36:04 vvdn_lpru user.err BMC_COMM[872]: Failed to send data to BMC

Nov 6 21:36:04 vvdn_lpru user.err FAULT MANAGER[872]: Error in getTempStatus

Nov 6 21:36:04 vvdn_lpru user.err BMC_COMM[872]: Failed to write data to driver

Nov 6 21:36:04 vvdn_lpru user.err BMC_COMM[872]: Failed to send data to BMC

Nov 6 21:36:04 vvdn_lpru user.err FAULT MANAGER[872]: temp value : 76

Nov 6 21:36:04 vvdn_lpru user.err FAULT MANAGER[872]: Error in get Temperature value

Nov 6 21:36:04 vvdn_lpru user.err BMC_COMM[872]: Failed to write data to driver

Nov 6 21:36:04 vvdn_lpru user.err BMC_COMM[872]: Failed to send data to BMC

Nov 6 21:36:04 vvdn_lpru user.err FAULT MANAGER[872]: Error in SETLEDMODE

Nov 6 21:36:04 vvdn_lpru user.err FAULT MANAGER[872]: sendData : Source ID: 4

Nov 6 21:36:04 vvdn_lpru user.err FAULT MANAGER[872]: sendData : Fault ID: 3

Nov 6 21:36:04 vvdn_lpru user.err FAULT MANAGER[872]: sendData : FAULT_IS_CLEARED: FALSE

Nov 6 21:36:04 vvdn_lpru user.err FAULT MANAGER[872]: sendData : FAULT_SEVERITY: 1

Nov 6 21:36:04 vvdn_lpru user.err FAULT MANAGER[872]: sendData : FAULT_TIME: 2000-11-06T21:36:04Z

Nov 6 21:36:04 vvdn_lpru user.err BMC_COMM[872]: Failed to write data to driver

Nov 6 21:36:04 vvdn_lpru user.err BMC_COMM[872]: Failed to send data to BMC

Nov 6 21:36:04 vvdn_lpru user.err FAULT MANAGER[872]: temp value : 79

Nov 6 21:36:04 vvdn_lpru user.err FAULT MANAGER[872]: Error in get Temperature value

Nov 6 21:36:04 vvdn_lpru user.err BMC_COMM[872]: Failed to write data to driver

Nov 6 21:36:04 vvdn_lpru user.err BMC_COMM[872]: Failed to send data to BMC

Nov 6 21:36:04 vvdn_lpru user.err FAULT MANAGER[872]: Error in SETLEDMODE

Nov 6 21:36:04 vvdn_lpru user.err FAULT MANAGER[872]: sendData : Source ID: 5

Nov 6 21:36:04 vvdn_lpru user.err FAULT MANAGER[872]: sendData : Fault ID: 3

Nov 6 21:36:04 vvdn_lpru user.err FAULT MANAGER[872]: sendData : FAULT_IS_CLEARED: FALSE

Nov 6 21:36:04 vvdn_lpru user.err FAULT MANAGER[872]: sendData : FAULT_SEVERITY: 1

Nov 6 21:36:04 vvdn_lpru user.err FAULT MANAGER[872]: sendData : FAULT_TIME: 2000-11-06T21:36:04Z

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 39 priority 0 for 1 subscribers.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 39 priority 0 (remaining 1 subscribers).

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/tx-arrays" with ID 13.

Nov 6 21:36:06 vvdn_lpru user.notice UPLANECONF[1185]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/tx-arrays" REQUESTED

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 13 succeeded.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/rx-arrays" with ID 13.

Nov 6 21:36:06 vvdn_lpru user.notice UPLANECONF[1185]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/rx-arrays" REQUESTED

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 13 succeeded.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/relations" with ID 13.

Nov 6 21:36:06 vvdn_lpru user.notice UPLANECONF[1185]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/relations" REQUESTED

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 13 succeeded.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint0", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint0", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint1", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint1", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint2", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint2", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint3", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint3", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/endpoint-types" with ID 13.

Nov 6 21:36:06 vvdn_lpru user.notice UPLANECONF[1185]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/endpoint-types" REQUESTED

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 13 succeeded.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers" with ID 13.

Nov 6 21:36:06 vvdn_lpru user.notice UPLANECONF[1185]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers" REQUESTED

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 13 succeeded.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/rx-array-carriers" with ID 13.

Nov 6 21:36:06 vvdn_lpru user.notice UPLANECONF[1185]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/rx-array-carriers" REQUESTED

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 13 succeeded.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/static-low-level-tx-endpoints" with ID 13.

Nov 6 21:36:06 vvdn_lpru user.notice UPLANECONF[1185]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/static-low-level-tx-endpoints" REQUESTED

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 13 succeeded.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint0", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-types/id" with the value "1", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value

"slltx-endpoint1", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-types/id" with the value "1", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint2", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-types/id" with the value "1", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint3", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-types/id" with the value "1", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/static-low-level-rx-endpoints" with ID 13.

Nov 6 21:36:06 vvdn_lpru user.notice UPLANECONF[1185]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/static-low-level-rx-endpoints" REQUESTED

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 13 succeeded.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint0", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-types/id" with the value "1", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint1", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-types/id" with the value "1", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint2", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-types/id" with the value "1", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint3", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-types/id" with the value "1", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref "../../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/endpoint-capacity-sharing-groups" with ID 13.

Nov 6 21:36:06 vvdn_lpru user.notice UPLANECONF[1185]: DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/endpoint-capacity-sharing-groups" REQUESTED

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 13 succeeded.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 39 priority 0 (remaining 0 subscribers).

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 39 priority 0 succeeded.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "78", but it is not

required.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Session 14: thread 3 event new RPC.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Session 14: thread 0 event new RPC.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Session 14: thread 0 event session terminated.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Generated new event (netconf-session-end).

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Call Home client "default-client" session terminated.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.33.58:4334.

Nov 6 21:36:06 vvdn_lpru daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Nov 6 21:36:06 vvdn_lpru authpriv.debug sshd[15606]: pam_unix(sshd:account): account operator has password changed in future

Nov 6 21:36:06 vvdn_lpru auth.info sshd[15606]: Accepted password for operator from 192.168.33.58 port 60024 ssh2

Nov 6 21:36:06 vvdn_lpru authpriv.info sshd[15606]: pam_unix(sshd:session): session opened for user operator by (uid=0)

Expected Result : The O-RU NETCONF Sever responds with a <rpc-reply> message indicating successful completion of requested procedure.

```
=============================================================================
  ***************** Actual Result ******************
=============================================================================


==============================================================================
```
| UPlane Configuration || SUCCESS |
```
==============================================================================


=============================================================================
***************************** Summary ****************************
=============================================================================
```

SFP Link Detection	Successful
DHCP IP 192.168.33.37 Ping	Successful
Netopeer Connection	Successful
Hello Capabilities Exchanged	Successful
Subscription with netconf-config filter Performed	Successful
o-ran-user-plane yang configured	Successful
UPlane Configuration	PASS