

A
Project Report
On
DESIGN AND FABRICATION OF BEACH CLEANING MACHINE
Submitted to
CHHATTISGARH SWAMI VIVEKANAND TECHNICAL UNIVERSITY
BHILAI

In partial fulfilment of requirement for the award of degree

Of
Bachelor of Engineering
In
Mechanical Engineering

By	
Shubham Sharma	BB0508
Sudhanshu Deo	BB5904
Vaibhav Ku. Dewangan	BB1806
Varun Raj Mishra	BB1890

Guided By
Mr. R. K. Rathore
Professor



DEPARTMENT OF MECHANICAL ENGINEERING
**RUNGTA COLLEGE OF ENGINEERING &
TECHNOLOGY**

Khoka-Kurud Road, Bhilai - 490024, Chhattisgarh, India.
Tel: 0788 6666666 Fax: 0788 2286480
Email: info@rungta.ac.in

Session: 2016-2020

DECLARATION

I the undersigned solemnly declare that the report of the project work entitled **“Design and Fabrication Of Beach Cleaning Machine”**, is based on my work carried out during the course of my study under the supervision of **Mr. R. K. Rathore (Professor)**

I assert that the statements made and conclusions drawn are an outcome of the project work. I further declare that to the best of my knowledge and belief that the report does not contain any part of any work which has been submitted for the award of any other degree/diploma/certificate in this University of any other University.

Shubham Sharma

301303716096

Sudhanshu Deo

301303716126

Vaibhav Ku. Dewangan

301303716109

Varun Raj Mishra

301303716110

CERTIFICATE

This is to certify that the report of the project submitted is an outcome of the project work entitled “**Design and Fabrication Of Beach Cleaning Machine**” carried out by

Shubham Sharma Roll No. : 301303716096 Enrollment No. : BB0508

Sudhanshu Deo Roll No. : 301303716126 Enrollment No. : BB5904

Vaibhav Ku. Dewangan Roll No. : 301303716109 Enrollment No. : BB1806

Varun Raj Mishra Roll No. : 301303716110 Enrollment No. : BB1890

Carried out under my guidance and supervision for the award of Degree in Bachelor of Engineering in Mechanical Engineering of Chhattisgarh Swami Vivekanand Technical University, Bhilai (C.G.), India.

To the best of my knowledge the report

- i) Embodies the work of the candidate him/herself,
- ii) Has duly been completed,
- iii) Fulfils the requirement of the Ordinance relating to the BE degree of the University and
- iv) Is up to the desired standard for the purpose of which is submitted.

Mr. R.K. RATHORE

Department of Mechanical Engineering
Rungta College of Engineering and Technology, Bhilai

The project work as mentioned above is hereby being recommended and forwarded for examination and evaluation.

(Signature of Head of the department with seal)

CERTIFICATE BY THE EXAMINERS

This is to certify that the project work entitled

“Design and Fabrication Of Beach Cleaning Machine”

Submitted by

Shubham Sharma

Roll No. : 301303716096 Enrollment No. : BB0508

Sudhanshu Deo

Roll No. : 301303716126 Enrollment No. : BB5904

Vaibhav Ku. Dewangan

Roll No. : 301303716109 Enrollment No. : BB1806

Varun Raj Mishra

Roll No. : 301303716110 Enrollment No. : BB1890

has been examined by the undersigned as a part of the examination for the award of Bachelor of Engineering degree in Mechanical Engineering of Chhattisgarh Swami Vivekanand Technical University, Bhilai.

Internal Examiner
Date:

External Examiner
Date:

ACKNOWLEDGEMENT

Expression of thank giving is just part of those feeling which are too larger of word, but always remain as memories of the wonderful people with whom we got the pleasure of working during the completion of project college is an organization, which trains lot of technical trainees they not just trains us but they change the entire prospect of our life. We are grateful to **Rungta College of Engineering and Technology, Bhilai**, which help us to do so.

We are grateful to **Mr RAHUL CHOWDHURY** (HOD of Mechanical engineering Deptt.) for his priceless technical knowledge and guidance that he shared with us throughout the project.

We would like to thank our project guide **Mr. R.K. Rathore** (Professor, Mech. Engg. Deptt.) for his guidance and help to accomplish our goal. We give the heartfelt thanks to our project guide, for being amiable towards us. This list is never ending, so we give thanks to all the persons who have directly or indirectly helped us to achieve success in our endeavoured. Last but not least we would like to thank our parents for their moral enlistment of cooperation.

Shubham Sharma

Sudhanshu Deo

Vaibhav Ku. Dewangan

Varun Raj Mishra

RUNGTA COLLEGE OF ENGINEERING & TECHNOLOGY

TABLE OF CONTENTS

Abstract	01
List of Figure	02
Chapter 1 Introduction	03-05
Chapter 2 Problems Statement	06-07
Chapter 3 Scope	08-09
Chapter 4 Literature Review	10-13
Chapter 5 Methodology	14-15
Chapter 6 Model Design Image	16-17
Chapter 7 Working Principal	18-19
Chapter 8 Conclusion	20-21
References	22-23

ABSTRACT

Due to the difficulties faced in keeping the beach clean manually, we have come up with equipment which not only collects the waste (sticks, on degradable waste) but also separates, which is easy for waste disposal. The machine mainly consists of an engine which runs through a fossil fuel which drives the entire process. The waste is collected through conveyor blade along with the sand which falls of through the perforations on the conveyor back to the sand bed; separation of waste material takes place through principle of Density difference. It consists of two hoppers where the different waste gets collected which facilitates easy disposal of waste.

LIST OF FIGURES

S NO.	FIGURES OR DESIGN	PAGE NO.
1	DIMENSION OF MACHINE	17
2	CAD MODEL OF MACHINE	17
3	WORKING FLOW CHART	19

CHAPTER – I

Introduction

INTRODUCTION

The coastal area beaches are main attraction for tourism, so in attracting tourist the beach must be kept clean. For the purpose of cleaning the beach, some cleaning machine must be used so we have manufactured a cleaning machine which is helpful in cleaning the beaches.

The motor is responsible for driving mechanism of conveyor. The strainer attached to the conveyor will collect the wastages from the surroundings and transferred to storage bucket through conveying belt.

As today's era is moving towards being digitalized and automated with a great speed, the youth want everything very easily and smart. Not only the youth but the people of all generation are finding it very easy to be smart effort and more and more being healthy and are getting attracted or joined towards latest technology of being "smart work". Anywhere you go, you get this technology available. So we thought of using this technology and adding more to it for our final year project. Nobody likes to suffer and wait for our long waiting hours just to get good surrounding or so. To avoid this and to save time of our management of waste we are creating a application called "Smart cleaning system". For that we are using system by which beach cleaner can do his work smartly using communication through application. Smart Cleaning System proposed to overcome the real time problems. With the continued expansion of industries, the problem of sewage water must be urgently resolved due to the increasing sewage problems from industries of the surrounding environment. The wastes produced from the industries are very harmful to human beings and to the environment. Second Important thing is waste management system by which worker can maintain all his health and work good through application maintain that reporting worker don't need to wait and get in to drainage. One more very useful and important advantage of our system is that the worker to replace the manual work in beach cleaning by semi mechanical beach cleaner. And can access them very easily

Background

A , beach cleaner, is a vehicle that drags a raking or sifting device over beach sand to remove rubbish and other foreign matter. They are manually self-pulled vehicles on tracks or wheels or pulled by quad-bike or tractor. Seaside cities use beach cleaning machines to combat the problems of litter left by beach patrons and other pollution washed up on their shores. A chief task in beach cleaning strategies is finding the best way to handle waste matter on the beaches, taking into consideration beach erosion and changing terrain. Beach cleaning machines work by collecting sand by way of a scoop or drag mechanism and then raking or sifting anything large enough to be considered foreign matter, including sticks, stones, litter and other items. Similar applications include lake beaches, sand fields for beach volleyball and kindergarten and playing

field sandpits. The word "sand bone" is a back-formation referencing the ice surfacing machine Zamboni.

1.2 Type of beach cleaning machine

1. Manually Method 2. Automatic

a) Raking technology

b) Sifting technology

c) Combined raking and sifting technology

a. Raking technology: - can be used on dry or wet sand. When using this method, a rotating conveyor belt containing hundreds of tines combs through the sand and removes surface and buried debris while leaving the sand on the beach. Raking machines can remove materials ranging in size from small pebbles, shards of glass, and cigarette butts to larger debris, like seaweed and driftwood. By keeping the sand on the beach and only lifting the debris, raking machines can travel at high speeds

b. Shifting technology: It is practiced on dry sand and soft surfaces. The sand and waste are collected via the pick-up blade of the vehicle onto a vibrating screening belt, which leaves the sand behind. The waste is gathered in a collecting tray which is often situated at the back of the vehicle. Because sand and waste are lifted onto the screening belt, sifters must allow time for the sand to sift through the screen and back onto the beach. The size of the materials removed is governed by the size of the holes in the installed screen

c. Combined raking and sifting technology:- The differs from pure sifters in that it uses rotating tines to scoop sand and debris onto a vibrating screen instead of relying simply on the pick-up blade. The tines' position can be adjusted to more effectively guide different-sized materials onto the screen. Once on the screen, combined raking and sifting machines use the same technology as normal sifters to remove unwanted debris from the sand. d. Sand sifting by hand:- It is used for smaller areas or sensitive habitat. Sand and debris is collected into a windrow or pile and manually shovelled onto screened sifting trays to separate the debris from the sand. While effective, it requires the movement of sand to the site of the tray, and then redistribution of the sand after sifting. A more efficient method is the use of a screened fork at the place where the debris is located. The effort to manually agitate the sand can become tiresome; however, a recent development of a battery powered sand rake combines the spot cleaning effectiveness of manual screening with the ease of an auto-sifting hand tool.

CHAPTER – II
Problems Statement

PROBLEMS IDENTIFICATION

To minimize the problem of wastage in river, lake, sea due to the plastic, electronic items, thermocol, metal etc. This causes huge amount of water pollution which effects on aquatic animals as well as human life. It is also used in small scale industries to remove the solid wastage from water with minimum cost.

CHAPTER – III

Scope

SCOPE

The objective of this work is to develop a New Automatic operated Machine of Beach Cleaning.

This concept allows us to achieve our goal as well as better space management.

The new model takes into account all the real time conveying system and provides solution over their short coming.

The New model will get good efficiency compare to old method.

CHAPTER – IV
Literature Review

LITERATURE REVIEW

ECONOMICS ASPECTS OF BEACH CLEANING TRAILER [1]

Beach litter collection is a concern for Bang Sane beach, one of the popular tourist attractions of Thailand. In order to solve this problem, a beach cleaning trailer was designed and fabricated with emphasis on the use of local materials and local production. The design trailer prototype 3.7x1.6meters was carried out using a three dimensional solid modelling computer program. This paper explores the economics of the beach-cleaning trailer in terms of payback period, charging rate to customer, working areas. The research provided some positive results on economics aspects. The design trailer prototype has been developed and fabricated with emphasis on the use of local materials and local production. The machine has been tested at Bang Saen beach in Thailand. We have explored the economics of the beach-cleaning trailer in terms of payback period, charging rate to customer, working areas. The research provided some positive results on economics aspects. We hope to further design and develop the fully mechanized beach cleaning trolley.

DESIGN AND CONSTRUCTION OF BEACH CLEANING TRAILER BY FINITE ELEMENT METHOD [2]

The design of a beach cleaning trailer is presented. The basic design principle of a foreign beach cleaning machine was taken into consideration. Apart from the tire and hydraulic hoses, all components of the beach cleaning trailer were made from steel. This study focuses on stress analysis in the ball bearing housing by the finite element method. Actual tests have been carried out in fields. This study aims to report the performance of the beach cleaning trailer. Stresses in the ball bearing housing are calculated by FEM. A stress analysis made using the forces acting on the ball bearing housing showed the maximum Von Misses stress of the ball bearing housing to be 63.0 MPa. The safety factor was 3.94. It showed that it was very durable to use. For the future work, economic analysis should be performed to develop and design a fully mechanized beach cleaning machine. The designed and developed beach cleaning trailer was quite appropriated to be used due to utilizing of local materials, with reel of blade enhancement

BEACH CLEANING EQUIPMENT [3]

Due to the difficulties faced in keeping the beach clean manually, we have come up with equipment which not only collects the waste (sticks, no degradable waste) but also separates, which is easy for waste disposal. The machine mainly consists of an engine which runs through a fossil fuel which drives the entire process. The waste is collected through conveyor blade along with the sand which falls of through the perforations on the conveyor back to the sand bed; separation of waste material takes place through principle of Density difference. It consists of two hoppers where the different waste gets collected which facilitates easy disposal of waste.

SAND SCREENING AND WASHING MACHINE [4]

In recent years the foundry industry has been showing an increased interest in Screening and washing of sands. Deposits of sand and gravel, the unconsolidated granular materials resulting from the natural disintegration of rock or stone, are generally found in near-surface alluvial deposits and in subterranean and subaqueous beds. Sand and gravel are siliceous and calcareous products of the weathering of rocks and unconsolidated or poorly consolidated materials. Grain shape, screen analysis, chemical characteristics, as well as thermal characteristics, must be uniform to get uniform properties in today's sand mixes. We are in a process of developing a concept which has the capability to bring revolution in the field of construction in most developing nations of the world. We present here our concept of “sand screening and washing”. This project is a combination of basic principles called as screening and washing which is being used for many centuries in the field of construction all around the world. Through this present investigation following some important conclusions are made which are discussed below. Considering the present case study, the screened and washed sand is obtained by combining two different processes. The labour cost of operation can be reduced with less time taken. It requires less area and it is portable.

AUTOMATIC WHITEBOARD CLEANER USING MICROCONTROLLER BASED RACK AND PINION MECHANISM [5]

At recent years whiteboard has become a crucial element at almost every educational institute. They are large in size, for that reason it is very time consuming and tedious process to erase the writings from the board with duster manually. It breaks concentration of both lecturers and listeners. Automatic Whiteboard Cleaner can solve these problems. Automatic whiteboard cleaner will reduce the time and also the effort. It takes around 6 secs to clear the board smoothly. This paper represents the design and construction of automatic whiteboard cleaner. The system consists of Arduino microcontroller, driver module, dc gear motor, rack and pinion mechanism, sonar sensor, supports, and a cleaner bar to give that an automation figure. When the switch is on, it moves across the full width of the board and its direction is reversed automatically in order to clean the board. So, this “Automatic Whiteboard Cleaner” is a great replacement of “duster” and it can be suggested to use this to reduce the effort of the board user as well as to introduce the classroom with an automation system.

DRAINAGE SYSTEM CLEANER A SOLUTION TO ENVIRONMENTAL HAZARDS [6]

The Drainage system cleaner is a machine which helps to protect the environment from different kinds of environmental hazards through the promotion waste management by the removal of garbage from the drainage system. These wastes when not removed end up settling in residential places where these wastes are burnt thereby causing climate change otherwise these wastes block the drainage systems thereby causing flooding. The machine is designed in such a way that it generates motion for its functions by itself through the action of running water thereby cutting

out the dangers of the powering the machine by other sources of power because of the harshness of the rain on these other sources. The drainage system cleaner has three major parts which are the Propeller, the Cleaner and the Pan all make up for its effective functioning. The Drainage system cleaner was tested on three different days in the first day it rained in the months of September, October and November 2019 respectively. Based on the findings made after the test the Drainage system functioned well when there is maximum load. I therefore recommend the use of this system by various individuals, government companies and waste recycling companies for prevention of environmental hazards and also encouraging waste management.


CHAPTER – V

Methodology

METHODOLOGY

- The Beach cleaning machine is a mechanized way of driving the vehicle by accelerating the throttle
- A 12Volt battery energizes the ignition coil.
- The energized coil directs the amplified current towards the engine motor and the spark plug
- The motor cranks the engine and spark plug ignites the fuel and the engine gets started up.
- The engine speed is controlled by operating the Continuous variable transmission (CVT) in turn by varying the engine throttle.
- A CVT is a transmission system which varies the engine speed as required by the operator. It is coupled to the engine output shaft.
- The engine drive is used to run the rear axle by the means of a chain-sprocket arrangement which in turn drive the wheels.
- The engine is also coupled to a gear drive, which in turn is coupled to a belt pulley drive.
- The belt drive is used to run the roller which carries the conveyor.
- The conveyor is provided with meshed bucket which rolls around and picks up the waste by digging the sand and filters the sand by raking principle while the machine is driven forward motion.
- The speed of conveyor is a function of the speed of the engine.
- The waste material collected by the meshed bucket is dropped into the hopper placed next to the engine.
- The hopper has mesh of suitable size which facilitates easy separation of materials depending on sizes of materials.

CHAPTER – VI
Model Design Image



Model Dimensions




3D Rendering

CHAPTER – VII
Working Principal

WORKING PRINCIPAL

The device is place across a beach and sea so that only beach sand can get through the lower basement. Floating waste like bottles, plastic cans, covers any kind of waste etc. is lifted by lifters which are connected to the chain. The chain revolves with the sprocket wheel which is driven by the motor. The energy provided to the motor is electrical energy. When motor runs the chain starts to circulate making the lifter to lift up. The wastage material are lifted by lifter teeth and stored in collecting box. Once the collecting box is full, the waste materials are removed from the box. There is 45 to 50 degree bend plate which is assembled at the bottom of the box. It is mainly used to levelling the beach surface. The material which we are going to use is M/S Mid-Grade which is easily available in market with less cost compare to others.

The two rollers are connected apart from each other through belt drive on which perforated buckets are mounted through riveting joint. As system is allowed into drainage, the roller starts rotating the buckets will move inside the drainage which will goes up to material inside the drainage block. The bucket will pick up the wastage material and floating material from drain block. The bucket allow water to flow out as being perforated and only waste part will collected into storage collector behind the belt drive.



Working Flow Chart

CHAPTER – VIII

Conclusion

CONCLUSION

This system help to clean beaches so it keep the sand clean and save the ocean life from garbage pollution This system does not need more human labour for the waste water cleaning and this can reduce the direct contact of the human labour with the waste water so there is no hazard for the human labour. Also this method is automatic so the working time is less as compared to the conventional method.. Because of this project as there is no direct contact of the worker with garbage so the health of worker will be good and he will be able to work for a longer duration. This system is fabricated with emphasis on the use of local materials and local production.

References

REFERENCES

- [1]. D. Smith, Harris Pearson. (1955). Farm machinery and equipment. Tata McGraw-Hill, India, 519p.
- [2]. Hunt, D. (2002). Farm Power and Machinery Management, Laboratory Manual and Workbook, 7th Ed., Iowa State University: AMES IOWA.
- [3]. Campbell, Joseph K. (1990) Dibble sticks, Donkeys and Diesels. International Rice Research Institute, Philippines.
- [4]. RNAM Test Codes& Procedures for Farm Machinery (1955) Technical Series No 12 Economic and Social Commission for Asia and the Pacific Regional Network for Agriculture Krissanaerane, Suravej. (2005) Farm machinery and crop production management. Co-opthai printing, Bangkok.
- [5]. Kratzer, Donald. (1979) US Patent number 4241792: Groundsweeper. Available Source: <http://www.google.com/patents/US4241792>. December 2012.
- [6]. Prakobkarn, K., B. Saitthiti, S. Intaravichai, (2012) Design and Contruction of Beach Cleaning Trailer by Finite Element Method. INT TRANS J ENG MANAG SCI TECH, Vol. 3(2), Available Source: <http://www.TuEngr.com/V03/111-123.pdf>, February 2012.
- [7]. Gilmour, Richard (1976) US Patent number 4050518: A beach cleaning apparatus. Available Source:<http://www.google.com/patents/USPAT4050518>. December 2012\.
- [8]. ASAE. (2000) (American Society of Agricultural Engineers, Standards. Agricultural Machinery Management.
- [9]. Logan, Daryl L. (2002). A first course in the Finite Element Method. Third Edition Brooks/Cole, United States of America.
- [10]. Rao, Singiriresu S. (2005) the Finite Element Method in Engineering. Fourth Edition. Elsevier ButterworthHeinemann. United States of America. 663 p.
- [11]. Chou, P.C. and Pagaro, J.N. (1967) Elasticity tensor, Dyadic and Engineering Approaches. Over publication, Inc., 290 p. New York.
- [12]. Beer, Gernot. (2001) Programming the Boundary Element Method An Introduction for Engineers. John Wiley & sons Ltd. Great Britain.457