



JavaScript Beginner Practice Questions (Phase -2) Sheet - 4

Beginner Level

1. Create an Object

Create an object for a student with:

- name
- age
- course

Then print all values.

2. Access Properties

Given:

```
const car = { brand: "BMW", model: "M4", year: 2022 }
```

Print:

- brand
- model

using both:

- dot notation
 - bracket notation
-

3. Update Object Value

Change the age of a user from 20 to 25.

```
const user = { name: "Anubhav", age: 20 }
```

4. Add New Property

Add a new property:

```
isAdmin: true
```

to this object.

5. Delete Property

Remove the `password` property from the object.

```
const account = { username: "john", password: "12345" }
```

Intermediate Level

6. Count Properties

Write a function that returns how many properties an object has.

Example:

```
countProperties({a:1,b:2,c:3}) // 3
```

Hint:

Use:

```
Object.keys()
```

7. Loop Through Object

Print all keys and values from this object.

```
const person = { name: "Rahul", age: 22, city: "Delhi" }
```

Hint:

Use:

```
for...in
```

8. Check Property Exists

Check whether `"email"` exists inside an object or not.

Hint:

Use:

```
in
```

9. Merge Two Objects

Merge these two objects into one.

```
const obj1 = { a: 1, b: 2 } const obj2 = { c: 3, d: 4 }
```

Hint:

Use:

spread operator

10. Convert Object to Array

Convert this object into an array of key-value pairs.

```
const user = { name: "Aman", age: 21 }
```

Hint:

Use:

```
Object.entries()
```

Problem Solving Level

11. Find Highest Value

Find the student with highest marks.

```
const marks = { Anubhav: 95, Rahul: 82, Aman: 90 }
```

Expected Output:

```
"Anubhav"
```

12. Sum of Object Values

Find total salary.

```
const salaries = { john: 1000, alex: 2000, bob: 1500 }
```

Expected Output:

```
4500
```

13. Nested Object Access

Print:

- city
- pincode

```
const user = { name: "Anubhav", address: { city: "Bhopal", pincode: 462001 } }
```

14. Object Method Practice

Create an object with:

- name
- marks
- method called `getResult`

If marks > 40:

```
"Pass"
```

else:

```
"Fail"
```

15. Convert Array to Object

Convert this array into an object.

```
const arr = ["name", "Anubhav", "age", 24]
```

Expected Output:

```
{ name: "Anubhav", age: 24 }
```

Harder Practice Questions

16. Frequency Counter

Count frequency of each character.

Input:

```
"banana"
```

Expected Output:

```
{ b:1, a:3, n:2 }
```

17. Group By Property

Group users by age.

```
const users = [ { name: "A", age: 20 }, { name: "B", age: 21 }, { name: "C", age: 20 } ]
```

Expected Output:

```
{ 20: [ { name: "A", age: 20 }, { name: "C", age: 20 } ], 21: [ { name: "B", age: 21 } ] }
```

18. Deep Property Check

Check whether this property exists:

```
"user.address.city"
```

inside an object dynamically.

Hint:

Use:

```
split(".")
```

19. Object Comparison

Check if two objects have same keys and values.

Example:

```
{a:1,b:2} {a:1,b:2}
```

Expected Output:

```
true
```

20. Remove Duplicate Objects

Remove duplicate objects from array based on `id`.

```
[ {id:1,name:"A"}, {id:2,name:"B"}, {id:1,name:"A"} ]
```

Expected Output:

```
[ {id:1,name:"A"}, {id:2,name:"B"} ]
```