Commitment Tracker — QA Test Guide

For: QA team · **App version under test:** 0.10.3 · **Prepared:** 16 October 2026

1. What you are testing

Commitment Tracker turns what people promise in meetings ("I'll send the budget by Friday") into tracked tasks:

1. A **meeting transcript** comes in (pasted, uploaded as `.txt` / `.docx` / `.pdf`, or pushed by a recording tool).
2. The app **extracts the commitments**: task, owner and due date.
3. Each task is **matched to a person** from the People directory, which gives the task an owner email.
4. Tasks are tracked on the **dashboard**, and can be kept in sync **both ways with a Google Sheet**.
5. Owners get **reminder emails (nudges)** before or after the due date.

It is a web app. You only need a browser (Chrome or Edge); nothing has to be installed on your machine.

In scope

Area	What to cover
Sign-in	Sign-up, sign-in, wrong password, lockout, sign-out, password change
Transcripts	Paste, upload `.txt` / `.docx` / `.pdf`, rejected files, demo meeting
Extraction	Background extraction, task / owner / due date found, editing results
Dashboard	Per-meeting view, status changes, filters, clear actions, live updates
People directory	CSV upload, owner matching, ambiguous names, manual owner pick
Google Sheets	App → Sheet and Sheet → App sync, row numbering, deleted rows, "Sync all"
Email nudges	Test email, manual nudge, automatic nudges by cadence, AI-tailored drafts (optional)
Webhook security	Signing secret reveal / rotate, delivery log
AI extraction (optional)	Own AI key, test connection, fallback to the built-in model

Out of scope (do not log as bugs)

These parts are **simulated or not built yet**:

- **Jira** and **Custom tracker** sync — only a mock "would create issue" log.
- **Zoom / Google Meet / Teams / Otter** "Check now" — mocked. (Fathom is the real recording source; it is tested separately by the developer.)
- **Slack, Teams, custom-webhook nudges** — built but not part of this round unless you are asked to.
- **Single sign-on (SSO)** — not configured on the test server.
- **Password reset by email, email verification, MFA, OCR for scanned PDFs, mobile layout** — not built.
- **Shared team workspaces** — every account sees only its own meetings and tasks. Two testers can't see each other's data; this is by design.

> **Extraction quality is a known limitation.** The built-in model was trained on synthetic meetings, so on real conversations it can miss commitments or flag extra sentences. Record what you see under "Extraction observations" (section 7) rather than as a defect, unless the app crashes, hangs or loses data.

2. How you get access — no setup needed

You do not need to install anything or repeat the developer's setup. The developer runs the app on their machine and shares it over a secure public link (ngrok). You will receive, with this guide:

You will receive	Used for
Test URL, e.g. `https://<name>.ngrok-free.app`	Opening the app
Host Google account (an email address)	Sharing your test Google Sheet with the app (section 4.3)
Test window (dates / times the server is on)	The app is only reachable while the host's machine is running

Rules for the shared server:

- **Create your own account** (section 3). Do not use the developer's account: it is connected to their real Google Sheet, AI key and mailbox.
- **Use test data only.** Do not paste confidential or real meeting transcripts.
- The first time you open the link, ngrok shows a **"You are about to visit..."** page. Click **Visit Site**. This is expected.
- If the URL stops responding, the host's machine or tunnel is down. Tell the developer; this is not an app defect.
- The **first extraction after the server starts can take several minutes** while the ML model loads. Later ones take seconds.

3. First steps (every tester, ~5 minutes)

1. Open the **Test URL** and click **Visit Site** on the ngrok page.
2. On the sign-in page choose **Create account**. Use your work email and a password of **at least 10 characters**.
3. You land on the **Dashboard**. Check that the sidebar shows **version 0.10.3** at the bottom.
4. Click **Load demo meeting**. A demo meeting with tasks appears. This confirms your account works.

The sidebar pages are:

Page	Purpose
Dashboard	Meetings, tasks, upload, status, sync buttons
Background jobs	Extraction / sync / nudge jobs with retry and cancel
People	People directory (CSV upload)
AI extraction	Optional: use your own AI engine instead of the built-in model
Integrations	Email nudges, Google Sheet tracker, transcript source, webhook security
Account	Change password, sign out everywhere

4. Optional setup per area

Do only the parts for the areas you are assigned.

4.1 People directory (needed for owner matching and nudges)

1. On **People**, click **Download a template**. Columns: `First Name, Last Name, Email ID, Corporate User Name, Designation`.
2. Fill in 2–3 people whose names appear in the sample transcript (section 5). To receive all reminder emails yourself, use **plus-addresses** of your own Gmail, e.g. `you+priya@gmail.com`, `you+arjun@gmail.com`.

```
First Name,Last Name,Email ID,Corporate User Name,Designation
Priya,Shah,you+priya@gmail.com,pshah,VP Finance
Arjun,Mehta,you+arjun@gmail.com,amehta,Intern
```

3. Upload the CSV.

4.2 Email nudges (needs a Gmail account with 2-Step Verification)

1. Create a Gmail **app password** at `myaccount.google.com/apppasswords` (name it "Commitment Tracker"). Copy the 16-character code.
2. In the app: **Integrations** → **Nudges**, channel **Email**, click **Use Gmail settings** (fills `smtp.gmail.com`, port 587).
3. User name and From: your Gmail address. Password: the **app password**, not your normal password.
4. Cadence: **1 day before due**. **Save channel**, then click **Test** — a sample reminder should arrive.

4.3 Google Sheet (two-way sync)

1. Create a **blank Google Sheet** in your own Google account.
2. **Share** it with the **Host Google account** as **Editor**. The app writes to sheets through the host's Google login, so it needs this access.
3. Copy the sheet ID from its URL (the part between `/d/` and `/edit`).
4. In the app: **Integrations** → **Task tracker**, choose **Google Sheets**, paste the ID, tick **Auto-sync**, **Save**.
5. For Sheet → App: on the same page, copy the **Apps Script** shown. In the sheet: **Extensions** → **Apps Script**, replace everything with the copied script, save.
6. In Apps Script, click the clock icon (**Triggers**) → **Add Trigger**: function `onStatusEdit`, event source **From spreadsheet**, event type **On edit**. Approve the permission prompt (Google calls it "unverified" because it's your own script; that's expected).

The script already contains your personal webhook URL and signing secret. Don't share it.

4.4 AI extraction (optional)

Only if you are testing this area. Get a free **Google Gemini** key at `aistudio.google.com` → **Get API key**. In the app: **AI extraction**, engine **OpenAI-compatible**, provider **Google Gemini**, paste the key, model e.g. `gemini-2.5-flash`, tick consent, **Save**, **Test connection**. The free tier lets Google use prompts: **test data only**.

5. Sample transcript

On the Dashboard click **Upload transcript** and paste this, or save it as a `.txt` file to test the file upload:

```
Priya Shah: Thanks for joining the Q4 launch sync.
Priya Shah: I'll send the revised budget to finance by Friday.
Arjun Mehta: I will book the vendor demo by 30 October.
Priya Shah: Arjun, can you also update the launch checklist?
Arjun Mehta: Sure, I'll update the launch checklist by tomorrow.
Priya Shah: Great, that's everything for today.
```

Expected result from the built-in model (checked by the developer against this exact text):

#	Task	Owner	Due date
1	send the revised budget to finance by Friday	Priya Shah	The next Friday after the meeting date (a meeting held on a Friday gets the following Friday)
2	book the vendor demo by 30 October	Arjun Mehta	**Blank.** Known limitation: dates written as "30 October" aren't read yet. Set it by hand (test C2)

#	Task	Owner	Due date
3	update the launch checklist by tomorrow	Arjun Mehta	The day after the meeting date

The other three lines must **not** become tasks. With the People directory loaded (4.1), tasks 1–3 also get the owner's email.

6. Test cases

Status values in the app: **Pending**, **In progress**, **Done**. "Expected" is the pass condition.

A. Sign-in and account

ID	Steps	Expected
A1	Create an account with a 9-character password	Refused: "use at least 10 characters"
A2	Create an account with a valid password	Signed in, Dashboard shown
A3	Sign out, sign in with a wrong password	Generic error; does not reveal whether the email exists
A4	Enter a wrong password 5 times	Account locked for 15 minutes, even with the right password
A5	Signed out, open `<Test URL>/dashboard` directly	Redirected to sign-in
A6	Account → change password; sign in again with the new password	Works; other open sessions are signed out
A7	Sign in on two browsers; Account → **Sign out everywhere**	Both sessions end
A8	Two testers create accounts; each loads data	Neither sees the other's meetings or tasks

B. Transcripts and extraction

ID	Steps	Expected
B1	Paste the sample transcript (section 5)	Meeting appears at once with "Extracting…"; tasks appear when done, without refreshing
B2	Upload the sample as `.txt`	Same as B1
B3	Upload a Word `.docx` with a short meeting	Text read, tasks extracted
B4	Upload a `.pdf` that has selectable text	Text read, tasks extracted
B5	Upload a scanned PDF (image only), an old `.doc`, or an image renamed to `.pdf`	Refused with a clear reason; no crash
B6	Upload a file over 20 MB	Refused with a size message
B7	**Background jobs** page during / after B1	Extraction job listed with its status and the engine used
B8	Open a meeting → re-run extraction	Job queued; tasks refreshed
B9	**Load demo meeting**	Demo meeting and tasks appear

C. Dashboard and tasks

ID	Steps	Expected
C1	Select one meeting, then "All meetings"	Task list switches between that meeting and everything
C2	Open a task; edit task text, owner, due date; save	Saved; shown on the dashboard
C3	Change status Pending → In progress → Done	Status and the status chart update
C4	Add a task by hand	Appears under the chosen meeting

ID	Steps	Expected
C5	**Clear this meeting's tasks**	Confirmation asked; only that meeting's tasks go
C6	**Clear all meetings**	Confirmation asked; everything removed; Google Sheet rows untouched
C7	Dashboard open in two tabs; change a status in one	Other tab updates within a few seconds, without refreshing

D. People directory and owners

ID	Steps	Expected
D1	Upload the People CSV (4.1), then paste the sample transcript	Tasks owned by Priya / Arjun get their email automatically
D2	Upload a CSV with two people with the same first name; extract a task naming only that first name	Owner flagged as **ambiguous**; not guessed
D3	Pick an owner by hand on a task	Saved; a later CSV upload does not overwrite it
D4	Upload a CSV with a missing Email ID column / bad email	Clear error for the bad rows
D5	Edit a person's designation on People	Saved

E. Google Sheets sync (needs 4.3)

ID	Steps	Expected
E1	Auto-sync on; add a meeting with tasks	Rows appear: A **ID**, B Task, C Owner, D Due date, E Status, F Owner email. In an empty sheet IDs start at **1**
E2	Change a task's status / due date / owner in the app	The same row updates in the sheet
E3	In the sheet, change a row's **Status** to `Done`	Dashboard updates within seconds, with a pop-up
E4	In the sheet, change a row's Task, Owner, Due date or Owner email	The app updates that task
E5	Sort the sheet, or insert rows above existing ones; then edit a task in the app	The correct row (matched by column A ID) updates, not whichever row is now in that position
E6	Delete a task's row in the sheet; edit that task in the app	Nothing is written to another row; the sync history says the task was unlinked
E7	Delete all rows (header too), press **Sync all to sheet**	Sheet rebuilt, numbered from 1; the message reports how many were re-added
E8	Edit the same task in the app and the sheet one after the other	The most recent edit wins
E9	Turn Auto-sync off; add a task; press **Sync to tracker** on it	Only then does it appear in the sheet

F. Email nudges (needs 4.1 and 4.2)

ID	Steps	Expected
F1	Integrations → **Test** on the email channel	Sample email arrives
F2	On a task with an owner email, **Send test nudge**	Email arrives at the owner's address
F3	Task due tomorrow; switch on **Automatic nudges**	One reminder arrives (the server checks every 15 min, or sooner if the host shortened the interval); no repeat on the next check
F4	Mark the task Done before the next check	No further reminders for it
F5	Enter a wrong app password, then **Test**	Clear SMTP error in **Nudge activity**; no crash

ID	Steps	Expected
F6	Edit the email draft on Integrations; **Preview**	Placeholders (`{owner_first_name}` , `{task}` , `{due_date}`) filled in
F7	(With 4.4) turn on AI tailoring; preview for the VP and for the Intern	Wording differs by designation; facts and dates unchanged

G. Webhook security and AI extraction

ID	Steps	Expected
G1	Integrations → Webhook security → **Reveal** / **Copy** the secret	Secret shown only on request
G2	**Rotate** the secret; edit a status in the sheet without updating the Apps Script	Sheet → App stops (rejected, listed in recent deliveries); re-paste the new script and it works again
G3	Integrations → **Simulate incoming transcript**	Meeting appears on the dashboard live, with tasks
G4	(4.4) AI extraction → **Test connection**	Commitments listed from a sample
G5	(4.4) Enter an invalid model name; upload a transcript	Falls back to the built-in model; the run history says why

7. Reporting

Log each defect with:

Field	Example
Test ID	E5
Title	Sheet edit updates the wrong row after sorting
Steps	Exact clicks, and the data used
Expected / actual	From the table vs what happened
Evidence	Screenshot; for errors also the browser console (F12 → Console)
Account email and time	So the developer can find it in the server log
Version	Shown at the bottom of the sidebar (0.10.3)
Severity	Blocker / Major / Minor / Cosmetic

Extraction observations (not defects): for each transcript, list commitments the app **missed** and sentences it **wrongly** flagged. This feeds the model retraining.

Appendix A — For the host (developer) only

Run before each test window, from `C:\PersonalDevelopment\commitment-tracker` with the project's Python:

```
$env:CT_COOKIE_SECURE = "1"
$env:CT_PUBLIC_URL = "https://<your-static-domain>.ngrok-free.app"
$env:NUDGE_CHECK_INTERVAL_SECONDS = "60"     # optional: faster automatic-nudge checks for F3
python src\app.py
```

In a second terminal:

```
ngrok http --url=<your-static-domain>.ngrok-free.app 5000
```

- Keep both running for the whole window. Don't use `CT_DEBUG=1` on a public link.
- Send the testers the Test URL, the Google account that owns `google_token.json` (they share their sheets with it), and the window.
- If Sheet sync fails with `invalid_grant`, the Google token has expired (7 days in "Testing" mode): run `python src\google_oauth_setup.py` again.
- Your own account's Google Sheet auto-sync and nudge channels are untouched: settings are per account.
- Optionally, after testing, set `CT_ALLOW_SIGNUP=0` to stop new accounts.

Appendix B — Running a private copy (only if a tester needs one)

Not needed for this round. If someone must test offline:

1. `git clone https://github.com/vaibhavbhasin95-creator/commitment-tracker.git` and check out the branch named by the developer.
2. Python 3.11+: `pip install -r requirements.txt` and `python -m spacy download en_core_web_sm` (several GB, mainly TensorFlow).
3. `python src/app.py`, open `http://localhost:5000`.
4. Google Sheets needs their own Google Cloud OAuth client (`client_secret_*.json`) and `python src/google_oauth_setup.py`. Never copy the developer's `secret.key`, `flask_secret.key`, `google_token.json`, `client_secret_*.json` or `commitment_tracker.db`. They are the developer's credentials and data.