

```

1  *&_____*
2  *& Report RGJV_UPDATE_ACC_DATA_IN_ACDOCA
3  *&_____*
4  *& This report update the ACDOCA table with internal JV documents
5  *&_____*
6  report rgjv_update_acc_data_in_acdoca line-size 200.
7
8  tables: jvso1.
9
10 selection-screen begin of block selection_parameters with frame title text-sel.
11   select-options: s_bukrs for jvso1-rbukrs memory id buk,
12                  s_ryear for jvso1-ryear memory id fyr,
13                  s_poper for jvso1-poper memory id per,
14                  s_belnr for jvso1-reffidoc memory id doc,
15                  s_refnr for jvso1-refdocnr memory id ref.
16   selection-screen begin of block document_types with frame title text-dct.
17    parameters: p_fidocs as checkbox memory id fid default abap_true,
18               p_codocs as checkbox memory id cod default ' '.
19   selection-screen begin of block prodper_handling with frame title text-pph.
20    parameters: p_ppper as checkbox default abap_true.
21    parameters: p_ppday as checkbox.
22   selection-screen end of block prodper_handling.
23   parameters: p_exclbl as checkbox memory id exb default abap_true.
24 selection-screen end of block document_types.
25
26 parameters: p_alllds radiobutton group ledg default 'X',
27             p_jvledg radiobutton group ledg.
28 selection-screen skip.
29
30 * Hidden parameter needed for showing/hiding additional selection parameters
31 parameters: p_ado(1) type c no-display. "Close Block
32
33 * Further selection parameters (hidden by default)
34 selection-screen:
35 pushbutton /1(35) pushadoo "Button to open the add. selection parameters
36   user-command ucomm_openado modif id ado, "#EC NEEDED
37 pushbutton /1(35) pushadoc "Button to close the add. selection parameters
38   user-command ucomm_closeado modif id adc. "#EC NEEDED
39
40 select-options: s_budat for jvso1-budat modif id adc,
41                s_bldat for jvso1-bldat modif id adc,
42                s_racct for jvso1-racct modif id adc,
43                s_rjvnam for jvso1-rjvnam modif id adc,
44                s_regrou for jvso1-regrou modif id adc,
45                s_rrecin for jvso1-rrecin modif id adc,
46                s_bilid for jvso1-bilid modif id adc,
47                s_prodp for jvso1-prodper modif id adc,
48                s_rcntr for jvso1-rcntr modif id adc,
49                s_rordnr for jvso1-rordnr modif id adc,
50                s_rprojk for jvso1-rprojk modif id adc,
51                s_nplnr for jvso1-nplnr modif id adc,
52                s_aufpl for jvso1-aufpl modif id adc,
53                s_aplzl for jvso1-aplzl modif id adc.
54
55 selection-screen end of block selection_parameters.
56
57 selection-screen begin of block accounting_entities with frame title text-acc.
58   parameters: p_vname as checkbox memory id vnm default abap_true,
59              p_egrup as checkbox memory id eqg default abap_true,
60              p_vptnr as checkbox memory id vpt default abap_true,
61              p_recid as checkbox memory id rec default abap_true,

```

```

62         p_bilid as checkbox memory id bil default abap_true,
63         p_prodp as checkbox memory id prp default abap_true,
64         p_cobs  as checkbox memory id vpt default abap_true,
65         p_coco  as checkbox memory id vpt default abap_false.
66
67 * Hidden parameter needed for showing/hiding the update options
68 parameters: p_upo(1) type c no-display. "Close Block
69
70 * Update options (hidden by default)
71 selection-screen:
72   pushbutton /1(35) pushupoo "Button to open the update options
73     user-command ucomm_openupo modif id upo, "#EC NEEDED
74   pushbutton /1(35) pushupoc "Button to close the update options
75     user-command ucomm_closeupo modif id upc. "EC NEEDED
76
77 selection-screen begin of block venture_upd_options with frame title text-vuo.
78   parameters: p_vnupd radiobutton group vent modif id upc default 'X',
79     p_vnrep radiobutton group vent modif id upc.
80 selection-screen end of block venture_upd_options.
81
82 selection-screen begin of block egroup_upd_options with frame title text-euo.
83   parameters: p_egupd radiobutton group eggp modif id upc default 'X',
84     p_egrep radiobutton group eggp modif id upc.
85 selection-screen end of block egroup_upd_options.
86
87 selection-screen begin of block partner_upd_options with frame title text-vpo.
88   parameters: p_vpupd radiobutton group vptn modif id upc default 'X',
89     p_vprep radiobutton group vptn modif id upc.
90 selection-screen end of block partner_upd_options.
91
92 selection-screen begin of block recid_upd_options with frame title text-ruo.
93   parameters: p_riupd radiobutton group rind modif id upc default 'X',
94     p_rirep radiobutton group rind modif id upc.
95 selection-screen end of block recid_upd_options.
96
97 selection-screen begin of block bilid_upd_options with frame title text-buo.
98   parameters: p_biupd radiobutton group bind modif id upc default 'X',
99     p_birep radiobutton group bind modif id upc.
100 selection-screen end of block bilid_upd_options.
101
102 selection-screen begin of block prodper_upd_options with frame title text-puo.
103   parameters: p_ppupd radiobutton group prop modif id upc default 'X',
104     p_pprep radiobutton group prop modif id upc.
105 selection-screen end of block prodper_upd_options.
106
107 selection-screen begin of block co_bs_upd_options with frame title text-cbo.
108   parameters: p_bsupd radiobutton group cobs modif id upc default 'X',
109     p_bsrep radiobutton group cobs modif id upc.
110 selection-screen end of block co_bs_upd_options.
111
112 selection-screen begin of block co_co_upd_options with frame title text-cco.
113   parameters: p_coupd radiobutton group coco modif id upc,
114     p_corep radiobutton group coco modif id upc default 'X'.
115 selection-screen end of block co_co_upd_options.
116
117 selection-screen end of block accounting_entities.
118
119 selection-screen begin of block posting_date_options with frame title text-psd.
120   parameters: p_oriupd radiobutton group pdt default 'X',
121     p_newpd radiobutton group pdt,
122     p_budat type budat.

```

```

123 selection-screen end of block posting_date_options.
124
125 selection-screen begin of block processing_options with frame title text-pro.
126   parameters: p_analys radiobutton group runt,
127               p_test   radiobutton group runt default 'X',
128               p_update radiobutton group runt.
129   selection-screen skip.
130   parameters: p_balov as checkbox default abap_true,
131               p_heur  as checkbox default abap_true.
132   selection-screen skip.
133   selection-screen begin of block bulk_proc_options with frame title text-blk.
134     parameters: p_bldoch type numc7 memory id nd1 default 500000,
135                 p_bldlpr type numc4 memory id nd2 default 500.
136   selection-screen end of block bulk_proc_options.
137   selection-screen begin of block parallel_options with frame title text-prl.
138     parameters: p_parall as checkbox default abap_true,
139                 p_rfcgrp type spta_rfcgr memory id spta_rfcgr default 'parallel_generators',
140                 p_mxtsks type numc2   memory id mxt   default 20,
141                 p_doctsk type numc7   memory id dct   default 1000000,
142                 p_sptask as checkbox   memory id spt.
143   selection-screen end of block parallel_options.
144   selection-screen begin of block log_upd_options with frame title text-luo.
145     parameters: p_luptsk as checkbox   memory id par default abap_true,
146                 p_lbulk  type numc4   memory id lbl default 1000,
147                 p_lglts  radiobutton group tmst default 'X',
148                 p_luptms radiobutton group tmst.
149   selection-screen end of block log_upd_options.
150 selection-screen end of block processing_options.
151
152 selection-screen begin of block output_options with frame title text-opo.
153   parameters: p_shwall radiobutton group disp,
154               p_upderr radiobutton group disp default 'X',
155               p_erronl radiobutton group disp.
156   selection-screen skip.
157   parameters: p_spfor as checkbox memory id spf,
158               p_nodet as checkbox memory id ndt,
159               p_se16n as checkbox memory id s16.
160 selection-screen end of block output_options.
161
162
163 data: go_correct_acdoca type ref to if_jva_mig_correct_acdoca,
164       gv_cursor_field(20) type c value 'P_BUKRS',
165       gv_sscr_ucomm type sy-ucomm.
166
167
168 *-----*
169 *      INITIALIZATION      *
170 *-----*
171 initialization.
172
173   perform modify_screen.
174
175
176 *-----*
177 *      AT SELECTION SCREEN ON [several fields]      *
178 *-----*
179 at selection-screen on p_bldoch.
180   if p_bldoch < 100 or
181     p_bldoch > 9999999.
182     p_bldoch = 500000.
183   endif.

```

```
184
185 at selection-screen on p_bldlpr.
186   if p_bldlpr < 1 or
187     p_bldlpr > 9999.
188     p_bldlpr = 500.
189   endif.
190
191 at selection-screen on p_mxtsks.
192   if p_mxtsks < 2 or
193     p_mxtsks > 99.
194     p_mxtsks = 20.
195   endif.
196
197 at selection-screen on p_doctsk.
198   if p_doctsk < 100 or
199     p_doctsk > 9999999.
200     p_doctsk = 1000000.
201   endif.
202
203
204 *-----*
205 *      AT SELECTION-SCREEN OUTPUT      *
206 *-----*
207 at selection-screen output.
208   perform prepare_sel_screen_frame.
209
210
211 *-----*
212 *      AT SELECTION-SCREEN            *
213 *-----*
214
215 at selection-screen.
216   perform process_sel_screen_actions.
217
218
219 *-----*
220 *&-----*
221 *&      AT LINE-SELECTION            *
222 *&-----*
223 at line-selection.
224   if sy-lsind = 1 and
225     sy-lisel is not initial.
226     cl_java_mig_alv_output=>get_instance( )->display_spool_classic( sy-lisel ).
227   endif.
228
229
230 *-----*
231 *      END-OF-SELECTION              *
232 *-----*
233
234 end-of-selection.
235   perform run_process.
236
237
238 *-----*
239 *&-----*
240 *&      FORM run_process              *
241 *&-----*
242 form run_process.
243   data: ls_prognars type cl_java_mig_correct_acdoca=>if_java_mig_correct_acdoca~gty_program_parameters.
```

[illegible]

```

306
307         use_original_posting_date      = p_oripd
308         use_new_posting_date           = p_newpd
309         posting_date                   = p_budat
310
311         analysis_only                  = p_analys
312         testrun                        = p_test
313
314         correct_all_ledgers            = p_alllds
315
316         heuristic_line_assignment      = p_heur
317         balance_check_over_line_check = p_balov
318
319         bulk_no_of_doc_headers_in_mem  = conv_int4( p_bldoch )
320         bulk_no_of_docs_for_line_proc  = conv_int4( p_bldlpr )
321
322         log_use_update_task_for_db_upd = p_luptsk
323         log_bulk_no_of_itms_for_db_upd = p_lbulk
324         log_set_global_timestamp       = p_lglts
325         log_set_timestamp_at_db_update = p_luptms
326
327         parallel_processing            = p_parall
328         server_group                   = p_rfcgrp
329         maximum_number_of_tasks       = p_mxtsks
330         number_of_docs_per_task       = p_doctsk
331         create_spool_for_each_task    = p_sptask
332
333         update_existing_lines          = abap_false
334         post_new_documents              = abap_false
335
336         show_all_lines                 = p_shwall
337         show_updates_and_errors        = p_upderr
338         show_errors_only               = p_erronl
339
340         create_spools_in_foreground    = p_spfor
341         do_not_store_issue_details     = p_nodet
342         use_se16n_to_display_doc       = p_se16n
343
344         repid_callback                 = sy-repid ).
345
346     go_correct_acdoca = cl_jva_mig_correct_acdoca=>get_instance( ).
347
348     go_correct_acdoca->execute_process( ls_progpars ).
349
350 endform.
351
352 *-----*
353 *      FORM BEFORE_RFC      *
354 *-----*
355 *      Callback-Form for parallel processing
356 *      invoked before each RFC
357 *-----*
358 form before_rfc using is_before_rfc_imp type spta_t_before_rfc_imp
359                     changing cs_before_rfc_exp type spta_t_before_rfc_exp
360                     ct_rfcddata type spta_t_indxtab
361                     ct_failed_objects type spta_t_failed_objects
362                     ct_objects_in_process type spta_t_objects_in_process
363                     cv_user_param.
364
365     go_correct_acdoca->parall_before_rfc( exporting
366                                         is_before_rfc_imp = is_before_rfc_imp

```

```

367             changing
368                 cs_before_rfc_exp = cs_before_rfc_exp
369                 ct_rfcdata        = ct_rfcdata
370                 ct_failed_objects = ct_failed_objects
371                 ct_objects_in_process = ct_objects_in_process
372                 cv_user_param      = cv_user_param ).
373
374 endform.                                "BEFORE_RFC
375
376 *-----*
377 * FORM IN_RFC                          *
378 *-----*
379 * Callback-Form for parallel processing *
380 * Invoked within the RFC               *
381 *-----*
382 form in_rfc using is_in_rfc_imp type spta_t_in_rfc_imp
383                 changing cs_in_rfc_exp type spta_t_in_rfc_exp
384                 ct_rfcdata type spta_t_indxtab.
385
386     cl_java_mig_correct_acdoca=>get_instance( )->parall_in_rfc( exporting
387                                     is_in_rfc_imp = is_in_rfc_imp
388                                     changing
389                                     cs_in_rfc_exp = cs_in_rfc_exp
390                                     ct_rfcdata   = ct_rfcdata ).
391
392 endform.
393
394 *-----*
395 * FORM AFTER_RFC                      *
396 *-----*
397 * Callback-Form for parallel processing *
398 * Invoked after RFC                   *
399 *-----*
400 form after_rfc using it_rfcdata type spta_t_indxtab
401                     iv_rfcsubrc type sy-subrc
402                     iv_rfcmsg type spta_t_rfcmsg
403                     it_objects_in_process type spta_t_objects_in_process
404                     is_after_rfc_imp type spta_t_after_rfc_imp
405                     changing cs_after_rfc_exp type spta_t_after_rfc_exp
406                     cv_user_param.
407
408     go_correct_acdoca->parall_after_rfc( exporting
409                                     it_rfcdata = it_rfcdata
410                                     iv_rfcsubrc = iv_rfcsubrc
411                                     iv_rfcmsg = iv_rfcmsg
412                                     it_objects_in_process = it_objects_in_process
413                                     is_after_rfc_imp = is_after_rfc_imp
414                                     changing
415                                     cs_after_rfc_exp = cs_after_rfc_exp
416                                     cv_user_param = cv_user_param ).
417
418 endform.                                "AFTER_RFC
419
420 *&-----*
421 *& FORM modify_screen                  *
422 *&-----*
423 form modify_screen.
424
425 * Close Selection-Screen
426 p_ado = abap_true.
427

```

```
428 * Set Text and Icon for Pushbutton "Additional Selection Parameters"
429 concatenate icon_collapse: text-add into pushadoc.
430 concatenate icon_expand: text-add into pushadoo.
431
432 * Close Selection-Screen Block 1
433 p_upo = abap_true.
434
435 * Set Text and Icon for Pushbutton "Additional Update Options"
436 concatenate icon_collapse: text-upo into pushupoo.
437 concatenate icon_expand: text-upo into pushupoc.
438
439 endform.
440
441 *-----*
442 * FORM prepare_sel_screen_frame
443 *-----*
444 form prepare_sel_screen_frame.
445
446 loop at screen.
447 perform close_block using: p_ado 'ADC' space,
448 p_ado 'ADO' abap_true.
449 perform close_block using: p_upo 'UPC' space,
450 p_upo 'UPO' abap_true.
451 endloop.
452
453 case gv_sscr_ucomm.
454 when 'UCOMM_OPENADO'. "Open Block
455 set cursor field 'S_BUDAT'.
456 when 'UCOMM_OPENUPO'. "Open Block
457 set cursor field 'P_VNCORR'.
458 when others.
459 set cursor field gv_cursor_field.
460 endcase.
461
462 endform.
463
464 *-----*
465 * FORM process_sel_screen_actions
466 *-----*
467 form process_sel_screen_actions.
468
469 get cursor field gv_cursor_field.
470
471 gv_sscr_ucomm = sy-ucomm. "sscrfields-ucomm.
472
473 * Auf die User-Commands reagieren
474 case gv_sscr_ucomm.
475 when 'UCOMM_OPENADO'. "Open Block
476 clear p_ado.
477 when 'UCOMM_CLOSEADO'. "Close Block
478 p_ado = abap_true.
479
480 when 'UCOMM_OPENUPO'. "Open Block
481 clear p_upo.
482 when 'UCOMM_CLOSEUPO'. "Close Block
483 p_upo = abap_true.
484 endcase.
485
486 endform.
487
488 *-----*
```

[illegible]

```

550 method parallelization_handlers_ok.
551
552 data: lv_subrc          type sy-subrc,
553       ls_before_rfc_imp type spta_t_before_rfc_imp,
554       ls_before_rfc_exp type spta_t_before_rfc_exp,
555       lt_rfcdata        type spta_t_indxtab,
556       lt_failed_objects type spta_t_failed_objects,
557       lt_objects_in_process type spta_t_objects_in_process,
558       lv_user_param     type c,
559       lv_rfcsubrc       type sy-subrc,
560       lv_rfcmsg         type spta_t_rfcmsg,
561       ls_after_rfc_imp  type spta_t_after_rfc_imp,
562       ls_after_rfc_exp  type spta_t_after_rfc_exp,
563       ls_in_rfc_imp     type spta_t_in_rfc_imp,
564       ls_in_rfc_exp     type spta_t_in_rfc_exp.
565
566 go_correct_acdoca = cl_jva_mig_correct_acdoca=>get_instance( ).
567
568 try.
569     perform before_rfc using ls_before_rfc_imp
570                             changing ls_before_rfc_exp
571                                     lt_rfcdata
572                                     lt_failed_objects
573                                     lt_objects_in_process
574                                     lv_user_param.
575     catch cx_root.
576         lv_subrc = 4.
577 endtry.
578
579 cl_abap_unit_assert=>assert_equals( act = lv_subrc
580                                     quit = if_aunit_constants=>quit-no
581                                     exp = 0 ).
582
583 clear lv_subrc.
584
585 try.
586     perform in_rfc using ls_in_rfc_imp
587                         changing ls_in_rfc_exp
588                                 lt_rfcdata.
589     catch cx_root.
590         lv_subrc = 4.
591 endtry.
592
593 cl_abap_unit_assert=>assert_equals( act = lv_subrc
594                                     quit = if_aunit_constants=>quit-no
595                                     exp = 0 ).
596
597 clear lv_subrc.
598
599 try.
600     perform after_rfc using lt_rfcdata
601                             lv_rfcsubrc
602                             lv_rfcmsg
603                             lt_objects_in_process
604                             ls_after_rfc_imp
605                             changing ls_after_rfc_exp
606                                     lv_user_param.
607     catch cx_root.
608         lv_subrc = 4.
609 endtry.
610

```

```
611
612     cl_abap_unit_assert=>assert_equals( act = lv_subrc
613                                           quit = if_aunit_constants=>quit-no
614                                           exp = 0 ).
615
616     endmethod.
617
618 endclass.
```