

REGUT

Short description: TemSe - Administration Data
Transparent table
Active version

Field Structure

Number of fields: 35
Total of field lengths: 1102

Field Name	K	Type	Length	Data Elem.
Short Text				
MANDT	X	CLNT	3	MANDT
Client				
ZBUKR	X	CHAR	4	DZBUKR
Paying company code				
BANKS	X	CHAR	3	BANKS
Bank Country/Region Key				
LAUFD	X	DATS	8	LAUFD
Date on Which the Program Is to Be Run				
LAUFI	X	CHAR	6	LAUFI
Additional Identification				
XVORL	X	CHAR	1	XVORL
Indicator: Only Proposal Run?				
DTKEY	X	CHAR	16	DTKEY_D
Additional Field for the TemSe Key Fields				
LFDNR	X	NUMC	3	LFDNU
Sequential Number				
WAERS		CUKY	5	WAERS
Currency Key				
RBETR		CURR	23	PAYMSUM_FPM
Amount Paid (Payment or Local Currency)				
RENUM		CHAR	16	RENUM
Reference Number				
DTFOR		CHAR	30	FORMI_FPM
Payment Medium Format				
TSNAM		CHAR	20	TSNAM
TemSe File Name				
TSDAT		DATS	8	TSDAT
File Creation Date				
TSTIM		TIMS	6	TSTIM
File Creation Time				
TSUSR		CHAR	12	TSUSR
Name of the User Who Created the TemSe File				
DWNAM		CHAR	255	DONAM
File Name for Download				
DWDAT		DATS	8	DODAT
Date of Download				
DWTIM		TIMS	6	DOTIM
Time of Download				
DWUSR		CHAR	12	DOUSR
User Name for Carrying Out Download				
KADAT		DATS	8	KADAT
Electronic Account Statement Date				

Field Name	K	Type	Length	Data Elem.
Short Text				
KATIM		TIMS	6	KATIM
Electronic Account Statement Time				
KAUSR		CHAR	12	KAUSR
Electronic Account Statement User				
REPORT		CHAR	40	PROGNAME
ABAP Program Name				
FSNAM		CHAR	255	FSNAM
File Name in the File System				
USREX		CHAR	3	USREX
Identifier ###, If Data Medium Modified by User Exit				
EDINUM		NUMC	16	EDINUM
Number of Document Extract				
GRPNO		INT4	10	GRPNO_FPM
Grouping Criterium for Payments				
DTTYP		CHAR	2	DTTYP_FPM
Type of Payment Medium w/o Documents				
GUID		CHAR	32	SYSUUID_C
UUID in character form				
SAPRL		CHAR	4	SYSAPRL
Release of SAP System				
CODEPAGE		NUMC	4	CPCODEPAGE
SAP Character Set ID				
HVSTR		CHAR	256	HVSTR_FPM
Hash Value as Hex Encoded String				
HALGO		CHAR	6	HALGO_FPM
Hash Algorithm				
APPEND EPIC_S_REG				
STATUS		CHAR	3	EPIC_REGUT_STATUS
Payment File Status				

Fields with reference fields:

Field name	Reference field
RBETR	REGUT-WAERS

Fields with conversion routines:

Field name	Conversion routine
RBETR	AC132

Technical Settings

- Data type: APPL1
- Size category: 1
- Buffering now allowed
- Logging switched off

Secondary Indexes

Index ID: 1
Short description: Sorting by reference number RENUM
Create index on database
Index fields
 RENUM

Input Checks (Foreign Keys, Fiexed Values)

MANDT is checked against check table T000
Field assignment:
 T000 - MANDT = REGUT - MANDT

ZBUKR is checked against check table T001
Field assignment:
 T001 - MANDT = REGUT - MANDT
 T001 - BUKRS = REGUT - ZBUKR

BANKS is checked against check table T005
Field assignment:
 T005 - MANDT = REGUT - MANDT
 T005 - LAND1 = REGUT - BANKS

XVORL checked against fixed values from domain XFELD
Fixed values:

	No
X	Yes

WAERS is checked against check table TCURC
Field assignment:
 TCURC - MANDT = REGUT - MANDT
 TCURC - WAERS = REGUT - WAERS

GRPNO is checked against check table DFPAYG
Field assignment:
 DFPAYG - MANDT = REGUT - MANDT
 DFPAYG - LAUFD = REGUT - LAUFD
 DFPAYG - LAUFI = REGUT - LAUFI
 DFPAYG - XVORL = REGUT - XVORL
 DFPAYG - GRPNO = REGUT - GRPNO

DTTYP checked against fixed values from domain DTTYP_FPM
Fixed values:

01	File
02	IDoc
03	Obsolete
04	XML
05	XI Proxy
06	FTA
07	Obsolete
90	Connector for SAP Multi-Bank Connectivity

HALGO checked against fixed values from domain HALGO_FPM

Fixed values:

CRC32	CRC-32
SHA256	SHA-256
SHA512	SHA-512

STATUS checked against fixed values from domain EPIC_REGUT_STATUS

Fixed values:

	Created
010	Sent
020	Acknowledged
030	Transfer Failed
040	Transfer Confirmed

REGUHM

Short description: Payment Data for Cross-Payment Run Payment Medium
Transparent table
Active version

Field Structure

Number of fields: 20
Total of field lengths: 141

Field Name	K	Type	Length	Data Elem.	Short Text
MANDT	X	CLNT	3	MANDT	Client
LAUFD	X	DATS	8	LAUFD	Date on Which the Program Is to Be Run
LAUFI	X	CHAR	6	LAUFI	Additional Identification
ZBUKR	X	CHAR	4	DZBUKR	Paying company code
LIFNR	X	CHAR	10	LIFNR	Account Number of Supplier
KUNNR	X	CHAR	10	KUNNR	Customer Number
EMPG	X	CHAR	16	EMPG	Payment Recipient Code
VLNR	X	CHAR	10	VLNR	Document Number of the Payment Document
LAUFD_M		DATS	8	LAUFD_M	Date of Payment Medium Run
LAUFI_M		CHAR	6	LAUFI_M	Identification of the Payment Medium Run
HBKID		CHAR	5	HBKID	Short Key for a House Bank
HKTID		CHAR	5	HKTID	ID for Account Details
RZAW		CHAR	1	RZAW	Payment Method for This Payment
UZAW		CHAR	2	UZAW	Payment method supplement
WERS		CUKY	5	WERS	Currency Key
ZALDT		DATS	8	DZALDT_ZHL	Posting Date of Payment Document
VALUT		DATS	8	VALUT	Value date
CRVAL		DATS	8	PRQ_CRVAL	Value Date at Payee's Bank
AUSFD		DATS	8	AUSFD	Due Date of the Paid Items
BATCHNO		NUMC	10		

Fields with conversion routines:	
Field name	Conversion routine
LIFNR	ALPHA
KUNNR	ALPHA
VLNR	ALPHA

Technical Settings

Data type: APPL1
Size category: 3
Buffering now allowed
Logging switched off

Secondary Indexes

Index ID: HCZ
Short description:
Create index on database
Index fields
 BATCHNO

Index ID: HEC
Short description:
Create index on database
Index fields
 LAUFI_M

Input Checks (Foreign Keys, Fiexed Values)

MANDT is checked against check table T000
Field assignment:
 T000 - MANDT = REGUHM - MANDT

ZBUKR is checked against check table T001
Field assignment:
 T001 - MANDT = REGUHM - MANDT
 T001 - BUKRS = REGUHM - ZBUKR

LIFNR is checked against check table LFA1
Field assignment:
 LFA1 - MANDT = REGUHM - MANDT
 LFA1 - LIFNR = REGUHM - LIFNR

KUNNR is checked against check table KNA1
Field assignment:
 KNA1 - MANDT = REGUHM - MANDT
 KNA1 - KUNNR = REGUHM - KUNNR

VLNR is checked against check table BKPF
Field assignment:
 BKPF - MANDT = REGUHM - MANDT
 BKPF - BUKRS = REGUHM - ZBUKR
 BKPF - BELNR = REGUHM - VLNR
 BKPF - GJAHR = * (generic)

HBKID is checked against check table T012
Field assignment:
 T012 - MANDT = REGUHM - MANDT
 T012 - BUKRS = REGUHM - ZBUKR
 T012 - HBKID = REGUHM - HBKID

HKTID is checked against check table T012K
Field assignment:
 T012K - MANDT = REGUHM - MANDT
 T012K - BUKRS = REGUHM - ZBUKR
 T012K - HBKID = REGUHM - HBKID
 T012K - HKTID = REGUHM - HKTID

RZawe is checked against check table T042Z
Field assignment:
 T042Z - MANDT = REGUHM - MANDT
 T042Z - LAND1 = * (generic)
 T042Z - ZLSCH = REGUHM - RZawe

UZawe is checked against check table T042F
Field assignment:
T042F - MANDT = REGUHM - MANDT
T042F - UZawe = REGUHM - UZawe

WAERS is checked against check table TCURC
Field assignment:
TCURC - MANDT = REGUHM - MANDT
TCURC - WAERS = REGUHM - WAERS