```
Created on....23.02.2011    Last changed on/by........ 08.03.2026 AB_RAVI
Author........XSAP_AB2
```

```
Title.........Adjustment of Overdrawls and underdrawls

Type..................1     Reporting
Status................
Application...........
Class.................
Logical database......
  from Application....
Selection screen......
Authorization group...
Package...............YG01

  Start by Variants
  Deactivate editor lock
X Fixed point arithmetic active
```

```
*&---------------------------------------------------------------------*
*& YRXR008_UD_ADJ_OD_OD2
*&
*&---------------------------------------------------------------------*
*&
*&
*&---------------------------------------------------------------------*

REPORT  yrxr008_ud_adj_od_od2.
TYPE-POOLS: slis.

DATA:it_fcat TYPE slis_t_fieldcat_alv,
     wa_fcat TYPE slis_fieldcat_alv.
* -> BEGIN OF CHANGES BY Arnav ON 30May25
TYPES: BEGIN OF ty_msg,
         msg  TYPE string,
         type TYPE string,
       END OF ty_msg.
* -> END OF CHANGES BY Arnav ON 30May25
DATA: it_msg TYPE STANDARD TABLE OF ty_msg,
      wa_msg TYPE ty_msg.

DATA: ls_oijnomh      TYPE oijnomh,
      ls_oijnomi      TYPE oijnomi,
      ls_oijnomi_temp TYPE oijnomi,
      ls_kna1         TYPE kna1,
      lt_oijrra       TYPE TABLE OF oijrra,
      days            TYPE i,
      not_week        TYPE boolean,
      not_month       TYPE boolean,
      not_fnight      TYPE boolean,
      week            TYPE boolean,
      month           TYPE boolean,
      fnight          TYPE boolean,
      msgv            TYPE msgv1.
DATA: BEGIN OF ls_vbeln ,
        vbeln TYPE vbeln,
        knumv TYPE vbak-knumv,
      END OF ls_vbeln,
      lt_vbeln      LIKE TABLE OF ls_vbeln,
      lt_oijnomr    TYPE TABLE OF oijnomr,
      lt_oijnomh    TYPE TABLE OF oijnomh,
      lt_oijnomi    TYPE TABLE OF oijnomi,
      lt_oijnomi_zu TYPE TABLE OF oijnomi,
      BEGIN OF ls_yro_nom_param,
        nomtk TYPE oij_nomtk,
        nomit TYPE oij_item,
        ancv  TYPE yyncv,
        agcv  TYPE yygcv,
      END OF ls_yro_nom_param,
      lt_yro_nom_param    LIKE TABLE OF ls_yro_nom_param,
      ls_yro_nom_param_db TYPE yro_nom_param,
      lt_yro_nom_param_db TYPE TABLE OF yro_nom_param,
      cum_aod             TYPE menge13,
      cum_ud              TYPE menge13,
      wt_ncv              TYPE yyncv,
      wt_gcv              TYPE yygcv,
      weight              TYPE menge13,
      wt_ncv1             TYPE yyncv,
      wt_gcv1             TYPE yygcv,
      wt_ncv_zu_s         TYPE yyncv,
```

```
      wt_gcv_zu_s         TYPE yygcv,
      wt_ncv_so           TYPE yyncv,
      wt_gcv_so           TYPE yygcv,
      weight1             TYPE menge13,
      g_energy            TYPE yygcv,
      n_energy            TYPE yyncv,
      gv_nomtk            TYPE oijnomi-nomtk,
      gv_nomit            TYPE oijnomi-nomit,
      BEGIN OF ls_cum_aod,
        locid   TYPE oijnomi-locid,
        cum_aod TYPE oijnomi-menge,
      END OF ls_cum_aod,
      lt_cum_aod LIKE TABLE OF ls_cum_aod.
DATA: bdcdata_wa     TYPE bdcdata,
      bdcdata        TYPE TABLE OF bdcdata WITH HEADER LINE,
      lt_oijnomi_adj TYPE TABLE OF oijnomi,
      ls_oijnomi_adj TYPE oijnomi,
      lv_werk        TYPE oijts-werk.
*BOC CHARM 4000002027 TECHNICAL VIKRAM BAJAJ FUNCTIONAL PRATIBHA DANGWAL DT 11.05.2020*
DATA : gv_vbdat TYPE vbdat_veda .
DATA : gv_vndat TYPE vndat_veda .
DATA : gt_yrvt_cont_dcq TYPE TABLE OF yrvt_cont_dcq .
DATA : lt_vbeln2      LIKE TABLE OF ls_vbeln.
*EOC CHARM 4000002027 TECHNICAL VIKRAM BAJAJ FUNCTIONAL PRATIBHA DANGWAL DT 11.05.2020*
*SELECTION-SCREEN BEGIN OF BLOCK B1.

DATA: messtab              LIKE STANDARD TABLE OF bdcmsgcoll WITH HEADER LINE,
      wa_msg1              TYPE bdcmsgcoll,
      w_ticket_number1(50),
      w_ticket_nr(50),
      wt_gcv_a(15)         TYPE c.

TYPES:BEGIN OF ty_message,
        id      TYPE  symsgid,
        number  TYPE symsgno,
        message TYPE bapi_msg,
      END OF ty_message.

DATA: it_message TYPE TABLE OF ty_message,
      wa_message TYPE ty_message.




SELECTION-SCREEN BEGIN OF BLOCK b1 WITH FRAME TITLE TEXT-001.
  PARAMETERS : p_kunnr TYPE kna1-kunnr OBLIGATORY,
               p_trans TYPE oijts-tsyst   OBLIGATORY,
               p_locid TYPE oijnomi-locid OBLIGATORY.
  SELECT-OPTIONS: so_date FOR  sy-datum      NO-EXTENSION OBLIGATORY.
SELECTION-SCREEN END OF BLOCK b1.

AT SELECTION-SCREEN ON VALUE-REQUEST FOR p_locid."-LOW.
  TYPES: BEGIN OF ty_oijts,
           locid TYPE oij_locid,
         END OF ty_oijts.

  DATA i_oijts TYPE TABLE OF ty_oijts.

```

```
  SELECT locid
*  TSNAM
*  TSYST
  FROM oijloc
  INTO TABLE i_oijts
  WHERE loctyp LIKE 'YRD%'.

  DATA: return_tab TYPE TABLE OF ddshretval,
        wa_tab     LIKE LINE  OF return_tab.

  CALL FUNCTION 'F4IF_INT_TABLE_VALUE_REQUEST'
    EXPORTING
      retfield        = 'LOCID'
      dynprofield     = 'P_LOCID'
      window_title    = 'SEARCH HELP'
      value_org       = 'S'
    TABLES
      value_tab       = i_oijts
      return_tab      = return_tab
    EXCEPTIONS
      parameter_error = 1
      no_values_found = 2.

  READ TABLE return_tab INTO wa_tab INDEX '1'.
  IF sy-subrc = 0.
    p_locid = wa_tab-fieldval.
  ENDIF.

AT SELECTION-SCREEN.

  SELECT * FROM oijrra INTO TABLE lt_oijrra WHERE kunnr = p_kunnr AND lo
cid = p_locid AND rtype = 'TSW005'.
  IF sy-subrc <> 0.
    MESSAGE e001(00) WITH 'THE CUSTOMER' p_kunnr  'IS NOT MAINTAINED AT
GIVEN LOCATION AS A RECEIVER'. "#EC *
  ENDIF.
  IF so_date-high IS INITIAL.
    MESSAGE e001(00) WITH 'ENTER DATE RANGE.'.
  ENDIF.

START-OF-SELECTION.
  DATA l_flag TYPE flag.
  DATA l_date TYPE sy-datum.
  CALL FUNCTION 'RP_LAST_DAY_OF_MONTHS'
    EXPORTING
      day_in            = so_date-low
    IMPORTING
      last_day_of_month = l_date
    EXCEPTIONS
      day_in_no_date    = 1
      OTHERS            = 2.
  IF sy-subrc <> 0.
* Implement suitable error handling here
  ENDIF.

  IF so_date-low < 15.
    IF so_date-low+6(2) <> '01' AND so_date-low+6(2) <> '15'.
      l_flag = 'X'.
    ENDIF.
  ELSE.
    IF so_date-high+6(2) <> 15 AND so_date-high+6(2) <> l_date+6(2)..
```

```
      l_flag = 'X'.
*else.
    ENDIF.
  ENDIF.

**SOC BY RAVI/SHREYOSI ON 08.03.2026 Matix Billing Changes TR:DVRK9A1Q97
  SELECT SINGLE setname, valfrom, valto
    FROM setleaf
    INTO @DATA(wa_setleaf)
    WHERE setname EQ 'YGMS_CORE_TEAM'
    AND   valfrom LE @sy-uname
    AND   valto   GE @sy-uname
    AND   setclass EQ '0000'.

  SELECT SINGLE * FROM yrxa_gms_constnt INTO @DATA(lv_const) WHERE y_par
am = 'A7' AND y_low = 1.
  IF lv_const IS NOT INITIAL OR wa_setleaf-valfrom EQ sy-uname.
    CLEAR:l_flag.
  ENDIF.
  CLEAR:wa_setleaf.
**EOC BY RAVI/SHREYOSI ON 08.03.2026 Matix Billing Changes TR:DVRK9A1Q97

  IF l_flag = 'X'.
**SOC BY RAVI/PRATIBHA ON 20.09.2025 GST BILLING CHANGES TR:DVRK9A1MHQ
    MESSAGE: 'Billing date range does not cover a single and complete fo
rtnight' TYPE 'E' DISPLAY LIKE 'E'.
**EOC BY RAVI/PRATIBHA ON 20.09.2025 GST BILLING CHANGES TR:DVRK9A1MHQ
    DATA l_ans TYPE c.
    CALL FUNCTION 'POPUP_TO_CONFIRM'
      EXPORTING
*       TITLEBAR       = ' '
*       DIAGNOSE_OBJECT             = ' '
        text_question  = TEXT-010
        text_button_1  = 'Yes'(011)
*       ICON_BUTTON_1  = ' '
        text_button_2  = 'No'(012)
*       ICON_BUTTON_2  = ' '
*       DEFAULT_BUTTON = '1'
*       DISPLAY_CANCEL_BUTTON       = 'X'
*       USERDEFINED_F1_HELP         = ' '
*       START_COLUMN   = 25
*       START_ROW      = 6
*       POPUP_TYPE     =
*       IV_QUICKINFO_BUTTON_1       = ' '
*       IV_QUICKINFO_BUTTON_2       = ' '
      IMPORTING
        answer         = l_ans
* TABLES
*       PARAMETER      =
      EXCEPTIONS
        text_not_found = 1
        OTHERS         = 2.
    IF sy-subrc <> 0.
* Implement suitable error handling here
    ENDIF.

    IF l_ans <> '1'.
      EXIT.
    ENDIF.
  ENDIF.
```

```
  PERFORM check_existing_ticket.
** BEFOR PROCEDD CHECK AUTHORIZATION
  IF p_trans IS NOT INITIAL.
    SELECT SINGLE werk FROM oijts INTO lv_werk WHERE tsyst = p_trans.
    IF sy-subrc = 0.
      AUTHORITY-CHECK OBJECT 'YGMS_PLANT'
               ID 'WERKS' FIELD lv_werk.
      IF sy-subrc <> 0.
        MESSAGE e001(00) WITH ' YOU DO NOT HAVE AUTHORIZATION F' 'OR TRANSPORT SYSTEM' p_trans.
      ENDIF.
    ENDIF.
  ENDIF.

  " GET ALL GSA DOCUMENTS FOR THE CUSTOMER
  SELECT vbeln knumv FROM vbak INTO TABLE lt_vbeln WHERE kunnr = p_kunnr AND vbtyp = 'G' AND auart <> 'ZGT1' .
*BOC CHARM 4000002027 TECHNICAL VIKRAM BAJAJ FUNCTIONAL PRATIBHA DANGWAL DT 11.05.2020*
*            AND ( ( GUEBG LE SO_DATE-LOW AND GUEEN GE SO_DATE-HIGH ) OR
*                  ( GUEBG LE SO_DATE-LOW AND GUEEN GE SO_DATE-LOW ) OR
*                  ( GUEBG GE SO_DATE-LOW AND GUEEN LE SO_DATE-HIGH ) OR
*                  ( GUEBG LE SO_DATE-HIGH AND GUEEN GE SO_DATE-HIGH )
*                ) .
*  IF SY-SUBRC <> 0.
  LOOP AT lt_vbeln INTO ls_vbeln  .
    CALL FUNCTION 'YRV_CONTRACT_DETAILS'
      EXPORTING
        vbeln       = ls_vbeln-vbeln
      IMPORTING
        vbegdat     = gv_vbdat
        venddat     = gv_vndat
      TABLES
        dcq_details = gt_yrvt_cont_dcq.
*   IF SO_DATE-LOW GE GV_VBDAT AND SO_DATE-HIGH LE  GV_VNDAT
    IF gv_vbdat LE so_date-high AND gv_vndat GE so_date-low.
      APPEND ls_vbeln TO  lt_vbeln2 .
    ENDIF .
    CLEAR : ls_vbeln , gv_vbdat , gv_vndat .
  ENDLOOP .
  REFRESH lt_vbeln .
  lt_vbeln[] = lt_vbeln2[] .
  IF lt_vbeln IS INITIAL .
*EOC CHARM 4000002027 TECHNICAL VIKRAM BAJAJ FUNCTIONAL PRATIBHA DANGWAL DT 11.05.2020*
    MESSAGE e001(00) WITH ' NO GSA CONTRACTS F' 'OUND FOR THE GIVEN SELECTION'. "#EC *
  ELSE.
** GET ALL NOMINTATION ITEMS WHERE THIS DOCUMENT IS USED
    SELECT * FROM oijnomi INTO TABLE lt_oijnomi FOR ALL ENTRIES IN lt_vbeln WHERE docnr = lt_vbeln-vbeln
                  AND idate IN so_date AND delind <> 'X'.
    IF sy-subrc <> 0.
      MESSAGE e018(oij_if).
    ELSE.
      SELECT * FROM oijnomh INTO TABLE lt_oijnomh FOR ALL ENTRIES IN lt_oijnomi WHERE
                                  nomtk = lt_oijnomi-nomtk AND tsyst = p_trans AND
                                  nomtyp = 'GISA'.
```

```
      IF sy-subrc <> 0.
        MESSAGE e018(oij_if).
      ELSE.
** GET ALL GISA NOMINATIONS WITH ABOVE SELECTED LINE ITEMS
**      IF THERE IS ANY UNAUTHORIZED LINE ITEM, DONT CONSIDER THAT NOMINATION FOR OD1 CALCULATION
        SELECT * FROM oijnomi INTO TABLE lt_oijnomi FOR ALL ENTRIES IN lt_oijnomh WHERE nomtk  = lt_oijnomh-nomtk AND delind <> 'X'.
        SORT lt_oijnomi BY idate DESCENDING.
        READ TABLE lt_oijnomi INTO ls_oijnomi INDEX 1.
        gv_nomtk = ls_oijnomi-nomtk.
        SELECT * FROM oijnomi INTO TABLE lt_oijnomi_adj WHERE nomtk = gv_nomtk.
        SORT lt_oijnomi_adj BY nomit DESCENDING.
        READ TABLE lt_oijnomi_adj INTO ls_oijnomi_adj INDEX 1.
        gv_nomit = ls_oijnomi_adj-nomit.
* -> BEGIN OF CHANGES BY Arnav ON 30May25
        "———————>"*SOC CHARM ID :4000009388 |TECHICAL : RAVINDER SINGH| FUNCTIONAL : SHREYOSHI |DT:11.03.2025"
        IF NOT lt_oijnomi IS INITIAL.
          SELECT nomtk nomit ancv agcv FROM yro_nom_param INTO TABLE lt_yro_nom_param FOR ALL ENTRIES IN lt_oijnomi
          WHERE nomtk = lt_oijnomi-nomtk AND
          nomit = lt_oijnomi-nomit.
          SORT lt_yro_nom_param BY nomtk ASCENDING nomit ASCENDING.
          LOOP AT lt_yro_nom_param INTO DATA(ls_temp).
            IF ls_temp-agcv = 0 OR ls_temp-ancv = 0.
              DATA(ls_temp1) = VALUE #( lt_oijnomi[ nomtk = ls_temp-nomtk nomit = ls_temp-nomit ] OPTIONAL ) .
*       wa_msg-msg = | GCV and NCV are found to be incorrect for | && ls_temp1-idate && | and | && ls_temp1-locid && | & | && ls_temp1-partnr && | Re-run allocation | .
              wa_msg-msg = | Re-RUN Allocation FOR | && ls_temp1-locid && | / | && ls_temp1-partnr && | AND | && ls_temp1-idate+6(2) && '.' && ls_temp1-idate+4(2) && '.' && ls_temp1-idate+0(4) &&
              | AS GCV AND NCV are found TO be incorrectly updated | .
              wa_msg-type = 'Error'.
              APPEND wa_msg TO it_msg.
              CLEAR: wa_msg,ls_temp1.
            ENDIF.
            CLEAR ls_temp.
          ENDLOOP.
          IF it_msg[] IS NOT INITIAL.
            PERFORM: error_alv.
          ENDIF.
        ENDIF.
        "———————>"*SOC CHARM ID :4000009388 |TECHICAL : RAVINDER SINGH| FUNCTIONAL : SHREYOSHI |DT:11.03.2025"
* -> END OF CHANGES BY Arnav ON 29May25

        IF NOT lt_oijnomi IS INITIAL.
          SELECT nomtk nomit ancv agcv FROM yro_nom_param INTO TABLE lt_yro_nom_param FOR ALL ENTRIES IN lt_oijnomi
                                      WHERE nomtk = lt_oijnomi-nomtk AND
                                            nomit = lt_oijnomi-nomit.

          IF sy-subrc <> 0.
            MESSAGE w001(00) WITH 'NCV AND GCV WERE NOT FOUND FOR GIVEN SELECTION'. "#EC *
          ENDIF.
        ENDIF.
```

```
**************CHANGE IN OD1 BY VAIBHAV 29.08.2011
*DATA L_DEL TYPE FLAG.
*
*LOOP AT LT_OIJNOMI INTO LS_OIJNOMI WHERE IDATE = SO_DATE-HIGH AND
* ( SITYP = 'ZA' OR SITYP = 'ZJ' OR SITYP = 'ZU' ).
*  IF LS_OIJNOMI-SITYP = 'ZJ' AND LS_OIJNOMI-DOCIND = 'G'.
*L_DEL = 'X'.
*    ELSEIF LS_OIJNOMI-SITYP = 'ZA' AND LS_OIJNOMI-DOCIND = 'G'.
*L_DEL = 'X'.
*
*      ELSEIF LS_OIJNOMI-SITYP = 'ZU' AND LS_OIJNOMI-DOCIND = 'S'.
*L_DEL = 'X'.
*  ENDIF.
*
*  ENDLOOP.









        LOOP AT lt_oijnomi INTO ls_oijnomi WHERE sityp = 'ZU'.
          IF ls_oijnomi-docind = 'X' AND ls_oijnomi-bloind NE 'X' AND ls_oijnomi-delind NE 'X'.
            APPEND ls_oijnomi TO lt_oijnomi_zu.
          ENDIF.
          CLEAR ls_oijnomi.
        ENDLOOP.

        IF lt_oijnomi IS INITIAL.
          MESSAGE s001(00) WITH ' NO DATA FOUND FOR U' 'NDER DRAWL AND OVER DRAWL ADJUSTMENT'.
        ENDIF.
** BASED ON ZA LINE ITEMS GET THE CUMULATIVE AUTHORIZED OVER DRAWL
        SORT lt_oijnomi BY locid.
        LOOP AT lt_oijnomi INTO ls_oijnomi WHERE  sityp = 'ZA'  AND docind = 'X'." OR SITYP = 'ZU') AND DOCIND = 'X'.
          ls_cum_aod-locid = ls_oijnomi-locid.
          ls_cum_aod-cum_aod = ls_oijnomi-menge.
          COLLECT ls_cum_aod INTO lt_cum_aod.
          cum_aod =   cum_aod + ls_oijnomi-menge.
          READ TABLE lt_yro_nom_param INTO ls_yro_nom_param WITH KEY nomtk = ls_oijnomi-nomtk nomit = ls_oijnomi-nomit.
          IF sy-subrc = 0.
            wt_ncv = wt_ncv + ls_oijnomi-menge * ls_yro_nom_param-ancv.
            wt_gcv = wt_gcv + ls_oijnomi-menge * ls_yro_nom_param-agcv.
            weight = weight + ls_oijnomi-menge.
          ELSE.
            READ TABLE lt_yro_nom_param INTO ls_yro_nom_param WITH KEY nomtk = ls_oijnomi-nomtk.
            IF sy-subrc = 0.
              wt_ncv = wt_ncv + ls_oijnomi-menge * ls_yro_nom_param-ancv.
              wt_gcv = wt_gcv + ls_oijnomi-menge * ls_yro_nom_param-agcv.
              weight = weight + ls_oijnomi-menge.
            ENDIF.
          ENDIF.
```

```
        ENDLOOP.
        IF weight IS NOT INITIAL.
          wt_ncv = wt_ncv / weight.
          wt_gcv = wt_gcv / weight.
        ENDIF.
        CLEAR ls_oijnomi.

** BASED ON ZU LINE ITEMS GET THE CUMULATIVE UNAUTHORIZED OVER DRAWL
        SORT lt_oijnomi BY locid.
        LOOP AT lt_oijnomi INTO ls_oijnomi WHERE  sityp = 'ZU'  AND docind = 'X'.
          READ TABLE lt_yro_nom_param INTO ls_yro_nom_param WITH KEY nomtk = ls_oijnomi-nomtk nomit = ls_oijnomi-nomit.
          IF sy-subrc = 0.
            wt_ncv1 = wt_ncv1 + ls_oijnomi-menge * ls_yro_nom_param-ancv.
            wt_gcv1 = wt_gcv1 + ls_oijnomi-menge * ls_yro_nom_param-agcv.
            weight1 = weight1 + ls_oijnomi-menge.
          ELSE.
            READ TABLE lt_yro_nom_param INTO ls_yro_nom_param WITH KEY nomtk = ls_oijnomi-nomtk.
            IF sy-subrc = 0.
              wt_ncv1 = wt_ncv1 + ls_oijnomi-menge * ls_yro_nom_param-ancv.
              wt_gcv1 = wt_gcv1 + ls_oijnomi-menge * ls_yro_nom_param-agcv.
              weight1 = weight1 + ls_oijnomi-menge.
            ENDIF.
          ENDIF.
        ENDLOOP.
        IF weight1 IS NOT INITIAL.
          wt_ncv1 = wt_ncv1 / weight1.
          wt_gcv1 = wt_gcv1 / weight1.
        ENDIF.
        CLEAR ls_oijnomi.

        IF cum_aod IS INITIAL.
          MESSAGE s001(00) WITH ' NO AUTHORIZED OVER DRAWL FOUN' 'D FOR THE GIVEN PERIOD'. "#EC *
        ENDIF.

        IF cum_aod IS INITIAL AND lt_oijnomi_zu[] IS INITIAL.
          MESSAGE s001(00) WITH ' NO AUTHORIZED AND UNAUTHORIZED OVER DRAWL FOUN' 'D FOR THE GIVEN PERIOD'. "#EC *
          LEAVE TO TRANSACTION 'YRXU007'..
        ENDIF.
        CLEAR ls_oijnomi.
      ENDIF.
    ENDIF.
  ENDIF.
*  WT_NCV = WT_NCV / WEIGHT.
*  WT_GCV = WT_GCV / WEIGHT.
  SORT lt_oijnomi BY idate.

  DATA: BEGIN OF ls_material_adjust ,
          vbeln TYPE vbak-vbeln,
          uom   TYPE meins,
          locid TYPE oijnomi-locid,
          matnr TYPE mara-matnr,
          aod   TYPE yyoij_aod_qty,
```

```
          ud    TYPE yyoij_un_qty, "UNDER DRAWLS IN SM3
          cud   TYPE yyoij_un_qty, "UNDER DRAWL IN CONTRACTUAL UOM
          csm3  TYPE menge_d, "IN SM3 @GCV, NCV
        END OF ls_material_adjust,
        lt_material_adjust LIKE TABLE OF ls_material_adjust,
        lt_vbap            TYPE TABLE OF vbap,
        ls_vbap            TYPE vbap,
        lt_oijnomi_vbap    TYPE TABLE OF oijnomi.
  IF NOT lt_oijnomi IS INITIAL.
    APPEND LINES OF lt_oijnomi TO lt_oijnomi_vbap.
    DELETE lt_oijnomi_vbap WHERE docind <> 'G'.
    SELECT * FROM vbap INTO TABLE lt_vbap FOR ALL ENTRIES IN lt_oijnomi_vbap
              WHERE vbeln = lt_oijnomi_vbap-docnr AND posnr = lt_oijnomi_vbap-docitm.
  ENDIF.
  SORT lt_oijnomi BY locid matnr_i.
  LOOP AT lt_oijnomi INTO ls_oijnomi WHERE docind = 'G'.
    ls_material_adjust-matnr = ls_oijnomi-s_matnr_i.
    ls_material_adjust-locid = ls_oijnomi-locid.
    READ TABLE lt_vbap INTO ls_vbap WITH KEY vbeln = ls_oijnomi-docnr posnr = ls_oijnomi-docitm.
    ls_material_adjust-uom   = ls_vbap-zieme.
    ls_material_adjust-vbeln = ls_oijnomi-docnr.
    ls_material_adjust-aod   = ls_oijnomi-yyoij_od_qty.
    ls_material_adjust-ud    = ls_oijnomi-yyoij_un_qty.
*APPEND LS_MATERIAL_ADJUST TO LT_MATERIAL_ADJUST.
**    CONVERT UD INTO CORRESPONDING CONTRACTUAL UOM USING THAT DAYS GCV AND NCV
    READ TABLE lt_yro_nom_param INTO ls_yro_nom_param WITH KEY nomtk = ls_oijnomi-nomtk." NOMIT = LS_OIJNOMI-NOMIT.
    IF sy-subrc = 0.
      DATA lv_adqnt TYPE msego2-adqnt.
      lv_adqnt = ls_material_adjust-ud.
      CALL FUNCTION 'YRX_QTY_UOM_TO_QTY_UOM'
        EXPORTING
          i_trqty = lv_adqnt "I_TRQTY
          i_truom = 'SM3' "I_TRUOM
          i_tguom = ls_vbap-zieme "I_TGUOM
          lv_gcv  = ls_yro_nom_param-agcv "LV_GCV
          lv_ncv  = ls_yro_nom_param-ancv "LV_NCV
        CHANGING
          c_tgqty = lv_adqnt.
      ls_material_adjust-cud = lv_adqnt.

      CALL FUNCTION 'YRX_QTY_UOM_TO_QTY_UOM'
        EXPORTING
          i_trqty = lv_adqnt "I_TRQTY
          i_truom = ls_vbap-zieme "I_TRUOM
          i_tguom = 'SM3' "I_TGUOM
          lv_gcv  = wt_gcv
          lv_ncv  = wt_ncv "LV_NCV
        CHANGING
          c_tgqty = lv_adqnt.
      ls_material_adjust-csm3 = lv_adqnt.
    ENDIF.
    COLLECT ls_material_adjust INTO lt_material_adjust.
    CLEAR ls_material_adjust.
  ENDLOOP.
  CLEAR ls_oijnomi.
  SORT lt_material_adjust BY matnr." IDATE.
```

```
501
502    DATA: ls_material_adjust_calc LIKE ls_material_adjust,
503          BEGIN OF ls_mat_ud,
504            vbeln TYPE vbak-vbeln,
505            uom   TYPE meins,
506            locid TYPE oijnomi-locid,
507            matnr TYPE mara-matnr,
508            cud   TYPE oijnomi-yyoij_un_qty, "IN CONTRACTUAL UOM
509            ud    TYPE oijnomi-yyoij_un_qty,                  " IN SM3
510            csm3  TYPE menge_d , " SM3 IN GCV,NCV
511          END OF ls_mat_ud,
512          lt_mat_ud LIKE TABLE OF ls_mat_ud.
513
514    DATA: BEGIN OF ls_adjusted,
515            vbeln TYPE vbak-vbeln,
516            locid TYPE oijnomi-locid,
517            matnr TYPE mara-matnr,
518            ud    TYPE yyoij_un_qty,
519          END OF ls_adjusted,
520
521          lt_adjusted        LIKE TABLE OF ls_adjusted,
522          ls_oij_el_ticket_i TYPE oij_el_ticket_i,
523          lt_oij_el_ticket_i TYPE TABLE OF oij_el_ticket_i,
524          lv_tabix           TYPE sy-tabix,
525          lv_caod_cuom       TYPE msego2-adqnt.
526
527    LOOP AT lt_material_adjust INTO ls_material_adjust WHERE ud <> 0.
528      MOVE-CORRESPONDING ls_material_adjust TO ls_mat_ud.
529      COLLECT ls_mat_ud INTO lt_mat_ud.
530    ENDLOOP.
531
532  *** SORT LT_MAT_UD BASED ON MATERIAL PRIORITY FROM SCHEMA
533  ** CALL FM TO GET THIS PRIORITY
534  ** GET TRANSACTION TYPE FROM OIJ_EL_CP_LAYT
535    DATA:BEGIN OF  ls_trantype,
536           vbeln    TYPE vbak-vbeln,
537           trantyp  TYPE oij_trantyp,
538           priority TYPE oij_el_cp_layt-priority,
539           servtype TYPE oij_el_cp_layt-servtype,
540         END OF ls_trantype,
541         lt_trantypes LIKE TABLE OF ls_trantype,
542         lv_schema    TYPE oij_schema,
543         ls_rank      TYPE yrxa_rank,
544         lt_ranks     TYPE yrxa_rank_tab,
545         lt_reltype   TYPE TABLE OF oijrelcriteria,
546         ls_reltype   TYPE oijrelcriteria,
547         lv_subrc     TYPE sy-subrc,
548         ls_msg       TYPE sy-msgv1.
549    SELECT vbeln trantyp priority servtype
550    FROM oij_el_cp_layt INTO TABLE lt_trantypes
551    FOR ALL ENTRIES IN lt_vbap WHERE vbeln = lt_vbap-vbeln.
552  *  SELECT SINGLE SCHEMA_BUSCONF FROM OIJLOC INTO LV_SCHEMA WHERE LOCID =
      P_LOCID."SO_LOCID-LOW.
553  *CHANGE IN LOGIC BY VAIBHAV ON 03.11.2014
554  *  SELECT SINGLE YY_SCHEMA INTO LV_SCHEMA
555  * FROM YRGA_GMS_TBS
556  * WHERE
557  *LOCATION_ID = P_LOCID "IS_AGG_NOM_ITEM-LOCID
558  * AND
559  **        BUSINESS_PROCESS = 'BUSINESS CONFIRMATION'
560  **        AND
```

```
* START_DATE <= SO_DATE-HIGH
* AND
* END_DATE >= SO_DATE-HIGH."IS_AGG_NOM_ITEM-IDATE.
*  IF SY-SUBRC <> 0.
*    SELECT SINGLE SCHEMA_BUSCONF FROM OIJLOC INTO LV_SCHEMA WHERE LOCID = P_LOCID."SO_LOCID-LOW.
*  ENDIF.

*CHANGE IN LOGIC BY VAIBHAV ON 03.11.2014
*
  SELECT SINGLE schema_busconf
         FROM oijloc INTO lv_schema        WHERE locid = p_locid."SO_LOCID-LOW.

  SELECT * FROM oijrelcriteria INTO TABLE lt_reltype FOR ALL ENTRIES IN lt_trantypes WHERE transaction_type = lt_trantypes-trantyp.

  LOOP AT lt_trantypes INTO ls_trantype.
    LOOP AT lt_reltype INTO ls_reltype WHERE transaction_type = ls_trantype-trantyp
                                          AND capacity         = ls_trantype-priority
                                          AND service_type     = ls_trantype-servtype.
      ls_rank-relvancy_type = ls_reltype-relvancy_type."LS_TRANTYPE-TRANTYP.
      ls_rank-schema_id = lv_schema.
      APPEND ls_rank TO lt_ranks.
    ENDLOOP.
  ENDLOOP.
  SORT lt_ranks BY relvancy_type schema_id.
  DELETE ADJACENT DUPLICATES FROM lt_ranks.

  CALL FUNCTION 'YRXF005_GET_RANK_1'
    CHANGING
      yrxa_rank_tab = lt_ranks
      subrc         = lv_subrc.
  IF lv_subrc IS INITIAL.
  ELSE.
    READ TABLE lt_ranks INTO ls_rank INDEX 1.
    CONCATENATE 'CHECK SCHEMA   ' ls_rank-schema_id  ' RELEVANCY  ' ls_rank-relvancy_type INTO ls_msg RESPECTING BLANKS.
    MESSAGE e001(00) WITH ls_msg.
  ENDIF.
  SORT lt_ranks BY yy_rank.

  DATA : BEGIN OF ls_mat_ud_pro,
           vbeln TYPE vbak-vbeln,
           uom   TYPE meins,
           locid TYPE oijnomi-locid,
           matnr TYPE mara-matnr,
           cud   TYPE oijnomi-yyoij_un_qty,
           ud    TYPE oijnomi-yyoij_un_qty,
           csm3  TYPE menge_d,
           rank  TYPE oij_level,
         END OF ls_mat_ud_pro,
         lt_mat_ud_pro  LIKE TABLE OF ls_mat_ud_pro,
         lv_cum_ud      TYPE menge_d,
         ls_mat_ud_pro1 LIKE ls_mat_ud_pro,
         ls_mat_ud1     LIKE ls_mat_ud,
         lv_aod         TYPE menge_d,
```

```
          lv_cum_zj      TYPE menge_d,
          lv_bal_aod     TYPE menge_d.

  LOOP AT lt_ranks INTO ls_rank.
    READ TABLE lt_reltype INTO ls_reltype WITH KEY relvancy_type = ls_rank-relvancy_type.
**** SOC BY SACHIN TO MAKE
    LOOP AT lt_trantypes INTO ls_trantype WHERE trantyp = ls_reltype-transaction_type.
*   READ TABLE LT_TRANTYPES INTO LS_TRANTYPE WITH KEY TRANTYP = LS_RELTYPE-TRANSACTION_TYPE. "LS_RANK-RELVANCY_TYPE.
*    IF SY-SUBRC = 0.
      READ TABLE lt_vbap INTO ls_vbap WITH KEY vbeln = ls_trantype-vbeln.
      IF sy-subrc = 0.
        LOOP AT lt_mat_ud INTO ls_mat_ud WHERE matnr = ls_vbap-matnr AND vbeln = ls_trantype-vbeln.
          ls_mat_ud_pro-rank  = ls_rank-yy_rank.
          MOVE-CORRESPONDING ls_mat_ud TO ls_mat_ud_pro.
          APPEND ls_mat_ud_pro TO lt_mat_ud_pro.
        ENDLOOP.
      ENDIF.
*    ENDIF.
    ENDLOOP.
  ENDLOOP.


  LOOP AT lt_ranks INTO ls_rank.
    CLEAR: lv_cum_zj.
    READ TABLE lt_reltype INTO ls_reltype WITH KEY relvancy_type = ls_rank-relvancy_type.
**** SOC BY SACHIN TO MAKE
    LOOP AT lt_trantypes INTO ls_trantype WHERE trantyp = ls_reltype-transaction_type.
*    READ TABLE LT_TRANTYPES INTO LS_TRANTYPE WITH KEY TRANTYP = LS_RELTYPE-TRANSACTION_TYPE.
*    IF SY-SUBRC = 0.
      READ TABLE lt_vbap INTO ls_vbap WITH KEY vbeln = ls_trantype-vbeln.
      IF sy-subrc = 0.
        LOOP AT lt_mat_ud INTO ls_mat_ud WHERE matnr = ls_vbap-matnr AND vbeln = ls_vbap-vbeln.
          IF ls_mat_ud-csm3 <> 0.
            READ TABLE lt_cum_aod INTO ls_cum_aod WITH KEY locid = ls_mat_ud-locid.
            IF sy-subrc = 0.
              IF ls_cum_aod-cum_aod LE 0.
                EXIT.
              ENDIF.
              lv_tabix = sy-tabix.
** CHECK IF ANY OTHER MATERIAL WITH SAME RANK IS EXISTING.
** GET UNDERDRAWL OF MATERIALS WITH THIS RANK
              lv_cum_ud = ls_mat_ud-csm3.
              LOOP AT lt_mat_ud_pro INTO ls_mat_ud_pro1 WHERE rank = ls_rank-yy_rank AND vbeln <> ls_vbap-vbeln.  "MATNR <> LS_VBAP-MATNR.
                lv_cum_ud = ls_mat_ud_pro1-csm3 + lv_cum_ud.
              ENDLOOP.
              IF sy-subrc = 0.
** CONVERT CUM. AOD INTO UOM OF THE MATERIAL
**      CSM3
                lv_aod = ls_cum_aod-cum_aod.
```

```
                IF ls_cum_aod-cum_aod < lv_cum_ud.
**       ONLY NOW PRORATA IS REQUIRED
                  LOOP AT lt_mat_ud_pro INTO ls_mat_ud_pro1 WHERE rank = ls_rank-yy_rank.
                    READ TABLE lt_mat_ud INTO ls_mat_ud1 WITH KEY vbeln = ls_mat_ud_pro1-vbeln. " MATNR = LS_MAT_UD_PRO1-MATNR.
                    IF sy-subrc = 0.
                      ls_mat_ud1-csm3 = ( ls_mat_ud1-csm3 * ls_cum_aod-cum_aod ) / lv_cum_ud.
****       SOC  LOGIC TO REMOVE ROUNDING ERROR OF .001 CHARM 4000005003
                      lv_cum_zj = lv_cum_zj + ls_mat_ud1-csm3 .
                      lv_bal_aod = ls_cum_aod-cum_aod - lv_cum_zj .
                      IF lv_bal_aod LT  '.01' AND  lv_bal_aod GE  '.001' .
                        ls_mat_ud1-csm3 = ls_mat_ud1-csm3 +  lv_bal_aod .
                      ELSEIF lv_bal_aod LE '-.0001' AND lv_bal_aod GT '-.01'.
                        ls_mat_ud1-csm3 = ls_mat_ud1-csm3 +  lv_bal_aod .
                      ENDIF.
****     EOC  LOGIC TO REMOVE ROUNDING ERROR OF .001 CHARM 4000005003

                      MODIFY lt_mat_ud FROM ls_mat_ud1 INDEX sy-tabix TRANSPORTING csm3 .
                    ENDIF.
                  ENDLOOP.
                  ls_cum_aod-cum_aod = lv_aod.
                  READ TABLE lt_mat_ud INTO ls_mat_ud WITH KEY matnr = ls_vbap-matnr.

                ENDIF.
                DELETE  lt_mat_ud_pro WHERE rank = ls_rank-yy_rank.
              ENDIF. " MATERIAL RANK WITH SAME RANK FOUND

              ls_adjusted-matnr = ls_mat_ud-matnr.
              ls_adjusted-vbeln = ls_mat_ud-vbeln.
              ls_adjusted-locid = ls_mat_ud-locid.
** CHECK IF MAT CONTRACTUAL UOM NOT SM3. THEN CONVERT AOD TO SM3 ADJUST IT IN CONT. UOM
** UPDATE AOD ACCORDINGLY BACK TO SM3
              ls_cum_aod-cum_aod = ls_cum_aod-cum_aod - ls_mat_ud-csm3.
              MODIFY lt_cum_aod FROM ls_cum_aod INDEX lv_tabix.

              IF ls_cum_aod-cum_aod LE 0.
                IF NOT lv_caod_cuom IS INITIAL.
                  ls_adjusted-ud  =  lv_caod_cuom.
                ELSE.
                  ls_adjusted-ud = ls_mat_ud-csm3 + ls_cum_aod-cum_aod .
                ENDIF.
                APPEND ls_adjusted TO lt_adjusted.
                CLEAR cum_aod.
                EXIT.
              ELSE.
                ls_adjusted-ud = ls_mat_ud-csm3.
                APPEND ls_adjusted TO lt_adjusted.
              ENDIF.
            ENDIF.
          ENDIF.
        ENDLOOP.
      ENDIF.
```

```
*    ENDIF.
     ENDLOOP.
   ENDLOOP.
   IF sy-subrc <> 0.
***     NO UDS FOUND, BUT ODS ARE THERE.
   ENDIF.
   SORT lt_material_adjust BY matnr. "IDATE DESCENDING.
   SORT lt_oijnomi BY idate DESCENDING.
   READ TABLE lt_oijnomi INTO ls_oijnomi INDEX 1.

   DATA: lv_kunnr TYPE kunnr,
         BEGIN OF ls_knumv ,
           vbeln TYPE vbak-vbeln,
           knumv TYPE knumv,
         END OF ls_knumv,
         lt_knumv LIKE TABLE OF ls_knumv,
         BEGIN OF ls_konv,
           knumv TYPE knumv,
           kwert TYPE kwert,
         END OF ls_konv,
         lt_konv LIKE TABLE OF ls_konv,
         BEGIN OF ls_vbap_uaod_matnr,
           vbeln TYPE vbak-vbeln,
           matnr TYPE mara-matnr,
           zmeng TYPE vbap-zmeng,
         END OF ls_vbap_uaod_matnr,
         lt_vbap_uaod_matnr LIKE TABLE OF ls_vbap_uaod_matnr,
         ls_kwert           LIKE ls_konv,
         lt_kwert           LIKE TABLE OF ls_konv,
         BEGIN OF ls_material,
           matnr TYPE vbap-matnr,
           kwert TYPE konv-kwert,
           kunnr TYPE kunnr,
           vbeln TYPE vbak-vbeln,
           batch TYPE charg_d,
         END OF ls_material,
         lt_material LIKE TABLE OF ls_material,
         ref_val     TYPE menge_d.
   TYPES: BEGIN OF ty_a985,
            charg TYPE charg_d,
            knumh TYPE knumh,
            matnr TYPE matnr18,
          END OF ty_a985,

          BEGIN OF ty_a987_1,
            matnr TYPE matnr,
            knumh TYPE knumh,
          END OF ty_a987_1,

          BEGIN OF ty_a987,
            matnr TYPE matnr,
          END OF ty_a987.

   DATA: i_a983  TYPE TABLE OF ty_a985,
         i_a984  TYPE TABLE OF ty_a985,
         i_a987  TYPE TABLE OF ty_a987_1,
         i_a988  TYPE TABLE OF ty_a987_1,
         wa_konp TYPE konp.

   DATA: wa_a983   TYPE ty_a985,
         wa_a984   TYPE ty_a985,
```

```
        wa_a987   TYPE ty_a987_1,
        wa_a988   TYPE ty_a987_1,
        wa_mcha   TYPE ty_a987,
        lv_loevm  TYPE loevm_ko,
        lv_bzirk  TYPE bzirk,
        new_nomit TYPE oijnomi-nomit.
  SELECT * FROM oijnomi INTO TABLE lt_oijnomi_adj WHERE nomtk = ls_oijnomi-nomtk.

  SORT lt_oijnomi_adj BY nomit DESCENDING.
  READ TABLE lt_oijnomi_adj INTO ls_oijnomi_adj INDEX 1.

  DATA :headerdata_in      LIKE  bapitswnom02,
        headerdata_inx     LIKE  bapitswnom02x,
** -> BEGIN OF CHANGES BY OF <ADITI> ON <21/10/24> FOR ATC
        nominationitem_in  LIKE  TABLE OF bapitswnom03 WITH HEADER LINE, "#EC CI_USAGE_OK[2215424]
        nominationitem_inx LIKE  TABLE OF bapitswnom03x WITH HEADER LINE, "#EC CI_USAGE_OK[2215424]
** <- END CHANGES BY OF <ADITI> ON <21/10/24> FOR ATC
        return             TYPE  TABLE OF bapiret2,
        ls_return          TYPE  bapiret2,
        headerdata_out     TYPE  bapitswnom02_o.
  DATA: lv_menge           TYPE  oijnomi-menge.


*  TYPES: BEGIN OF TY_MSG,
*           MSG  TYPE STRING,
*           TYPE TYPE STRING,
*         END OF TY_MSG.
*
*  DATA: IT_MSG TYPE STANDARD TABLE OF TY_MSG,
*        WA_MSG TYPE TY_MSG.


  IF ls_oijnomi-nomtk IS INITIAL.
    ls_oijnomi-nomtk = gv_nomtk.
    IF ls_oijnomi-nomit IS INITIAL.
      SELECT * FROM oijnomi INTO TABLE lt_oijnomi WHERE nomtk = gv_nomtk.
      SORT lt_oijnomi BY nomit DESCENDING.
      READ TABLE lt_oijnomi INTO ls_oijnomi INDEX 1.
    ENDIF.
  ENDIF.
  headerdata_in-nominationnumber_sap  = ls_oijnomi-nomtk.
  headerdata_inx-nominationnumber_sap = ls_oijnomi-nomtk.
  headerdata_inx-updkz = 'U'.

  LOOP AT lt_adjusted INTO ls_adjusted WHERE ud <> 0.
    LOOP AT lt_material_adjust INTO ls_material_adjust WHERE matnr = ls_adjusted-matnr AND ud <> 0.
      EXIT.
    ENDLOOP.
    IF new_nomit IS INITIAL.
      new_nomit =  gv_nomit + 10.
    ELSE.
      new_nomit = new_nomit + 10.
    ENDIF.
** CREATE NEW LINE ITEM IN THE LAST GISA NOMINATION FOR THE ADJUSTED QTY FOR EACH MATERIAL
    nominationitem_in-nominationnumber_sap  = ls_oijnomi-nomtk.
```

```
    nominationitem_in-itemnumber            = new_nomit.
    nominationitem_in-itemtype              = 'ZJ'.
    nominationitem_in-scheduleddate         = ls_oijnomi-idate.
    READ TABLE lt_oijnomi INTO ls_oijnomi WITH KEY s_matnr_i = ls_adjust
ed-matnr.

    nominationitem_in-locationid            = ls_oijnomi-locid.
    nominationitem_in-schedulematerial      = ls_adjusted-matnr.
    nominationitem_in-nominatedquantity     = ls_adjusted-ud.
    nominationitem_in-quantityunit_sap      = 'SM3'.

    READ TABLE lt_vbap INTO ls_vbap WITH KEY matnr = ls_adjusted-matnr v
beln = ls_adjusted-vbeln.
    IF sy-subrc = 0.
      nominationitem_in-documentnumber      = ls_vbap-vbeln.
      nominationitem_in-documentitem        = ls_vbap-posnr.
      nominationitem_in-documentindicator   = 'G'.
    ELSE.
      nominationitem_in-documentindicator   = 'X'. "IDEALLY SHOULDNOT HA
PPEN
      "IF OCCURSSOMETHING WORNG IN CAL
    ENDIF.
    nominationitem_in-autoconfirm           = 'X'.

    nominationitem_inx-nominationnumber_sap = headerdata_in-nominationnu
mber_sap.
    nominationitem_inx-itemnumber           = new_nomit.
    nominationitem_inx-itemtype             = 'X'.
    nominationitem_inx-scheduleddate        = 'X'.
    nominationitem_inx-locationid           = 'X'.
    nominationitem_inx-schedulematerial     = 'X'.
    nominationitem_inx-nominatedquantity    = 'X'.
    nominationitem_inx-quantityunit_sap     = 'X'.
    nominationitem_inx-documentnumber       = 'X'.
    nominationitem_inx-documentitem         = 'X'.
    nominationitem_inx-documentindicator    = 'X'.
    nominationitem_inx-updkz                = 'I'.
    nominationitem_inx-autoconfirm          = 'X'.
    APPEND nominationitem_inx.

    APPEND nominationitem_in .
    CLEAR: nominationitem_in, nominationitem_inx.
  ENDLOOP.

** THERE WILL BE ONLY ONE LINE ITEM AT A LOCATION FOR A CUSTOMER
  READ TABLE lt_cum_aod INTO ls_cum_aod INDEX 1.
  IF sy-subrc = 0.
    IF ls_cum_aod-cum_aod > 0.

** CHECK IF IT IS STILL AUTHORIZED OR UNAUTHORIZED

      SORT lt_oijnomi BY idate DESCENDING.
      IF p_kunnr = '0000010222' .
* SOC THRESHOLD LIMIT IN CASE OF RIL DAHEJ BASED ON SUM OF ALL NOMINATIO
N OF FORTNIGHT  INSTEAD OF LAST DAY BY SACHIN ON 20.05.2014
        LOOP AT lt_oijnomi INTO ls_oijnomi WHERE sityp = 'DU' AND idate
LE so_date-high
           AND idate GE so_date-low.
          lv_menge = lv_menge + ls_oijnomi-menge.
        ENDLOOP.
*EOC THRESHOLD LIMIT IN CASE OF RIL DAHEJ BASED ON SUM OF ALL NOMINATION
```

```
 OF FORTNIGHT  INSTEAD OF LAST DAY BY SACHIN ON 20.05.2014
      ELSE.
** GET LAST KNOWN MENGE
*        BEGIN OF CODE CHANGE : INPUT PROVIDED BY CHRISTINA / MR. MONDAL
        READ TABLE lt_oijnomi INTO ls_oijnomi_temp INDEX 1.
*        LOOP AT LT_OIJNOMI INTO LS_OIJNOMI WHERE SITYP = 'DU' AND IDATE = SO_DATE-HIGH.
        LOOP AT lt_oijnomi INTO ls_oijnomi WHERE sityp = 'DU' AND idate = ls_oijnomi_temp-idate.
*        END OF CODE CHANGE : INPUT PROVIDED BY CHRISTINA / MR. MONDAL
          lv_menge = lv_menge + ls_oijnomi-menge.
        ENDLOOP.
      ENDIF.

      ls_oijnomi-menge = lv_menge.  CLEAR lv_menge.

      DATA l_yrxa_od_pcnt  TYPE yrxa_od_pcnt.
      DATA it_yrxa_od_pcnt TYPE TABLE OF yrxa_od_pcnt.

      SELECT SINGLE * FROM kna1 INTO ls_kna1 WHERE kunnr = p_kunnr.

      SELECT * INTO TABLE it_yrxa_od_pcnt FROM yrxa_od_pcnt.
      READ TABLE it_yrxa_od_pcnt INTO l_yrxa_od_pcnt WITH KEY yy_kukla = ls_kna1-kukla.
      IF sy-subrc = 0.
        ref_val = ( ls_oijnomi-menge / 100 ) * l_yrxa_od_pcnt-yy_od_pcnt_f.
      ELSE.
        IF ls_kna1-kukla = '11'.
          ref_val = ls_oijnomi-menge * 6 / 100.             " 6% TO
        ELSE.
          ref_val = ls_oijnomi-menge * 3 / 100.             " 3% TOL.
        ENDIF.
      ENDIF.
      IF ls_cum_aod-cum_aod > ref_val.
**  UNAUTHORIZED OVERDRAWL
**  FIND HIGHEST PRICED MATERIAL
        nominationitem_in-itemtype = 'ZU'.

        SELECT charg knumh matnr " MATNR added by Aishwarya/Sonika 02.08.2025 2 UOM
                              FROM a983
                             INTO TABLE i_a983
                             WHERE  kunnr    = p_kunnr
                               AND  kappl    =  'V'
                               AND  kschl    = 'ZGOD'
                               AND  auart_sd = 'ZNG2'
                               AND  datab LT ls_oijnomi-idate
                               AND  datbi GT ls_oijnomi-idate.
        IF sy-subrc EQ 0.
          LOOP AT i_a983 INTO wa_a983.
            SELECT SINGLE * FROM konp INTO wa_konp WHERE knumh = wa_a983-knumh AND kappl = 'V' AND kschl = 'ZGOD' AND loevm_ko = ' '.
            IF sy-subrc = 0.
              CLEAR wa_a983.
            ELSE.
              DELETE i_a983 WHERE knumh = wa_a983-knumh. CLEAR wa_a983.
            ENDIF.
          ENDLOOP.
        ENDIF.
** -> BEGIN OF CHANGES BY  KRITIKA ON 28.10.2024 FOR ATC
```

```
        READ TABLE i_a983 INTO wa_a983 INDEX 1.         "#EC CI_NOORDER
** -> END OF CHANGES BY  KRITIKA ON 28.10.2024 FOR ATC
        IF sy-subrc = 0.
          REFRESH i_a983.
          CLEAR sy-subrc.
*Begin of changes by of VIPUL on 20241030  for ATC
          SELECT
          loevm_ko
          FROM konp
          INTO lv_loevm
          UP TO 1 ROWS
          WHERE knumh = wa_a983-knumh ORDER BY PRIMARY KEY .
          ENDSELECT.
* *End of changes by of VIPUL on 20241030  for ATC

          IF lv_loevm NE 'X' AND sy-subrc EQ 0.
*Begin of changes by of VIPUL on 20241030  for ATC
            SELECT
            matnr
            FROM mcha
            INTO wa_mcha
            UP TO 1 ROWS
            WHERE werks = lv_werk AND charg = wa_a983-charg
              AND matnr = wa_a983-matnr " Added by Aishwarya/Sonika 2 UOM 02.08.25
               AND lvorm NE 'X' ORDER BY PRIMARY KEY .
            ENDSELECT.
* *End of changes by of VIPUL on 20241030  for ATC
            IF sy-subrc EQ 0.
              ls_material-matnr = wa_mcha-matnr.
              ls_material-batch = wa_a983-charg.
            ENDIF.
          ENDIF.
        ENDIF.

        IF wa_a983 IS  INITIAL AND sy-subrc NE 0.
          CLEAR:
                sy-subrc,
                wa_a984,
                lv_loevm.

*Begin of changes by of VIPUL on 20241030  for ATC
          SELECT
          bzirk
          FROM knvv
          INTO lv_bzirk
          UP TO 1 ROWS
          WHERE kunnr = p_kunnr AND vkorg = '2000' ORDER BY PRIMARY KEY .
          ENDSELECT.
* *End of changes by of VIPUL on 20241030  for ATC
          IF sy-subrc EQ 0.
            SELECT  charg knumh matnr FROM a984 " Added Matnr by Aishwarya/ Sonika
                              INTO TABLE i_a984
                              WHERE  bzirk    = lv_bzirk
                              AND    kappl    =  'V'
                              AND    kschl    = 'ZGOD'
                              AND    auart_sd = 'ZNG2'
                              AND    datab LE ls_oijnomi-idate
                              AND    datbi GE ls_oijnomi-idate.
```

```
            ENDIF.
            IF sy-subrc EQ 0.
              LOOP AT i_a984 INTO wa_a984.
                SELECT SINGLE * FROM konp INTO wa_konp WHERE knumh = wa_a984-knumh AND kappl = 'V' AND kschl = 'ZGOD' AND loevm_ko = ' '.
                IF sy-subrc = 0.
                  CLEAR wa_a984.
                ELSE.
                  DELETE i_a984 WHERE knumh = wa_a984-knumh. CLEAR wa_a984.
                ENDIF.
              ENDLOOP.
            ENDIF.
** -> BEGIN OF CHANGES BY  KRITIKA ON 28.10.2024 FOR ATC
            READ TABLE i_a984 INTO wa_a984 INDEX 1.       "#EC CI_NOORDER
** -> END OF CHANGES BY  KRITIKA ON 28.10.2024 FOR ATC
            IF sy-subrc EQ 0.
              REFRESH: i_a984.
              CLEAR sy-subrc.
*Begin of changes by of VIPUL on 20241030  for ATC
              SELECT
              loevm_ko
              FROM konp
              INTO lv_loevm
              UP TO 1 ROWS
              WHERE knumh = wa_a984-knumh ORDER BY PRIMARY KEY .
              ENDSELECT.
* *End of changes by of VIPUL on 20241030  for ATC
              IF lv_loevm NE 'X' AND sy-subrc EQ 0.
*Begin of changes by of VIPUL on 20241030  for ATC
                SELECT
                matnr
                FROM mcha
                INTO wa_mcha
                UP TO 1 ROWS
                WHERE werks = lv_werk AND charg = wa_a984-charg
                  AND matnr = wa_a984-matnr " Added by Aishwarya/Sonika 2 UOM 02.08.2025
                  AND lvorm NE 'X' ORDER BY PRIMARY KEY .
                ENDSELECT.
* *End of changes by of VIPUL on 20241030  for ATC
                IF sy-subrc EQ 0.
                  ls_material-matnr = wa_mcha-matnr.
                  ls_material-batch = wa_a984-charg.
                ENDIF.
              ENDIF.
            ENDIF.
          ENDIF.

          IF wa_a984 IS INITIAL AND sy-subrc NE 0.
            CLEAR:
                  sy-subrc,
                  wa_a987,
                  lv_loevm,
                  wa_mcha.

            SELECT matnr knumh
                              FROM a987
                              INTO TABLE i_a987
                              WHERE  kunnr    = p_kunnr
                              AND    kappl    =  'V'
```

```
                              AND    kschl    = 'ZGOD'
                              AND    auart_sd = 'ZNG2'
                              AND    datab LE ls_oijnomi-idate
                              AND    datbi GE ls_oijnomi-idate.
            IF sy-subrc EQ 0.
              LOOP AT i_a987 INTO wa_a987.
                SELECT SINGLE * FROM konp INTO wa_konp WHERE knumh = wa_a987-knumh AND kappl = 'V' AND kschl = 'ZGOD' AND loevm_ko = ' '.
                IF sy-subrc = 0.
                  CLEAR wa_a987.
                ELSE.
                  DELETE i_a987 WHERE knumh = wa_a987-knumh. CLEAR wa_a987.
                ENDIF.
              ENDLOOP.
            ENDIF.
** -> BEGIN OF CHANGES BY  KRITIKA ON 28.10.2024 FOR ATC
            READ TABLE i_a987 INTO wa_a987 INDEX 1.       "#EC CI_NOORDER
** -> END OF CHANGES BY  KRITIKA ON 28.10.2024 FOR ATC
            IF sy-subrc EQ 0.
              REFRESH: i_a987.
              ls_material-matnr = wa_a987-matnr.
            ENDIF.
          ENDIF.

          IF wa_a987 IS INITIAL AND sy-subrc NE 0.
            CLEAR:
                  sy-subrc,
                  wa_a988,
                  lv_loevm,
                  lv_bzirk.

*Begin of changes by of VIPUL on 20241030  for ATC
            SELECT
            bzirk
            FROM knvv
            INTO lv_bzirk
            UP TO 1 ROWS
            WHERE kunnr = p_kunnr AND vkorg = '2000' ORDER BY PRIMARY KEY.
            ENDSELECT.
* *End of changes by of VIPUL on 20241030  for ATC
            IF sy-subrc EQ 0.

              SELECT matnr knumh
                                FROM a988
                                INTO TABLE i_a988
                                WHERE  bzirk    = lv_bzirk
                                AND    kappl    =  'V'
                                AND    kschl    = 'ZGOD'
                                AND    auart_sd = 'ZNG2'
                                AND    datab LE ls_oijnomi-idate
                                AND    datbi GE ls_oijnomi-idate.
            ENDIF.
            IF sy-subrc EQ 0.
              LOOP AT i_a988 INTO wa_a988.
                SELECT SINGLE * FROM konp INTO wa_konp WHERE knumh = wa_a988-knumh AND kappl = 'V' AND kschl = 'ZGOD' AND loevm_ko = ' '.
                IF sy-subrc = 0.
                  CLEAR wa_a988.
                ELSE.
```

```
                DELETE i_a988 WHERE knumh = wa_a988-knumh. CLEAR wa_a988.
              ENDIF.
            ENDLOOP.
          ENDIF.
** -> BEGIN OF CHANGES BY  KRITIKA ON 28.10.2024 FOR ATC
          READ TABLE i_a988 INTO wa_a988 INDEX 1.       "#EC CI_NOORDER
** -> END OF CHANGES BY  KRITIKA ON 28.10.2024 FOR ATC
          IF sy-subrc EQ 0.
            REFRESH i_a988.
            ls_material-matnr = wa_a988-matnr.
          ENDIF.
        ENDIF.
        IF  ls_material-matnr IS INITIAL.
*      LS_MATERIAL-MATNR = 'T_NGPMT'.
          MESSAGE 'MAINTAIN HIGHEST PRICE MATERIAL' TYPE 'S'.
          LEAVE TO TRANSACTION 'YRXU007'.
        ENDIF.

      ELSE.
**  AUTHORIZED OVERDRAWL
**   FIND HIGHEST PRICED MATERIAL FOR THE CUSTOMER.
        nominationitem_in-itemtype = 'ZA'.
        REFRESH lt_material.
        CLEAR ls_material.
        SELECT vbeln matnr zmeng  FROM vbap INTO TABLE lt_vbap_uaod_matnr FOR ALL ENTRIES IN  lt_vbeln WHERE vbeln = lt_vbeln-vbeln."KNUMV ."LT_KNUMV
        IF sy-subrc = 0.
** -> BEGIN OF CHANGES BY OF RITIKA ON 21.10.2024 FOR ATC
*          SELECT KNUMV KWERT FROM KONV INTO TABLE LT_KONV FOR ALL ENTRIES IN LT_VBELN WHERE KNUMV = LT_VBELN-KNUMV AND ( KSCHL =  'ZPR1' OR KSCHL =  'ZPR3' ).
          SELECT knumv kwert FROM v_konv_cds INTO TABLE lt_konv FOR ALL ENTRIES IN lt_vbeln WHERE knumv = lt_vbeln-knumv AND ( kschl =  'ZPR1' OR kschl =  'ZPR3' ).
** -> END OF CHANGES BY OF RITIKA ON 21.10.2024 FOR ATC
          LOOP AT lt_konv INTO ls_konv.
*   SOC BY SACHIN ON 03.07.2012   HIGHEST PRICE CONTRACT DO NOT ADD ZPR1 AND ZPR3 IN CASE OF NGPMTJV MATERIAL
            READ TABLE lt_vbeln INTO ls_knumv WITH KEY knumv = ls_konv-knumv.
            IF sy-subrc EQ 0 .
              READ TABLE lt_vbap  INTO  ls_vbap WITH KEY vbeln = ls_knumv-vbeln .
              IF sy-subrc EQ 0 AND ls_vbap-matnr = 'GMS_NGPMTJV' .
                READ TABLE lt_kwert INTO ls_kwert WITH KEY knumv = ls_konv-knumv.
                IF sy-subrc EQ 0 .
                  IF ls_kwert-kwert LT ls_konv-kwert.
                    MOVE-CORRESPONDING ls_konv TO ls_kwert.
                    MODIFY TABLE lt_kwert FROM ls_kwert .
                  ENDIF.
                ELSE.
                  MOVE-CORRESPONDING ls_konv TO ls_kwert.
                  COLLECT ls_kwert INTO lt_kwert.
                ENDIF.
              ELSE.
                MOVE-CORRESPONDING ls_konv TO ls_kwert.
                COLLECT ls_kwert INTO lt_kwert.
              ENDIF.
```

```
            ELSE.
              MOVE-CORRESPONDING ls_konv TO ls_kwert.
              COLLECT ls_kwert INTO lt_kwert.
            ENDIF.
*            MOVE-CORRESPONDING LS_KONV TO LS_KWERT.
*            COLLECT LS_KWERT INTO LT_KWERT.
*   EOC BY SACHIN ON 03.07.2012   HIGHEST PRICE CONTRACT DO NOT ADD ZPR1 AND ZPR3 IN CASE OF NGPMTJV MATERIAL
          ENDLOOP.

          LOOP AT lt_kwert INTO ls_kwert.
            READ TABLE lt_vbeln INTO ls_knumv WITH KEY knumv = ls_kwert-knumv.
            IF sy-subrc = 0.
              READ TABLE lt_vbap_uaod_matnr INTO ls_vbap_uaod_matnr WITH KEY vbeln = ls_knumv-vbeln.
              IF sy-subrc = 0.
                ls_material-matnr = ls_vbap_uaod_matnr-matnr.
                ls_material-kwert = ls_kwert-kwert / ls_vbap_uaod_matnr-zmeng. "LS_VBAP-ZMENG.
                ls_material-kunnr = p_kunnr.
                ls_material-vbeln = ls_knumv-vbeln.
                APPEND ls_material TO lt_material.
              ENDIF.
            ENDIF.
          ENDLOOP.
          SORT   lt_material DESCENDING BY kwert.
          SORT lt_knumv DESCENDING BY vbeln.
          READ TABLE lt_material INTO ls_material INDEX 1.
          READ TABLE lt_knumv INTO ls_knumv INDEX 1.

          nominationitem_in-schedulematerial = ls_material-matnr.
          nominationitem_in-documentnumber   = ls_material-vbeln.
          nominationitem_in-documentitem     = 10.
        ENDIF.
      ENDIF.
** BEFORE POSTING ZA OR ZU CHECK IF THE LINE ITEM ALREADY EXISTS, IF SO UPDATE THE EXISTING LINE.
**  CHECK WITH GAURAV.
** CREATE NEW LINE ITEM IN THE LAST GISA NOMINATION FOR THE ADJUSTED QTY FOR EACH MATERIAL
      DATA: lt_nomit_new TYPE TABLE OF oijnomi,
            ls_nomit_new LIKE LINE OF lt_nomit_new..
      nominationitem_in-nominationnumber_sap  = headerdata_in-nomination number_sap.
      IF new_nomit IS INITIAL.
        new_nomit = gv_nomit + 10. "LS_NOMIT_NEW-NOMIT + 10.
      ENDIF.
      nominationitem_in-itemnumber            = new_nomit + 10.

      nominationitem_in-scheduleddate         = ls_oijnomi-idate.
      nominationitem_in-locationid            = ls_cum_aod-locid."LS_OIJNOMI-LOCID.
      nominationitem_in-nominatedquantity     = ls_cum_aod-cum_aod.
      nominationitem_in-quantityunit_sap      = 'SM3'.
      IF nominationitem_in-itemtype           = 'ZA'.
        nominationitem_in-documentindicator   = 'G'.
      ELSEIF nominationitem_in-itemtype       = 'ZU'.
        nominationitem_in-documentindicator   = 'S'.
      ENDIF.
      nominationitem_in-autoconfirm           = 'X'.
```

```
      APPEND nominationitem_in.

      nominationitem_inx-nominationnumber_sap = headerdata_in-nomination number_sap.
      nominationitem_inx-itemnumber           = nominationitem_in-itemnumber.
      nominationitem_inx-itemtype             = 'X'.
      nominationitem_inx-scheduleddate        = 'X'.
      nominationitem_inx-locationid           = 'X'.
      nominationitem_inx-schedulematerial     = 'X'.
      nominationitem_inx-nominatedquantity    = 'X'.
      nominationitem_inx-quantityunit_sap     = 'X'.
      nominationitem_inx-documentnumber       = 'X'.
      nominationitem_inx-documentitem         = 'X'.
      nominationitem_inx-documentindicator    = 'X'.
      nominationitem_inx-updkz                = 'I'.
      nominationitem_in-autoconfirm           = 'X'.
      APPEND nominationitem_inx.
    ENDIF.
  ENDIF.
  CLEAR: nominationitem_in, nominationitem_inx.

  SELECT * FROM oij_el_ticket_i INTO TABLE lt_oij_el_ticket_i FOR ALL ENTRIES IN lt_oijnomi_adj WHERE nomtk  = lt_oijnomi_adj-nomtk
                AND nomit = lt_oijnomi_adj-nomit.
**  IF THERE ARE ANY Z* NOMINATION ITEMS, DELETE THEM.
  LOOP AT  lt_oijnomi_adj INTO ls_oijnomi WHERE sityp CP 'Z*' AND delind <> 'X'.
**    BEFORE DELETE CHECK IF ANY TICKET EXISTS
    READ TABLE lt_oij_el_ticket_i INTO ls_oij_el_ticket_i WITH KEY nomtk = ls_oijnomi-nomtk nomit = ls_oijnomi-nomit.
    IF sy-subrc <> 0.
      nominationitem_in-nominationnumber_sap  = headerdata_in-nomination number_sap.
      nominationitem_in-itemnumber            = ls_oijnomi-nomit.
      nominationitem_inx-nominationnumber_sap = headerdata_in-nomination number_sap.
      nominationitem_inx-itemnumber           = ls_oijnomi-nomit.
      nominationitem_inx-updkz                = 'D'.
    ENDIF.

  ENDLOOP.

*** MODIFY THE NOMINATION LINE ITEM WITH ZU TYPE WITH THE OTHER ZU QUANTITIES.
  DATA: BEGIN OF ls_cum_menge_zu,
          locid        TYPE oijnomi-locid,
          cum_menge_zu TYPE menge_d,
        END OF ls_cum_menge_zu,
        lt_cum_menge_zu LIKE TABLE OF ls_cum_menge_zu,
        cum_menge_zu    TYPE menge_d,
        lv_meins        TYPE meins,
        lv_trqty        TYPE msego2-adqnt,
        lv_tgqty        TYPE msego2-adqnt.

  SORT lt_oijnomi_zu BY locid.
  LOOP AT lt_oijnomi_zu INTO ls_oijnomi.
    ls_cum_menge_zu-locid = ls_oijnomi-locid.
** CONVERT UNAUTHORIZED TO CONTRACTUAL UOM USING GCV AND NCV
    IF lv_meins IS INITIAL.
      SELECT SINGLE meins FROM mara INTO lv_meins WHERE matnr = ls_oijno
```

```
mi-s_matnr_i.
    ENDIF.
    lv_trqty = ls_oijnomi-menge.
*    READ TABLE LT_YRO_NOM_PARAM INTO LS_YRO_NOM_PARAM WITH KEY NOMTK =
LS_OIJNOMI-NOMTK.
*    IF SY-SUBRC = 0.
*      CALL FUNCTION 'YRX_QTY_UOM_TO_QTY_UOM'
*        EXPORTING
*          I_TRQTY = LV_TRQTY
*          I_TRUOM = 'SM3'
*          I_TGUOM = LV_MEINS
*          LV_GCV  = LS_YRO_NOM_PARAM-AGCV
*          LV_NCV  = LS_YRO_NOM_PARAM-ANCV
*        CHANGING
*          C_TGQTY = LV_TGQTY.
*      LS_OIJNOMI-MENGE = LV_TGQTY.
*      LV_TRQTY         = LV_TGQTY.
*** USING WEIGHTED AVG CONVERT TO SM3 AGAIN
*
*      CALL FUNCTION 'YRX_QTY_UOM_TO_QTY_UOM'
*        EXPORTING
*          I_TRQTY = LV_TRQTY
*          I_TRUOM = LV_MEINS
*          I_TGUOM = 'SM3' "LV_MEINS'
*          LV_GCV  = WT_GCV1
*          LV_NCV  = WT_NCV1
*        CHANGING
*          C_TGQTY = LV_TGQTY.
*
*      LS_OIJNOMI-MENGE = LV_TGQTY.
*    ENDIF.
    ls_cum_menge_zu-cum_menge_zu = ls_oijnomi-menge.
    COLLECT ls_cum_menge_zu INTO lt_cum_menge_zu.
    cum_menge_zu = ls_oijnomi-menge + cum_menge_zu.
  ENDLOOP.
**  AT THIS POINT THERE WILL BE ALWAYS ONLY ONE LINE ITEM
  READ TABLE lt_cum_menge_zu INTO ls_cum_menge_zu INDEX 1.
  IF sy-subrc = 0.
    IF ls_cum_menge_zu-cum_menge_zu IS NOT INITIAL.
      READ TABLE nominationitem_in WITH KEY itemtype = 'ZU'.
      IF sy-subrc = 0.
*        GET THE WEIGHTED GCV AND NCV FOR ZU AND ADJUSTED ZU
        wt_ncv_zu_s = ( nominationitem_in-nominatedquantity * wt_ncv + c
um_menge_zu * wt_ncv1 ) /
         ( nominationitem_in-nominatedquantity + cum_menge_zu ) .
        wt_gcv_zu_s = ( nominationitem_in-nominatedquantity * wt_gcv + c
um_menge_zu * wt_gcv1 ) /
         ( nominationitem_in-nominatedquantity + cum_menge_zu ) .

        nominationitem_in-nominatedquantity    = nominationitem_in-nomin
atedquantity + cum_menge_zu.
        nominationitem_in-documentindicator    = 'S'."'X'.
        MODIFY nominationitem_in INDEX sy-tabix.

      ELSE.
        nominationitem_in-nominationnumber_sap = headerdata_in-nominatio
nnumber_sap.
        IF NOT new_nomit IS INITIAL.
          nominationitem_in-itemnumber         = new_nomit + 10.
        ELSE.
          nominationitem_in-itemnumber         = gv_nomit + 10."LS_OIJNO
```

```
MI_ADJ-NOMIT + 10.
        ENDIF.
***********  LOGIC TO FND HIGHEST PRICED MATERIAL
        SELECT  charg knumh matnr FROM a983 " Added matnr by Aishwarya / Sonika 04.08.2025 2UOM
                                INTO TABLE i_a983
                                WHERE  kunnr    = p_kunnr
                                AND    kappl    =  'V'
                                AND    kschl    = 'ZGOD'
                                AND    auart_sd = 'ZNG2'
                                AND   datab LT ls_oijnomi-idate
                                AND   datbi GT ls_oijnomi-idate.
        IF sy-subrc EQ 0.
          LOOP AT i_a983 INTO wa_a983.
            SELECT SINGLE * FROM konp INTO wa_konp WHERE knumh = wa_a983-knumh AND kappl = 'V' AND kschl = 'ZGOD' AND loevm_ko = ' '.
            IF sy-subrc = 0.
              CLEAR wa_a983.
            ELSE.
              DELETE i_a983 WHERE knumh = wa_a983-knumh. CLEAR wa_a983.
            ENDIF.
          ENDLOOP.
        ENDIF.
** -> BEGIN OF CHANGES BY  KRITIKA ON 28.10.2024 FOR ATC
        READ TABLE i_a983 INTO wa_a983 INDEX 1.         "#EC CI_NOORDER
** -> END OF CHANGES BY  KRITIKA ON 28.10.2024 FOR ATC
        IF sy-subrc EQ 0.
          REFRESH i_a983.
          CLEAR sy-subrc.
*Begin of changes by of VIPUL on 20241030  for ATC
          SELECT
          loevm_ko
          FROM konp
          INTO lv_loevm
          UP TO 1 ROWS
          WHERE knumh = wa_a983-knumh ORDER BY PRIMARY KEY .
          ENDSELECT.
* *End of changes by of VIPUL on 20241030  for ATC

          IF lv_loevm NE 'X' AND sy-subrc EQ 0.
*Begin of changes by of VIPUL on 20241030  for ATC
            SELECT
            matnr
            FROM mcha
            INTO wa_mcha
            UP TO 1 ROWS
            WHERE werks = lv_werk AND charg = wa_a983-charg
              AND matnr = wa_a983-matnr " Added by Aishwarya/Sonika 2 UOM 02.08.2025
              AND lvorm NE 'X' ORDER BY PRIMARY KEY .
            ENDSELECT.
* *End of changes by of VIPUL on 20241030  for ATC
            IF sy-subrc EQ 0.
              ls_material-matnr = wa_mcha-matnr.
              ls_material-batch = wa_a983-charg.
            ENDIF.
          ENDIF.
        ENDIF.

        IF wa_a983 IS  INITIAL AND sy-subrc NE 0.
          CLEAR:
```

```
                 sy-subrc,
                 wa_a984,
                 lv_loevm.

*Begin of changes by of VIPUL on 20241030  for ATC
          SELECT
          bzirk
          FROM knvv
          INTO lv_bzirk
          UP TO 1 ROWS
          WHERE kunnr = p_kunnr AND vkorg = '2000' ORDER BY PRIMARY KEY .
          ENDSELECT.
* *End of changes by of VIPUL on 20241030  for ATC
          IF sy-subrc EQ 0.
            SELECT  charg knumh matnr "Added Matnr by Aishwarya / Sonika 04.08.2025 2 UOM
                              FROM a984
                              INTO TABLE i_a984
                              WHERE  bzirk    = lv_bzirk
                              AND    kappl    =  'V'
                              AND    kschl    = 'ZGOD'
                              AND    auart_sd = 'ZNG2'
                              AND    datab LE ls_oijnomi-idate
                              AND    datbi GE ls_oijnomi-idate.
          ENDIF.
          IF sy-subrc EQ 0.
            LOOP AT i_a984 INTO wa_a984.
              SELECT SINGLE * FROM konp INTO wa_konp WHERE knumh = wa_a984-knumh AND kappl = 'V' AND kschl = 'ZGOD' AND loevm_ko = ' '.
              IF sy-subrc = 0.
                CLEAR wa_a984.
              ELSE.
                DELETE i_a984 WHERE knumh = wa_a984-knumh. CLEAR wa_a984.
              ENDIF.
            ENDLOOP.
          ENDIF.
** -> BEGIN OF CHANGES BY  KRITIKA ON 28.10.2024 FOR ATC
          READ TABLE i_a984 INTO wa_a984 INDEX 1.       "#EC CI_NOORDER
** -> END OF CHANGES BY  KRITIKA ON 28.10.2024 FOR ATC
          IF sy-subrc EQ 0.
            REFRESH: i_a984.
            CLEAR sy-subrc.
*Begin of changes by of VIPUL on 20241030  for ATC
            SELECT
            loevm_ko
            FROM konp
            INTO lv_loevm
            UP TO 1 ROWS
            WHERE knumh = wa_a984-knumh ORDER BY PRIMARY KEY .
            ENDSELECT.
* *End of changes by of VIPUL on 20241030  for ATC

            IF lv_loevm NE 'X' AND sy-subrc EQ 0.
*Begin of changes by of VIPUL on 20241030  for ATC
              SELECT
              matnr
              FROM mcha
              INTO wa_mcha
              UP TO 1 ROWS
```

```
              WHERE werks = lv_werk AND charg = wa_a984-charg
                AND matnr = wa_a984-matnr " Added by Aishwarya/Sonika 2 UOM 02.08.2025
                AND lvorm NE 'X' ORDER BY PRIMARY KEY .
              ENDSELECT.
* *End of changes by of VIPUL on 20241030  for ATC
              IF sy-subrc EQ 0.
                ls_material-matnr = wa_mcha-matnr.
                ls_material-batch = wa_a984-charg.
              ENDIF.
            ENDIF.
          ENDIF.
        ENDIF.

        IF wa_a984 IS INITIAL AND sy-subrc NE 0.
          CLEAR:
                sy-subrc,
                wa_a987,
                lv_loevm,
                wa_mcha.

          SELECT matnr knumh
                            FROM a987
                            INTO TABLE i_a987
                            WHERE  kunnr    = p_kunnr
                            AND    kappl    =  'V'
                            AND    kschl    = 'ZGOD'
                            AND    auart_sd = 'ZNG2'
                            AND    datab LE ls_oijnomi-idate
                            AND    datbi GE ls_oijnomi-idate.
          IF sy-subrc EQ 0.
            LOOP AT i_a987 INTO wa_a987.
              SELECT SINGLE * FROM konp INTO wa_konp WHERE knumh = wa_a987-knumh AND kappl = 'V' AND kschl = 'ZGOD' AND loevm_ko = ' '.
              IF sy-subrc = 0.
                CLEAR wa_a987.
              ELSE.
                DELETE i_a987 WHERE knumh = wa_a987-knumh. CLEAR wa_a987.
              ENDIF.
            ENDLOOP.
          ENDIF.
** -> BEGIN OF CHANGES BY  KRITIKA ON 28.10.2024 FOR ATC
          READ TABLE i_a987 INTO wa_a987 INDEX 1.       "#EC CI_NOORDER
** -> END OF CHANGES BY  KRITIKA ON 28.10.2024 FOR ATC
          IF sy-subrc EQ 0.
            REFRESH i_a987.
            ls_material-matnr = wa_a987-matnr.
          ENDIF.
        ENDIF.

        IF wa_a987 IS INITIAL AND sy-subrc NE 0.
          CLEAR:
                sy-subrc,
                wa_a988,
                lv_loevm,
                lv_bzirk.

*Begin of changes by of VIPUL on 20241030  for ATC
          SELECT
          bzirk
```

```
          FROM knvv
          INTO lv_bzirk
          UP TO 1 ROWS
          WHERE kunnr = p_kunnr AND vkorg = '2000' ORDER BY PRIMARY KEY.
          ENDSELECT.
* *End of changes by of VIPUL on 20241030  for ATC
          IF sy-subrc EQ 0.
            SELECT matnr knumh
                              FROM a988
                              INTO TABLE i_a988
                              WHERE  bzirk    = lv_bzirk
                              AND    kappl    =  'V'
                              AND    kschl    = 'ZGOD'
                              AND    auart_sd = 'ZNG2'
                              AND    datab LE ls_oijnomi-idate
                              AND    datbi GE ls_oijnomi-idate.
          ENDIF.
          IF sy-subrc EQ 0.
            LOOP AT i_a988 INTO wa_a988.
              SELECT SINGLE * FROM konp INTO wa_konp WHERE knumh = wa_a988-knumh AND kappl = 'V' AND kschl = 'ZGOD' AND loevm_ko = ' '.
              IF sy-subrc = 0.
                CLEAR wa_a988.
              ELSE.
                DELETE i_a988 WHERE knumh = wa_a988-knumh. CLEAR wa_a988.
              ENDIF.
            ENDLOOP.
          ENDIF.
** -> BEGIN OF CHANGES BY  KRITIKA ON 28.10.2024 FOR ATC
          READ TABLE i_a988 INTO wa_a988 INDEX 1.       "#EC CI_NOORDER
** -> END OF CHANGES BY  KRITIKA ON 28.10.2024 FOR ATC
          IF sy-subrc EQ 0.
            REFRESH: i_a988.
            ls_material-matnr = wa_a988-matnr.
          ENDIF.
        ENDIF.
*        """NEW LOGIC FOR NOMIT
*        NOMINATIONITEM_IN-NOMINATIONNUMBER_SAP  = HEADERDATA_IN-NOMINATIONNUMBER_SAP.
*        IF NEW_NOMIT IS INITIAL.
*          NEW_NOMIT = GV_NOMIT + 10. "LS_NOMIT_NEW-NOMIT + 10.
*        ENDIF.
        nominationitem_in-itemnumber            = new_nomit + 10.
***********    END OF LOGIC FOR HIGHEST PRICE MATERIAL
        nominationitem_in-scheduleddate         = ls_oijnomi-idate.
        nominationitem_in-locationid            = ls_cum_menge_zu-locid. "LS_OIJNOMI-LOCID.
        nominationitem_in-nominatedquantity     = cum_menge_zu.
        nominationitem_in-quantityunit_sap      = 'SM3'.
        nominationitem_in-documentindicator     = 'S'."'X'.
        nominationitem_in-itemtype              = 'ZU'.
        nominationitem_in-schedulematerial      = ls_material-matnr.  "LS_OIJNOMI-MATNR_I.
        APPEND nominationitem_in.

        nominationitem_inx-nominationnumber_sap = headerdata_in-nominationnumber_sap.
        nominationitem_inx-itemnumber           = nominationitem_in-itemnumber.
```

```
        nominationitem_inx-itemtype              = 'X'.
        nominationitem_inx-scheduleddate         = 'X'.
        nominationitem_inx-locationid            = 'X'.
        nominationitem_inx-schedulematerial      = 'X'.
        nominationitem_inx-nominatedquantity     = 'X'.
        nominationitem_inx-quantityunit_sap      = 'X'.
        nominationitem_inx-documentnumber        = 'X'.
        nominationitem_inx-documentitem          = 'X'.
        nominationitem_inx-documentindicator     = 'X'.
        nominationitem_inx-updkz = 'I'.
        APPEND nominationitem_inx.
      ENDIF.
    ENDIF.
  ENDIF.

*  * DATA DECLARATIONS.
  DATA: v_vbeln            LIKE vbak-vbeln.
  DATA: header             LIKE bapisdhd1. "BAPISDHEAD1.
  DATA: headerx            LIKE bapisdhd1x. "BAPISDHEAD1X.
  DATA: item               LIKE bapisditm   OCCURS 0 WITH HEADER LINE."BAPISDITEM
  DATA: itemx              LIKE bapisditmx OCCURS 0 WITH HEADER LINE."BAPISDITEMX
  DATA: partner            LIKE bapiparnr  OCCURS 0 WITH HEADER LINE. "BAPIPARTNR
  DATA: lt_schedules_inx   TYPE STANDARD TABLE OF bapischdlx
                           WITH HEADER LINE.
  DATA: lt_schedules_in    TYPE STANDARD TABLE OF bapischdl
                           WITH HEADER LINE.
  DATA: lv_satnr           TYPE mara-satnr,
        i_sales_cfgs_value TYPE TABLE OF bapicuval WITH HEADER LINE,
        i_sales_cfgs_ref   TYPE bapicucfg OCCURS 0 WITH HEADER LINE..
  DATA  wt_ncv_c           TYPE char15.
  DATA  ls_oij_el_doc_mot  TYPE oij_el_doc_mot.
  DATA  wa_tabix           TYPE sy-tabix.

  "BREAK-POINT.
  "BOC 4000007694 TECHNICAL ANKUR ON 07.02.2024"
  DATA:qty  TYPE char20,
       qty1 TYPE char20.
  LOOP AT nominationitem_in.
*    *SOC CHARM ID :4000008639  |TECHICAL : RAVINDER SINGH| FUNCTIONAL : SHREYOSHI |DT:21.08.2024
     SELECT SINGLE y_low FROM yrxa_gms_constnt INTO @DATA(lv_qty) WHERE y_param = 'A4'.
     IF nominationitem_in-nominatedquantity LE lv_qty.
*      *EOC CHARM ID :4000008639  |TECHICAL : RAVINDER SINGH| FUNCTIONAL : SHREYOSHI |DT:21.08.2024
*    IF NOMINATIONITEM_IN-NOMINATEDQUANTITY LE '0.059'.   *COC CHARM ID :4000008639  |TECHICAL : RAVINDER SINGH| FUNCTIONAL : SHREYOSHI |DT:21.08.2024
       qty  = nominationitem_in-nominatedquantity .
       qty1 = lv_qty.
       CONDENSE:qty,
                qty1.
       CONCATENATE 'TICKET FOR' nominationitem_in-itemtype 'NOT INITIATED AS QTY' qty 'IS LESS THAN/ EQUAL TO' qty1 'SM3'
                   INTO wa_msg-msg SEPARATED BY space.
       wa_msg-type  = 'ERROR'.
       APPEND wa_msg TO it_msg.
       CLEAR: wa_msg, qty.
```

```
1600
1601      ENDIF.
1602    ENDLOOP.
1603  *  DELETE NOMINATIONITEM_IN WHERE NOMINATEDQUANTITY LE '0.059'. *COC CHA
      RM ID :4000008639  |TECHICAL : RAVINDER SINGH| FUNCTIONAL : SHREYOSHI |D
      T:21.08.2024
1604  *****Commentd By Vaibhav on 8 April 2025
1605    DELETE nominationitem_in WHERE nominatedquantity LE lv_qty.   "SOC CHA
      RM ID :4000008639  |TECHICAL : RAVINDER SINGH| FUNCTIONAL : SHREYOSHI |D
      T:21.08.2024
1606  ***************************end of comment
1607  *  CLEAR LV_QTY.
1608    READ TABLE nominationitem_in WITH KEY  itemtype = 'ZU'.
1609    IF sy-subrc = 0." and NOMINATIONITEM_IN-NOMINATEDQUANTITY gE LV_QTY. .
1610      wa_tabix = sy-tabix.
1611  **      CREATE SALES ORDER
1612  *      * SALES DOCUMENT TYPE
1613      lv_tabix = sy-tabix.
1614      header-doc_type  = 'ZNG2'. "P_AUART'.
1615      headerx-doc_type = 'X'.
1616
1617  * SALES ORGANIZATION
1618      header-sales_org  = 2000.
1619      headerx-sales_org = 'X'.
1620
1621
1622  * DISTRIBUTION CHANNEL
1623      header-distr_chan  = 10."P_VTWEG.
1624      headerx-distr_chan = 'X'.
1625
1626  * DIVISION
1627      header-division    = 10."P_SPART.
1628      headerx-division   = 'X'.
1629      headerx-updateflag = 'I'.
1630
1631  * PARTNER DATA
1632  * SOLD TO
1633      partner-partn_role = 'AG'.
1634      partner-partn_numb = p_kunnr.
1635      APPEND partner.
1636  * SHIP TO
1637      partner-partn_role = 'WE'.
1638      partner-partn_numb = p_kunnr.
1639      APPEND partner.
1640
1641  * ITEM DATA
1642      itemx-updateflag = 'I'.
1643      item-itm_number  = '000010'.
1644      itemx-itm_number = 'X'.
1645
1646  * MATERIAL
1647      IF ls_material-matnr IS INITIAL.
1648        MESSAGE e001(00) WITH ' MAINTAIN HIGHEST PRICED MATERIAL FOR CUSTO
      MER' p_kunnr.
1649      ENDIF.
1650      item-material = ls_material-matnr.
1651      itemx-material = 'X'.
1652
1653  *** IF BATCH MANAGED
1654      IF NOT ls_material-batch IS INITIAL.
1655        item-batch = ls_material-batch.
```

```
      itemx-batch = 'X'.
    ENDIF.

    DATA : lv_batch TYPE boolean.
    IF ls_material-batch IS INITIAL.
      SELECT SINGLE xchpf INTO lv_batch FROM mara WHERE matnr = ls_material-matnr.
      IF sy-subrc = 0.
        IF lv_batch IS NOT INITIAL.
          MESSAGE e001(00) WITH 'MAINTAIN BATCH FOR' ls_material-matnr ' FOR CONDITION RECORD'.
        ENDIF.
      ENDIF.
    ENDIF.

** IF CONFIG SPECIFIC
    SELECT SINGLE satnr FROM mara INTO lv_satnr WHERE matnr = ls_material-matnr.
    IF lv_satnr IS NOT INITIAL.
      i_sales_cfgs_ref-posex = '000010'.
      APPEND i_sales_cfgs_ref.

      item-po_itm_no = '000010'.
      itemx-po_itm_no = 'X'.

      i_sales_cfgs_value-charc = 'CALVAL'. "'CAL VALUE'. "
*      IF NOT WT_NCV IS INITIAL.
*        CLEAR WT_NCV_C.
*        CALL FUNCTION 'FLTP_CHAR_CONVERSION'
*          EXPORTING
*            INPUT = WT_NCV
*          IMPORTING
*            FLSTR = WT_NCV_C.
*        WRITE WT_NCV_C(8) TO I_SALES_CFGS_VALUE-VALUE.
*        CONDENSE I_SALES_CFGS_VALUE-VALUE.
*      ELSE.

      IF wt_ncv1 IS INITIAL.
        wt_ncv1 = wt_ncv.
      ENDIF.
      IF wt_gcv1 IS INITIAL.
        wt_gcv1 = wt_gcv.
      ENDIF.


      IF NOT wt_ncv1 IS INITIAL.
        CLEAR wt_ncv_c.
        CALL FUNCTION 'FLTP_CHAR_CONVERSION'
          EXPORTING
            input = wt_ncv1
          IMPORTING
            flstr = wt_ncv_c.
        WRITE wt_ncv_c(8) TO i_sales_cfgs_value-value.
        CONDENSE i_sales_cfgs_value-value.
      ELSE.
        CONDENSE i_sales_cfgs_value-value.
      ENDIF.
*      ENDIF.
      APPEND i_sales_cfgs_value.
    ENDIF.
* PLANT
```

```
    itemx-plant   = 'X'.

*******************CHANGE BY VAIBHAV ON 28.04.2022
    SELECT * INTO TABLE @DATA(it_oij)
      FROM oijnomi
      WHERE
      idate IN @so_date
      AND
      sityp = 'DU'
      AND
      docind = 'G'
      AND
      delind <> 'X'
      AND
      partnr = @p_kunnr.
    IF sy-subrc  = 0.
      SELECT * INTO TABLE @DATA(it_layt)
        FROM  oij_el_cp_layt
        FOR ALL ENTRIES IN @it_oij
        WHERE
        vbeln = @it_oij-docnr.
      IF sy-subrc = 0.
        TYPES : BEGIN OF ty_rank,
                  vbeln   TYPE oij_el_cpno,
                  rank(3) TYPE n,
                END OF ty_rank.
        DATA : wa_rank TYPE ty_rank.
        DATA it_rank TYPE TABLE OF ty_rank.

        LOOP AT it_layt INTO DATA(wa_layt1).
          REPLACE 'RAK' IN wa_layt1-trantyp WITH ' ' .
          REPLACE 'RANK' IN wa_layt1-trantyp WITH ' ' .
          REPLACE 'RATAB' IN wa_layt1-trantyp WITH ' ' .
          CONDENSE wa_layt1-trantyp.
          IF wa_layt1-trantyp IS INITIAL OR wa_layt1-trantyp CA 'abcdefg
hijklmnopqrstuvwqyz'.
            wa_layt1-trantyp = '0'.
          ENDIF.
          CLEAR wa_rank.
          wa_rank-vbeln = wa_layt1-vbeln.
          wa_rank-rank = wa_layt1-trantyp.
          APPEND wa_rank TO it_rank.
*          MODIFY IT_LAYT FROM WA_LAYT1.
        ENDLOOP.
*         SORT IT_LAYT BY TRANTYP DESCENDING.
        SORT it_rank BY rank DESCENDING.

        SELECT * INTO TABLE @DATA(it_vbkd)
          FROM vbkd
          FOR ALL ENTRIES IN @it_layt
          WHERE
          vbeln = @it_layt-vbeln
          AND
          posnr = '000010'
          AND
          kdkg5 <> 'BC'.
        IF it_vbkd[] IS NOT INITIAL.
**          SORT IT_VBKD BY KDKG5.
*          DELETE IT_VBKD WHERE KDKG5 = ' '.
**          DELETE IT_VBKD WHERE KDKG5 <> 'BC'.
*          IF IT_VBKD[] IS INITIAL.
```

```
*          READ TABLE IT_LAYT INTO DATA(WA_LAYT) INDEX 1.
*          SELECT SINGLE WERKS INTO ITEM-PLANT
*            FROM VBAP
*            WHERE VBELN = WA_LAYT-VBELN.
*        ENDIF.
         ELSE.
           READ TABLE it_rank INTO wa_rank INDEX 1.
*Begin of changes by of VIPUL on 20241030  for ATC
           SELECT werks INTO item-plant
           FROM vbap
           UP TO 1 ROWS
           WHERE vbeln = wa_rank-vbeln ORDER BY PRIMARY KEY .
           ENDSELECT.
* *End of changes by of VIPUL on 20241030  for ATC
         ENDIF.
       ENDIF.
     ENDIF.
*************************************************************
** COMMENTED BY SHWETA SONI TCS
*    SELECT SINGLE MEINS FROM MARA INTO LV_MEINS WHERE MATNR = LS_MATERIAL-MATNR.
*    LV_TRQTY = NOMINATIONITEM_IN-NOMINATEDQUANTITY.
**    CONSIDER ZU WT GCV IF ZA LINE ITEM IS NOT THERE FOR CREATING SALES ORDER
*    IF WT_NCV IS INITIAL OR WT_GCV IS INITIAL .
*      WT_NCV_SO = WT_NCV1.
*      WT_GCV_SO = WT_GCV1.
*    ELSE.
*      WT_NCV_SO = WT_NCV.
*      WT_GCV_SO = WT_GCV.
*    ENDIF.
*
*    CALL FUNCTION 'YRX_QTY_UOM_TO_QTY_UOM'
*      EXPORTING
*        I_TRQTY = LV_TRQTY
*        I_TRUOM = 'SM3' "I_TRUOM
*        I_TGUOM = LV_MEINS
*        LV_GCV  = WT_GCV_SO
*        LV_NCV  = WT_NCV_SO
*      CHANGING
*        C_TGQTY = LV_TGQTY.

     lv_tgqty = lv_trqty = nominationitem_in-nominatedquantity.

** END OF CHANGES

* QUANTITY
     item-target_qty = lv_tgqty."NOMINATIONITEM_IN-NOMINATEDQUANTITY.
     itemx-target_qty = 'X'.
** ADDED BY SHWETA SONI TCS
     item-target_qu = 'SM3'.
     item-t_unit_iso = 'SM3'.
     itemx-t_unit_iso = 'X'.
     itemx-target_qu = 'X'.

     item-sales_unit = 'SM3'.
     item-s_unit_iso = 'SM3'.

     itemx-sales_unit = 'X'.
*** END OF CHANGES
*************************change by vaibhav for Pricing Date 15.04.2025
```

```
    IF so_date-high IS NOT INITIAL.
      item-price_date = so_date-high .
      item-bill_date = so_date-high .
      itemx-price_date = 'X'.
      itemx-bill_date = 'X'.
    ENDIF.

    APPEND item.
    APPEND itemx.

*   FILL SCHEDULE LINES
    lt_schedules_in-itm_number = '000010'.
    lt_schedules_in-sched_line = '0001'.
    lt_schedules_in-req_date   = sy-datum.
    lt_schedules_in-req_qty    = lv_tgqty."NOMINATIONITEM_IN-NOMINATEDQUANTITY.."P_MENGE.
    APPEND lt_schedules_in.

*   FILL SCHEDULE LINE FLAGS
    lt_schedules_inx-itm_number  = '000010'.
    lt_schedules_inx-sched_line  = '0001'.
    lt_schedules_inx-updateflag  = 'X'.
    lt_schedules_inx-req_qty     = 'X'.
    lt_schedules_inx-req_date    = 'X'.
    APPEND lt_schedules_inx.
    "BREAK-POINT.




    IF nominationitem_in[]  IS NOT INITIAL.
** -> BEGIN OF CHANGES BY  KRITIKA ON 18.10.2024 FOR ATC
      CALL FUNCTION 'BAPI_SALESORDER_CREATEFROMDAT2' "#EC CI_USAGE_OK[2438131]
** <- END OF CHANGES BY KRITIKA ON 18.10.2024 FOR ATC
        EXPORTING
          order_header_in     = header
        IMPORTING
          salesdocument       = v_vbeln
        TABLES
          return              = return
          order_items_in      = item
          order_items_inx     = itemx  " ADDED BY SHWETA SONI TCS
          order_partners      = partner
          order_schedules_in  = lt_schedules_in
          order_schedules_inx = lt_schedules_inx
          order_cfgs_ref      = i_sales_cfgs_ref
          order_cfgs_value    = i_sales_cfgs_value.
* CHECK THE RETURN TABLE.
      LOOP AT return INTO ls_return WHERE type = 'E' OR type = 'A'.
        EXIT.
      ENDLOOP.

    ELSE.

      IF it_msg[] IS NOT  INITIAL.
        PERFORM: error_alv.
      ENDIF.

    ENDIF.
```

```
1892
1893
1894      IF sy-subrc <> 0.
1895        CALL FUNCTION 'BAPI_TRANSACTION_COMMIT'
1896          EXPORTING
1897            wait = 'X'.
1898
1899
1900
1901        DATA n TYPE i.
1902  *** CODE CORRECTION TO END INFINITE LOOP , AS DISCUSSED WITH MR. A.MONDA
      L
1903  ***  BEGIN OF CHANGE... SINCE THIS CODE BLOCK (CREATION OF SO AND THE UP
      DATE OIJ_EL_DOC_MOT
1904  *      HAPPEND ONLY FOR ITEMTYPE = ZU , AND ZU ITEMTYPES ARE NOT TSW REL
      EVANT , SO COMMENTING BELOW CODE)
1905
1906  *      DO .
1907  *        SELECT SINGLE * FROM OIJ_EL_DOC_MOT INTO LS_OIJ_EL_DOC_MOT WHER
      E VBELN = V_VBELN.
1908  *        IF SY-SUBRC  = 0.
1909  *          LS_OIJ_EL_DOC_MOT-FROMDATE  = SO_DATE-LOW."NOMINATIONITEM_IN-
      SCHEDULEDDATE. " - 10.
1910  *          LS_OIJ_EL_DOC_MOT-TODATE    = SO_DATE-HIGH."NOMINATIONITEM_IN
      -SCHEDULEDDATE." + 10. "LS_OIJ_EL_DOC_MOT-FROMDATE.
1911  *          UPDATE OIJ_EL_DOC_MOT FROM LS_OIJ_EL_DOC_MOT.
1912  *          COMMIT WORK.
1913  *          EXIT.
1914  *        ELSE.
1915  *          WAIT UP TO 2 SECONDS.
1916  *        ENDIF.
1917  *      ENDDO.
1918  ***  END OF CHANGE...END OF CODE COMMENT.
1919      ELSE.
1920        MESSAGE ID ls_return-id TYPE ls_return-type NUMBER ls_return-numbe
      r WITH
1921        ls_return-message_v1 ls_return-message_v2 ls_return-message_v3 ls_
      return-message_v4.
1922      ENDIF.
1923
1924      nominationitem_in-documentnumber   = v_vbeln.
1925      nominationitem_in-schedulematerial = ls_material-matnr.
1926      nominationitem_in-documentitem     = 10.
1927      nominationitem_in-autoconfirm      = 'X'.
1928      IF NOT lv_tabix IS INITIAL.
1929        MODIFY nominationitem_in INDEX wa_tabix.
1930      ENDIF.
1931      CLEAR lv_tabix.
1932
1933      READ TABLE nominationitem_inx WITH KEY nominationnumber_sap = nomina
      tionitem_in-nominationnumber_sap
1934                                             itemnumber = nominationitem_in-ite
      mnumber.
1935      IF sy-subrc = 0.
1936        nominationitem_inx-documentnumber = 'X'.
1937        nominationitem_inx-documentitem   = 'X'.
1938        nominationitem_in-autoconfirm     = 'X'.
1939        MODIFY nominationitem_inx INDEX sy-tabix..
1940      ENDIF.
1941
1942
```

```
  ENDIF.

  REFRESH return.

  IF NOT nominationitem_in[] IS INITIAL.

    READ TABLE lt_oijnomh INTO ls_oijnomh  WITH KEY nomtk = gv_nomtk.

    headerdata_in-nominationnumber_sap = '$0000000000000000001'.
    headerdata_inx-nominationnumber_sap = '$0000000000000000001'.
    headerdata_inx-updkz = 'I'.

    headerdata_in-transportsystem      = ls_oijnomh-tsyst.
    headerdata_in-nominationstatus     = '1'.
    headerdata_in-nominationtype       = 'GISA'.

    LOOP AT nominationitem_in.
      nominationitem_in-nominationnumber_sap = headerdata_inx-nomination number_sap.
      nominationitem_in-itemnumber = sy-tabix * 10.
      nominationitem_in-scheduleddate = so_date-high.
      MODIFY nominationitem_in INDEX sy-tabix.
    ENDLOOP.

*    "BOC 4000007694 TECHNICAL ANKUR ON 07.02.2024"
*    DATA:QTY TYPE CHAR20.
*    LOOP AT NOMINATIONITEM_IN.
*      IF NOMINATIONITEM_IN-NOMINATEDQUANTITY LE '0.059'.
*        QTY  = NOMINATIONITEM_IN-NOMINATEDQUANTITY .
*        CONDENSE:QTY.
*        CONCATENATE 'TICKET FOR' NOMINATIONITEM_IN-ITEMTYPE 'NOT INITIA TED AS QTY' QTY 'IS LESS THAN/ EQUAL TO 0.059 SM3'
*                    INTO WA_MSG-MSG SEPARATED BY SPACE.
*        APPEND WA_MSG TO IT_MSG.
*        CLEAR: WA_MSG, QTY.
*        DELETE NOMINATIONITEM_IN WHERE  NOMINATIONNUMBER_SAP =  NOMINAT IONITEM_IN-NOMINATIONNUMBER_SAP
*                                   AND    ITEMNUMBER       =  NOMINATIONI TEM_IN-ITEMNUMBER.
*      ENDIF.
*    ENDLOOP.

*    IF IT_MSG[] IS NOT  INITIAL.
*      PERFORM: ERROR_ALV.
*    ENDIF.

    "EOC 4000007694 TECHNICAL ANKUR ON 07.02.2024"

    CALL FUNCTION 'RFC_TSW_NOM_CREATEFROMDATA'
      EXPORTING
        headerdata_in     = headerdata_in
      IMPORTING
        headerdata_out    = headerdata_out
      TABLES
        nominationitem_in = nominationitem_in
        return            = return.
    LOOP AT return INTO ls_return WHERE type = 'A' OR type = 'E'.
      EXIT.
    ENDLOOP.

    IF sy-subrc <> 0.
```

```
      CLEAR ls_yro_nom_param.
      REFRESH lt_yro_nom_param.
      LOOP AT nominationitem_in. "X WHERE UPDKZ = 'I'.
        ls_yro_nom_param_db-nomtk     = headerdata_out-nominationnumber_sap."NOMINATIONITEM_INX-NOMINATIONNUMBER_SAP.
        ls_yro_nom_param_db-nomit     = nominationitem_in-itemnumber.
        ls_yro_nom_param_db-umrsl     = 'ZNGZ'.
        IF nominationitem_in-itemtype = 'ZU'.
          ls_yro_nom_param_db-ancv    = wt_ncv1.
          ls_yro_nom_param_db-agcv    = wt_gcv1.
        ELSE.
          ls_yro_nom_param_db-ancv    = wt_ncv.
          ls_yro_nom_param_db-agcv    = wt_gcv.
        ENDIF.
        APPEND ls_yro_nom_param_db TO lt_yro_nom_param_db.
      ENDLOOP.
      IF NOT lt_yro_nom_param_db IS INITIAL.
        INSERT yro_nom_param FROM TABLE lt_yro_nom_param_db.
      ENDIF.
      CALL FUNCTION 'BAPI_TRANSACTION_COMMIT'
        EXPORTING
          wait = 'X'.

***    CREATE AND ACTUALIZE TICKET.
      headerdata_in-nominationnumber_sap = headerdata_out-nominationnumber_sap.
      PERFORM ticket_actualizate USING headerdata_in-nominationnumber_sap lv_qty.
    ELSE.
      MESSAGE ID ls_return-id TYPE ls_return-type NUMBER ls_return-number WITH
      ls_return-message_v1 ls_return-message_v2 ls_return-message_v3 ls_return-message_v4.
    ENDIF.

  ENDIF.

  IF it_msg[] IS NOT  INITIAL.
    PERFORM: error_alv.
  ENDIF.

  "ENDIF.



*&---------------------------------------------------------------------*
*&      FORM  TICKET_ACTUALIZATE
*&---------------------------------------------------------------------*
*       TEXT
*----------------------------------------------------------------------*
*      -->P_HEADERDATA_IN_NOMINATIONNUMBER  TEXT
*----------------------------------------------------------------------*
FORM ticket_actualizate  USING    p_nomtk p_qty.

  DATA: lt_oijnomi     TYPE TABLE OF oijnomi,
        ls_oijnomi     LIKE LINE  OF lt_oijnomi,
        lt_oijnomi_tkt TYPE TABLE OF oijnomi,
        ls_oijnomi_tkt TYPE          oijnomi,
        lt_oij_el_tkt  TYPE TABLE OF oij_el_ticket_i,
        ls_oij_el_tkt  TYPE          oij_el_ticket_i.

```

```
2056    DO 10 TIMES.
2057      SELECT * FROM oijnomi INTO TABLE lt_oijnomi WHERE nomtk = p_nomtk AN
      D quickconf = 'X' AND delind <> 'X'
2058        AND menge GE p_qty.
2059
2060      LOOP AT lt_oijnomi INTO ls_oijnomi WHERE sityp = 'ZU' AND docind = '
      S'.
2061        APPEND ls_oijnomi TO lt_oijnomi_tkt.
2062      ENDLOOP.
2063
2064      LOOP AT lt_oijnomi INTO ls_oijnomi WHERE sityp = 'ZJ' AND docind = '
      G'.
2065        APPEND ls_oijnomi TO lt_oijnomi_tkt.
2066      ENDLOOP.
2067
2068      LOOP AT lt_oijnomi INTO ls_oijnomi WHERE sityp = 'ZA' AND docind = '
      G'.
2069        APPEND ls_oijnomi TO lt_oijnomi_tkt.
2070      ENDLOOP.
2071      IF NOT lt_oijnomi_tkt IS INITIAL.
2072        EXIT.
2073      ELSE.
2074        WAIT UP TO 2 SECONDS.
2075      ENDIF.
2076    ENDDO.
2077    IF NOT lt_oijnomi_tkt IS INITIAL.
2078      DATA l_tabix TYPE sy-tabix.
2079      SELECT * FROM oij_el_ticket_i INTO TABLE lt_oij_el_tkt FOR ALL ENTRI
      ES IN
2080                     lt_oijnomi_tkt WHERE nomtk = lt_oijnomi_tkt-nomtk AND
2081                                          nomit =   lt_oijnomi_tkt-nomit.
2082      IF sy-subrc = 0.
2083        LOOP AT lt_oij_el_tkt INTO ls_oij_el_tkt.
2084          LOOP AT lt_oijnomi_tkt INTO ls_oijnomi_tkt WHERE nomtk = ls_oij_
      el_tkt-nomtk AND
2085                                         nomit = ls_oij_el_tkt-nomit.
2086            DELETE  lt_oijnomi_tkt  INDEX sy-tabix..
2087          ENDLOOP.
2088        ENDLOOP.
2089      ENDIF.
2090
2091      DATA: l_gas_day_char(10),
2092            l_sr_no              TYPE i,
2093            w_qty_char(18),
2094            i_ticket_header      TYPE oij_el_ticket_h,  "TYPE OIJ_MENGE.
2095            l_item               TYPE i,
2096            w_ticket_number(50).
2097
2098  *AJAY
2099      DATA: wt_ncv_p(14)  TYPE p DECIMALS 3.
2100      DATA: wt_gcv_p(14)  TYPE p DECIMALS 3.
2101      DATA: wt_ncv_cc(15) TYPE c.
2102      DATA: wt_gcv_cc(15) TYPE c.
2103      DATA: wt_ncv_zu(15) TYPE c.
2104      DATA: wt_gcv_zu(15) TYPE c.
2105
2106      wt_ncv_p  = wt_ncv.
2107      wt_gcv_p  = wt_gcv.
2108      wt_ncv_cc = wt_ncv_p.
2109      wt_gcv_cc = wt_gcv_p.
2110      CONDENSE wt_ncv_cc.
```

```
    CONDENSE wt_gcv_cc.
    CLEAR : wt_ncv_p, wt_gcv_p.
****CHANGES IF ZU'S GCV, NCV IS INITAIL********
    IF wt_ncv1 IS INITIAL.
      wt_ncv1 = wt_ncv.
    ENDIF.
    IF wt_gcv1 IS INITIAL.
      wt_gcv1 = wt_gcv.
    ENDIF.
***********************************************
    IF wt_ncv_zu_s IS NOT INITIAL AND wt_gcv_zu_s IS NOT INITIAL.
      wt_ncv_p  = wt_ncv_zu_s .
      wt_gcv_p  = wt_gcv_zu_s .
    ELSE.
      wt_ncv_p  =  wt_ncv1.
      wt_gcv_p  =  wt_gcv1.
    ENDIF.
    .                                                        "WT_GCV1.
    wt_ncv_zu = wt_ncv_p.
    wt_gcv_zu = wt_gcv_p.
    CONDENSE wt_ncv_zu.
    CONDENSE wt_gcv_zu.
    CLEAR : wt_ncv_p, wt_gcv_p.
***
    SORT lt_oijnomi_tkt BY nomtk nomit.
*  GET THE TICKET HEADER AND ITEM FOR ACTUALIZATION OF TICKET
    CLEAR: l_item,l_sr_no.
*  GET ALL THE LINE ITEM OF THAT NOMINATION IN A INTERNAL TABLE

    CONCATENATE 'C' sy-datum sy-uzeit INTO w_ticket_number.
    DESCRIBE TABLE lt_oijnomi_tkt LINES l_item .
    l_sr_no =  1.

    PERFORM bdc_dynpro USING 'SAPMOIJTN'                '0101'.
    PERFORM bdc_field  USING 'BDC_CURSOR'               'ROIJTIC_IO-TICKETNR'.
    PERFORM bdc_field  USING 'BDC_OKCODE'               '=ENT1'.
    PERFORM bdc_field  USING 'ROIJTIC_IO-TICKETNR'       w_ticket_number.
    PERFORM bdc_field  USING 'ROIJTIC_IO-TICKET_TYPE'   'C'.
    PERFORM bdc_field  USING 'ROIJTIC_IO-NOMNR'         ''.
    PERFORM bdc_field  USING 'ROIJTIC_IO-NOMTK'          ls_oijnomi-nomtk.

    IF l_item GT 1.
      PERFORM bdc_dynpro USING  'SAPLOIJT_IO'           '0500' .
      PERFORM bdc_field  USING  'BDC_CURSOR'            'OIJNOMH-NOMNR'.
      PERFORM bdc_field  USING  'BDC_OKCODE'            '=TC_OIJNOMI_MARK' .

      PERFORM bdc_dynpro USING  'SAPLOIJT_IO'           '0500' .
      PERFORM bdc_field  USING  'BDC_CURSOR'            'OIJNOMH-NOMNR'.
      PERFORM bdc_field  USING  'BDC_OKCODE'            '=COPY' .
    ENDIF.

*LOOP PORTION
    WHILE l_sr_no LT l_item.
      READ TABLE lt_oijnomi_tkt INTO ls_oijnomi INDEX l_sr_no.
      IF sy-subrc EQ 0 .
        WRITE ls_oijnomi-idate TO l_gas_day_char.
        CONDENSE l_gas_day_char.
```

```
2168          WRITE ls_oijnomi-menge TO w_qty_char.
2169          CONDENSE w_qty_char.
2170          PERFORM bdc_dynpro     USING  'SAPMOIJTN'                '0301'
      .
2171          PERFORM bdc_field      USING  'BDC_OKCODE'               '=IOTAB
      4' .
2172          PERFORM bdc_field      USING  'BDC_SUBSCR'               'SAPMOI
      JTN'.
2173          PERFORM bdc_field      USING  'BDC_SUBSCR'               'SAPMOI
      JTN'.
2174          PERFORM bdc_field      USING  'BDC_CURSOR'               'ROIJTI
      C_IO-END_DATE'.
2175          PERFORM bdc_field      USING  'ROIJTIC_IO-NET_QUANTITY'   w_qty_
      char.
2176          PERFORM bdc_field      USING  'ROIJTIC_IO-UOM'           'SM3'.
2177          PERFORM bdc_field      USING  'ROIJTIC_IO-START_TIME'    '00:00:
      00'.
2178          PERFORM bdc_field      USING  'ROIJTIC_IO-OIB_BLTIME'    '00:00:
      00'.
2179          PERFORM bdc_field      USING  'ROIJTIC_IO-END_DATE'       l_gas_
      day_char.
2180          PERFORM bdc_field      USING  'ROIJTIC_IO-END_TIME'      '00:00:
      00'.
2181
2182          PERFORM bdc_dynpro     USING  'SAPMOIJTN'                '0301'
      .
2183          PERFORM bdc_field      USING 'BDC_OKCODE'                '/EENTE
      '.
2184          PERFORM bdc_field      USING  'BDC_SUBSCR'               'SAPMOI
      JTN'.
2185          PERFORM bdc_field      USING  'BDC_SUBSCR'               'SAPMOI
      JTN'.
2186          PERFORM bdc_field      USING  'BDC_SUBSCR'               'SAPLOI
      B_QCI_SUB_SCREEN'.
2187          PERFORM bdc_field      USING  'BDC_CURSOR'               'GT_PAR
      AM_SCREEN-VALUE(02)'.
2188          IF ls_oijnomi-sityp = 'ZU'.
2189            PERFORM bdc_field    USING  'GT_PARAM_SCREEN-VALUE(01)'  wt_nc
      v_zu.
2190            PERFORM bdc_field    USING  'GT_PARAM_SCREEN-VALUE(02)'  wt_gc
      v_zu.
2191          ELSE.
2192            PERFORM bdc_field    USING  'GT_PARAM_SCREEN-VALUE(01)'  wt_nc
      v_cc.
2193            PERFORM bdc_field    USING  'GT_PARAM_SCREEN-VALUE(02)'  wt_gc
      v_cc.
2194          ENDIF.
2195
2196          PERFORM bdc_dynpro     USING  'SAPMOIJTN'                '0301'
      .
2197          PERFORM bdc_field      USING  'BDC_CURSOR'               'ROIJTI
      C_IO-TIC_ITEM(01)'.
2198          PERFORM bdc_field      USING 'BDC_OKCODE'                '=IOTAB
      1'.
2199          PERFORM bdc_dynpro     USING 'SAPMOIJTN'                 '0301'.
2200          PERFORM bdc_field      USING 'BDC_CURSOR'                'ROIJTI
      C_IO-TIC_ITEM(01)'.
2201          PERFORM bdc_field      USING 'BDC_OKCODE'                '=IT3'.
2202        ENDIF.
2203        l_sr_no = l_sr_no + 1 .
2204      ENDWHILE.
```

```
2205
2206      READ TABLE lt_oijnomi_tkt INTO ls_oijnomi INDEX l_item.
2207      IF sy-subrc EQ 0 .
2208        WRITE ls_oijnomi-idate TO l_gas_day_char.
2209        WRITE ls_oijnomi-menge TO w_qty_char.
2210        CONDENSE w_qty_char.
2211        PERFORM bdc_dynpro     USING  'SAPMOIJTN'                  '0301'
    .
2212        PERFORM bdc_field      USING  'BDC_OKCODE'                 '=IOTAB
    4' .
2213        PERFORM bdc_field      USING  'BDC_SUBSCR'                 'SAPMOI
    JTN'.
2214        PERFORM bdc_field      USING  'BDC_SUBSCR'                 'SAPMOI
    JTN'.
2215        PERFORM bdc_field      USING  'BDC_CURSOR'                 'ROIJTI
    C_IO-NET_QUANTITY'.
2216        PERFORM bdc_field      USING  'ROIJTIC_IO-NET_QUANTITY'     w_qty_
    char.
2217        PERFORM bdc_field      USING  'ROIJTIC_IO-UOM'             'SM3'.
2218
2219        DATA lv_date TYPE char10.
2220        WRITE ls_oijnomi-idate TO lv_date.
2221        PERFORM bdc_field      USING  'ROIJTIC_IO-START_DATE'            l
    _gas_day_char.
2222        PERFORM bdc_field      USING  'ROIJTIC_IO-START_TIME'           '0
    0:00:00'.
2223        PERFORM bdc_field      USING  'ROIJTIC_IO-BUDAT'                l
    _gas_day_char.
2224        PERFORM bdc_field      USING  'ROIJTIC_IO-OIB_BLTIME'           '0
    0:00:00'.
2225        PERFORM bdc_field      USING  'ROIJTIC_IO-END_DATE'             l
    _gas_day_char.
2226        PERFORM bdc_field      USING  'ROIJTIC_IO-END_TIME'             '0
    0:00:00'.
2227
2228        PERFORM bdc_dynpro     USING  'SAPMOIJTN'                       '0
    301' .
2229        PERFORM bdc_field      USING  'BDC_OKCODE'                      '=
    ACTL' .
2230        PERFORM bdc_field      USING  'BDC_SUBSCR'                      'S
    APMOIJTN'.
2231        PERFORM bdc_field      USING  'BDC_SUBSCR'                      'S
    APMOIJTN'.
2232        PERFORM bdc_field      USING  'BDC_SUBSCR'                      'S
    APLOIB_QCI_SUB_SCREEN'.
2233        PERFORM bdc_field      USING  'BDC_CURSOR'                      'G
    T_PARAM_SCREEN-VALUE(02)'.
2234        IF ls_oijnomi-sityp = 'ZU'.
2235          PERFORM bdc_field    USING  'GT_PARAM_SCREEN-VALUE(01)'        w
    t_ncv_zu.
2236          PERFORM bdc_field    USING  'GT_PARAM_SCREEN-VALUE(02)'        w
    t_gcv_zu.
2237          wt_gcv_a = wt_ncv_zu.
2238
2239        ELSE.
2240          PERFORM bdc_field    USING  'GT_PARAM_SCREEN-VALUE(01)'        w
    t_ncv_cc.
2241          PERFORM bdc_field    USING  'GT_PARAM_SCREEN-VALUE(02)'        w
    t_gcv_cc.
2242          wt_gcv_a =  wt_ncv_cc.
2243        ENDIF.
```

```
2244
2245      ENDIF.
2246      DATA messtab LIKE STANDARD TABLE OF bdcmsgcoll WITH HEADER LINE.
2247      CLEAR messtab[].
2248
2249      DATA: lv_char TYPE char1 VALUE 'E'.
2250
2251      DATA: BEGIN OF it_gcv_ncv,
2252              tcode LIKE sy-tcode,
2253              gcv   TYPE yyavg_gcv,
2254              ncv   TYPE yyavg_ncv,
2255
2256            END OF it_gcv_ncv.
2257
2258  *    FREE MEMORY ID 'GCV'.
2259  *    IF LS_OIJNOMI-SITYP = 'ZU'.
2260  *      IT_GCV_NCV-TCODE = 'YRXU007'.
2261  *      IT_GCV_NCV-NCV = WT_NCV_ZU.
2262  *      IT_GCV_NCV-GCV = WT_GCV_ZU.
2263  *   ELSE.
2264  *     IT_GCV_NCV-TCODE = 'YRXU007'.
2265  *     IT_GCV_NCV-NCV = WT_NCV_CC.
2266  *     IT_GCV_NCV-GCV = WT_GCV_CC.
2267  *   ENDIF.
2268  *     EXPORT IT_GCV_NCV TO MEMORY ID 'GCV' .
2269
2270
2271      CALL  TRANSACTION 'O4TEN' USING bdcdata MODE lv_char MESSAGES INTO m
      esstab.
2272      REFRESH bdcdata.
2273      DATA: wt_ncv_c TYPE char9.
2274      wt_ncv_c =  wt_ncv.
2275      LOOP AT messtab WHERE msgtyp = 'E' OR msgtyp = 'A'.
2276        EXIT.
2277      ENDLOOP.
2278
2279      IF sy-subrc <> 0.
2280        READ TABLE messtab WITH KEY msgtyp = 'S' msgid = 'OD' msgnr = '058
      '.
2281        IF sy-subrc = 0.
2282          EXIT.
2283        ENDIF.
2284        WAIT UP TO 2 SECONDS.
2285        DO 10 TIMES.
2286  *Begin of changes by of VIPUL on 20241030  for ATC
2287          SELECT * FROM oij_el_ticket_h INTO i_ticket_header UP TO 1 ROWS
2288          WHERE ticketnr = w_ticket_number ORDER BY PRIMARY KEY .
2289          ENDSELECT.
2290  * *End of changes by of VIPUL on 20241030  for ATC
2291          IF sy-subrc = 0.
2292            EXIT.
2293          ELSE.
2294            WAIT UP TO 2 SECONDS.
2295          ENDIF.
2296        ENDDO.
2297        DATA: lv_msg TYPE string.
2298        IF i_ticket_header IS INITIAL.
2299          CONCATENATE 'CHECK NOMINATION' ls_oijnomi-nomtk INTO lv_msg SEPA
      RATED BY space.
2300          wa_msg-msg  = lv_msg.
2301          wa_msg-type = 'ERROR'.
```

```
          APPEND wa_msg TO it_msg.
          CLEAR: wa_msg.
          "MESSAGE E001(00) WITH 'CHECK NOMINATION' LS_OIJNOMI-NOMTK.
          CALL TRANSACTION 'YRXU007'.
        ENDIF.

        DATA: wt_ncv_c1     TYPE char15.
        DATA: wt_ncv_pp(14) TYPE p DECIMALS 2.
        wt_ncv_pp = wt_ncv_p.
        WRITE  wt_ncv_pp TO  wt_ncv_c1.
        CONDENSE wt_ncv_c1.
        CLEAR sy-binpt.

        DATA : lv_msg1 TYPE sy-msgv1,
               lv_msg2 TYPE sy-msgv2,
               lv_msg3 TYPE string,
               lv_msg4 TYPE string.
        CLEAR:w_ticket_number1.
        w_ticket_number1 = w_ticket_number.
**      BOC 4000007694 TECHNICAL $RAVINDER SINGH FUNCTIONAL SHREYOSI DE ON 21.06.2024.
****      CONCATENATE 'TICKET NO: ' W_TICKET_NUMBER '  '  INTO LV_MSG1 RESPECTING BLANKS.
****      CONCATENATE ' ' '  CREATED' INTO LV_MSG2 RESPECTING BLANKS..
****      CONCATENATE LV_MSG1 LV_MSG2 INTO LV_MSG3 SEPARATED BY SPACE.
****      CLEAR: WA_MSG.
****      WA_MSG-MSG = LV_MSG3.
****      WA_MSG-TYPE = 'SUCCESS'.
****      APPEND WA_MSG TO IT_MSG..
**      EOC 4000007694 TECHNICAL $RAVINDER SINGH FUNCTIONAL SHREYOSI DE ON 21.06.2024.
        CLEAR: wa_msg.
        "BOC 4000007694 TECHNICAL ANKUR FUNCTIONAL SHREYOSI DE ON 15.03.2024.

        PERFORM actualize_ticket.

        "EOC 4000007694 TECHNICAL ANKUR FUNCTIONAL SHREYOSI DE ON 15.03.2024.

        "MESSAGE I001(00) WITH LV_MSG1 LV_MSG2.
      ELSE.
        MESSAGE ID messtab-msgid TYPE messtab-msgtyp NUMBER messtab-msgnr WITH
        messtab-msgv1 messtab-msgv2 messtab-msgv3  messtab-msgv4.
      ENDIF.
    ELSE.
      "MESSAGE E001(00) WITH 'CHECK NOMINATION' P_NOMTK 'WITH SCHEDULE TYPE ZU AND RDI S'.
      CONCATENATE 'CHECK NOMINATION' p_nomtk 'WITH SCHEDULE TYPE ZU AND RDI S' INTO lv_msg4 SEPARATED BY space.
      CLEAR: wa_msg.
      wa_msg-msg = lv_msg3.
      wa_msg-type = 'ERROR'.
      APPEND wa_msg TO it_msg.
      CLEAR: wa_msg.

    ENDIF.

ENDFORM.                    " TICKET_ACTUALIZATE

```

```
*———————————————————————————————————————————————————————————————————*
*        INSERT FIELD                                                 *
*———————————————————————————————————————————————————————————————————*
FORM bdc_field USING fnam fval.
  CLEAR bdcdata.
  bdcdata-fnam = fnam.
  bdcdata-fval = fval.
  APPEND bdcdata.
ENDFORM.                    "BDC_FIELD

*&———————————————————————————————————————————————————————————————————*
*&      FORM  BDC_DYNPRO
*&———————————————————————————————————————————————————————————————————*
*       TEXT
*———————————————————————————————————————————————————————————————————*
*      ——>PROGRAM    TEXT
*      ——>DYNPRO     TEXT
*———————————————————————————————————————————————————————————————————*
FORM bdc_dynpro USING program dynpro.
  CLEAR bdcdata.
  bdcdata-program  = program.
  bdcdata-dynpro   = dynpro.
  bdcdata-dynbegin = 'X'.
  APPEND bdcdata.
ENDFORM.                    "BDC_DYNPRO
*&———————————————————————————————————————————————————————————————————*
*&      FORM  CHECK_EXISTING_TICKET
*&———————————————————————————————————————————————————————————————————*
*       TEXT
*———————————————————————————————————————————————————————————————————*
FORM check_existing_ticket .
  DATA: i_oijnomi TYPE TABLE OF oijnomi,
        l_oijnomi TYPE oijnomi,
        i_tic     TYPE TABLE OF oij_el_ticket_i,
        i_tic1    TYPE TABLE OF oij_el_ticket_i,
        wa_tic1   TYPE          oij_el_ticket_i.

  DATA: it_order_inx TYPE TABLE OF bapisdh1x,
        wa_order_inx TYPE bapisdh1x,
        it_return    TYPE TABLE OF bapiret2,
        wa_return    TYPE bapiret2.




  SELECT *
    FROM oijnomi INTO TABLE i_oijnomi
    WHERE sityp  IN ('ZA','ZU','ZJ')
      AND idate  EQ so_date-high
      AND locid  EQ p_locid
      AND conpat EQ p_kunnr
      AND docind NE 'X'
      AND delind NE 'X'.
  IF i_oijnomi IS NOT INITIAL.
    SELECT  *
          INTO TABLE i_tic
          FROM oij_el_ticket_i FOR ALL ENTRIES IN i_oijnomi
          WHERE nomtk    = i_oijnomi-nomtk
            AND nomit    = i_oijnomi-nomit
            AND locid    = i_oijnomi-locid
```

```
             AND ticket_purpose = 1
             AND delind NE 'X'.
     IF i_tic IS NOT INITIAL.
       SELECT *
         INTO TABLE i_tic1
         FROM oij_el_ticket_i
          FOR ALL ENTRIES IN i_tic
        WHERE ticket_key = i_tic-ticket_key
          AND ticket_purpose EQ 5.
       IF sy-subrc = 0.
         LOOP AT i_tic INTO wa_tic1.
*         UPDATE OIJ_EL_TICKET_I
*            SET DELIND = 'X'
*           WHERE TICKET_KEY     = WA_TIC1-TICKET_KEY
*             AND TICKET_ITEM    = WA_TIC1-TICKET_ITEM
*             AND TICKET_VERSION = WA_TIC1-TICKET_VERSION
*             AND TICKET_PURPOSE = WA_TIC1-TICKET_PURPOSE.

           UPDATE oijnomi
              SET delind = 'X'
            WHERE nomtk = wa_tic1-nomtk
              AND nomit = wa_tic1-nomit.
           UPDATE oijnomh
              SET delind = 'X'
            WHERE nomtk = wa_tic1-nomtk.
         ENDLOOP.

         REFRESH: i_tic.",I_OIJNOMI.



       ENDIF.

     ENDIF.
   ENDIF.

   READ TABLE i_tic INTO wa_tic1 WITH KEY ticket_purpose =  1 status = 'C
' substatus = '6'.
   IF sy-subrc = 0.
     MESSAGE TEXT-002 TYPE 'E'.
   ELSE.
     READ TABLE i_tic INTO wa_tic1 WITH KEY ticket_purpose =  1 status =
'C' substatus =  'A'.
     IF sy-subrc = 0.
       MESSAGE TEXT-002 TYPE 'E'.
     ELSE.
       LOOP AT i_tic INTO wa_tic1.
         UPDATE oij_el_ticket_i
            SET delind = 'X'
           WHERE ticket_key     = wa_tic1-ticket_key
             AND ticket_item    = wa_tic1-ticket_item
             AND ticket_version = wa_tic1-ticket_version
             AND ticket_purpose = wa_tic1-ticket_purpose.

         UPDATE oijnomi
            SET delind = 'X'
          WHERE nomtk = wa_tic1-nomtk
            AND nomit = wa_tic1-nomit.
         UPDATE oijnomh
            SET delind = 'X'
          WHERE nomtk = wa_tic1-nomtk.
```

```
      ENDLOOP.
    ENDIF.
  ENDIF.

  COMMIT WORK AND WAIT.
  LOOP AT i_oijnomi INTO l_oijnomi WHERE sityp = 'ZU' AND docnr IS NOT I
NITIAL.
    wa_order_inx-updateflag = 'D'.
*    APPEND WA_ORDER_INX TO IT_ORDER_INX.
** -> BEGIN OF CHANGES BY  KRITIKA ON 18.10.2024 FOR ATC
    CALL FUNCTION 'BAPI_SALESORDER_CHANGE' "#EC CI_USAGE_OK[2438131]
** <- END OF CHANGES BY KRITIKA ON 18.10.2024 FOR ATC
      EXPORTING
        salesdocument    = l_oijnomi-docnr
*       ORDER_HEADER_IN  = ORDER_HEADER_IN
        order_header_inx = wa_order_inx
*       SIMULATION       = SIMULATION
*       BEHAVE_WHEN_ERROR           = ' '
*       INT_NUMBER_ASSIGNMENT       = ' '
*       LOGIC_SWITCH     = LOGIC_SWITCH
*       NO_STATUS_BUF_INIT          = ' '
      TABLES
        return           = it_return
*       ORDER_ITEM_IN    = ORDER_ITEM_IN
*       ORDER_ITEM_INX   = ORDER_ITEM_INX
*       PARTNERS         = PARTNERS
*       PARTNERCHANGES   = PARTNERCHANGES
*       PARTNERADDRESSES = PARTNERADDRESSES
*       ORDER_CFGS_REF   = ORDER_CFGS_REF
*       ORDER_CFGS_INST  = ORDER_CFGS_INST
*       ORDER_CFGS_PART_OF          = ORDER_CFGS_PART_OF
*       ORDER_CFGS_VALUE = ORDER_CFGS_VALUE
*       ORDER_CFGS_BLOB  = ORDER_CFGS_BLOB
*       ORDER_CFGS_VK    = ORDER_CFGS_VK
*       ORDER_CFGS_REFINST          = ORDER_CFGS_REFINST
*       SCHEDULE_LINES   = SCHEDULE_LINES
*       SCHEDULE_LINESX  = SCHEDULE_LINESX
*       ORDER_TEXT       = ORDER_TEXT
*       ORDER_KEYS       = ORDER_KEYS
*       CONDITIONS_IN    = CONDITIONS_IN
*       CONDITIONS_INX   = CONDITIONS_INX
*       EXTENSIONIN      = EXTENSIONIN
      .
    READ TABLE it_return INTO wa_return WITH KEY type = 'E'.
    IF sy-subrc <> 0.
      CALL FUNCTION 'BAPI_TRANSACTION_COMMIT'
* EXPORTING
*   WAIT          = WAIT
* IMPORTING
*   RETURN        = RETURN
        .
    ELSE.
      MESSAGE wa_return-message TYPE 'E'.

    ENDIF.

    REFRESH it_return.
  ENDLOOP.

ENDFORM.                    " CHECK_EXISTING_TICKET
*&---------------------------------------------------------------------*
```

```
*&      FORM  ERROR_ALV
*&———————————————————————————————————————————————————————————————————*
*       TEXT
*———————————————————————————————————————————————————————————————————*
*  —>  P1        TEXT
*  <—  P2        TEXT
*———————————————————————————————————————————————————————————————————*
FORM error_alv .
  DATA:i_layout  TYPE slis_layout_alv.
  CLEAR: wa_fcat.
  REFRESH:it_fcat[].

  CLEAR wa_fcat.
  wa_fcat-col_pos   = 1.
  wa_fcat-fieldname = 'MSG'.
  wa_fcat-tabname   = 'IT_MSG'.
  wa_fcat-seltext_l = 'MESSAGE'.
  wa_fcat-outputlen = 50.
  APPEND wa_fcat TO it_fcat.

  CLEAR wa_fcat.
  wa_fcat-col_pos   = 2.
  wa_fcat-fieldname = 'TYPE'.
  wa_fcat-tabname   = 'IT_MSG'.
  wa_fcat-seltext_l = 'TYPE'.
  wa_fcat-outputlen = 50.
  APPEND wa_fcat TO it_fcat.


  IF it_msg IS NOT INITIAL.

    DATA: v_repid1 TYPE sy-repid.
    i_layout-colwidth_optimize = 'X'.
    i_layout-zebra = 'X'.

    CALL FUNCTION 'REUSE_ALV_GRID_DISPLAY'
      EXPORTING
*       I_INTERFACE_CHECK  = ' '
*       I_BYPASSING_BUFFER = ' '
*       I_BUFFER_ACTIVE    = ' '
        i_callback_program = v_repid1
*       I_CALLBACK_PF_STATUS_SET          = ' '
*       I_CALLBACK_USER_COMMAND           = ' '
*       I_CALLBACK_TOP_OF_PAGE            = ' '
*       I_CALLBACK_HTML_TOP_OF_PAGE       = ' '
*       I_CALLBACK_HTML_END_OF_LIST       = ' '
*       I_STRUCTURE_NAME   =
*       I_BACKGROUND_ID    = ' '
        i_grid_title       = 'MESSAGE SCREEN'
*       I_GRID_SETTINGS    =
        is_layout          = i_layout
        it_fieldcat        = it_fcat
*       IT_EXCLUDING       =
*       IT_SPECIAL_GROUPS  =
*       IT_SORT            =
*       IT_FILTER          =
*       IS_SEL_HIDE        =
*       I_DEFAULT          = 'X'
        i_save             = 'X'
*       IS_VARIANT         =
*       IT_EVENTS          =
```

```
2596  *       IT_EVENT_EXIT      =
2597  *       IS_PRINT           =
2598  *       IS_REPREP_ID       =
2599  *       I_SCREEN_START_COLUMN             = 0
2600  *       I_SCREEN_START_LINE               = 0
2601  *       I_SCREEN_END_COLUMN               = 0
2602  *       I_SCREEN_END_LINE  = 0
2603  *       I_HTML_HEIGHT_TOP  = 0
2604  *       I_HTML_HEIGHT_END  = 0
2605  *       IT_ALV_GRAPHICS    =
2606  *       IT_HYPERLINK       =
2607  *       IT_ADD_FIELDCAT    =
2608  *       IT_EXCEPT_QINFO    =
2609  *       IR_SALV_FULLSCREEN_ADAPTER        =
2610  *    IMPORTING
2611  *       E_EXIT_CAUSED_BY_CALLER           =
2612  *       ES_EXIT_CAUSED_BY_USER            =
2613        TABLES
2614         t_outtab           = it_msg[]
2615        EXCEPTIONS
2616         program_error      = 1
2617         OTHERS             = 2.
2618     .
2619     IF sy-subrc <> 0.
2620  * IMPLEMENT SUITABLE ERROR HANDLING HERE
2621     ENDIF.
2622
2623     LEAVE TO CURRENT TRANSACTION.
2624
2625   ENDIF.
2626
2627
2628  ENDFORM.
2629  *&---------------------------------------------------------------------*
2630  *&      FORM  ACTUALIZE_TICKET
2631  *&---------------------------------------------------------------------*
2632  *       TEXT
2633  *----------------------------------------------------------------------*
2634  *  -->  P1        TEXT
2635  *  <--  P2        TEXT
2636  *----------------------------------------------------------------------*
2637  FORM actualize_ticket .
2638
2639    CLEAR: messtab[].
2640    WAIT UP TO 2 SECONDS.
2641    DATA l_config TYPE kzkfg.
2642    REFRESH messtab.
2643
2644    CALL FUNCTION 'YRX_TICKET_ACTUAL'
2645      EXPORTING
2646        ticketnr   = w_ticket_number1
2647        w_ncv_char = wt_gcv_a
2648      TABLES
2649        it_message = messtab.
2650
2651
2652    LOOP AT messtab INTO wa_message WHERE msgtyp = 'E'..
2653      CLEAR wa_message.
2654      wa_message-id     = wa_msg1-msgid.
2655      wa_message-number = wa_msg1-msgnr.
2656      wa_message-message = wa_msg1-msgv1.
```

```
2657      APPEND wa_message TO it_message.
2658    ENDLOOP.
2659
2660    DATA it_oij_el_ticket_i TYPE TABLE OF oij_el_ticket_i.
2661    DATA wa_oij_el_ticket_i TYPE oij_el_ticket_i.
2662
2663    REFRESH it_oij_el_ticket_i.
2664
2665  *Begin of changes by of VIPUL on 20241030  for ATC
2666    SELECT ticket_key INTO w_ticket_nr FROM oij_el_ticket_h
2667    UP TO 1 ROWS
2668    WHERE ticketnr = w_ticket_number1 ORDER BY PRIMARY KEY .
2669    ENDSELECT.
2670  * *End of changes by of VIPUL on 20241030  for ATC
2671
2672    SELECT * INTO TABLE it_oij_el_ticket_i FROM oij_el_ticket_i
2673    WHERE
2674    ticket_key = w_ticket_nr.
2675
2676    LOOP AT it_oij_el_ticket_i INTO wa_oij_el_ticket_i.
2677      IF wa_oij_el_ticket_i-status = 'C' AND wa_oij_el_ticket_i-substatus
      = '6'.
2678        CLEAR wa_message.
2679        wa_message-id = 'I'.
2680        wa_message-number = '001'.
2681        wa_message-message = 'TICKET ACTUALIZED COMPLETELY WITH NO ERRORS'
      .
2682        APPEND wa_message TO it_message.
2683  *      *    SOC CHARM ID :4000007694   |TECHICAL : RAVINDER SINGH| FUNCT
      IONAL : SHREYOSHI |DT:13.08.2024
2684        SHIFT wa_oij_el_ticket_i-ticket_key LEFT DELETING LEADING '0'.
2685        SHIFT wa_oij_el_ticket_i-ticket_item LEFT DELETING LEADING '0'.
2686        wa_msg-msg = 'TICKET (TICKET NO: ' && w_ticket_number1 && ' TICKET
       KEY:  ' && wa_oij_el_ticket_i-ticket_key
2687                     && ' TICKET ITEM: ' &&  wa_oij_el_ticket_i-ticket_ite
      m && ') ACTUALIZED COMPLETELY WITH NO ERRORS.'.
2688        wa_msg-type = 'SUCCESS'.
2689        APPEND wa_msg TO it_msg.
2690  *      *    EOC CHARM ID :4000007694   |TECHICAL : RAVINDER SINGH| FUNCT
      IONAL : SHREYOSHI |DT:13.08.2024
2691
2692      ENDIF.
2693      IF wa_oij_el_ticket_i-status = 'C' AND wa_oij_el_ticket_i-substatus
      <> '6'.
2694        CLEAR wa_message.
2695        wa_message-id = 'E'.
2696        wa_message-number = '001'.
2697
2698        CONCATENATE w_ticket_number1 'IS PARTIALLY ACTUALIZED WITH ERRORS'
       INTO wa_message-message
2699        SEPARATED BY space.
2700        APPEND wa_message TO it_message.
2701  *   SOC CHARM ID :4000007694   |TECHICAL : RAVINDER SINGH| FUNCTIONAL :
      SHREYOSHI |DT:21.06.2024
2702        SHIFT wa_oij_el_ticket_i-ticket_key LEFT DELETING LEADING '0'.
2703        SHIFT wa_oij_el_ticket_i-ticket_item LEFT DELETING LEADING '0'.
2704        wa_msg-msg = ' TICKET (TICKET NO: ' && w_ticket_number1 && ' TICKE
      T KEY:  ' && wa_oij_el_ticket_i-ticket_key
2705                     && ' TICKET ITEM: ' &&  wa_oij_el_ticket_i-ticket_item
       && ') PARTIALLY ACTUALIZED WITH ERRORS'.
2706        wa_msg-type = 'ERROR'.
```

```
      APPEND wa_msg TO it_msg.
*      **      EOC 4000007694 TECHNICAL $RAVINDER SINGH FUNCTIONAL SHREY OSI DE ON 21.06.2024.
    ENDIF.

  ENDLOOP.


ENDFORM.
```

Title:
Adjustment of Overdrawls and underdrawls

Text elements:

001 Selection
002 Partial / Complete Ticket already exists
010 Billing date range does not cover a single and complete fortnight. Do you

Selection texts:

P_KUNNR
D .
P_LOCID
D .
P_TRANS
D .
SO_DATE
Billing Period

Owner..... SAP
Short text..... Texte der allgemeinen Basis
Edit Language DE
Status 28.04.23

00001 2468
00EXT

Owner..... SAP
Short text..... SCAT: Obligoverwaltung
Edit Language DE
Status 05.11.97

OI018

Owner..... SAP
Short text..... Erweitertes Tabellenwesen (Auswertg, Customizg, clientcopy)
Edit Language DE
Status 15.06.23

TAMAI

Owner..... SAP
Short text..... Abrechnung / Terminsteuerung / Abschlag
Edit Language DE
Status 16.05.23

TUA_R

Subroutines:		Line	Page
ACTUALIZE_TICKET.....	YRXR008_UD_ADJ_OD_OD2	2333	44
	YRXR008_UD_ADJ_OD_OD2	2637	49
BDC_DYNPRO.....	YRXR008_UD_ADJ_OD_OD2	2144	40
	YRXR008_UD_ADJ_OD_OD2	2153	40
	YRXR008_UD_ADJ_OD_OD2	2157	40
	YRXR008_UD_ADJ_OD_OD2	2170	41
	YRXR008_UD_ADJ_OD_OD2	2182	41
	YRXR008_UD_ADJ_OD_OD2	2196	41
	YRXR008_UD_ADJ_OD_OD2	2199	41
	YRXR008_UD_ADJ_OD_OD2	2211	42
	YRXR008_UD_ADJ_OD_OD2	2228	42
	YRXR008_UD_ADJ_OD_OD2	2373	45
BDC_FIELD.....	YRXR008_UD_ADJ_OD_OD2	2145	40
	YRXR008_UD_ADJ_OD_OD2	2146	40
	YRXR008_UD_ADJ_OD_OD2	2147	40
	YRXR008_UD_ADJ_OD_OD2	2148	40
	YRXR008_UD_ADJ_OD_OD2	2149	40
	YRXR008_UD_ADJ_OD_OD2	2150	40
	YRXR008_UD_ADJ_OD_OD2	2154	40
	YRXR008_UD_ADJ_OD_OD2	2155	40
	YRXR008_UD_ADJ_OD_OD2	2158	40
	YRXR008_UD_ADJ_OD_OD2	2159	40
	YRXR008_UD_ADJ_OD_OD2	2171	41
	YRXR008_UD_ADJ_OD_OD2	2172	41
	YRXR008_UD_ADJ_OD_OD2	2173	41
	YRXR008_UD_ADJ_OD_OD2	2174	41
	YRXR008_UD_ADJ_OD_OD2	2175	41
	YRXR008_UD_ADJ_OD_OD2	2176	41
	YRXR008_UD_ADJ_OD_OD2	2177	41
	YRXR008_UD_ADJ_OD_OD2	2178	41
	YRXR008_UD_ADJ_OD_OD2	2179	41
	YRXR008_UD_ADJ_OD_OD2	2180	41
	YRXR008_UD_ADJ_OD_OD2	2183	41
	YRXR008_UD_ADJ_OD_OD2	2184	41
	YRXR008_UD_ADJ_OD_OD2	2185	41
	YRXR008_UD_ADJ_OD_OD2	2186	41
	YRXR008_UD_ADJ_OD_OD2	2187	41
	YRXR008_UD_ADJ_OD_OD2	2189	41
	YRXR008_UD_ADJ_OD_OD2	2190	41
	YRXR008_UD_ADJ_OD_OD2	2192	41
	YRXR008_UD_ADJ_OD_OD2	2193	41
	YRXR008_UD_ADJ_OD_OD2	2197	41
	YRXR008_UD_ADJ_OD_OD2	2198	41
	YRXR008_UD_ADJ_OD_OD2	2200	41
	YRXR008_UD_ADJ_OD_OD2	2201	41
	YRXR008_UD_ADJ_OD_OD2	2212	42
	YRXR008_UD_ADJ_OD_OD2	2213	42
	YRXR008_UD_ADJ_OD_OD2	2214	42
	YRXR008_UD_ADJ_OD_OD2	2215	42
	YRXR008_UD_ADJ_OD_OD2	2216	42
	YRXR008_UD_ADJ_OD_OD2	2217	42
	YRXR008_UD_ADJ_OD_OD2	2221	42
	YRXR008_UD_ADJ_OD_OD2	2222	42
	YRXR008_UD_ADJ_OD_OD2	2223	42
	YRXR008_UD_ADJ_OD_OD2	2224	42
	YRXR008_UD_ADJ_OD_OD2	2225	42
	YRXR008_UD_ADJ_OD_OD2	2226	42
	YRXR008_UD_ADJ_OD_OD2	2229	42
	YRXR008_UD_ADJ_OD_OD2	2230	42

	YRXR008_UD_ADJ_OD_OD2	2231	42
	YRXR008_UD_ADJ_OD_OD2	2232	42
	YRXR008_UD_ADJ_OD_OD2	2233	42
	YRXR008_UD_ADJ_OD_OD2	2235	42
	YRXR008_UD_ADJ_OD_OD2	2236	42
	YRXR008_UD_ADJ_OD_OD2	2240	42
	YRXR008_UD_ADJ_OD_OD2	2241	42
	YRXR008_UD_ADJ_OD_OD2	2358	45
CHECK_EXISTING_TICKET.....	YRXR008_UD_ADJ_OD_OD2	239	6
	YRXR008_UD_ADJ_OD_OD2	2385	45
ERROR_ALV.....	YRXR008_UD_ADJ_OD_OD2	324	7
	YRXR008_UD_ADJ_OD_OD2	1888	35
	YRXR008_UD_ADJ_OD_OD2	2033	38
	YRXR008_UD_ADJ_OD_OD2	2542	48
TICKET_ACTUALIZATE.....	YRXR008_UD_ADJ_OD_OD2	2024	38
	YRXR008_UD_ADJ_OD_OD2	2047	38

Messages:

		Line	Page
00001.....	YRXR008_UD_ADJ_OD_OD2	152	4
	YRXR008_UD_ADJ_OD_OD2	155	4
	YRXR008_UD_ADJ_OD_OD2	247	6
	YRXR008_UD_ADJ_OD_OD2	280	6
	YRXR008_UD_ADJ_OD_OD2	336	7
	YRXR008_UD_ADJ_OD_OD2	371	8
	YRXR008_UD_ADJ_OD_OD2	424	9
	YRXR008_UD_ADJ_OD_OD2	428	9
	YRXR008_UD_ADJ_OD_OD2	595	12
	YRXR008_UD_ADJ_OD_OD2	1648	31
	YRXR008_UD_ADJ_OD_OD2	1664	32
?.....	YRXR008_UD_ADJ_OD_OD2	202	5
?.....	YRXR008_UD_ADJ_OD_OD2	1126	22
?.....	YRXR008_UD_ADJ_OD_OD2	1920	36
?.....	YRXR008_UD_ADJ_OD_OD2	2026	38
?.....	YRXR008_UD_ADJ_OD_OD2	2339	44
?.....	YRXR008_UD_ADJ_OD_OD2	2454	46
?.....	YRXR008_UD_ADJ_OD_OD2	2458	46
?.....	YRXR008_UD_ADJ_OD_OD2	2526	47
OIJ_IF018.....	YRXR008_UD_ADJ_OD_OD2	286	6
	YRXR008_UD_ADJ_OD_OD2	292	7

External calls

Function Modules		Line	Page
BAPI_SALESORDER_CHANGE.....	YRXR008_UD_ADJ_OD_OD2	2484	47
BAPI_SALESORDER_CREATEFROMDAT2	YRXR008_UD_ADJ_OD_OD2	1865	35
BAPI_TRANSACTION_COMMIT.....	YRXR008_UD_ADJ_OD_OD2	1895	36
	YRXR008_UD_ADJ_OD_OD2	2018	38
	YRXR008_UD_ADJ_OD_OD2	2519	47
F4IF_INT_TABLE_VALUE_REQUEST..	YRXR008_UD_ADJ_OD_OD2	130	4
FLTP_CHAR_CONVERSION.....	YRXR008_UD_ADJ_OD_OD2	1700	32
POPUP_TO_CONFIRM.....	YRXR008_UD_ADJ_OD_OD2	205	5
REUSE_ALV_GRID_DISPLAY.....	YRXR008_UD_ADJ_OD_OD2	2570	48
RFC_TSW_NOM_CREATEFROMDATA....	YRXR008_UD_ADJ_OD_OD2	1987	37
RP_LAST_DAY_OF_MONTHS.....	YRXR008_UD_ADJ_OD_OD2	161	4
YRV_CONTRACT_DETAILS.....	YRXR008_UD_ADJ_OD_OD2	262	6
YRXF005_GET_RANK_1.....	YRXR008_UD_ADJ_OD_OD2	587	12
YRX_QTY_UOM_TO_QTY_UOM.....	YRXR008_UD_ADJ_OD_OD2	474	10
	YRXR008_UD_ADJ_OD_OD2	485	10
YRX_TICKET_ACTUAL.....	YRXR008_UD_ADJ_OD_OD2	2644	49

Transactions:		Line	Page
O4TEN.....	YRXR008_UD_ADJ_OD_OD2	2271	43
YRXU007.....	YRXR008_UD_ADJ_OD_OD2	2305	44

DATABASE OPERATIONS

SELECT:		Line	Page
A983	YRXR008_UD_ADJ_OD_OD2	920	18
	YRXR008_UD_ADJ_OD_OD2	1325	26
A984	YRXR008_UD_ADJ_OD_OD2	989	19
	YRXR008_UD_ADJ_OD_OD2	1395	27
A987	YRXR008_UD_ADJ_OD_OD2	1051	20
	YRXR008_UD_ADJ_OD_OD2	1458	28
A988	YRXR008_UD_ADJ_OD_OD2	1097	21
	YRXR008_UD_ADJ_OD_OD2	1503	29
KNA1	YRXR008_UD_ADJ_OD_OD2	901	18
KNVV	YRXR008_UD_ADJ_OD_OD2	982	19
	YRXR008_UD_ADJ_OD_OD2	1088	21
	YRXR008_UD_ADJ_OD_OD2	1387	27
	YRXR008_UD_ADJ_OD_OD2	1495	29
KONP	YRXR008_UD_ADJ_OD_OD2	930	18
	YRXR008_UD_ADJ_OD_OD2	947	19
	YRXR008_UD_ADJ_OD_OD2	1000	20
	YRXR008_UD_ADJ_OD_OD2	1017	20
	YRXR008_UD_ADJ_OD_OD2	1061	21
	YRXR008_UD_ADJ_OD_OD2	1108	21
	YRXR008_UD_ADJ_OD_OD2	1335	26
	YRXR008_UD_ADJ_OD_OD2	1352	26
	YRXR008_UD_ADJ_OD_OD2	1406	27
	YRXR008_UD_ADJ_OD_OD2	1423	27
	YRXR008_UD_ADJ_OD_OD2	1468	28
	YRXR008_UD_ADJ_OD_OD2	1514	29
MARA	YRXR008_UD_ADJ_OD_OD2	1267	25
	YRXR008_UD_ADJ_OD_OD2	1661	32
	YRXR008_UD_ADJ_OD_OD2	1670	32
MCHA	YRXR008_UD_ADJ_OD_OD2	958	19
	YRXR008_UD_ADJ_OD_OD2	1027	20
	YRXR008_UD_ADJ_OD_OD2	1363	26
	YRXR008_UD_ADJ_OD_OD2	1434	27
OIJLOC	YRXR008_UD_ADJ_OD_OD2	123	4
	YRXR008_UD_ADJ_OD_OD2	571	12
OIJNOMH	YRXR008_UD_ADJ_OD_OD2	288	6
OIJNOMI	YRXR008_UD_ADJ_OD_OD2	283	6
	YRXR008_UD_ADJ_OD_OD2	296	7
	YRXR008_UD_ADJ_OD_OD2	300	7
	YRXR008_UD_ADJ_OD_OD2	781	16
	YRXR008_UD_ADJ_OD_OD2	810	16
	YRXR008_UD_ADJ_OD_OD2	1718	33
	YRXR008_UD_ADJ_OD_OD2	2057	39
	YRXR008_UD_ADJ_OD_OD2	2402	45
OIJRELCRITERIA	YRXR008_UD_ADJ_OD_OD2	573	12
OIJRRA	YRXR008_UD_ADJ_OD_OD2	150	4
OIJTS	YRXR008_UD_ADJ_OD_OD2	242	6
OIJ_EL_CP_LAYT	YRXR008_UD_ADJ_OD_OD2	550	11
	YRXR008_UD_ADJ_OD_OD2	1731	33
OIJ_EL_TICKET_H	YRXR008_UD_ADJ_OD_OD2	2287	43
	YRXR008_UD_ADJ_OD_OD2	2666	50
OIJ_EL_TICKET_I	YRXR008_UD_ADJ_OD_OD2	1235	24
	YRXR008_UD_ADJ_OD_OD2	2079	39
	YRXR008_UD_ADJ_OD_OD2	2412	45
	YRXR008_UD_ADJ_OD_OD2	2421	46
	YRXR008_UD_ADJ_OD_OD2	2672	50
SETLEAF	YRXR008_UD_ADJ_OD_OD2	186	5

VBAK.....	YRXR008_UD_ADJ_OD_OD2	253	6
VBAP.....	YRXR008_UD_ADJ_OD_OD2	456	10
	YRXR008_UD_ADJ_OD_OD2	1136	22
	YRXR008_UD_ADJ_OD_OD2	1783	34
VBKD.....	YRXR008_UD_ADJ_OD_OD2	1761	33
V_KONV_CDS.....	YRXR008_UD_ADJ_OD_OD2	1140	22
YRO_NOM_PARAM.....	YRXR008_UD_ADJ_OD_OD2	307	7
	YRXR008_UD_ADJ_OD_OD2	331	7
YRXA_GMS_CONSTNT.....	YRXR008_UD_ADJ_OD_OD2	193	5
	YRXR008_UD_ADJ_OD_OD2	1587	30
YRXA_OD_PCNT.....	YRXR008_UD_ADJ_OD_OD2	903	18

UPDATE:		Line	Page
OIJNOMH.....	YRXR008_UD_ADJ_OD_OD2	2438	46
	YRXR008_UD_ADJ_OD_OD2	2472	46
OIJNOMI.....	YRXR008_UD_ADJ_OD_OD2	2434	46
	YRXR008_UD_ADJ_OD_OD2	2468	46
OIJ_EL_TICKET_I.....	YRXR008_UD_ADJ_OD_OD2	2461	46

INTERNAL TABLE OPERATIONS

READ TABLE:		Line	Page
IT_RANK.....	YRXR008_UD_ADJ_OD_OD2	1780	34
IT_RETURN.....	YRXR008_UD_ADJ_OD_OD2	2517	47
IT_YRXA_OD_PCNT.....	YRXR008_UD_ADJ_OD_OD2	904	18
I_A983.....	YRXR008_UD_ADJ_OD_OD2	939	19
	YRXR008_UD_ADJ_OD_OD2	1344	26
I_A984.....	YRXR008_UD_ADJ_OD_OD2	1009	20
	YRXR008_UD_ADJ_OD_OD2	1415	27
I_A987.....	YRXR008_UD_ADJ_OD_OD2	1070	21
	YRXR008_UD_ADJ_OD_OD2	1477	28
I_A988.....	YRXR008_UD_ADJ_OD_OD2	1117	22
	YRXR008_UD_ADJ_OD_OD2	1523	29
I_TIC.....	YRXR008_UD_ADJ_OD_OD2	2452	46
	YRXR008_UD_ADJ_OD_OD2	2456	46
LT_CUM_AOD.....	YRXR008_UD_ADJ_OD_OD2	647	13
	YRXR008_UD_ADJ_OD_OD2	871	17
LT_CUM_MENGE_ZU.....	YRXR008_UD_ADJ_OD_OD2	1302	25
LT_KNUMV.....	YRXR008_UD_ADJ_OD_OD2	1187	23
LT_KWERT.....	YRXR008_UD_ADJ_OD_OD2	1148	22
LT_MATERIAL.....	YRXR008_UD_ADJ_OD_OD2	1186	23
LT_MAT_UD.....	YRXR008_UD_ADJ_OD_OD2	666	14
	YRXR008_UD_ADJ_OD_OD2	683	14
LT_OIJNOMH.....	YRXR008_UD_ADJ_OD_OD2	1949	37
LT_OIJNOMI.....	YRXR008_UD_ADJ_OD_OD2	298	7
	YRXR008_UD_ADJ_OD_OD2	722	15
	YRXR008_UD_ADJ_OD_OD2	812	16
	YRXR008_UD_ADJ_OD_OD2	833	17
	YRXR008_UD_ADJ_OD_OD2	888	18
LT_OIJNOMI_ADJ.....	YRXR008_UD_ADJ_OD_OD2	302	7
	YRXR008_UD_ADJ_OD_OD2	784	16
LT_OIJNOMI_TKT.....	YRXR008_UD_ADJ_OD_OD2	2164	40
	YRXR008_UD_ADJ_OD_OD2	2206	42
LT_OIJ_EL_TICKET_I.....	YRXR008_UD_ADJ_OD_OD2	1240	24
LT_RANKS.....	YRXR008_UD_ADJ_OD_OD2	593	12
LT_RELTYPE.....	YRXR008_UD_ADJ_OD_OD2	618	13
	YRXR008_UD_ADJ_OD_OD2	638	13
LT_VBAP.....	YRXR008_UD_ADJ_OD_OD2	463	10
	YRXR008_UD_ADJ_OD_OD2	623	13
	YRXR008_UD_ADJ_OD_OD2	643	13
	YRXR008_UD_ADJ_OD_OD2	840	17
	YRXR008_UD_ADJ_OD_OD2	1146	22
LT_VBAP_UAOD_MATNR.....	YRXR008_UD_ADJ_OD_OD2	1174	23
LT_VBELN.....	YRXR008_UD_ADJ_OD_OD2	1144	22
	YRXR008_UD_ADJ_OD_OD2	1172	23
LT_YRO_NOM_PARAM.....	YRXR008_UD_ADJ_OD_OD2	380	8
	YRXR008_UD_ADJ_OD_OD2	386	8
	YRXR008_UD_ADJ_OD_OD2	403	9
	YRXR008_UD_ADJ_OD_OD2	409	9
	YRXR008_UD_ADJ_OD_OD2	470	10
MESSTAB.....	YRXR008_UD_ADJ_OD_OD2	2280	43
NOMINATIONITEM_IN.....	YRXR008_UD_ADJ_OD_OD2	1305	25
	YRXR008_UD_ADJ_OD_OD2	1608	31
NOMINATIONITEM_INX.....	YRXR008_UD_ADJ_OD_OD2	1933	36
RETURN_TAB.....	YRXR008_UD_ADJ_OD_OD2	143	4

MODIFY:		Line	Page
LT_CUM_AOD.....	YRXR008_UD_ADJ_OD_OD2	695	14
LT_KWERT.....	YRXR008_UD_ADJ_OD_OD2	1152	22
LT_MAT_UD.....	YRXR008_UD_ADJ_OD_OD2	679	14
NOMINATIONITEM_IN.....	YRXR008_UD_ADJ_OD_OD2	1315	25
	YRXR008_UD_ADJ_OD_OD2	1929	36
	YRXR008_UD_ADJ_OD_OD2	1963	37
NOMINATIONITEM_INX.....	YRXR008_UD_ADJ_OD_OD2	1939	36

DELETE:		Line	Page
I_A983.....	YRXR008_UD_ADJ_OD_OD2	934	18
	YRXR008_UD_ADJ_OD_OD2	1339	26
I_A984.....	YRXR008_UD_ADJ_OD_OD2	1004	20
	YRXR008_UD_ADJ_OD_OD2	1410	27
I_A987.....	YRXR008_UD_ADJ_OD_OD2	1065	21
	YRXR008_UD_ADJ_OD_OD2	1472	28
I_A988.....	YRXR008_UD_ADJ_OD_OD2	1112	22
	YRXR008_UD_ADJ_OD_OD2	1518	29
LT_MAT_UD_PRO.....	YRXR008_UD_ADJ_OD_OD2	686	14
LT_OIJNOMI_TKT.....	YRXR008_UD_ADJ_OD_OD2	2086	39
LT_OIJNOMI_VBAP.....	YRXR008_UD_ADJ_OD_OD2	455	10
LT_RANKS.....	YRXR008_UD_ADJ_OD_OD2	585	12
NOMINATIONITEM_IN.....	YRXR008_UD_ADJ_OD_OD2	1605	31