

3082514 - Integration of JVA into the S4HANA migration

Component: CA-JVA-JVA (Cross-Application Components > Joint Venture and Production Sharing Accounting > Joint Venture Accounting), Version: 10, Released On: 30.11.2021

Symptom

Integration of JVA into the S4HANA migration

Other Terms

JVA, Joint Venture Accounting, upgrading from ERP to S4HANA

Reason and Prerequisites

This note provides the functionality that is required when users of the JVA component in ERP system upgrade to S4HANA and would like to run JVA on ACDOCA from the start. The existing S4HANA migration is extended to include the JVA special ledgers that will be used to build the content of the ACDOCA table (Universal Journal).

Solution

Execute the following steps:

- (1) OP2020 only: Implement note 3039731 with transaction SNOTE.
- (2) Implement the attached code corrections with transaction SNOTE.
- (3) OP2020 only: Via transaction SE38/SA38, run report NOTE_3082514 in update mode.
- (4) Create the maintenance view for database table JVAONACDOCAACTIV by executing the following steps:
 - (a) Launch transaction SE11 for database table 'JVAONACDOCAACTIV' in change mode.
 - (b) In the "Utilities" menu click the "Table Maintenance Generator" item.
 - (c) In the dialog that is then displayed, enter the following parameters:

Authorization Group: 'JVCU'

Function Group: 'GJVA_MIG_VIEWS'

Package: 'GJVA_MIG'

Maintenance Type: "two step"

Overview screen: '100'

Single screen: '101'
 - (d) In the "Generated Objects" menu, either click the Create button (if available) or the Change button (if a maintenance view already exists).
- (4) This step is relevant for migration scenarios only, whereas it is not relevant for switch scenarios. The different types of migrations and switch scenarios are explained in note 2941622 (Migration to S4HANA with Joint Venture Accounting running on ACDOCA).

By default, the integration of JVA with the S4HANA migration (also called "SFIN conversion") is **off**. In special cases this might be the correct setting! So, please check together with the most experienced inhouse JVA experts and external consultants if the JVA integration is required. If, for example, the data in the JV tables cannot be trusted (which might be true in special cases), it could be appropriate to not activate the JVA integration.

To actually activate the JVA integration, execute the following steps:

- (a) Launch transaction SM30 for Maintenance View 'V_JVA_OPTIONS' in change mode.

(b) To switch on the JVA integration into the S4HANA migration, add the following entry:

Company Code	Option Name	Option Value
*	INTEGRATION_IN_S4HANA_MIGRATION_ACTIVE	X

(5) This step is relevant for switch scenarios only, whereas it is not relevant for migration scenarios. The different types of migrations and switch scenarios are explained in note 2941622 (Migration to S4HANA with Joint Venture Accounting running on ACDOCA).

To maintain the start date as of when JVA should fully run on ACDOCA, launch transaction GJACTACD (or, if the transaction code is not available, launch transaction SM30 for maintenance view JVAONACDOCAACTIV) and enter an entry like the following one (sample):

Activity ID	Date	Fiscal Year	Period
START	01.01.2023	2023	001

The above setting is important tells the system as of which posting date/fiscal period the processing functionality should use the logic for JVA_ON_ACDOCA and post to the ACDOCA table only. Moreover, the setting is used by the switch views that are explained explained below: As of the defined start date the switch views will take the data from the ACDOCA table, while they will take all data that were posted before the start date from the classic JV tables.

(6) If you need to run the classic JVA transaction for the old data model even after JVA on ACDOCA has got active for postings in the new period, that is, if you have to run the classic JVA month-end transactions for a previous period were the classic JVA was still active, you can make an additional setting that is used to determine if the classic transaction or the JVA-on-ACDOCA transaction is launched.

To maintain the start date for the JVA-on-ACDOCA transactions, launch transaction GJACTACD (or, if the transaction code is not available, launch transaction SM30 for maintenance view JVAONACDOCAACTIV) and enter an entry like the following one (sample):

Activity ID	Date	Fiscal Year	Period
START_TRANSACTIONS	01.02.2023	2023	002

To maintain a different start date for the JVA-on-ACDOCA transactions for specific users, launch transaction GJACTACD (or, if the transaction code is not available, launch transaction SM30 for maintenance view JVAONACDOCAACTIV) and enter an entry like the following one (sample):

Activity ID	Date	Fiscal Year	Period
START_TRANSACTIONS_[user id]	15.02.2023	2023	002

Instructions for the usage of the CDS views shipped with this note

This note includes quite a few CDS views (including compatibility views) that can or need to be used for specific purposes when JVA is run on ACDOCA. The main views and its usages are explained in the table below.

Remark on the views with the suffix "_SWITCH": The so-called switch views combine the data in the ACDOCA table with the data in the corresponding classic JVA table (JVSO1, JVSO2, JVTO1, JVTO2). The start date for JVA on ACDOCA stored in database table JVONACDOCAACTIVE is used as the separation date: The accounting data with a posting date before the start date are retrieved from the classic JVA table whereas the data with a posting date as of the start date are taken from the ACDOCA table.

Use a switch view only when this is really required. Due to their nature, switch views have a lower performance than non-switch views that retrieve the data from one table only.

Important remarks for developers: When using SELECT commands for CDS views, do not retrieve all columns via "SELECT * " (unless this can really not be avoided). Instead, do always specify the columns to be retrieved from the database. The list of columns should only include the data that are required in the follow-up processes. Through restricting the retrieved data this way, you will increase the performances of the data selects. As the HANA database is not line item-based but column-based, the performance of data selects are negatively correlated with the number of columns retrieved. Or, in other words, the selects will run the faster, the fewer columns are retrieved. This is especially true for CDS views because many views are based on a stack of other CDS views, and some of them even have their own, temporary persistence.

The provided CDS views *must not be modified* as they are partly used by standard migration processes! If you need different views for your special purposes, you can copy the basis standard view and create a new one in the customer name space.

Views that retrieve data from the ACDOCA table with the JVSO1/JVTO1 structure

CDS View Name / ABAP SQL Name	Data Content	Usage
JV_JVS O1_ACD DOCA/ CJVSO1 _ACD	View on the ACDOCA table that returns the retrieved data with the JVSO1 data structure. The amounts for ledger 4C are stored in the columns HSL_4C and KSL_4C.	Use this view for self-developed reports and views that were developed for classic JVA, are based on the data in table JVS O1 and need to be quickly adapted to JVA on ACDOCA. This view should not be used in a switch scenario or in a migration scenario if it is not possible to update the ACDOCA table with all JVA-relevant data. For such scenarios use JV_JV SO1_ACDOCA_SWITCH (see below).
JV_JVS O1_ACD DOCA_ 4A_4C/ CJVSO1 _ACD_ 4A_4C	View on the ACDOCA table that returns the retrieved data with the JVSO1 data structure, separated by JV ledger. (The performance of this view is lower than the one of JV_JVSO1 _ACDOCA.)	See above.
JV_JVS O1_ACD DOCA_ SWITCH/ CJVSO1 _ACD_ SW	Switch view that combines data from the ACDOCA table with data from the JVSO1 table. It returns the retrieved data with the JVSO1 data structure. The amounts for ledger 4C are stored in the columns HSL_4C and KSL_4C.	Use this view for self-developed reports and views that were developed for classic JVA, are based on the data in table JVS O1 and need to be adapted to JVA on ACDOCA. The view should be used if the historic data in the ACDOCA table (historic data in migrations scenarios or data in closed fiscal years/ periods in switch scenarios) cannot be completely updated with the correct JVA accounting data.
JV_JVS O1_ACD DOCA_ 4A_4C _SWITCH/ CJVSO1 _ACD4 A4CSW	Switch view that combines data from the ACDOCA table with data from the JVSO1 table. It returns the retrieved data with the JVSO1 data structure, separated by JV ledger. (The performance of this view is lower than the one of JV_JVSO1 _ACDOCA_SWITCH.)	See above.
JV_JV TO1_A CDOCA / CJVTO 1_ACD	View on the ACDOCA table that returns the retrieved data with the JVTO1 data structure. The amounts for ledger 4C are stored in the columns with the suffix "_4C".	Use this view for self-developed reports and views that were developed for classic JVA, are based on the data in table JVT O1 and need to be quickly adapted to JVA on ACDOCA. This view should not be used in a switch scenario or in a migration scenario if it is not possible to update the ACDOCA table with all JVA-relevant data. For such scenarios use JV_JV TO1_ACDOCA_SWITCH (see below).
JV_JV TO1_A CDOCA _SWITCH/ CJVTO 1_ACD _SW	Switch view that combines data from the ACDOCA table with aggregated data from the JVSO1 table (not from JVTO1!). It returns the retrieved data with the JVTO1 data structure. The amounts for ledger 4C are stored in the columns with the suffix "_4C".	Use this view for self-developed reports and views that were developed for classic JVA, are based on the data in table JVS O1 and need to be adapted to JVA on ACDOCA. The view should be used if the historic data in the ACDOCA table (historic data in migrations scenarios or data in closed fiscal years/ periods in switch scenarios) cannot be completely updated with the correct JVA accounting data.

JV_JV TO1_A CDOCA _4A_4 C_SWI TCH/ CJVTO 1_ACD 4ACSW	Switch view that combines data from the ACDOCA table with aggregated data from the JVSO1 table (not from JVTO1!). It returns the retrieved data with the JVTO1 data structure, separated by JV ledger. (The performance of this view is lower than the one of JV_JVTO1_ACDOCA_SWITCH.)	See above.
JV_JV TO1_A CDOCA _SWIT CH_2/ CJVTO 1_ACD _SW2	Switch view that combines data from the ACDOCA table with aggregated data from the JVTO1 table. It returns the retrieved data with the JVTO1 data structure. The amounts for ledger 4C are stored in the columns with the suffix "_4C". <i>Important restrictions:</i> This view can only be used when the data in the JVTO1 table are consistent with the data in the JVSO1 table. Moreover, this view can only be used when the start date for JVA on ACDOCA corresponds to the first date of the fiscal year of the leading ledger (which is the case when the fiscal year is identical with the calendar year and when January 1st is set as start date).	Use this view for self-developed reports and views that were developed for classic JVA, are based on the data in table JVTO1 and need to be adapted to JVA on ACDOCA. The view should be used if the historic data in the ACDOCA table (historic data in migrations scenarios or data in closed fiscal years/periods in switch scenarios) cannot be completely updated with the correct JVA accounting data.

Views that retrieve data from the ACDOCA table with the JVSO2/JVTO2 structure

CDS View Name / ABAP SQL Name	Data Content	Usage
JV_JVS O2_AC DOCA/ CJVSO 2_ACD	View on the ACDOCA table that returns the retrieved data with the JVSO2 data structure. The amounts for ledger 4D are stored in the columns HSL_4D and KSL_4D.	Use this view for self-developed reports and views that were developed for classic JVA, are based on the data in table JVSO2 and need to be quickly adapted to JVA on ACDOCA. This view should not be used in a switch scenario or in a migration scenario if it is not possible to update the ACDOCA table with all JVA-relevant data. For such scenarios use JV_JVSO2_ACDOCA_SWITCH (see below).
JV_JVS O2_AC DOCA_ 4B_4D / CJVSO 2_ACD _4B_4 D	View on the ACDOCA table that returns the retrieved data with the JVSO2 data structure, separated by JV ledger. (The performance of this view is lower than the one of JV_JVSO2_ACDOCA.)	See above.
JV_JVS O2_AC DOCA_ SWITC H/ CJVSO 2_ACD _SW	Switch view that combines data from the ACDOCA table with data from the JVSO2 table. It returns the retrieved data with the JVSO2 data structure. The amounts for ledger 4D are stored in the columns HSL_4D and KSL_4D.	Use this view for self-developed reports and views that were developed for classic JVA, are based on the data in table JVSO2 and need to be adapted to JVA on ACDOCA. The view should be used if the historic data in the ACDOCA table (historic data in migrations scenarios or data in closed fiscal years/periods in switch scenarios) cannot be completely updated with the correct JVA accounting data.

JV_JVS O2_AC DOCA_ 4B_4D _SWIT CH/ CJVSO 2_ACD 4B4DS W	Switch view that combines data from the ACDOCA table with data from the JVSO2 table. It returns the retrieved data with the JVSO2 data structure, separated by JV ledger. (The performance of this view is lower than the one of JV_JVSO2_ACDOCA_SWITCH.)	See above.
JV_JV TO2_A CDOCA / CJVTO 2_ACD	View on the ACDOCA table that returns the retrieved data with the JVTO2 data structure. The amounts for ledger 4D are stored in the columns with the suffix "_4D".	Use this view for self-developed reports and views that were developed for classic JVA, are based on the data in table JVTO2 and need to be quickly adapted to JVA on ACDOCA. This view should not be used in a switch scenario or in a migration scenario if it is not possible to update the ACDOCA table with all JVA-relevant data. For such scenarios use JV_JVTO2_ACDOCA_SWITCH (see below).
JV_JV TO2_A CDOCA _SWIT CH/ CJVTO 2_ACD _SW	Switch view that combines data from the ACDOCA table with aggregated data from the JVSO2 table (not from JVTO2!). It returns the retrieved data with the JVTO2 data structure. The amounts for ledger 4D are stored in the columns with the suffix "_4D".	Use this view for self-developed reports and views that were developed for classic JVA, are based on the data in table JVSO2 and need to be adapted to JVA on ACDOCA. The view should be used if the historic data in the ACDOCA table (historic data in migrations scenarios or data in closed fiscal years/periods in switch scenarios) cannot be completely updated with the correct JVA accounting data.
JV_JV TO2_A CDOCA _4B_4 D_SWI TCH/ CJVTO 2_ACD 4BCSW	Switch view that combines data from the ACDOCA table with aggregated data from the JVSO2 table (not from JVTO2!). It returns the retrieved data with the JVTO2 data structure, separated by JV ledger. (The performance of this view is lower than the one of JV_JVTO2_ACDOCA_SWITCH.)	See above.
JV_JV TO2_A CDOCA _SWIT CH_2/ CJVTO 2_ACD _SW2	Switch view that combines data from the ACDOCA table with aggregated data from the JVTO2 table. It returns the retrieved data with the JVTO1 data structure. The amounts for ledger 4C are stored in the columns with the suffix "_4C". <i>Important restrictions:</i> This view can only be used when the data in the JVTO2 table are consistent with the data in the JVSO2 table. Moreover, this view can only be used when the start date for JVA on ACDOCA corresponds to the first date of the fiscal year of the leading ledger (which is the case when the fiscal year is identical with the calendar year and when January 1st is set as start date).	Use this view for self-developed reports and views that were developed for classic JVA, are based on the data in table JVTO2 and need to be adapted to JVA on ACDOCA. The view should be used if the historic data in the ACDOCA table (historic data in migrations scenarios or data in closed fiscal years/periods in switch scenarios) cannot be completely updated with the correct JVA accounting data.

Views that return data from table JVSO1 with the ACDOCA structure

CDS View Name / ABAP SQL Name	Data Content	Usage
-------------------------------	--------------	-------

JV_AC DOCA_ JVSO1/ CACDO CA_JVS O1	View on the JVSO1 table that returns the retrieved data with the ACDOCA data structure. The amounts of the JV ledger are stored in the corresponding ACDOCA fields with the same currency type.	Use this view for self-developed reports and views that need to retrieve data from the historic fiscal periods for special purposes. There will be hardly any use cases for this view. This view should anyway not be used in a switch scenario or in a migration scenario where data from ACDOCA und JVSO1 need to be combined. For such scenarios use JV_ACDOCA_JVSO1_SWITCH (see below).
JV_AC DOCA_ JVSO1_ SWITCH/ CACDO CA_JVS O1_SW	Switch view that combines data from the ACDOCA table with data from the JVSO1 table. It returns the retrieved data with the ACDOCA data structure. The amounts of the JV ledger are stored in the corresponding ACDOCA fields with the same currency type.	Use this view for self-developed reports and views that retrieve data from the ACDOCA table and need to combine these with historic data from the JVSO1 table. This view is especially relevant if the historic data in the ACDOCA table cannot be completely updated with the correct JVA accounting data.

Views that return data from table JVSO2 with the ACDOCA structure

CDS View Name / ABAP SQL Name	Data Content	Usage
JV_ACD OCA_JV SO2/ CACDO CA_JVS O2	View on the JVSO2 table that returns the retrieved data with the ACDOCA data structure. The amounts of the JV ledger are stored in the corresponding ACDOCA fields with the same currency type.	Use this view for self-developed reports and views that need to retrieve data from the historic fiscal periods for special purposes. There will be hardly any use cases for this view. This view should anyway not be used in a switch scenario or in a migration scenario where data from ACDOCA und JVSO2 need to be combined. For such scenarios use JV_ACDOCA_JVSO2_SWITCH (see below).
JV_ACD OCA_JV SO2_SW ITCH / CACDO CA_JVS O2_SW	Switch view that combines data from the ACDOCA table with data from the JVSO2 table. It returns the retrieved data with the ACDOCA data structure. The amounts of the JV ledger are stored in the corresponding ACDOCA fields with the same currency type.	Use this view for self-developed reports and views that retrieve data from the ACDOCA table and need to combine these with historic data from the JVSO1 table. This view is especially relevant if the historic data in the ACDOCA table cannot be completely updated with the correct JVA accounting data.

Views that return data from the ACDOCA table for JVA purposes

CDS View Name / ABAP SQL Name	Data Content	Usage
JV_AC DOCA/ CJVAC DOCA	View on the ACDOCA table with a subset of fields that are important for the cutback-related and equity group-related JVA processes	Use this view for self-developed reports and views that are completely based on the values in the ACDOCA table and that do not need to process any historic data that were created before JVA_ON_ACDOCA was switched on (greenfield implementations; or processes retrieving values from the current or previous period only)

JV_AC DOCA_ BILLIN G/ CJVAC DOCA_ BILL	View on the ACDOCA table with a subset of fields that are important for the billing-related JVA processes	Use this view for self-developed reports and views that are completely based on the values in the ACDOCA table and that do not need to process any historic data that were created before JVA_ON_ACDOCA was switched on (greenfield implementations; or processes retrieving values from the current or previous period only).
--	---	--

Manual Activities

Manual Activity		

VALID FOR		
Software Component	S4CORE	
Release 106	w/o Support Packages	

- Execute the following steps:
- (1) Implement the attached code corrections with transaction SNOTE.
 - (2) By default, the JVA integration is off! To activate the JVA integration, execute the following steps:
 - (a) Launch transaction SM30 for Maintenance View 'V_JVA_OPTIONS' in change mode.
 - (b) To switch on the JVA integration into the S4HANA migration, add the following entry:

Company Code	Option Name	Value

*	INTEGRATION_IN_S4HANA_MIGRATION_ACTIVE	X

Manual Activity		

VALID FOR		
Software Component	S4CORE	
Release 105	Until SAPK-10503INS4CORE	

- Execute the following steps:
- (1) Implement note 3039731 with transaction SNOTE.
 - (2) Implement the attached code corrections with transaction SNOTE.
 - (3) Via transaction SE38/SA38, run report NOTE_3082514 in update mode.
 - (4) By default, the JVA integration is off! To actually activate the JVA integration, execute the following steps:
 - (a) Launch transaction SM30 for Maintenance View 'V_JVA_OPTIONS' in change mode.
 - (b) To switch on the JVA integration into the S4HANA migration, add the following entry:

Company Code	Option Name	Value

*	INTEGRATION_IN_S4HANA_MIGRATION_ACTIVE	X

Software Components

Software Component	From	To
S4CORE	105	105
S4CORE	106	106

Correction Instructions

Software Component	Number of Correction Instructions
<u>S4CORE</u>	5

Prerequisites

Software Component	From	To	SAP Note/KBA	Title	Component
S4CORE	100	105	<u>2822958</u>	S/4HANA Finance Migration: Runtime error AMDP_EXECUTION_FAILED, SQL error 274 in MUJ due to incorrect field length for FKBER field	FIN-MIG-GL
S4CORE	100	105	<u>2831660</u>	S/4HANA Finance Migration: Dump TSV_TNEW_PAGE_ALLOC_FAILED occurs in MUJ step while processing records from table ANLP	FIN-MIG-GL
S4CORE	100	105	<u>2930342</u>	Firori App F0718: Corporate Recovery Indicator retained when cost object is entered after the amounts	CA-JVA-JVA-IF
S4CORE	100	105	<u>2974316</u>	Non-billable recovery indicator in customer/vendor line not retained and overwritten by corporate recovery indicator	CA-JVA-JVA-IF
S4CORE	100	105	<u>2980822</u>	Recovery indicator on RXD lines taken from open item and not derived from the cost object	CA-JVA-JVA-IF
S4CORE	100	105	<u>3001918</u>	Venture data not derived from profit center, and the corporate venture data are set instead	CA-JVA-JVA-IF
S4CORE	100	105	<u>3008742</u>	Shortdump when running an allocation	CA-JVA-JVA-IF
S4CORE	100	105	<u>3017871</u>	Error GLT2-201 when posting an asset accounting document due to missing venture data (corporate venture not set)	CA-JVA-JVA-IF
S4CORE	100	106	<u>2797870</u>	Error GU 505 while executing Cutback	CA-JVA-JVA-PP
S4CORE	100	106	<u>2968714</u>	OBJVAL: Transfer CO account assignment for balance sheet account	FI-GL-GL-G
S4CORE	100	107	<u>2896293</u>	FAGL_FCV: G/L Balances / Transfer of original CO assignments	FI-GL-GL-G
S4CORE	101	105	<u>3030813</u>	S/4HANA Finance Migration: Fill EPRCTR and RHOART for CO-only items	FIN-MIG
S4CORE	101	105	<u>3061866</u>	Error GLT1-201 when posting an FI document with more than 2 lines with transaction FB50 or FB01	CA-JVA-JVA-IF
S4CORE	101	106	<u>3104708</u>	Wrong venture data in dispute lines in MM invoices	CA-JVA-JVA-IF
S4CORE	103	105	<u>2976177</u>	Corporate Venture incorrectly derived for FI posting	CA-JVA-JVA-IF
S4CORE	104	105	<u>2814303</u>	FAGL_FC_TRANS: Consideration of field status for translation postings / Cost Object assignments	FI-GL-GL-G
S4CORE	104	105	<u>2964408</u>	Error G4791 when posting a cross-company CO document with non-JVA company code	CA-JVA-JVA-IF

S4CORE	104	105	<u>2970097</u>	S/4HANA Finance Data Migration MUJ: COPA fields 'sales order' and 'position' are not filled from the profitability segment information	FIN-MIG
S4CORE	104	105	<u>2970179</u>	GJCBA: Wrong recovery indicator in cutback posting; error BK-181 when posting intercompany documents; errorr GJ-167 when ITD is active	CA-JVA-JVA-IF
S4CORE	104	105	<u>2970316</u>	S/4HANA Finance Data Migration MUJ: Amount in transaction currency is zero for migrated CO only records, But total have an amount in Transaction currency	FIN-MIG
S4CORE	104	105	<u>2974120</u>	GJCBA: Error GJ635 when posting a cutback document during parallel processing	CA-JVA-JVA-PP
S4CORE	104	105	<u>2977557</u>	Error G4-791 issue for profit center when running an allocation	CA-JVA-JVA-IF
S4CORE	104	105	<u>2979340</u>	Error FINS_ACDOC_POST-056 when posting an FI document with JVA split data in a cFin system	CA-JVA-JVA-IF
S4CORE	104	105	<u>2980614</u>	Error GLT2-201 when posting an FI document with basis lines only	CA-JVA-JVA-IF
S4CORE	104	105	<u>2989589</u>	Non-statistical cost object not copied to split line in GL document; corporate cost center not derived in cross-company document	CA-JVA-JVA-IF
S4CORE	104	105	<u>2994685</u>	FBo8/FBRA: Wrong venture data re-derived for reversal documents	CA-JVA-JVA-IF
S4CORE	104	105	<u>3029371</u>	Shortdump due to the WRONG_PARAMETERS exception when posting an FI document	CA-JVA-JVA-IF
S4CORE	104	105	<u>3041503</u>	Error GJ-635 or GJ-100 when posting a document in a cFin system coming from an SAP or from a third-party system	CA-JVA-JVA-IF
S4CORE	104	105	<u>3050563</u>	JVA on ACDOCA activation: Report to update the CBRUNID value in the ACDOCA table	CA-JVA-JVA-SU
S4CORE	104	105	<u>3068875</u>	Error G5-027 when posting a cutback document manually	CA-JVA-JVA-IF
S4CORE	104	105	<u>3078105</u>	Error GJ-635 or GJ-100 when posting a parked document	CA-JVA-JVA-IF
S4CORE	104	106	<u>3104340</u>	Derivation issues in FI documents regarding profit centers	CA-JVA-JVA-IF
S4CORE	104	106	<u>3105177</u>	Recovery indicator defined for account is not used for CO postings	CA-JVA-JVA-PP
S4CORE	104	106	<u>3106284</u>	Error GLT2-201 when replicating FI documents with cFin functionality	CA-JVA-JVA-IF
S4CORE	104	108	<u>2947552</u>	GJCB: Recovery indicator mismatch for the customer line item	CA-JVA-JVA-PP
S4CORE	105	105	<u>2650919</u>	Extension of JV integration manager for Central Finance functionality (sender)	CA-JVA-JVA-IF
S4CORE	105	105	<u>2963276</u>	Corporate venture derived in Central Finance system despite cost object with non-corporate venture data	CA-JVA-JVA-IF
S4CORE	105	105	<u>2975472</u>	Incorrect venture derivation during consignment settlement	CA-JVA-JVA-IF
S4CORE	105	105	<u>2993103</u>	Corporate venture data not derived from profit center; error GJV_FUND-056	CA-JVA-JVA-IF
S4CORE	105	105	<u>2996739</u>	S/4HANA FinanceData Migration MUJ : Excessive memory used by method IF_FINS_MIG_UJ_HDB~MAP_TO_ACDOCA from ZCL_FINS_MIG_UJ_HDB_GENERATED	FIN-MIG
S4CORE	105	105	<u>2999235</u>	Errors when posting MM documents with MIGO or MRKO/MRKON	CA-JVA-JVA-IF

S4CORE	105	105	3002084	S/4HANA FinanceData Migration MUJ : Excessive memory used by method IF_FINS_MIG_UJ_HDB~MAP_TO_ACDOCA from ZCL_FINS_MIG_UJ_HDB_GENERATED. Prerequisite SAP Note 2996739	FIN-MIG-GL
S4CORE	105	105	3009124	S/4HANA Finance Data Migration ENR: Enrich BKPF with reversal refernece information	FIN-MIG-GL
S4CORE	105	105	3016900	Venture data not derived for several document types	CA-JVA-JVA-IF
S4CORE	105	105	3018089	GJ97/GJ97N/RGJVREC8: Enable JVA document display and simulation programs for JVA on ACDOCA	CA-JVA-JVA-IF
S4CORE	105	105	3027531	S/4HANA Finance Data Migration MUJ: Fileds 'RUNIT' and 'MSL' are incorrectly updated in ACDOCA	FIN-MIG-GL
S4CORE	105	105	3031838	S/4HANA Finance Data Migration MUJ: Public sector fields 'KBLNR' and 'KBLPOS' are not filled from BSEG fields KBLNR and KBLPOS	FIN-MIG
S4CORE	105	105	3048454	S/4HANA Finance Migration: Better error messages for currency conversion in MUJ	FIN-MIG
S4CORE	105	105	3080151	S/4HANA Finance Data Migration ENR: Not all transactional data is enriched	FIN-MIG
S4CORE	106	106	3078105	Error GJ-635 or GJ-100 when posting a parked document	CA-JVA-JVA-IF

Support Package

Software Component Version	Support Package
S4CORE 105	<u>SAPK-10504INS4CORE</u>
S4CORE 106	<u>SAPK-10601INS4CORE</u>