

Created on....01.02.2019 Last changed on/by..... 26.05.2025 SAP
Author.....SAP

Title.....Prior period equity adjustment

Type.....1	Reporting
Status.....P	Production
Application.....F	Financial accou
Class.....	
Logical database.....	
from Application....	Financial accou
Selection screen.....	
Authorization group...	
Package.....GJVA	

 Start by Variants
 Deactivate editor lock
X Fixed point arithmetic active

```
1  *&_____*
```

```
2  *& Report RGJVEA10_ACD
```

```
3  *&_____*
```

```
4  *& Main include for Equity adjustment
```

```
5  *&_____*
```

```
6  report rgjvea10_acd line-size 400
```

```
7           no standard page heading.
```

```
8
```

```
9  data: go_adjust          type ref to if_jva_equity_adjust,
```

```
10         gv_cursor_field(20) type c value 'P_BUKRS',
```

```
11         gv_sscr_ucomm     type sy-ucomm.
```

```
12
```

```
13  ranges: gr_projk for acdoca-ps_psp_pnr.
```

```
14
```

```
15  * Selection screen for Equity Adjustment
```

```
16  include rgjveas0_acd.
```

```
17
```

```
18  * Include with unit tests
```

```
19  include rgjvea_test_acd.
```

```
20
```

```
21
```

```
22  *_____*
```

```
23  *      INITIALIZATION
```

```
24  *_____*
```

```
25  initialization.
```

```
26
```

```
27  * Check if JVA is running on ACDOCA. If not, go to the old transaction
```

```
28  cl_jva_output=>if_jva_output~check_transaction( 'GJ19' ).
```

```
29
```

```
30  go_adjust = new cl_jva_equity_adjust( ).
```

```
31
```

```
32  perform modify_screen.
```

```
33
```

```
34
```

```
35  *_____*
```

```
36  *      AT SELECTION-SCREEN OUTPUT
```

```
37  *_____*
```

```
38  at selection-screen output.
```

```
39
```

```
40  perform prepare_adjustment_obj_frame.
```

```
41
```

```
42
```

```
43  *_____*
```

```
44  *      AT SELECTION-SCREEN
```

```
45  *_____*
```

```
46  at selection-screen.
```

```
47
```

```
48  perform validate_screen_fields.
```

```
49
```

```
50  perform check_parameters.
```

```
51
```

```
52  perform process_adjustment_obj_actions.
```

```
53
```

```
54
```

```
55  *_____*
```

```
56  *      START-OF-SELECTION
```

```
57  *_____*
```

```
58  start-of-selection.
```

```
59
```

```
60  perform run.
```

```
61
```

```
62
63 *&-----*
64 *&   FORM modify_screen
65 *&-----*
66 form modify_screen.
67
68 * Close Selection-Screen Block 1
69   p_ado = 'X'.
70
71 * Set Text & Icon for Pushbutton c1 - c5, o1 - o5
72   concatenate icon_collapse: text-ado into pushadoc.
73   concatenate icon_expand:   text-ado into pushadoo.
74
75 endform.
76
77 *-----*
78 *   FORM prepare_adjustment_obj_frame
79 *-----*
80 form prepare_adjustment_obj_frame.
81
82   loop at screen.
83     perform close_block using: p_ado 'ADC' space,
84                               p_ado 'ADO' 'X'.
85   endloop.
86
87   case gv_sscr_ucomm.
88     when 'UCOMM_OPENADO'.                "Open Block
89     set cursor field 'S_BUDAT'.
90     when others.
91     set cursor field gv_cursor_field.
92   endcase.
93
94 endform.
95
96 *-----*
97 *   FORM process_adjustment_obj_actions
98 *-----*
99 form process_adjustment_obj_actions.
100
101   get cursor field gv_cursor_field.
102
103   gv_sscr_ucomm = sy-ucomm. "sscrfields-ucomm.
104
105 * Auf die User-Commands reagieren
106 case gv_sscr_ucomm.
107   when 'UCOMM_OPENADO'.                "Open Block
108   clear p_ado.
109   when 'UCOMM_CLOSEADO'.              "Close Block
110   p_ado = 'X'.
111 endcase.
112
113 endform.
114
115 *-----*
116 *   FORM close_block
117 *-----*
118 form close_block using value(iv_close_block) like p_ado
119                       iv_modify_id          like screen-group1
120                       iv_convert.
121
122   if not iv_convert is initial.
```

```

123     if iv_close_block is initial.
124         iv_close_block = 'X'.
125     else.
126         clear iv_close_block.
127     endif.
128 endif.
129
130 if ( screen-group1 = iv_modify_id )
131 and ( not iv_close_block is initial ).
132     screen-active = '0'.
133     modify screen.
134 endif.
135
136 endform.                                " CLOSE_BLOCK
137
138
139 *&-----*
140 *&  FORM check_parameters
141 *&-----*
142 form check_parameters.
143
144     perform convert_project_range.
145
146     go_adjust->set_run_parameters( iv_bukrs           = p_bukrs
147                                   iv_vname           = p_vname
148                                   iv_year            = p_year
149                                   iv_period          = p_period
150                                   iv_frdate          = p_frdate
151                                   iv_todate          = p_todate
152                                   iv_eqnew           = p_eqnew
153                                   iv_eqold           = p_eqold
154                                   iv_excloi          = p_excloi
155                                   iv_budat           = p_budat
156                                   it_acct            = s_acct[]
157                                   it_budat           = s_budat[]
158                                   it_cntr            = s_cntr[]
159                                   it_ordnr          = s_ordnr[]
160                                   it_projk          = gr_projk[]
161                                   it_nplnr          = s_nplnr[]
162                                   it_vornr          = s_vornr[]
163                                   iv_bktxt          = p_bktxt
164                                   iv_ivpegg          = p_ivpegg
165                                   iv_ivpptn          = p_ivpptn
166                                   iv_ivpexp          = p_ivpexp
167                                   iv_ec_aggregated    = p_aggreg
168                                   iv_analysis_only    = p_displ
169                                   iv_test            = p_test
170                                   iv_repid_callback   = sy-repid
171                                   iv_farm_in_out      = abap_false ).
172
173 * Check authority and selection data
174 go_adjust->check_screen_parameters( changing
175                                   cv_frdate = p_frdate
176                                   cv_todate = p_todate ).
177
178 endform.
179
180 *&-----*
181 *&  FORM run
182 *&-----*
183 form run.

```

```
184
185 perform convert_project_range.
186
187 go_adjust->set_run_parameters( iv_bukrs      = p_bukrs
188                               iv_vname      = p_vname
189                               iv_year       = p_year
190                               iv_period     = p_period
191                               iv_frdate    = p_frdate
192                               iv_todate    = p_todate
193                               iv_eqnew     = p_eqnew
194                               iv_eqold     = p_eqold
195                               iv_excloi    = p_excloi
196                               iv_budat     = p_budat
197                               it_acct      = s_acct[]
198                               it_budat     = s_budat[]
199                               it_cntr      = s_cntr[]
200                               it_ordnr     = s_ordnr[]
201                               it_projk     = gr_projk[]
202                               it_nplnr     = s_nplnr[]
203                               it_vornr     = s_vornr[]
204                               iv_bktxt     = p_bktxt
205                               iv_ivpegg    = p_ivpegg
206                               iv_ivpptn    = p_ivpptn
207                               iv_ivpexp    = p_ivpexp
208                               iv_ec_aggregated = p_aggreg
209                               iv_analysis_only = p_displ
210                               iv_test      = p_test
211                               iv_repid_callback = sy-repid
212                               iv_farm_in_out = abap_false ).
213
214 * Run the equity adjustment process
215 go_adjust->run_process( ).
216
217 endform.
218
219 *&-----*
220 *& FORM top_of_page_handler_ea
221 *&-----*
222 form top_of_page_handler_ea ##CALLED.
223
224 * Print the top of page section for an ALV LIST table
225 go_adjust->handle_ea_event_top_of_page( ).
226
227 endform.
228
229 *&-----*
230 *& FORM top_of_page_handler_ea
231 *&-----*
232 form top_of_list_handler_ea ##CALLED.
233
234 * Print the header for an ALV LIST table
235 go_adjust->handle_ea_event_top_of_list( ).
236
237 endform.
238
239 *&-----*
240 *& FORM after_line_output_handler_ea
241 *&-----*
242 form before_line_output_handler_ea using rs_lineinfo type slis_lineinfo
243 ##CALLED.
```

```
244 * Print horizontal line after each line and any error in extra line
245   go_adjust->handle_ea_event_befor_line_out( rs_lineinfo ).
246
247 endform.
248
249 *&-----*
250 *&   FORM after_line_output_handler_ea
251 *&-----*
252 form after_line_output_handler_ea using rs_lineinfo type slis_lineinfo #
#CALLED.
253
254 * Print horizontal line after each line and any error in extra line
255   go_adjust->handle_ea_event_after_line_out( rs_lineinfo ).
256
257 endform.
258
259
260 *-----*
261 *   FORM top_of_page_handler (for cutback)
262 *-----*
263 form top_of_page_handler_cb ##CALLED.
264
265 * Print the top of page section for an ALV LIST table
266   go_adjust->handle_cb_event_top_of_page( ).
267
268 endform.
269
270 *-----*
271 *   FORM top_of_list_handler (for cutback)
272 *-----*
273 form top_of_list_handler_cb ##CALLED.
274
275 * Print the header for an ALV LIST table
276   go_adjust->handle_cb_event_top_of_list( ).
277
278 endform.
279
280 *&-----*
281 *&   FORM after_line_output_handler_ea (for cutback)
282 *&-----*
283 form after_line_output_handler_cb using rs_lineinfo type slis_lineinfo #
#CALLED.
284
285 * Print horizontal line after each line and any error in extra line
286   go_adjust->handle_cb_event_after_line_out( rs_lineinfo ).
287
288 endform.
289
290 *&-----*
291 *&   FORM convert_project_range
292 *&-----*
293 form convert_project_range.
294
295   data: lv_pspnr type ps_posnr.
296
297   refresh gr_projk.
298
299   loop at s_projk.
300
301     gr_projk-sign    = s_projk-sign.
302     gr_projk-option  = s_projk-option.
```

```
303
304     if s_projk-low is not initial.
305         call function 'CJPN_EXTERN_TO_INTERN_CONV'
306             exporting
307                 ext_num      = s_projk-low
308             importing
309                 int_num      = lv_pspnr
310             exceptions
311                 not_found    = 1
312                 error_message = 2
313                 others       = 4.
314         if sy-subrc = 0 and
315             lv_pspnr is not initial.
316             gr_projk-low = lv_pspnr.
317         endif.
318     endif.
319
320     if s_projk-high is not initial.
321         clear lv_pspnr.
322         call function 'CJPN_EXTERN_TO_INTERN_CONV'
323             exporting
324                 ext_num      = s_projk-high
325             importing
326                 int_num      = lv_pspnr
327             exceptions
328                 not_found    = 1
329                 error_message = 2
330                 others       = 4.
331         if sy-subrc = 0 and
332             lv_pspnr is not initial.
333             gr_projk-high = lv_pspnr.
334         endif.
335     endif.
336
337     if gr_projk-low is not initial or
338         gr_projk-high is not initial.
339         append gr_projk.
340     endif.
341
342     endloop.
343
344 endform.
345
346 form validate_screen_fields.
347
348     if p_bukrs is initial.
349         message id 'GJ' type 'E' number 450.
350     endif.
351     if p_year is initial.
352         message id 'GJ' type 'E' number 423.
353     endif.
354
355     if p_period is initial.
356         message id 'GJ' type 'E' number 422.
357     endif.
358
359     if p_eqold is initial.
360         message id 'GJ' type 'E' number 315 with 'valid old equity group'.
361     endif.
362
363     if p_eqnew is initial.
```

```
364     message id 'GJ' type 'E' number 315 with 'valid new equity group'.  
365     endif.  
366  
367 endform.
```



```

1  *&-----*
2  *& Include          RGJVEAS0_ACD
3  *&-----*
4
5  tables: t8jz,
6           acdoca.
7
8  * Selection Criteria
9
10 selection-screen begin of block selcrit with frame title text-sel.
11
12     selection-screen begin of block table0 with frame title text-bas.
13         parameters: p_bukrs type jva_search_help_ts-bukrs memory id buk,
14                     p_vname type jva_search_help_ts-vname memory id jvv,
15                     p_year  type bkpj-gjahr  memory id fyr,
16                     p_period type bkpj-monat memory id gp1.
17     selection-screen end of block table0.
18
19 * Equity group selection
20 selection-screen begin of block table1 with frame title text-100.
21     parameters: p_eqold type jvto1-regrou matchcode object jvh_equitygr
22     up,
23               p_eqnew type jvto1-regrou matchcode object jvh_equitygr
24     up.
25 selection-screen end of block table1.
26
27 * Adjustment period
28 selection-screen begin of block table2 with frame title text-101.
29     selection-screen begin of line.
30         selection-screen comment (29) text-frd for field p_frdate.
31         parameters: p_frdate type sy-datum.
32         selection-screen comment (13) text-tod for field p_todate.
33         parameters: p_todate type sy-datum.
34     selection-screen end of line.
35 selection-screen end of block table2.
36
37 * Hidden parameter needed for showing/hiding the adjustment objects
38 parameters: p_ado(1) type c no-display. "Close Block 1x
39
40 * Adjustment objects
41 selection-screen:
42     pushbutton /1(35) pushadoo "Open Block ado
43     user-command ucomm_openado modif id ado, "#EC NEEDED
44     pushbutton /1(35) pushadoc "Close Block ado
45     user-command ucomm_closeado modif id adc. "#EC NEEDED
46
47     selection-screen begin of block table4 with frame title text-103.
48     select-options: s_budat for sy-datum modif id adc.
49     select-options: s_acct for acdoca-racct modif id adc.
50     parameters: p_excloi as checkbox modif id adc.
51     select-options: s_cntr for acdoca-rcntr modif id adc,
52                   s_ordnr for acdoca-aufnr modif id adc,
53                   s_projk for acdoca-ps_posid modif id adc,
54                   s_nplnr for acdoca-nplnr modif id adc,
55                   s_vornr for acdoca-vornr modif id adc.
56     selection-screen end of block table4.
57
58 selection-screen end of block selcrit.
59
60 * Processing Options
61 selection-screen begin of block processing_options

```

```
60   with frame title text-pro.
61   parameters: p_single radiobutton group proc default 'X',
62               p_aggreg radiobutton group proc.
63 selection-screen end of block processing_options.
64
65 *   Posting details
66 selection-screen begin of block table3 with frame title text-102.
67   parameters: p_budat type    sy-datum,
68               p_bktxt type    bkpj-bktxt default text-eqa.
69 selection-screen end of block table3.
70
71 *   Posting options
72 selection-screen begin of block posting_options with frame title text-10
73 5.
74   parameters: p_ivpegg radiobutton group pst1 default 'X',
75               p_ivpptn radiobutton group pst1,
76               p_ivpexp radiobutton group pst1.
77 selection-screen end of block posting_options.
78
79 *   Run Type
80 selection-screen begin of block runtype with frame title text-104.
81   parameters: p_displ radiobutton group runt,
82               p_test radiobutton group runt default 'X',
83               p_update radiobutton group runt.
84 selection-screen end of block runtype.
```

```

1  *&-----*
2  *& Include          RGJVEA_TEST_ACD
3  *&-----*
4
5  class ltc_test definition final
6      for testing
7          risk level harmless
8          duration short.
9
10     private section.
11
12         class-data:
13             go_osql_environment type ref to if_osql_test_environment.
14
15         class-methods:
16             class_setup,
17             class_teardown.
18
19         methods:
20             run_ok for testing,
21             convert_project_range_ok for testing,
22             convert_project_empty_s_projk for testing,
23             alv_handlers_ok             for testing raising cx_static_check,
24             validate_screen_field       for testing raising cx_static_check,
25             process_adjustments         for testing raising cx_static_check.
26
27     endclass.
28
29     class ltc_test implementation.
30
31         method class_setup.
32
33             go_adjust ?= cl_abap_testdouble=>create( 'IF_JVA_EQUITY_ADJUST' ).
34
35             "register the tables that will be mocked by the test methods
36             go_osql_environment = cl_osql_test_environment=>create( value #(
37                 PRPS' )
38                 VSPRPS_CN' )
39                 TCJ01' )
40                 ).
41
42
43         endmethod.
44
45
46         method class_teardown.
47
48             go_osql_environment->destroy( ).
49
50         endmethod.
51
52
53         method run_ok.
54
55             data: lv_subrc      type sy-subrc.
56             try.
57                 perform prepare_adjustment_obj_frame.
58                 perform process_adjustment_obj_actions.

```

```

59         perform check_parameters.
60         perform run.
61         catch cx_root.
62             lv_subrc = 4.
63     endtry.
64
65     cl_abap_unit_assert=>assert_equals( act = lv_subrc
66 no                                     quit = if_aunit_constants=>quit-
67                                     exp = 0 ).
68
69     endmethod.
70
71
72     method convert_project_range_ok.
73
74         "Set the test data in table PRPS
75         data: lt_prps type standard table of prps,
76               lt_tcj01 type table of tcj01.
77
78         lt_prps = value #(
79             ( mandt = sy-mandt
80               pspnr = 12345678
81               posid = 'ABCDEFGHIJKLMNOP' )
82             ( mandt = sy-mandt
83               pspnr = 87654321
84               posid = 'KLMNOPQRSTUVWXYZ' )
85         ).
86         go_osql_environment->insert_test_data( lt_prps ).
87
88         "Project Management Control Parameters
89         lt_tcj01 = value #(
90             (
91                 mandt = sy-mandt
92                 argum = 'X'
93                 strkz = '1'
94                 edkz1 = '/'
95                 edkz2 = '.'
96                 edkz3 = ':'
97                 edkz4 = '>'
98                 edkz5 = ';'
99                 edkz6 = '-'
100                edkz7 = '<'
101                edkz8 = '='
102                quick = '"'
103                tmpr = '%'
104            )
105        ).
106
107         go_osql_environment->insert_test_data( lt_tcj01 ).
108
109
110         "Now check if the conversion works properly
111
112         s_projk[] = value #( ( sign    = 'I'
113                               option  = 'EQ'
114                               low     = 'ABCDEFGHIJKLMNOP'
115                               high    = 'KLMNOPQRSTUVWXYZ' ) ).
116
117         perform convert_project_range.
118

```

```
119     "The returned range must not be initial
120     cl_abap_unit_assert=>assert_not_initial( act = gr_projk[]
121                                           quit = if_aunit_constants=>
quit-no ).
122
123     "The returned range items must have the right internal numbers
124     loop at gr_projk into data(ls_projk).
125         cl_abap_unit_assert=>assert_equals( act = ls_projk-low
126                                           exp = 12345678
127                                           quit = if_aunit_constants=>qui
t-no ).
128         cl_abap_unit_assert=>assert_equals( act = ls_projk-high
129                                           exp = 87654321
130                                           quit = if_aunit_constants=>qui
t-no ).
131     endloop.
132
133     endmethod.
134
135
136     method alv_handlers_ok.
137
138         data: lv_subrc      type sy-subrc,
139               ls_lineinfo type slis_lineinfo.
140
141         try.
142             perform top_of_page_handler_ea.
143             perform top_of_list_handler_ea.
144             perform before_line_output_handler_ea using ls_lineinfo.
145             perform after_line_output_handler_ea using ls_lineinfo.
146             catch cx_root.
147                 lv_subrc = 4.
148         endtry.
149
150         cl_abap_unit_assert=>assert_equals( act = lv_subrc
151                                           quit = if_aunit_constants=>quit-
no
152                                           exp = 0 ).
153
154         clear lv_subrc.
155
156         try.
157             perform top_of_page_handler_cb.
158             perform top_of_list_handler_cb.
159             perform before_line_output_handler_ea using ls_lineinfo.
160             perform after_line_output_handler_cb using ls_lineinfo.
161             catch cx_root.
162                 lv_subrc = 4.
163         endtry.
164
165         cl_abap_unit_assert=>assert_equals( act = lv_subrc
166                                           quit = if_aunit_constants=>quit-
no
167                                           exp = 0 ).
168
169
170     endmethod.
171
172     method validate_screen_field.
173     *     p_bukrs = '1710'.
174     *     p_eqnew = 'EG2'.
```

```
175 *      p_eqold = 'EG1'.
176 *      p_year = '2024'.
177 *      p_period = '03'.
178 *      try.
179 *          perform validate_screen_fields.
180 *          catch cx_root.
181 *              data(lv_subrc) = 4.
182 *          endtry.
183 *      cl_abap_unit_assert=>assert_equals( act  = lv_subrc
184 *                                          quit = if_aunit_constants=>quit
185 *                                          -no
186 *                                          *          exp  = 0 ).
187
188 method convert_project_empty_s_projk.
189     s_projk[] = value #( ).
190
191     perform convert_project_range.
192     perform modify_screen.
193
194     cl_abap_unit_assert=>assert_initial( act = gr_projk[] ).
195 endmethod.
196
197 method process_adjustments.
198     sy-ucomm = 'UCOMM_OPENADO'.
199     perform process_adjustment_obj_actions.
200     perform prepare_adjustment_obj_frame.
201     cl_abap_unit_assert=>assert_initial( p_ado ).
202     sy-ucomm = 'UCOMM_CLOSEADO'.
203     perform process_adjustment_obj_actions.
204     perform prepare_adjustment_obj_frame.
205     cl_abap_unit_assert=>assert_not_initial( p_ado ).
206     sy-ucomm = ''.
207     clear p_ado.
208     perform process_adjustment_obj_actions.
209     cl_abap_unit_assert=>assert_initial( p_ado ).
210
211 endmethod.
212
213 endclass.
```

Title:
Prior period equity adjustment

Text elements:

100 Equity Group Selection
101 Adjustment Period
102 Posting Details
103 Adjustment Objects
104 Run Type
105 Cutback Posting Options
ADO Adjustment Objects
BAS Basic Criteria
EQA Equity Adjustment
FRD Document Date
PRO Processing Options for Equity Change
SEL Selection Criteria
TOD to
TOP to Period/Year

Selection texts:

P_AGGREG Aggregated Processing
P_BKTXT Document Header Text
P_BUDAT Posting Date
P_BUKRS Company Code
P_DISPL Analysis Only (No Postings)
P_EQNEW New Equity Group
P_EQOLD Old Equity Group
P_EXCLOI Exclude OI-Managed Accounts
P_FRDATE Document Date From
P_IVPEQG Invoice per Equity Group
P_IVPEXP Invoice per Partner/Expense
P_IVPPTN Invoice per Partner
P_PERIOD Period
P_SINGLE Single Item Processing
P_TEST Test Run
P_TODATE Document Date To
P_UPDATE Update Run
P_VNAME Venture

P_YEAR	Year
S_ACCT	Account
S_BUDAT	Posting Date
S_CNTR	Cost Center
S_NPLNR	Network
S_ORDNR	Order
S_PROJK	WBS Element
S_VORNR	Network Activity

Owner..... SAP
Short text..... Joint Venture Accounting
Edit Language EN
Status 21.05.26

GJ15
GJ22
GJ23
GJ50

Subroutines:

		Line	Page
AFTER_LINE_OUTPUT_HANDLER_CB..	RGJVEA10_ACD	283	6
	RGJVEA_TEST_ACD	160	13
AFTER_LINE_OUTPUT_HANDLER_EA..	RGJVEA10_ACD	252	6
	RGJVEA_TEST_ACD	145	13
BEFORE_LINE_OUTPUT_HANDLER_EA.	RGJVEA10_ACD	242	5
	RGJVEA_TEST_ACD	144	13
	RGJVEA_TEST_ACD	159	13
CHECK_PARAMETERS.....	RGJVEA10_ACD	50	2
	RGJVEA10_ACD	142	4
	RGJVEA_TEST_ACD	59	12
CLOSE_BLOCK.....	RGJVEA10_ACD	83	3
	RGJVEA10_ACD	83	3
	RGJVEA10_ACD	118	3
CONVERT_PROJECT_RANGE.....	RGJVEA10_ACD	144	4
	RGJVEA10_ACD	185	5
	RGJVEA10_ACD	293	6
	RGJVEA_TEST_ACD	117	12
	RGJVEA_TEST_ACD	191	14
MODIFY_SCREEN.....	RGJVEA10_ACD	32	2
	RGJVEA10_ACD	66	3
	RGJVEA_TEST_ACD	192	14
PREPARE_ADJUSTMENT_OBJ_FRAME..	RGJVEA10_ACD	40	2
	RGJVEA10_ACD	80	3
	RGJVEA_TEST_ACD	57	11
	RGJVEA_TEST_ACD	200	14
	RGJVEA_TEST_ACD	204	14
PROCESS_ADJUSTMENT_OBJ_ACTIONS	RGJVEA10_ACD	52	2
	RGJVEA10_ACD	99	3
	RGJVEA_TEST_ACD	58	11
	RGJVEA_TEST_ACD	199	14
	RGJVEA_TEST_ACD	203	14
	RGJVEA_TEST_ACD	208	14
RUN.....	RGJVEA10_ACD	60	2
	RGJVEA10_ACD	183	4
	RGJVEA_TEST_ACD	60	12
TOP_OF_LIST_HANDLER_CB.....	RGJVEA10_ACD	273	6
	RGJVEA_TEST_ACD	158	13
TOP_OF_LIST_HANDLER_EA.....	RGJVEA10_ACD	232	5
	RGJVEA_TEST_ACD	143	13
TOP_OF_PAGE_HANDLER_CB.....	RGJVEA10_ACD	263	6
	RGJVEA_TEST_ACD	157	13
TOP_OF_PAGE_HANDLER_EA.....	RGJVEA10_ACD	222	5
	RGJVEA_TEST_ACD	142	13
VALIDATE_SCREEN_FIELDS.....	RGJVEA10_ACD	48	2
	RGJVEA10_ACD	346	7

Messages:

		Line	Page
GJ315.....	RGJVEA10_ACD	360	7
	RGJVEA10_ACD	364	8
GJ422.....	RGJVEA10_ACD	356	7
GJ423.....	RGJVEA10_ACD	352	7
GJ450.....	RGJVEA10_ACD	349	7

External calls

Function Modules	Line	Page
CJPN_EXTERN_TO_INTERN_CONV.... RGJVEA10_ACD	305	7
RGJVEA10_ACD	322	7
