

Created on....10.10.2014 Last changed on/by..... 10.04.2026 SAP
Author.....SAP

Title.....Check Transport Request

Type.....1	Reporting
Status.....S	System Program
Application.....S	Basis
Class.....	
Logical database.....	
from Application....	Basis
Selection screen.....	
Authorization group...	
Package...../SDF/STPI_6X	

 Start by Variants
 Deactivate editor lock
X Fixed point arithmetic active

```

1  *&-----*
2  *& Report  /SDF/CMO_TR_CHECK*
3  *&-----*
4  *&-----*
5  *&-----*
6  *&-----*
7  *&-----*
8  REPORT  /sdf/cmo_tr_check.
9
10 * Version 39 / Fork 09.09.2022:
11 *      Change behavior while saving
12 *      First do all the work and then save the work in one
13 *      subroutine:save_work
14
15 CONTROLS cmo_tr_check TYPE TABSTRIP.
16
17 TABLES: sscrfields.
18
19 TYPE-POOLS: slis, icon.
20
21 TYPES:
22   BEGIN OF ts_dgp_conflict_output,
23     criticality_2      TYPE /sdf/teap_dgp_conflict-criticality_2,
24     owner              TYPE as4user,
25     checked_trkorrr    TYPE /sdf/teap_dgp_conflict-checked_trkorrr,
26     checked_tr_exp_time TYPE c LENGTH 20,
27     conflict_trkorrr   TYPE /sdf/teap_dgp_conflict-conflict_trkorrr,
28 *   conflict_tr_exp_time TYPE /sdf/teap_dgp_conflict-conflict_tr_exp_tim
e,
29     conflict_tr_exp_time TYPE c LENGTH 20,
30     conflict_tr_imp_seq TYPE char20,
31     conflict_object    TYPE /sdf/teap_dgp_conflict-conflict_object,
32     conflict_objname   TYPE /sdf/teap_dgp_conflict-conflict_objname,
33     conflict_table     TYPE /sdf/teap_dgp_conflict-conflict_table,
34     conflict_tabkey    TYPE /sdf/teap_dgp_conflict-conflict_tabkey,
35     trstatus           TYPE trstatus,
36     type               TYPE trfunction,
37     cts_project        TYPE strkorrr,
38     short_text         TYPE as4text,
39     remark             TYPE as4text,
40   END OF ts_dgp_conflict_output,
41
42   BEGIN OF ts_envanal_res_err_output,
43     chk_trkorrr        TYPE /sdf/teap_envi_ana_result-chk_trkorrr,
44     chk_tr_owner       TYPE /sdf/teap_envi_ana_result-chk_tr_owner,
45     obj_type           TYPE /sdf/teap_envi_ana_result-obj_type,
46     obj_name           TYPE /sdf/teap_envi_ana_result-obj_name,
47     ref_obj_type       TYPE /sdf/teap_envi_ana_result-ref_obj_type,
48     ref_obj_name       TYPE /sdf/teap_envi_ana_result-ref_obj_name,
49     severity           TYPE /sdf/teap_envi_ana_result-chk_trkorrr,
50     status             TYPE char30,
51     ana_trkorrr        TYPE /sdf/teap_envi_ana_result-ana_trkorrr,
52     trstatus           TYPE trstatus,
53     type               TYPE trfunction,
54     cts_project        TYPE strkorrr,
55     short_text         TYPE as4text,
56     remark             TYPE as4text,
57   END OF ts_envanal_res_err_output.
58
59 TYPES:
60   BEGIN OF ts_analysis,

```

```

61 * system_role      TYPE char3,          "DEV, QAS, PRD, SM
62 * system_role_l    TYPE char120,        "
63 * sid              TYPE char3,          "
64   rfc_conn         TYPE rfcdest,        "RFC connection
65 * rfc_rating        TYPE dsvasdrating,  "RFC connection status (rating)
66 * rfc_detail        TYPE string,        "RFC connection detail
67 * rtcctool_rating  TYPE dsvasdrating,  "RTCCTOOL rating
68   auth_detail TYPE /sdf/teap_envi_ana_result-ref_obj_name, "Auth
orization detail
69   auth_rating TYPE cnvcdmcts_severity, "Authorization status (rating)
70
71   END OF ts_analysis,
72   tt_analysis TYPE STANDARD TABLE OF ts_analysis.
73
74 TYPES :
75   BEGIN OF ts_tr_imp_time_output,
76     trkorr      TYPE trkorr,
77     korrdev     TYPE trcateg,
78     as4text     TYPE as4text,
79     begin_time  TYPE c LENGTH 50,
80     end_time    TYPE c LENGTH 50,
81     duration    TYPE /sdf/cmo_sec,
82     longest_step TYPE char30,
83     trstatus    TYPE trstatus,
84     type        TYPE trfunction,
85     cts_project TYPE strkorr,
86     short_text  TYPE as4text,
87     remark      TYPE as4text,
88   END OF ts_tr_imp_time_output.
89
90 DATA :
91   lt_fcat  TYPE lvc_t_fcat,
92   ls_fcat  TYPE LINE OF lvc_t_fcat,
93   lv_layout TYPE lvc_s_layo.
94
95 DATA: mycontainer1 TYPE REF TO cl_gui_custom_container,
96       mycontainer2 TYPE REF TO cl_gui_custom_container,
97       mycontainer3 TYPE REF TO cl_gui_custom_container,
98       mycontainer4 TYPE REF TO cl_gui_custom_container,
99       mycontainer5 TYPE REF TO cl_gui_custom_container,
100      mycontainer6 TYPE REF TO cl_gui_custom_container,
101      mycontainer7 TYPE REF TO cl_gui_custom_container.
102
103 DATA : grid1 TYPE REF TO cl_gui_alv_grid,
104       grid2 TYPE REF TO cl_gui_alv_grid,
105       grid3 TYPE REF TO cl_gui_alv_grid,
106       grid4 TYPE REF TO cl_gui_alv_grid,
107       grid5 TYPE REF TO cl_gui_alv_grid,
108       grid6 TYPE REF TO cl_gui_alv_grid,
109       grid7 TYPE REF TO cl_gui_alv_grid.
110
111 *=====
112 * New data definitions
113 DATA:gt_/sdf/oi_result_2 TYPE STANDARD TABLE OF /sdf/oi_result_2
114      ,gt_/sdf/oi_resl_db  TYPE STANDARD TABLE OF /sdf/oi_resl_db
115      ,gt_/sdf/imp_resl_db TYPE STANDARD TABLE OF /sdf/imp_resl_db
116      ,gt_/sdf/env_resl_db TYPE STANDARD TABLE OF /sdf/env_resl_db
117      ,gt_/sdf/scv_resl_db TYPE STANDARD TABLE OF /sdf/scv_resl_db
118      ,gt_/sdf/dgp_resl_db TYPE STANDARD TABLE OF /sdf/dgp_resl_db
119      ,gt_/sdf/hist_req    TYPE STANDARD TABLE OF /sdf/hist_req
120      .

```

```

121  *=====
122
123  DATA:
124      lv_ori_tr                TYPE e070-trkorr,
125      lv_source                TYPE rfcdest,
126      lv_dev_sid               TYPE tmssysnam,
127      lv_sid                   TYPE tmssysnam,
128      lv_sid_show_version      TYPE syst-sysid,
129      lv_client                TYPE rfcdisplay-rfcclient,
130      lv_rfc                   TYPE rfcdest,
131      lv_start_date            LIKE sy-datum,
132      lv_period                 TYPE i,
133      lv_domain(10)            TYPE c,
134      lv_time_stamp(14)        TYPE c,
135      ls_time_stamp            TYPE timestamp,
136      lt_reqs                  TYPE TABLE OF e070 WITH HEADER LINE,
137      ls_reqs                  TYPE e070,
138      lt_envanal_res_err       TYPE TABLE OF /sdf/teap_envi_ana_result,
139      lt_envanal_res_err_output TYPE STANDARD TABLE OF ts_envanal_res_err_ou
140      tput,
141      ls_envanal_res_err_output TYPE ts_envanal_res_err_output,
142      lt_tmstpalog             LIKE TABLE OF tmstpalog,
143      lt_tmstpalog_h           TYPE tmstpalog WITH HEADER LINE,
144      lt_tr_wrong_scv          TYPE TABLE OF /sdf/teap_tr_wrong_scv WITH HE
145      ADER LINE,
146      lt_scv_crit_obj          TYPE TABLE OF /sdf/teap_scv_crit_obj,
147      lt_all_result_scv        TYPE TABLE OF /sdf/scv_resl_db,
148      ls_scv_crit_obj          LIKE LINE OF lt_scv_crit_obj,
149      ls_all_result_scv        TYPE /sdf/scv_resl_db,
150      lt_dgp_conf              TYPE TABLE OF /sdf/teap_dgp_conflict,
151      lt_dgp_conf_output       TYPE STANDARD TABLE OF ts_dgp_conflict_outpu
152      t,
153      ls_dgp_conf_output       TYPE ts_dgp_conflict_output,
154      ls_all_result_dgp        TYPE /sdf/dgp_resl_db,
155      lv_user                  TYPE rfcdisplay-rfcuser,
156      lv_password              TYPE rfcdisplay-rfcauth,
157      ls_rfcsci_export         TYPE rfcsci,
158      lt_buffer                TYPE TABLE OF /sdf/teap_tmsbuffer WITH HEADE
159      R LINE,
160      lt_tr_imp_time           TYPE TABLE OF /sdf/teap_tr_imp_time,
161      lt_tr_imp_time_output    TYPE STANDARD TABLE OF ts_tr_imp_time_output
162      ,
163      ls_tr_imp_time_output    TYPE ts_tr_imp_time_output,
164      ls_tr_imp_time           LIKE LINE OF lt_tr_imp_time,
165      lt_all_result_imp        TYPE TABLE OF /sdf/imp_resl_db,
166      ls_all_result_imp        TYPE /sdf/imp_resl_db,
167      lt_all_result_oi         TYPE TABLE OF /sdf/oi_resl_db,
168      ls_all_result_oi         TYPE /sdf/oi_resl_db,
169      ls_oi_result_2           TYPE /sdf/oi_result_2,
170      l_form1                  TYPE dbglevant,
171      l_form2                  TYPE dbglevant,
172      l_form3                  TYPE dbglevant,
173      l_form4                  TYPE dbglevant,
174      l_form5                  TYPE dbglevant,
175      l_form                   TYPE dbglevant,
176      lv_error                 TYPE flag,
177      l_domain_value           TYPE domvalue_l,
178      lt_dd07v_tab             TYPE STANDARD TABLE OF dd07v,
179      ls_dd07v_tab             LIKE LINE OF lt_dd07v_tab,
180      ls_function_key          TYPE smp_dyntxt,
181      l_text                   TYPE string,

```

```

177     l_auth_obj          TYPE xuval,
178     lt_auth_data        TYPE STANDARD TABLE OF ts_analysis WITH HEAD
ER LINE,
179     ls_hist_req         TYPE /sdf/hist_req.
180
181 DATA:
182     go_alv              TYPE REF TO cl_salv_table,
183     lr_functions        TYPE REF TO cl_salv_functions_list,
184     lr_columns          TYPE REF TO cl_salv_columns,
185     lo_column           TYPE REF TO cl_salv_column,
186     ld_display          TYPE REF TO cl_salv_display_settings.
187
188 DATA:
189     lt_req              TYPE STANDARD TABLE OF e070,
190     ls_req              LIKE LINE OF lt_req,
191     lt_result           TYPE STANDARD TABLE OF /sdf/oi_result,
192     ls_result           TYPE /sdf/oi_result,
193     lt_result2          TYPE STANDARD TABLE OF /sdf/oi_result,
194     lt_results          TYPE STANDARD TABLE OF /sdf/oi_results,
195     ls_results          TYPE /sdf/oi_results,
196     lt_tr_list          TYPE STANDARD TABLE OF /sdf/cmo_e070.
197 *   g_level              TYPE i.
198
199 DATA:
200     txt_crossref        TYPE string,
201     txt_sequence        TYPE string,
202     txt_scv             TYPE string,
203     txt_imp_time        TYPE string,
204     txt_oi_chk          TYPE string.
205
206 FIELD-SYMBOLS:
207     <dgp_conf_output>    TYPE ts_dgp_conflict_output,
208     <envanal_res_err_output> TYPE ts_envanal_res_err_output.
209
210 DATA:
211     ls_syscomp_run      TYPE /sdf/hist_run_db,
212     lv_nummer           TYPE syscomp_run-run_nummer,
213     ls_hist_run_flag    TYPE /sdf/hist_run_db,
214     ls_all_result       TYPE /sdf/env_resl_db,
215     lt_all_result       TYPE TABLE OF /sdf/env_resl_db.
216
217 DATA :
218     lt_transport_list   TYPE TABLE OF /sdf/cmo_e070 WITH HEADER LINE,
219     lt_transport_list_t TYPE TABLE OF /sdf/cmo_e070_t WITH HEADER LINE.
220
221 *Declaration to count the Critical objects and fill in the History table
222 DATA:
223     lv_crsref_cric_count TYPE c LENGTH 4 VALUE 0,
224     lv_seq_cric_count    TYPE c LENGTH 4 VALUE 0,
225     lv_crsrel_cric_count TYPE c LENGTH 4 VALUE 0,
226     lv_imptime_cric_count TYPE c LENGTH 4 VALUE 0,
227     gt_exlude_fcode_9001 TYPE TABLE OF sy-ucomm.
228
229
230 PERFORM authority_check.
231
232 * System Information
233 SELECTION-SCREEN BEGIN OF BLOCK b_target WITH FRAME TITLE text-003.
234 SELECTION-SCREEN FUNCTION KEY 3.
235 SELECTION-SCREEN BEGIN OF LINE.
236 SELECTION-SCREEN COMMENT 3(20) FOR FIELD p_source.

```

"#EC NEEDED
"#EC NEEDED

```
237 PARAMETERS p_source TYPE rfcdes-rfcdest
238 VISIBLE LENGTH 20 DEFAULT 'NONE'.
239 SELECTION-SCREEN END OF LINE.
240 SELECTION-SCREEN BEGIN OF LINE.
241 SELECTION-SCREEN COMMENT 3(20) FOR FIELD p_target.
242 PARAMETERS p_target TYPE rfcdes-rfcdest VISIBLE LENGTH 20.
243 SELECTION-SCREEN END OF LINE.
244 SELECTION-SCREEN END OF BLOCK b_target.
245
246 * Transport Details
247 SELECTION-SCREEN BEGIN OF BLOCK b_tr_detail WITH FRAME TITLE text-001.
248 SELECTION-SCREEN BEGIN OF LINE.
249 PARAMETERS r_prj_co RADIOBUTTON GROUP rad1 DEFAULT 'X' USER-COMMAND
250 radio.
251 SELECTION-SCREEN COMMENT 3(20) text-002 FOR FIELD r_prj_co.
252 SELECT-OPTIONS : p_ori_tr FOR lv_ori_tr NO INTERVALS.
253 SELECTION-SCREEN END OF LINE.
254 SELECTION-SCREEN BEGIN OF LINE.
255
256 *SELECTION-SCREEN COMMENT 3(18) text-002 FOR FIELD p_ori_tr.
257
258 SELECTION-SCREEN END OF LINE.
259
260 SELECTION-SCREEN BEGIN OF LINE.
261 PARAMETERS : r_sel_op RADIOBUTTON GROUP rad1.
262 SELECTION-SCREEN COMMENT 3(50) text-013 FOR FIELD r_sel_op.
263 SELECTION-SCREEN END OF LINE.
264
265
266
267 SELECTION-SCREEN BEGIN OF LINE.
268 PARAMETERS r_sel_sc RADIOBUTTON GROUP rad1.
269 SELECTION-SCREEN COMMENT 3(32) text-024 MODIF ID vny FOR FIELD r_sel_sc
270 .
271 SELECTION-SCREEN COMMENT 35(1) FOR FIELD p_system.
272 PARAMETERS p_system TYPE tmssysnam MODIF ID vny VISIBLE LENGTH 3 .
273 SELECTION-SCREEN COMMENT 41(1) FOR FIELD p_client.
274 PARAMETERS p_client TYPE rfcdisplay-rfcclient MODIF ID vny VISIBLE LENGT
275 H 3 .
276
277 SELECTION-SCREEN END OF LINE.
278
279
280 SELECTION-SCREEN END OF BLOCK b_tr_detail.
281
282 * Checks
283 SELECTION-SCREEN BEGIN OF BLOCK b_tr_check WITH FRAME TITLE text-010.
284 *PARAMETER p_crsref TYPE c RADIOBUTTON GROUP rbg1.
285 *PARAMETER p_crsrbw TYPE c RADIOBUTTON GROUP rbg1.
286 *PARAMETER p_dgp TYPE c RADIOBUTTON GROUP rbg1.
287 *PARAMETER p_swcomp TYPE c RADIOBUTTON GROUP rbg1.
288 *PARAMETER p_imptim TYPE c RADIOBUTTON GROUP rbg1.
289 *PARAMETER p_oichck type c RADIOBUTTON GROUP rbg1.
290
291 PARAMETERS p_crsref AS CHECKBOX DEFAULT ''.
292 *PARAMETERS p_crsrbw AS CHECKBOX DEFAULT ''.
293 PARAMETERS p_dgp AS CHECKBOX DEFAULT ''.
294 PARAMETERS p_swcomp AS CHECKBOX DEFAULT ''.
295 PARAMETERS p_imptim AS CHECKBOX DEFAULT ''.
```

```
296 PARAMETERS p_oichck AS CHECKBOX DEFAULT ''.
297
298 SELECTION-SCREEN END OF BLOCK b_tr_check.
299
300 INITIALIZATION.
301 *Histry description
302 SELECTION-SCREEN BEGIN OF BLOCK hist_descr WITH FRAME TITLE text-021.
303 SELECTION-SCREEN BEGIN OF LINE.
304 PARAMETERS p_chkbox AS CHECKBOX DEFAULT ''.
305 SELECTION-SCREEN COMMENT 7(12) text-026 FOR FIELD p_chkbox.
306 SELECTION-SCREEN END OF LINE.
307
308 SELECTION-SCREEN BEGIN OF LINE.
309 SELECTION-SCREEN COMMENT 1(20) text-027 FOR FIELD p_detail.
310 PARAMETERS p_detail TYPE /sdf/hist_run_db-detail.
311
312 SELECTION-SCREEN END OF LINE.
313 SELECTION-SCREEN END OF BLOCK hist_descr.
314
315
316 *SELECTION-SCREEN PUSHBUTTON 2(20) text-019 USER-COMMAND FC04.
317
318 CLEAR ls_function_key.
319
320 ls_function_key-icon_id = icon_protocol.
321 ls_function_key-icon_text = text-014.
322 ls_function_key-quickinfo = text-015.
323
324 sscrfields-functxt_03 = ls_function_key.
325
326 *SELECTION-SCREEN FUNCTION KEY 3.
327 * INITIALIZATION.
328 "The usage statistics must be activated in the target (production) sys
329 tem.
330 CONCATENATE icon_message_warning text-018 INTO l_text SEPARATED BY spa
331 ce.
332
333 CLEAR ls_function_key.
334 ls_function_key-icon_id = icon_protocol.
335 ls_function_key-icon_text = text-020.
336 ls_function_key-quickinfo = text-020.
337
338 sscrfields-functxt_04 = ls_function_key.
339 SELECTION-SCREEN FUNCTION KEY 4.
340
341 * INITIALIZATION.
342
343 SELECT MAX( run_nummer ) FROM /sdf/hist_run_db
344 INTO lv_nummer.
345
346
347
348
349
350
351 CLASS lcl_gui_alv_event_receiver DEFINITION.
352 PUBLIC SECTION.
353 METHODS:
354 " Double-click control
```

#EC CI_NOWHERE

*

*

*

*


```

355         handle_double_click FOR EVENT double_click OF cl_gui_alv_grid
356         IMPORTING e_row e_column es_row_no.
357     ENDCLASS.                                "lcl_gui_alv_event_receiver DEFINITION
358
359
360
361
362     DATA: "alv event receiver class variable
363            g_alv_event_ref TYPE REF TO lcl_gui_alv_event_receiver.
364
365
366     CREATE OBJECT g_alv_event_ref.
367
368     *&-----*
369     *&      Form   register_event_handlers
370     *&-----*
371     *      text
372     *-----*
373     FORM register_event_handlers.
374         IF grid1 IS NOT INITIAL.
375             SET HANDLER g_alv_event_ref->handle_double_click FOR grid1.
376         ENDIF.
377
378         IF grid2 IS NOT INITIAL.
379             SET HANDLER g_alv_event_ref->handle_double_click FOR grid2.
380         ENDIF.
381
382         IF grid3 IS NOT INITIAL.
383             SET HANDLER g_alv_event_ref->handle_double_click FOR grid3.
384         ENDIF.
385
386         IF grid4 IS NOT INITIAL.
387             SET HANDLER g_alv_event_ref->handle_double_click FOR grid4.
388         ENDIF.
389
390         IF grid5 IS NOT INITIAL.
391             SET HANDLER g_alv_event_ref->handle_double_click FOR grid5.
392     *
393     ENDIF.
394
395         IF grid6 IS NOT INITIAL.
396             SET HANDLER g_alv_event_ref->handle_double_click FOR grid6.
397     *
398     ENDIF.
399
400
401     ENDFORM.                                "register_event_handlers
402
403
404     AT SELECTION-SCREEN .
405
406         CASE sy-ucomm.
407             WHEN 'FC03'.
408                 CALL FUNCTION 'POPUP_TO_INFORM'
409                     EXPORTING
410                         titel = text-017 "Warning
411                         txt1  = l_text
412                         txt2  = space.
413                 SUBMIT /sdf/oi_admin VIA SELECTION-SCREEN AND RETURN.    "#EC CI_SU
414     BMIT
415         WHEN 'FC04'.

```



```
415 *           * "Histroy statistics
416     CONCATENATE icon_message_warning text-020 INTO l_text SEPARATED BY
      space.
417
418     SUBMIT /sdf/cmo_tr_check_history VIA SELECTION-SCREEN AND RETURN.
      "#EC CI_SUBMIT
419
420     ENDCASE.
421
422 *At SELECTION-SCREEN .
423
424 START-OF-SELECTION.
425
426     IF p_crsref IS INITIAL AND
427        p_dgp IS INITIAL AND
428        p_swcomp IS INITIAL AND
429        p_imptim IS INITIAL AND
430        p_oichck IS INITIAL.
431
432        MESSAGE i333(s1) WITH text-023 .
433        EXIT.
434
435     ENDIF.
436
437     PERFORM check_system_information CHANGING lv_error.
438     IF lv_error = 'X'.
439         EXIT.
440     ENDIF.
441
442 * Read import queue
443     IF r_sel_op = 'X' OR r_sel_sc = 'X'.
444         IF r_sel_sc = 'X' AND p_client = '*' AND p_dgp = 'X'.
445             MESSAGE i333(s1) WITH 'Sequence check'
446               'and Client cant be *, Select a single client'.      "#EC NOTEXT
447             EXIT.
448         ELSE.
449
450             PERFORM importque.
451             CLEAR p_ori_tr[].
452         ENDIF.
453     ENDIF.
454
455     PERFORM get_transport_details.
456
457     CLEAR ls_syscomp_run-run_type .
458 * Perform checks
459     IF p_crsref = 'X' AND ( p_ori_tr IS NOT INITIAL
460        OR lt_reqs[] IS NOT INITIAL ).
461
462         ls_syscomp_run-run_type = 'Cross reference'.      "#EC NOTEXT
463
464         l_auth_obj = '/SDF/TEAP_CHK_OBJ_CONS'.
465         PERFORM check_authorization CHANGING p_source l_auth_obj.
466         l_auth_obj = '/SDF/TEAP_LATEST_TR'.
467         PERFORM check_authorization CHANGING p_target l_auth_obj.
468
469         PERFORM crossref.
470
471     ELSE.
472         txt_crossref      = 'No check was executed for Cross reference Executi
on'. "#EC NOTEXT
```

```
473
474     PERFORM screen_text_set CHANGING txt_crossref.
475 ENDIF.
476
477 *
478 IF p_dgp = 'X' AND ( p_ori_tr IS NOT INITIAL
479                     OR lt_reqs[] IS NOT INITIAL ).
480     ls_syscomp_run-run_type = 'TR Sequence check'.           "#EC NOTEXT
481
482
483     l_auth_obj = '/SDF/TEAP_GET_CSOL_FOR_TR'.
484     PERFORM check_authorization CHANGING p_source l_auth_obj.
485     l_auth_obj = '/SDF/TEAP_TMS_GET_HISTORY'.
486     PERFORM check_authorization CHANGING p_target l_auth_obj.
487
488 *
489     PERFORM sequence.
490 ELSE.
491     txt_sequence      = 'No check was executed for Downgrade protect'. "#E
C NOTEXT
492     PERFORM screen_text_set CHANGING txt_sequence.
493 ENDIF.
494
495 IF p_swcomp = 'X' AND ( p_ori_tr IS NOT INITIAL
496                       OR lt_reqs[] IS NOT INITIAL ).
497     ls_syscomp_run-run_type = 'SCV Check'.                   "#EC NOTEXT
498
499     l_auth_obj = '/SDF/TEAP_TR_CHECK_TYPE'.
500     PERFORM check_authorization CHANGING p_source l_auth_obj.
501     l_auth_obj = '/SDF/OCS_GET_INFO'.
502     PERFORM check_authorization CHANGING p_target l_auth_obj.
503
504 *
505     PERFORM sw_comp.
506 ELSE.
507     txt_scv          = 'No check was executed for Cross Release Check'. "
#EC NOTEXT
508     PERFORM screen_text_set CHANGING txt_scv.
509 ENDIF.
510
511 IF p_imptim = 'X' AND ( p_ori_tr IS NOT INITIAL
512                       OR lt_buffer[] IS NOT INITIAL ).
513     ls_syscomp_run-run_type = 'Import time check'.           "#EC NOTEXT
514
515     l_auth_obj = '/SDF/TEAP_IMPORT_TIME'.
516     PERFORM check_authorization CHANGING p_source l_auth_obj.
517
518
519 *
520     PERFORM import_time.
521 ELSE.
522     txt_imp_time      = 'No check was executed for Import time '. "#EC NOT
EXT
523     PERFORM screen_text_set CHANGING txt_imp_time.
524 ENDIF.
525
526 IF p_oichck = 'X' AND ( p_ori_tr IS NOT INITIAL
527                       OR lt_reqs[] IS NOT INITIAL ).
528     ls_syscomp_run-run_type = 'OI check'.                     "#EC NOTEXT
529
530     l_auth_obj = '/SDF/DD_DDIC_DEP_GET'.
```

```
531     PERFORM check_authorization CHANGING p_source  l_auth_obj.
532     l_auth_obj = '/SDF/READ_D010TAB'.
533     PERFORM check_authorization CHANGING p_target  l_auth_obj.
534
535     PERFORM oi_check.
536 ELSE.
537     txt_oi_chk      = 'No check was executed for Online import check'. "
#EC NOTEXT
538     PERFORM screen_text_set CHANGING txt_oi_chk.
539 ENDIF.
540
541
542 IF p_chkbox = 'X'.
543
544     SELECT    MAX( run_nummer ) FROM /sdf/hist_run_db
545             INTO lv_nummer.                                     "#EC CI_NOWHERE
546     lv_nummer = lv_nummer + 1 .
547     ls_syscomp_run-checkbox = ''.
548     ls_syscomp_run-run_nummer = lv_nummer.
549     ls_syscomp_run-run_user = sy-uname.
550     ls_syscomp_run-run_dest1 = p_source .
551     ls_syscomp_run-run_dest2 = p_target .
552     ls_syscomp_run-run_datum = sy-datum .
553     ls_syscomp_run-run_time  = sy-uzeit .
554
555     ls_syscomp_run-cross_reference = p_crsref.
556     CONDENSE lv_crsref_cric_count.
557     IF ls_syscomp_run-cross_reference = 'X'.
558         ls_syscomp_run-cross_reference = lv_crsref_cric_count.
559     ENDIF.
560
561     ls_syscomp_run-sequence_check = p_dgp.
562     CONDENSE lv_seq_cric_count.
563     IF ls_syscomp_run-sequence_check = 'X'.
564         ls_syscomp_run-sequence_check = lv_seq_cric_count.
565     ENDIF.
566
567     ls_syscomp_run-cross_release = p_swcomp.
568     CONDENSE lv_crsrel_cric_count.
569     IF ls_syscomp_run-cross_release = 'X'.
570         ls_syscomp_run-cross_release = lv_crsrel_cric_count.
571     ENDIF.
572
573     ls_syscomp_run-import_time = p_imptim.
574     CONDENSE lv_imptime_cric_count.
575     ls_syscomp_run-online_import = p_oichck.
576     IF ls_syscomp_run-online_import = 'X'.
577         ls_syscomp_run-online_import = lv_imptime_cric_count.
578     ENDIF.
579
580     ls_syscomp_run-cross_ref_flag = ls_hist_run_flag-cross_ref_flag.
581     ls_syscomp_run-seq_check_flag = ls_hist_run_flag-seq_check_flag.
582     ls_syscomp_run-cross_rel_flag = ls_hist_run_flag-cross_rel_flag.
583     ls_syscomp_run-import_time_flag = ls_hist_run_flag-import_time_flag.
584     ls_syscomp_run-online_imp_flag = ls_hist_run_flag-online_imp_flag.
585
586     IF p_detail IS NOT INITIAL.
587         ls_syscomp_run-notice      = p_detail .
588     ELSE.
589         ls_syscomp_run-notice = ls_syscomp_run-run_type.
590     ENDIF.
```

```

591 IF ( ls_syscomp_run IS NOT INITIAL ) AND
592   lt_envanal_res_err_output[] IS NOT INITIAL OR
593   lt_dgp_conf_output[] IS NOT INITIAL OR
594   lt_scv_crit_obj[] IS NOT INITIAL OR
595   lt_tr_imp_time[] IS NOT INITIAL OR
596   lt_results[] IS NOT INITIAL OR
597   ls_hist_run_flag-cross_ref_flag IS NOT INITIAL OR
598   ls_hist_run_flag-seq_check_flag IS NOT INITIAL OR
599   ls_hist_run_flag-cross_rel_flag IS NOT INITIAL OR
600   ls_hist_run_flag-import_time_flag IS NOT INITIAL OR
601   ls_hist_run_flag-online_imp_flag IS NOT INITIAL.
602
603 * Fill requests column
604   IF r_sel_op = 'X'.
605     ls_syscomp_run-requests = 'TARGET'.           "#EC NOTEXT
606   ELSEIF r_sel_sc = 'X'.
607     CONCATENATE p_system p_client INTO ls_syscomp_run-requests.
608   ELSE.
609     ls_syscomp_run-requests = 'TRLIST'.           "#EC NOTEXT
610   ENDIF.
611
612   CLEAR ls_hist_req.
613   ls_hist_req-run_nummer = lv_nummer.
614   ls_hist_req-run_datum = ls_syscomp_run-run_datum.
615   ls_hist_req-run_time = ls_syscomp_run-run_time.
616   IF lt_reqs IS INITIAL.
617     LOOP AT p_ori_tr.
618       ls_hist_req-sequence = sy-tabix.
619       ls_hist_req-trkorr = p_ori_tr-low.
620       APPEND ls_hist_req TO gt_/sdf/hist_req.
621     ENDLOOP.
622   ELSE.
623     LOOP AT lt_reqs.
624       ls_hist_req-sequence = sy-tabix.
625       ls_hist_req-trkorr = lt_reqs-trkorr.
626       APPEND ls_hist_req TO gt_/sdf/hist_req.
627     ENDLOOP.
628   ENDIF.
629
630   "Set for all internal tables the run number
631   MODIFY:gt_/sdf/oi_result_2 FROM VALUE #( run_nummer = lv_nummer )
TRANSPORTING run_nummer WHERE run_nummer = 0 OR run_nummer > 0
632   ,gt_/sdf/oi_resl_db FROM VALUE #( run_nummer = lv_nummer )
TRANSPORTING run_nummer WHERE run_nummer = 0 OR run_nummer > 0
633   ,gt_/sdf/imp_resl_db FROM VALUE #( run_nummer = lv_nummer )
TRANSPORTING run_nummer WHERE run_nummer = 0 OR run_nummer > 0
634   ,gt_/sdf/env_resl_db FROM VALUE #( run_nummer = lv_nummer )
TRANSPORTING run_nummer WHERE run_nummer = 0 OR run_nummer > 0
635   ,gt_/sdf/scv_resl_db FROM VALUE #( run_nummer = lv_nummer )
TRANSPORTING run_nummer WHERE run_nummer = 0 OR run_nummer > 0
636   ,gt_/sdf/dgp_resl_db FROM VALUE #( run_nummer = lv_nummer )
TRANSPORTING run_nummer WHERE run_nummer = 0 OR run_nummer > 0
637   ,gt_/sdf/hist_req FROM VALUE #( run_nummer = lv_nummer )
TRANSPORTING run_nummer WHERE run_nummer = 0 OR run_nummer > 0
638   .
639   ls_syscomp_run-run_nummer = lv_nummer. "Actual new run_number
640   "Save the work
641   PERFORM save_work TABLES gt_/sdf/oi_result_2
642                               gt_/sdf/oi_resl_db
643                               gt_/sdf/imp_resl_db
644                               gt_/sdf/env_resl_db

```

```

645          gt_/sdf/scv_resl_db
646          gt_/sdf/dgp_resl_db
647          gt_/sdf/hist_req
648          USING ls_syscomp_run.
649      "New Fork — end
650      COMMIT WORK .
651
652  ENDIF.
653
654
655
656  ENDIF.
657
658  START-OF-SELECTION.
659
660  *      IF Execution is in background, Dont show History screen.
661  IF sy-batch <> 'X'.
662      CALL SCREEN 1002.
663  ENDIF.
664
665
666  INCLUDE /sdf/cmo_tr_check_forms.
667
668  INCLUDE /sdf/_tr_check_get_sid_rfcf01.
669
670  *_____*
```

671 * MODULE status_1002 OUTPUT

672 *_____*

673 *

674 *_____*

```

675  MODULE status_1002 OUTPUT.
676      SET TITLEBAR '/SDF/CMO_TR_CHECK_OUTPUT'.          "#EC *
677  *      Exclude some of the function codes
678  gt_exclude_fcode_9001 = VALUE #( ( 'FC04' ) ( '&F1RNT' ) ( '%SC' ) ( '%
SC+' ) ( 'P-' ) ( 'P+' )
679      ( 'P+' ) ( 'P++' ) ( '&ELP' ) ( '&IC1'
) ( '&ALL' ) ( '&SAL' ) ( '&NFO' ) ( '&NTE' ) ( '&CRB' ) ( '&CRE' )
680      ( '&ABC' ) ( '&CRL' ) ( '&CRR' ) ( '&O
UP' ) ( '&ILT' ) ( '&UMC' ) ( '%SL' ) ( '&OLO' ) ( '&OAD' )
681      ( '&AVE' ) ( '&XPA' ) ( '&EB9' ) ( '&I
LD' ) ( '&ETA' ) ( '&ODN' ) ( '&LFO' ) ( '&SUM' ) ( '&XXL' )
682      ( '&AQW' ) ( '%PC' ) ( '&RNT_P' ) ( '&
OMP' ) ( '&XML' )
683      ).
684      SET PF-STATUS 'STATUS_9001' EXCLUDING gt_exclude_fcode_9001.
685  *      SET PF-STATUS 'STATUS_9001' EXCLUDING 'FC04' . "Fork / 03.08.2023
686  ENDMODULE.          "status_1002 OUTPUT
687
688  *_____*
```

689 * MODULE 0500_screen_title OUTPUT

690 *_____*

691 *

692 *_____*

```

693  MODULE 0500_screen_title OUTPUT.
694  *      SET TITLEBAR 'OI_CHECK_OUTPUT_2'. "#EC NOTEXT
695  ENDMODULE.          " 0500_SCREEN_TITLE OUTPUT
696  *&_____*
```

697 *& Module 0600_SCREEN_TITLE OUTPUT

698 *&_____*

699 * text

700 *_____*

```

701 MODULE 0600_screen_title OUTPUT.
702 * SET TITLEBAR 'OI_CHECK_OUTPUT_3'. "#EC NOTEXT
703 ENDMODULE.                                "0600_screen_title OUTPUT
704
705
706 *-----*
707 * MODULE USER_COMMAND_1002 INPUT
708 *-----*
709 *
710 *-----*
711 MODULE user_command_1002 INPUT.
712 DATA ok_code LIKE sy-ucomm.
713 CASE sy-ucomm.
714 WHEN 'E' OR '&F03'.
715 * Call SELECTION-SCREEN 1000.
716 LEAVE TO SCREEN 0.
717 WHEN 'ENDE' OR '&F15'.
718 LEAVE TO SCREEN 0.
719 WHEN 'EC' OR '&F12'.
720 LEAVE TO SCREEN 0.
721 WHEN 'PUSH1'.
722 cmo_tr_check-activetab = 'PUSH1'.
723 WHEN 'PUSH2'.
724 cmo_tr_check-activetab = 'PUSH2'.
725 WHEN 'PUSH3'.
726 cmo_tr_check-activetab = 'PUSH3'.
727 WHEN 'PUSH4'.
728 cmo_tr_check-activetab = 'PUSH4'.
729 WHEN 'PUSH5'.
730 cmo_tr_check-activetab = 'PUSH5'.
731 * WHEN 'PUSH6'.
732 * CMO_TR_CHECK-activetab = 'PUSH6'.
733
734 ENDCASE.
735 ENDMODULE.                                "user_command_1002 INPUT
736
737 *
738
739 *&-----*
740 *& Form screen_text_set
741 *&-----*
742 * text
743 *-----*
744 * —>P_TEXT text
745 *-----*
746 FORM screen_text_set USING p_text TYPE string.
747
748 LOOP AT SCREEN.
749 IF screen-name = p_text.
750 screen-intensified = 1.
751 MODIFY SCREEN.
752 EXIT.
753 ENDIF.
754 ENDLOOP.
755
756 ENDFORM.                                "screen_text_set
757
758
759 *&-----*
760 *& Form check_authorization
761 *&-----*

```

```

762 *      text
763 *-----*
764 *      —>P_RFC      text
765 *      —>P_AUTH_OBJ text
766 *-----*
767 FORM check_authorization USING p_rfc      TYPE rfcdes-rfcdest
768                               p_auth_obj TYPE xuval.
769
770 CALL FUNCTION 'AUTHORITY_CHECK'
771   DESTINATION p_rfc
772   EXPORTING
773     object          = 'S_RFC'
774     field1          = 'ACTVT'
775     value1          = '16'
776     field2          = 'RFC_NAME'
777     value2          = p_auth_obj
778 *   field3          = <auth_check>-field3
779 *   value3          = <auth_check>-value3
780   EXCEPTIONS
781     user_dont_exist = 1
782     user_is_authorized = 2
783     user_not_authorized = 3
784     user_is_locked = 4
785     OTHERS = 5.
786
787 IF sy-subrc <> 2.
788
789   lt_auth_data-rfc_conn = p_rfc.
790   lt_auth_data-auth_detail = p_auth_obj.
791   lt_auth_data-auth_rating = '@@A@'.
792
793   APPEND lt_auth_data.
794 ENDIF.
795
796 IF lt_auth_data[] IS NOT INITIAL.
797   TRY.
798     cl_salv_table=>factory(
799       IMPORTING
800         r_salv_table = go_alv
801       CHANGING
802         t_table      = lt_auth_data[] ).
803   CATCH cx_salv_msg.
804   ENDTRY.
805
806   TRY.
807     lr_functions = go_alv->get_functions( ).
808     lr_functions->set_all( 'X' ).
809     lr_columns = go_alv->get_columns( ).
810
811     lr_columns->set_optimize( ).
812     ld_display = go_alv->get_display_settings( ).
813     ld_display->set_stripped_pattern( cl_salv_display_settings=>true
814   ).
815     ld_display->set_list_header('Check Prerequisites'). "#EC NOTEXT
816   CATCH cx_salv_not_found.
817   ENDTRY.
818
819 IF go_alv IS BOUND.
820   go_alv->set_screen_popup(
821     start_column = 20
822     end_column   = 100

```



```
822         start_line   = 10
823         end_line      = 25 ).
824
825         go_alv->display( ).
826
827     ENDIF.
828     EXIT.
829 ENDIF.
830
831
832
833 ENDFORM.                                "check_authorization
834
835 *&-----*
836 *&      Form  get_transport_details
837 *&-----*
838 *      text
839 *-----*
840 "get_transport_details
841
842 *-----*
843 *  MODULE show_tabs OUTPUT
844 *-----*
845 *
846 *-----*
847 MODULE show_tabs OUTPUT.
848     LOOP AT SCREEN.
849         IF screen-name = 'TAB_CRSSREF' AND p_crsref <> 'X' .
850             screen-invisible = 1.
851         ELSEIF screen-name = 'TAB_SEQUENCE' AND p_dgp <> 'X' .
852             screen-invisible = 1.
853         ELSEIF screen-name = 'TAB_SCV' AND p_swcomp <> 'X' .
854             screen-invisible = 1.
855         ELSEIF screen-name = 'TAB_IMP_TIME' AND p_imptim <> 'X'.
856             screen-invisible = 1.
857         ELSEIF screen-name = 'TAB_OI_CHK' AND p_oichck <> 'X'.
858             screen-invisible = 1.
859         ENDIF.
860         MODIFY SCREEN.
861
862     ENDLOOP.
863
864 ENDMODULE.                                "check_authorization
865 *&-----*
866
867 FORM icon_create USING icon_name TYPE char50
868                        icon_text TYPE char50
869                        result_icon TYPE char70.
870
871     CALL FUNCTION 'ICON_CREATE'
872     EXPORTING
873         name      = icon_name
874         text      = icon_text
875     IMPORTING
876         result    = result_icon.
877
878 ENDFORM.
879
880 MODULE create_icon_tab OUTPUT.
881     DATA tab_crsref TYPE char70 VALUE 'TAB_CRSSREF'.
882     DATA tab_sequence TYPE char70 VALUE 'TAB_SEQUENCE'.
```

```

883 DATA tab_scv TYPE char70 VALUE 'TAB_SCV'.
884 DATA tab_imp_time TYPE char70 VALUE 'TAB_IMP_TIME'.
885 DATA tab_oi_chk TYPE char70 VALUE 'TAB_OI_CHK'.
886 DATA icon_name TYPE char50.
887
888 READ TABLE lt_envanal_res_err_output WITH KEY
889 severity = '@0A@' TRANSPORTING NO FIELDS.
890
891 IF sy-subrc = 0.
892     icon_name = ' ICON_MESSAGE_ERROR'.
893 ELSE.
894     READ TABLE lt_envanal_res_err_output WITH KEY
895 severity = '@09@' TRANSPORTING NO FIELDS.
896     IF sy-subrc = 0.
897         icon_name = 'ICON_MESSAGE_WARNING'.
898     ELSE.
899         icon_name = ' ICON_CHECKED'.
900     ENDIF.
901 ENDIF.
902
903 *****
904 "Check if there was an error when checking / Fork
905 "—> FORM crossref.
906 "—> Function module /SDF/TEAP_DOWNGRADE_PROTECT
907 IF ls_hist_run_flag-cross_ref_flag = 'F'.
908     icon_name = ' ICON_MESSAGE_ERROR'.
909 ENDIF.
910
911 PERFORM icon_create USING icon_name 'Cross Reference' tab_crssref. "#E
C NOTEXT
912 READ TABLE lt_dgp_conf_output WITH KEY
913 criticality_2 = '@8N@' TRANSPORTING NO FIELDS.
914
915 IF sy-subrc = 0.
916     icon_name = ' ICON_MESSAGE_ERROR'.
917 ELSE.
918     READ TABLE lt_dgp_conf_output WITH KEY
919 criticality_2 = '@AH@' TRANSPORTING NO FIELDS.
920     IF sy-subrc = 0.
921         icon_name = 'ICON_MESSAGE_WARNING'.
922     ELSE.
923         icon_name = ' ICON_CHECKED'.
924     ENDIF.
925 ENDIF.
926
927 *****
928 "Check if there was an error when checking / Fork
929 "—> FORM sequence.
930 "—> Function module '/SDF/TEAP_DOWNGRADE_PROTECT'
931 IF ls_hist_run_flag-seq_check_flag = 'F'.
932     icon_name = ' ICON_MESSAGE_ERROR'.
933 ENDIF.
934 PERFORM icon_create USING icon_name 'Sequence Check' tab_sequence. "#E
C NOTEXT
935
936 READ TABLE lt_all_result_scv WITH KEY criticality = '@8N@'
937 TRANSPORTING NO FIELDS.
938 IF sy-subrc = 0.
939     icon_name = ' ICON_MESSAGE_ERROR'.
940 ELSE.
941     READ TABLE lt_all_result_scv WITH KEY

```

```

942     criticality = '@AH@' TRANSPORTING NO FIELDS.
943     IF sy-subrc = 0.
944         icon_name = 'ICON_MESSAGE_WARNING'.
945     ELSE.
946         icon_name = ' ICON_CHECKED'.
947     ENDIF.
948 ENDIF.
949
950 *****
951 "Check if there was an error when checking / Fork
952 "—> FORM sw_comp.
953 "—> Function module '/SDF/TEAP_SCV_CHECK'
954 IF ls_hist_run_flag-cross_rel_flag = 'F'.
955     icon_name = ' ICON_MESSAGE_ERROR'.
956 ENDIF.
957
958 PERFORM icon_create USING icon_name 'Cross Release' tab_scv. "#EC NOTE
XT
959
960
961
962 *read table lt_all_result_imp with key CRITICALITY = '@8N@'
963 *TRANSPORTING NO FIELDS.
964 * if sy-subrc = 0.
965 *     icon_name = ' ICON_MESSAGE_ERROR'.
966 *     else.
967 *     read TABLE lt_all_result_imp WITH key
968 *     CRITICALITY = '@AH@' TRANSPORTING NO FIELDS.
969 *     if sy-subrc = 0.
970 *     icon_name = 'ICON_MESSAGE_WARNING'.
971 *     else.
972 *     icon_name = 'ICON_INFORMATION'.
973 *     endif.
974 *endif.
975
976 PERFORM icon_create USING icon_name 'Import Time in Source System' tab
_imp_time. "#EC NOTEXT
977
978 READ TABLE lt_all_result_oi WITH KEY criticality = '@8N@'
979 TRANSPORTING NO FIELDS.
980 IF sy-subrc = 0.
981     icon_name = ' ICON_MESSAGE_ERROR'.
982 ELSE.
983     READ TABLE lt_all_result_oi WITH KEY
984     criticality = '@AH@' TRANSPORTING NO FIELDS.
985     IF sy-subrc = 0.
986         icon_name = 'ICON_MESSAGE_WARNING'.
987     ELSE.
988 * IF critical entry exists in table
989     READ TABLE lt_all_result_oi WITH KEY
990     criticality = '@0A@' TRANSPORTING NO FIELDS.
991 *@0A@' -was showing warning and now changed to MESSAGE_ERROR
992     IF sy-subrc = 0.
993         icon_name = 'ICON_MESSAGE_ERROR'.
994     ELSE.
995         icon_name = ' ICON_CHECKED'.
996     ENDIF.
997 ENDIF.
998 ENDIF.
999
1000 *****

```

```
1001      "Check if there was an error when checking / Fork
1002      "—> FORM oi_check.
1003      "—> Function module '/SDF/OI_CHECK'
1004      IF ls_hist_run_flag-online_imp_flag = 'F'.
1005          icon_name = ' ICON_MESSAGE_ERROR'.
1006      ENDIF.
1007
1008      PERFORM icon_create USING icon_name 'Online Import Check' tab_oi_chk.
1009      "#EC NOTEXT
1010  ENDMODULE.
1011
1012  INCLUDE /sdf/cmo_tr_check_inc1.
1013  INCLUDE /sdf/cmo_tr_check_inc2.
```

```
1  *&-----*
2  *& Include /SDF/CMO_TR_CHECK_FORMS
3  *&-----*
4  CONSTANTS:
5  lc_x TYPE char1 VALUE 'X'.
6
7  CONSTANTS:
8  gc_icon_very_critical TYPE char4 VALUE '@8N@', "Red
9  gc_icon_critical TYPE char4 VALUE '@AH@'. "Yellow
10
11  TYPES:
12  BEGIN OF ts_tabstat_pivot,
13  hod TYPE /sdf/oi_tabstat-hod,
14  monday_accnt TYPE /sdf/oi_tabstat-accnt,
15  monday_chcnt TYPE /sdf/oi_tabstat-chcnt,
16  tuesday_accnt TYPE /sdf/oi_tabstat-accnt,
17  tuesday_chcnt TYPE /sdf/oi_tabstat-chcnt,
18  wednesday_accnt TYPE /sdf/oi_tabstat-accnt,
19  wednesday_chcnt TYPE /sdf/oi_tabstat-chcnt,
20  thursday_accnt TYPE /sdf/oi_tabstat-accnt,
21  thursday_chcnt TYPE /sdf/oi_tabstat-chcnt,
22  friday_accnt TYPE /sdf/oi_tabstat-accnt,
23  friday_chcnt TYPE /sdf/oi_tabstat-chcnt,
24  saturday_accnt TYPE /sdf/oi_tabstat-accnt,
25  saturday_chcnt TYPE /sdf/oi_tabstat-chcnt,
26  sunday_accnt TYPE /sdf/oi_tabstat-accnt,
27  sunday_chcnt TYPE /sdf/oi_tabstat-chcnt,
28  END OF ts_tabstat_pivot,
29  tt_tabstat_pivot TYPE STANDARD TABLE OF ts_tabstat_pivot,
30
31  BEGIN OF ts_tabstat_pivot_t,
32  hod TYPE char2,
33  monday_accnt TYPE /sdf/oi_tabstat-accnt,
34  monday_chcnt TYPE /sdf/oi_tabstat-chcnt,
35  tuesday_accnt TYPE /sdf/oi_tabstat-accnt,
36  tuesday_chcnt TYPE /sdf/oi_tabstat-chcnt,
37  wednesday_accnt TYPE /sdf/oi_tabstat-accnt,
38  wednesday_chcnt TYPE /sdf/oi_tabstat-chcnt,
39  thursday_accnt TYPE /sdf/oi_tabstat-accnt,
40  thursday_chcnt TYPE /sdf/oi_tabstat-chcnt,
41  friday_accnt TYPE /sdf/oi_tabstat-accnt,
42  friday_chcnt TYPE /sdf/oi_tabstat-chcnt,
43  saturday_accnt TYPE /sdf/oi_tabstat-accnt,
44  saturday_chcnt TYPE /sdf/oi_tabstat-chcnt,
45  sunday_accnt TYPE /sdf/oi_tabstat-accnt,
46  sunday_chcnt TYPE /sdf/oi_tabstat-chcnt,
47  END OF ts_tabstat_pivot_t,
48  tt_tabstat_pivot_t TYPE STANDARD TABLE OF ts_tabstat_pivot_t,
49
50  BEGIN OF ts_tabstat_pivot_color,
51  hod TYPE /sdf/oi_tabstat-hod,
52  monday_accnt TYPE /sdf/oi_tabstat-accnt,
53  monday_chcnt TYPE /sdf/oi_tabstat-chcnt,
54  tuesday_accnt TYPE /sdf/oi_tabstat-accnt,
55  tuesday_chcnt TYPE /sdf/oi_tabstat-chcnt,
56  wednesday_accnt TYPE /sdf/oi_tabstat-accnt,
57  wednesday_chcnt TYPE /sdf/oi_tabstat-chcnt,
58  thursday_accnt TYPE /sdf/oi_tabstat-accnt,
59  thursday_chcnt TYPE /sdf/oi_tabstat-chcnt,
60  friday_accnt TYPE /sdf/oi_tabstat-accnt,
61  friday_chcnt TYPE /sdf/oi_tabstat-chcnt,
```

```

62  saturday_accnt  TYPE /sdf/oi_tabstat-accnt,
63  saturday_chcnt  TYPE /sdf/oi_tabstat-chcnt,
64  sunday_accnt    TYPE /sdf/oi_tabstat-accnt,
65  sunday_chcnt    TYPE /sdf/oi_tabstat-chcnt,
66  cell_color      TYPE lvc_t_scol,
67  END OF ts_tabstat_pivot_color,
68  tt_tabstat_pivot_color TYPE STANDARD TABLE OF ts_tabstat_pivot_color,
69
70  BEGIN OF ts_repstat_pivot,
71  hod              TYPE /sdf/oi_repstat-hod,
72  monday_execnt    TYPE /sdf/oi_repstat-execnt,
73  tuesday_execnt   TYPE /sdf/oi_repstat-execnt,
74  wednesday_execnt TYPE /sdf/oi_repstat-execnt,
75  thursday_execnt  TYPE /sdf/oi_repstat-execnt,
76  friday_execnt     TYPE /sdf/oi_repstat-execnt,
77  saturday_execnt  TYPE /sdf/oi_repstat-execnt,
78  sunday_execnt     TYPE /sdf/oi_repstat-execnt,
79  END OF ts_repstat_pivot,
80  tt_repstat_pivot TYPE STANDARD TABLE OF ts_repstat_pivot,
81
82  BEGIN OF ts_repstat_pivot_t,
83  hod              TYPE char2,
84  monday_execnt    TYPE /sdf/oi_repstat-execnt,
85  tuesday_execnt   TYPE /sdf/oi_repstat-execnt,
86  wednesday_execnt TYPE /sdf/oi_repstat-execnt,
87  thursday_execnt  TYPE /sdf/oi_repstat-execnt,
88  friday_execnt     TYPE /sdf/oi_repstat-execnt,
89  saturday_execnt  TYPE /sdf/oi_repstat-execnt,
90  sunday_execnt     TYPE /sdf/oi_repstat-execnt,
91  END OF ts_repstat_pivot_t,
92  tt_repstat_pivot_t TYPE STANDARD TABLE OF ts_repstat_pivot_t,
93
94  BEGIN OF ts_repstat_pivot_color,
95  hod              TYPE /sdf/oi_repstat-hod,
96  monday_execnt    TYPE /sdf/oi_repstat-execnt,
97  tuesday_execnt   TYPE /sdf/oi_repstat-execnt,
98  wednesday_execnt TYPE /sdf/oi_repstat-execnt,
99  thursday_execnt  TYPE /sdf/oi_repstat-execnt,
100 friday_execnt     TYPE /sdf/oi_repstat-execnt,
101 saturday_execnt   TYPE /sdf/oi_repstat-execnt,
102 sunday_execnt     TYPE /sdf/oi_repstat-execnt,
103 cell_color        TYPE lvc_t_scol,
104 END OF ts_repstat_pivot_color,
105 tt_repstat_pivot_color TYPE STANDARD TABLE OF ts_repstat_pivot_color.
106
107 DATA:
108   gt_tabstat          TYPE STANDARD TABLE OF /sdf/oi_tabstat,
109   gt_tabstat_pivot    TYPE tt_tabstat_pivot,
110   gt_repstat          TYPE STANDARD TABLE OF /sdf/oi_repstat,
111   gt_repstat_pivot    TYPE tt_repstat_pivot,
112   ls_e071_in          TYPE e071,
113   ls_e071_out         TYPE tadir,
114   lv_object           TYPE tadir-object,
115   lv_objname          TYPE tadir-obj_name,
116   lv_sub_type         TYPE tadir-object,
117   lv_sub_name         TYPE trobj_name,
118   lv_temp_dest        TYPE rfcdes-rfcdest,
119   lt_tabnames         TYPE tr_tabnames,
120   lt_progname         TYPE progname,
121   l_progname          TYPE progname,
122   l_prefix            TYPE trnspace-namespace,

```

```
123      l_stem          TYPE e071-obj_name,
124      ls_result_total TYPE /sdf/oi_result,
125      ls_results_total TYPE /sdf/oi_results,
126      lt_trkey         TYPE TABLE OF trkey,
127      ls_trkey         TYPE trkey,
128      lv_lines         TYPE i,
129      lv_func_name     TYPE enlfdir-funcname.
130
131 DATA:
132      gt_tabstat_pivot_color TYPE tt_tabstat_pivot_color,
133      ls_layout              TYPE slis_layout_alv,
134      ls_fieldcat            TYPE slis_fieldcat_alv,
135      lt_fieldcat            TYPE slis_t_fieldcat_alv,
136      l_col_pos              TYPE sycucol,
137      lt_excluding           TYPE slis_t_extab,
138      gs_exit_caused_by_user TYPE slis_exit_by_user,
139      g_level                TYPE i.
140
141      ls_layout-zebra = 'X'.
142      ls_layout-colwidth_optimize = 'X'.
143
144 FIELD-SYMBOLS:
145 <fieldcat> LIKE LINE OF lt_fieldcat.
146
147 * ALV field catalog START and output definitions
148 * Macro for fieldcat entries
149 DEFINE mc_add.
150     CLEAR ls_fieldcat.
151     ls_fieldcat-col_pos      = l_col_pos + 1.
152     ls_fieldcat-fieldname    = '&1'.
153     ls_fieldcat-outputlen    = &2.
154     ls_fieldcat-seltext_l    = &3.
155     ls_fieldcat-seltext_m    = &3.
156     ls_fieldcat-seltext_s    = &3.
157     ls_fieldcat-inttype      = &4.
158     ls_fieldcat-intlen       = &5.
159     ls_fieldcat-lowercase    = &6.
160     ls_fieldcat-decimals_out = &7.
161     ls_fieldcat-no_out       = &8.
162     INSERT ls_fieldcat INTO TABLE lt_fieldcat.
163 END-OF-DEFINITION.
164
165 DEFINE prepare_fieldcat.
166     READ TABLE lt_fieldcat WITH KEY fieldname = &1 ASSIGNING <fieldcat>.
167     IF sy-subrc = 0.
168         <fieldcat>-seltext_l    = &2.
169         <fieldcat>-seltext_m    = &2.
170         <fieldcat>-seltext_s    = &2.
171         CLEAR: <fieldcat>-no_out.
172     ENDIF.
173 END-OF-DEFINITION.
174
175 DEFINE overrule_fieldcat_outputlen.
176     READ TABLE lt_fieldcat WITH KEY fieldname = &1 ASSIGNING <fieldcat>.
177     IF sy-subrc = 0.
178         <fieldcat>-outputlen    = &2.
179     ENDIF.
180 END-OF-DEFINITION.
181
182
183 CONSTANTS:
```



```

184 lc_transport TYPE char10 VALUE 'TRANSPORT',
185 lc_object     TYPE char10 VALUE 'OBJECT'.
186
187 DATA:
188     l_switch          TYPE char10,
189     l_rfcdest         TYPE rfcdest,
190     l_obj_type        TYPE seu_obj,
191     l_object_type     LIKE l_obj_type,
192     l_obj_name        TYPE eu_lname,
193     l_object_name     LIKE l_obj_name,
194     l_enclosing_object LIKE l_obj_name,
195     l_trkorr          TYPE trkorr,
196     l_message         TYPE sy-lisel,
197     l_obj_name_1      TYPE char30,
198     l_obj_name_2      TYPE char90,
199     l_string          TYPE string,
200     l_sysubrc         TYPE n,
201     lv_err_txt        TYPE c LENGTH 300,
202     l_msgv1 TYPE sy-msgv1,
203     l_msgv2 TYPE sy-msgv1,
204     l_msgv3 TYPE sy-msgv1,
205     l_msgv4 TYPE sy-msgv1,
206     lt_tr_conf TYPE TABLE OF /sdf/cmo_tr_conf,
207     ls_tr_conf LIKE LINE OF lt_tr_conf,
208     lt_request_numbers TYPE cts_trkorrs,
209     ls_request_number TYPE cts_trkorr.
210
211
212 CLEAR ls_hist_run_flag.
213
214 *-----*
215 *      CLASS lcl_gui_alv_event_receiver IMPLEMENTATION
216 *-----*
217 *
218 *-----*
219 CLASS lcl_gui_alv_event_receiver IMPLEMENTATION.
220
221     METHOD handle_double_click .
222
223 *      here you code your desired behavior after double clicking
224 *      "this code below simply displays coordinaties of cell double click
225 *      ed
226 *      "variables e_row e_column es_row_no are implicitly passed to your
227 *      method when the event is raised
228     DATA: l_mess TYPE string,
229            l_row(2) TYPE c.
230
231     CLEAR: ls_envanal_res_err_output, ls_scv_crit_obj, ls_tr_imp_time.
232
233     CASE cmo_tr_check-activetab.
234         WHEN 'PUSH1'.
235             READ TABLE lt_envanal_res_err_output INTO ls_envanal_res_err_o
236             utput INDEX es_row_no-row_id.
237
238             IF lt_envanal_res_err_output[] IS NOT INITIAL.
239
240                 CASE l_form1.
241                     WHEN 'CROSSREF' OR 'BW_CROSSREF'.
242                         CASE e_column-fieldname.
243                             WHEN 'CHK_TRKORR'.

```

```
242         l_switch = lc_transport.  
243         l_rfcdest = p_source.  
244         l_trkorr = ls_envanal_res_err_output-chk_trkorr.  
245     WHEN 'ANA_TRKORR'.  
246         l_switch = lc_transport.  
247         l_rfcdest = p_source.  
248         l_trkorr = ls_envanal_res_err_output-ana_trkorr.  
249     WHEN 'PGMID' OR 'OBJ_TYPE' OR 'OBJ_NAME'.  
250         l_switch = lc_object.  
251         l_rfcdest = p_source.  
252         l_obj_type = ls_envanal_res_err_output-obj_type.  
253         l_obj_name = ls_envanal_res_err_output-obj_name.  
254     WHEN 'REF_OBJ_TYPE' OR 'REF_OBJ_NAME'.  
255         l_switch = lc_object.  
256         l_rfcdest = p_source.  
257         l_obj_type = ls_envanal_res_err_output-ref_obj_type.  
258         IF ls_envanal_res_err_output-ref_obj_name CP '*~*'.  
259             CLEAR: l_obj_name_1, l_obj_name_2.  
260             SPLIT ls_envanal_res_err_output-ref_obj_name AT '~  
261 ' INTO l_obj_name_1 l_obj_name_2.  
262             CONCATENATE l_obj_name_1 l_obj_name_2 INTO l_obj_n  
263 ame RESPECTING BLANKS.  
264         ELSE.  
265             l_obj_name = ls_envanal_res_err_output-ref_obj_nam  
266 e.  
267         ENDIF.  
268     WHEN 'STATUS'.  
269         READ TABLE lt_dd07v_tab WITH KEY ddtext = ls_envanal  
270 _res_err_output-status  
271 INTO ls_dd07v_tab.  
272     CASE ls_dd07v_tab-valpos.  
273     WHEN '1'.  
274         CONCATENATE ls_envanal_res_err_output-obj_type s  
275 pace  
276 ls_envanal_res_err_output-obj_name INTO l_msgv1  
277 RESPECTING BLANKS.  
278         CONCATENATE ls_envanal_res_err_output-ref_obj_ty  
279 pe space  
280 ls_envanal_res_err_output-ref_obj_name INTO l_ms  
281 gv2 RESPECTING BLANKS.  
282         MESSAGE i101(/sdf/cmo_sys) WITH l_msgv1 l_msgv2.  
283     WHEN '2'.  
284         CONCATENATE ls_envanal_res_err_output-obj_type s  
285 pace  
286 ls_envanal_res_err_output-obj_name INTO l_msgv1  
287 RESPECTING BLANKS.  
288         CONCATENATE ls_envanal_res_err_output-ref_obj_ty  
289 pe space  
290 ls_envanal_res_err_output-ref_obj_name INTO l_ms  
291 gv2 RESPECTING BLANKS.  
292         MESSAGE i102(/sdf/cmo_sys) WITH l_msgv1 l_msgv2.  
293     WHEN '3'.  
294         CONCATENATE ls_envanal_res_err_output-obj_type s  
295 pace  
296 ls_envanal_res_err_output-obj_name INTO l_msgv1  
297 RESPECTING BLANKS.
```

```
289          CONCATENATE ls_envanal_res_err_output-ref_obj_ty
pe space
290          ls_envanal_res_err_output-ref_obj_name INTO l_ms
gv2 RESPECTING BLANKS.
291          MESSAGE i103(/sdf/cmo_sys) WITH l_msgv1 l_msgv2.
292
293          WHEN '4'.
294
295          WHEN '5'.
296
297          WHEN '6'.
298          CONCATENATE ls_envanal_res_err_output-obj_type s
pace
299          ls_envanal_res_err_output-obj_name INTO l_msgv1
RESPECTING BLANKS.
300          CONCATENATE ls_envanal_res_err_output-ref_obj_ty
pe space
301          ls_envanal_res_err_output-ref_obj_name INTO l_ms
gv2 RESPECTING BLANKS.
302          MESSAGE i106(/sdf/cmo_sys) WITH l_msgv1 l_msgv2.
303
304          WHEN '7'.
305          CONCATENATE ls_envanal_res_err_output-obj_type s
pace
306          ls_envanal_res_err_output-obj_name INTO l_msgv1
RESPECTING BLANKS.
307          l_msgv3 = lv_dev_sid.
308          MESSAGE i107(/sdf/cmo_sys) WITH l_msgv1.
309
310          WHEN '8'.
311          CONCATENATE ls_envanal_res_err_output-obj_type s
pace
312          ls_envanal_res_err_output-obj_name INTO l_msgv1
RESPECTING BLANKS.
313          MESSAGE i108(/sdf/cmo_sys) WITH l_msgv1 .
314
315          WHEN '9'.
316          CONCATENATE ls_envanal_res_err_output-obj_type s
pace
317          ls_envanal_res_err_output-obj_name INTO l_msgv1
RESPECTING BLANKS.
318          MESSAGE i109(/sdf/cmo_sys) WITH l_msgv1 .
319
320          WHEN '10'.
321          CONCATENATE ls_envanal_res_err_output-obj_type s
pace
322          ls_envanal_res_err_output-obj_name INTO l_msgv1
RESPECTING BLANKS.
323          CONCATENATE ls_envanal_res_err_output-ref_obj_ty
pe space
324          ls_envanal_res_err_output-ref_obj_name INTO l_ms
gv2 RESPECTING BLANKS.
325          MESSAGE i110(/sdf/cmo_sys) WITH l_msgv1 l_msgv2
.
326
327          WHEN OTHERS.
328          CONCATENATE ls_envanal_res_err_output-obj_type s
pace
329          ls_envanal_res_err_output-obj_name INTO l_msgv1
RESPECTING BLANKS.
330          CONCATENATE ls_envanal_res_err_output-ref_obj_ty
```

```

pe space
331          ls_envanal_res_err_output-ref_obj_name INTO l_ms
gv2 RESPECTING BLANKS.
332          MESSAGE i100(/sdf/cmo_sys) WITH l_msgv1 l_msgv2
. "#EC *
333
334          ENDCASE.
335
336          WHEN 'SEVERITY'.
337
338
339
340          *      Case 3
341          *Source: RFC1 ( READ TMW ..etc but not NONE )
342          *Target: RFC2 ( READ TMW ..etc but not NONE )
343          *Called from SOLMAN then local system is different
344          *Start from PRD and use DEV and QAS as source and target is not a use ca
se
345          *From SOLMAN we have DEV and QAS even then we cant do much we ignore
346          *But if we logon to DEV system and use RFC instead of NONE and QAS RFC a
s target
347          *we can still make double click work
348
349
350
351          CALL FUNCTION 'RFC_SYSTEM_INFO'
352          DESTINATION p_source
353          IMPORTING
354          rfcsi_export = ls_rfcsi_export.
355          lv_dev_sid = ls_rfcsi_export-rfcsysid.
356
357          CALL FUNCTION 'RFC_SYSTEM_INFO'
358          DESTINATION p_target
359          IMPORTING
360          rfcsi_export = ls_rfcsi_export.
361          lv_sid = ls_rfcsi_export-rfcsysid.
362          lv_sid_show_version = lv_sid.
363          IF sy-sysid <> lv_dev_sid AND sy-sysid <> lv_sid.
364          EXIT.
365          ENDIF.
366          lv_temp_dest = p_target.
367
368          * Case1 - When we dbl click source and remote compared and versions s
hown
369          *Source: None or RFC to local system
370          *Target: RFC
371          *—> ok
372
373          *      Case 2
374          *Source: RFC
375          *Target: None or RFC to local system
376          *-> turn around systems: compare local system against source rfc
377          *P_source
378          * Check source system RFC
379          IF p_source NS 'NONE' AND p_target CS 'NONE'. "#EC N
OTEXT
380          lv_temp_dest = p_source.
381          *      *Parse to avoid dump.
382          lv_sid_show_version = lv_dev_sid.
383          ELSEIF p_source NS 'NONE' AND p_target NS 'NONE'. "#
EC NOTEXT

```

```

384             IF sy-sysid = lv_sid.
385                 lv_temp_dest = p_source.
386 *           *Parse to avoid dump.
387                 lv_sid_show_version = lv_dev_sid.
388             ENDIF.
389
390         ENDIF.
391
392 *
393         lv_object = ls_envanal_res_err_output-obj_type.
394         lv_objname = ls_envanal_res_err_output-obj_name.
395         lv_sub_type = ls_envanal_res_err_output-ref_obj_type
396 e.
397         lv_sub_name = ls_envanal_res_err_output-ref_obj_name
398 .
399
400         CASE lv_object .
401             WHEN 'FUNC'.
402                 lv_object = 'FUGR'.
403 *           lv_sub_type = 'FUNC'.
404                 lv_objname = ls_envanal_res_err_output-ref_obj_n
ame.
405 *           lv_sub_name = ls_envanal_res_err_output-ref_obj_n
ame.
406
407             WHEN 'CLAS' OR 'METH'.
408                 IF lv_sub_type = 'METH'.
409                     lv_object = 'CLAS'.
410                     lv_sub_type = 'METH'.
411                     SPLIT ls_envanal_res_err_output-ref_obj_name AT
T space INTO lv_objname lv_sub_name.
412                     CONDENSE lv_sub_name NO-GAPS.
413                 ENDIF.
414
415             WHEN 'DYNP'.
416                 SPLIT ls_envanal_res_err_output-ref_obj_name AT
space INTO lv_objname lv_sub_name.
417                 CONDENSE lv_sub_name NO-GAPS.
418
419             ENDCASE.
420
421         lv_object = lv_sub_type.
422         lv_objname = lv_sub_name.
423
424         CALL FUNCTION '/SDF/TEAP_SHOW_OBJECT_VERSIONS'
425         ##FM_SUBRC_OK
426
427         EXPORTING
428             iv_object           = lv_object
429             iv_objname          = lv_objname
430             iv_sub_type          = lv_sub_type
431             iv_sub_name          = lv_sub_name
432             iv_dest_system       = lv_sid_show_version
433             iv_destination       = lv_temp_dest
434 *           IT_HOST              =
435
436         EXCEPTIONS
437             program_not_exist    = 1
438             comparison_not_supported = 2
439             unknown_system       = 3
440             wrong_rfcdes         = 4
441             OTHERS               = 5.

```

```
438
439          CLEAR : lv_object,lv_objname,lv_sid,lv_sub_type,lv_s
ub_name.
440
441          ENDCASE.
442          ENDCASE.
443
444          PERFORM show_data.
445          EXIT.
446          ENDIF.
447
448          WHEN 'PUSH2'.
449
450          READ TABLE lt_dgp_conf_output INTO ls_dgp_conf_output INDEX es
_row_no-row_id.
451          IF lt_dgp_conf_output[] IS NOT INITIAL.
452
453          CASE l_form2.
454          WHEN 'SEQUENCE'.
455          CASE e_column-fieldname.
456          WHEN 'CHECKED_TRKORR'.
457          l_switch = lc_transport.
458          l_rfcdest = p_source.
459          l_trkorr = ls_dgp_conf_output-checked_trkorr.
460          WHEN 'CONFLICT_TRKORR'.
461          l_switch = lc_transport.
462          l_rfcdest = p_source.
463          l_trkorr = ls_dgp_conf_output-conflict_trkorr.
464          WHEN 'CONFLICT_OBJECT' OR 'CONFLICT_OBJNAME'.
465          l_switch = lc_object.
466          l_rfcdest = p_source.
467          l_obj_type = ls_dgp_conf_output-conflict_object.
468          l_obj_name = ls_dgp_conf_output-conflict_objname.
469          WHEN 'CONFLICT_TABLE' OR 'CONFLICT_TABKEY'.
470          l_switch = lc_object.
471          l_rfcdest = p_source.
472          l_obj_type = ls_dgp_conf_output-conflict_table.
473          l_obj_name = ls_dgp_conf_output-conflict_tabkey.
474          ENDCASE.
475          ENDCASE.
476          PERFORM show_data.
477          EXIT.
478          ENDIF.
479
480          WHEN 'PUSH3'.
481
482          READ TABLE lt_scv_crit_obj INTO ls_scv_crit_obj INDEX es_row_n
o-row_id.
483          IF lt_scv_crit_obj[] IS NOT INITIAL .
484
485          CASE l_form3.
486          WHEN 'SW_COMP'.
487          CASE e_column-fieldname..
488          WHEN 'PGMID' OR 'OBJECT' OR 'OBJ_NAME'.
489          l_switch = lc_object.
490          l_rfcdest = p_source.
491          l_obj_type = ls_scv_crit_obj-object.
492          l_obj_name = ls_scv_crit_obj-obj_name.
493          WHEN 'TRKORR'.
494
```

```

496             l_switch = lc_transport.
497             l_rfcdest = p_source.
498             l_trkorr = ls_scv_crit_obj-trkorr.
499         ENDCASE.
500     ENDCASE.
501     PERFORM show_data.
502     EXIT.
503 ENDIF.
504
505 WHEN 'PUSH4'.
506     READ TABLE lt_all_result_imp INTO ls_all_result_imp INDEX es_r
ow_no-row_id.
507     IF lt_tr_imp_time[] IS NOT INITIAL.
508
509         CASE l_form4.
510             WHEN 'IMPORT_TIME'.
511                 CASE e_column-fieldname..
512                     WHEN 'TRKORR'.
513                         l_switch = lc_transport.
514                         l_rfcdest = p_source.
515                         l_trkorr = ls_all_result_imp-trkorr.
516                     ENDCASE.
517                 ENDCASE.
518             ENDCASE.
519             PERFORM show_data.
520         ENDF.
521
522 WHEN 'PUSH5'.
523
524     IF lt_results[] IS NOT INITIAL.
525
526         CASE l_form5.
527             WHEN 'OI_CHECK'.
528                 CASE g_level.
529
530                     WHEN 1. "First level
531
532                         READ TABLE lt_all_result_oi INTO ls_all_result_oi IN
DEX e_row-index.
533                         CHECK sy-subrc = 0.
534                         CLEAR lt_result2.
535                         lt_result2[] = lt_result[].
536
537                         IF e_column-fieldname = 'TRKORR' AND ls_all_result_o
i-trkorr NE 'TOTAL'.
538                             "Display Transport
539                             l_switch = lc_transport.
540                             l_rfcdest = p_source.
541                             CLEAR lt_request_numbers.
542                             ls_request_number-trkorr = ls_all_result_oi-trkorr
.
543                             APPEND ls_request_number TO lt_request_numbers.
544                             CALL FUNCTION 'OXT_DISPLAY_REQUESTS'
545                                 DESTINATION l_rfcdest
546                                 EXPORTING
547                                     it_request_numbers = lt_request_numbers.
548
549                         ELSEIF ls_all_result_oi-trkorr NE 'TOTAL'.
550                             "Show result for selected transport
551                             DELETE lt_result2 WHERE trkorr <> ls_all_result_oi
-trkorr.

```



```

552      DESCRIBE TABLE lt_result2 LINES lv_lines.
553      IF lv_lines > 1.
554          "Add TOTAL row
555          CLEAR ls_result_total.
556          ls_result_total-trkorr = 'TOTAL'.
557          CLEAR lt_trkey.
558          LOOP AT lt_result2 INTO ls_result.
559              READ TABLE lt_trkey INTO ls_trkey WITH KEY
560                  obj_type = ls_result-object
561                  obj_name = ls_result-obj_name.
562              IF sy-subrc NE 0. "Object not yet processed
563                  ls_result_total-accnt = ls_result_total-accn
564                      t + ls_result-accnt.
565                      ls_result_total-chcnt = ls_result_total-chcn
566                      t + ls_result-chcnt.
567                      ls_result_total-occtb = ls_result_total-occt
568                      b + ls_result-occtb.
569                      ls_result_total-execnt = ls_result_total-exe
570                      cnt + ls_result-execnt.
571                      ls_result_total-execnt_dd = ls_result_total-
572                      *   ls_result_total-criticality = ls_results-cr
573                      iticality.
574                      IF ls_result-criobj = 'X'.
575                          ls_result_total-criobj = 'X'.
576                      ENDIF.
577                      IF ls_result_total-action = space AND ls_res
578                      ult-action NE space.
579                          ls_result_total-action = ls_result-action.
580                      ENDIF.
581                      "Add object to the list of processed objects
582                      ls_trkey-obj_type = ls_result-object.
583                      ls_trkey-obj_name = ls_result-obj_name.
584                      APPEND ls_trkey TO lt_trkey.
585                      ENDIF.
586                      ENDLOOP.
587                      PERFORM add_criticality CHANGING ls_result_total
588                      .
589                      ELSE.
590                          CLEAR ls_result_total.
591                      ENDIF.
592                      ELSE.
593                          "Move Total row to the end
594                          READ TABLE lt_result2 INTO ls_result_total WITH KE
595                          Y trkorr = 'TOTAL'.
596                          IF sy-subrc = 0.
597                              DELETE lt_result2 WHERE trkorr = 'TOTAL'.
598                          ELSE.
599                              CLEAR ls_result_total.
600                              ENDIF.
601                          ENDIF.
602                          IF e_column-fieldname <> 'TRKORR' OR ls_all_result_o
603                          i-trkorr = 'TOTAL'.
604                              SORT lt_result2 BY trkorr DESCENDING accnt DESCEND
605                              ING execnt DESCENDING.
606                              IF ls_result_total IS NOT INITIAL.
607                                  APPEND ls_result_total TO lt_result2.
608                              ENDIF.
609                              PERFORM get_fieldcat TABLES lt_result2 CHANGING lt

```

```

_fieldcat.
602         prepare_fieldcat:
603             'TRKORR'      'Checked Request',      "#EC NOTEXT
604             'OBJECT'      'Object',              "#EC NOTEXT
605             'OBJ_NAME'     'Object Name',          "#EC NOTEXT
606             'COMPONENT'    'Application Component', "#EC NOTEX
T
607             'ACCNT'       'Table Reads per Hour', "#EC NOTEXT
608             'CHCNT'       'Table Writes per Hour', "#EC NOTEX
T
609             'OCCTB'       'Table Size [KB]',       "#EC NOTEXT
610             'ACTION'      'DB Action',            "#EC NOTEXT
611             'EXECNT'      'Report Exec.per Hour',  "#EC NOTEXT
612             'EXECNT_DD'    'Report Exec.per Hour(DD)', "#EC NO
TEXT
613             'CRIOBJ'      'Critical Object',       "#EC NOTEXT
614             'CRITICALITY' 'Criticality'.          "#EC NOTEXT
615         override_fieldcat_outputlen:
616             'OBJ_NAME'     40,                    "#EC NOTEXT
617             'ACCNT'        15,                    "#EC NOTEXT
618             'CHCNT'        15,                    "#EC NOTEXT
619             'OCCTB'        20,                    "#EC NOTEXT
620             'EXECNT'       25,                    "#EC NOTEXT
621             'CRIOBJ'       15.                    "#EC NOTEXT
622         CLEAR: gs_exit_caused_by_user.
623         g_level = 2.
624         CLEAR lt_fcat[].
625         LOOP AT lt_fieldcat INTO ls_fieldcat.
626     *         if sy-TABIX > 3.
627             MOVE-CORRESPONDING ls_fieldcat TO ls_fcat.
628             ls_fcat-no_out = ''.
629             ls_fcat-seltext = ls_fieldcat-seltext_l.
630             ls_fcat-coltext = ls_fieldcat-seltext_l.
631             IF sy-tabix = 10.
632                 ls_fcat-tooltip = 'Report Executions affected
by DDIC changes'. "#EC NOTEXT
633             ENDIF.
634
635             APPEND ls_fcat TO lt_fcat.
636             CLEAR ls_fcat.
637     *         endif.
638         ENDLOOP.
639
640
641         IF lt_result2[] IS NOT INITIAL.
642
643             IF mycontainer6 IS INITIAL.
644                 CREATE OBJECT mycontainer6
645                 EXPORTING
646                     container_name = 'ALV_SUB_CC'.
647                 lv_layout-cwidth_opt = 'X'.
648
649                 CREATE OBJECT grid6
650                 EXPORTING
651                     i_parent = mycontainer6.
652             ENDIF.
653     *Double click on any row in online check- title will be
654     * transport number.
655         CONCATENATE 'Transport -' ls_results-trkorr INT
0 lv_layout-grid_title SEPARATED BY space. "#EC NOTEXT
656

```

```

657          DATA:ls_variant TYPE disvariant.  "Fork 03.08.20
23
658          ls_variant-report  = sy-repid.      "Fork 03.08.20
23
659          ls_variant-handle = 'ALV6'.         "Fork 03.08.20
23
660
661
662          CALL METHOD grid6->set_table_for_first_display
663          EXPORTING
664              is_layout          = lv_layout
665              i_save             = 'U'
        "The user may save all types of a layout / Fork 03.08.2023
666              is_variant        = ls_variant
        "Fork 03.08.2023
667          CHANGING
668              it_outtab          = lt_result2[]
669              it_fielddcatalog   = lt_fcat[]
670          EXCEPTIONS
671              invalid_parameter_combination = 1
672              program_error           = 2
673              too_many_lines         = 3
674              OTHERS                = 4.
675          PERFORM register_event_handlers.
676          * SET TITLEBAR 'OI_CHECK_LEVEL_2_DETAILS'. "#EC NOT
EXT
677          CALL SCREEN 0500.
678          * IF sy-ucomm = '&F03'.
679          *     g_level = 1.
680          * ENDIF.
681
682          ELSE.
683              g_level = 1.
684              READ TABLE lt_results INTO ls_results INDEX es_r
ow_no-row_id.
685              IF sy-subrc = 0.
686                  CASE e_column-fieldname.
687                      WHEN 'TRKORR'.
688                          l_switch = lc_transport.
689                          l_rfcdest = p_source.
690                          l_trkorr = ls_results-trkorr.
691                  ENDCASE.
692                  CLEAR ls_results.
693              ENDIF.
694
695          ENDIF.
696
697          ENDIF.
698
699          WHEN 2.
700              READ TABLE lt_result2 INTO ls_result INDEX es_row_no
-row_id.
701              CHECK sy-subrc = 0.
702              CASE e_column-fieldname.
703                  WHEN 'TRKORR'.
704                      IF ls_result-trkorr NE 'TOTAL'.
705                          l_switch = lc_transport.
706                          l_rfcdest = p_source.
707                          CLEAR lt_request_numbers.
708                          ls_request_number-trkorr = ls_result-trkorr.
709                          APPEND ls_request_number TO lt_request_numbers

```

```

710             CALL FUNCTION 'OXT_DISPLAY_REQUESTS'
711                 DESTINATION l_rfcdest
712                 EXPORTING
713                     it_request_numbers = lt_request_numbers.
714             ENDIF.
715
716         WHEN 'ACCNT' OR 'CHCNT'.
717
718             CLEAR: lt_tabnames, gt_tabstat.
719
720             IF ls_result-object = 'TABL'.
721                 APPEND ls_result-obj_name TO lt_tabnames.
722             ELSEIF ls_result-trkorr = 'TOTAL'.
723                 LOOP AT lt_result2 INTO ls_result.
724                     IF ls_result-object = 'TABL'.
725                         APPEND ls_result-obj_name TO lt_tabnames.
726                     ENDIF.
727                 ENDLOOP.
728                 SORT lt_tabnames.
729                 DELETE ADJACENT DUPLICATES FROM lt_tabnames.
730             ENDIF.
731
732             CHECK lt_tabnames IS NOT INITIAL.
733             CALL FUNCTION '/SDF/OI_READ_TABSTAT'
734                 DESTINATION p_target
735                 EXPORTING
736                     it_tabnames = lt_tabnames
737                     iv_detail   = 'X'
738                 TABLES
739                     et_tabstat  = gt_tabstat.
740             IF gt_tabstat[] IS INITIAL.
741                 EXIT.
742             ENDIF.
743             DELETE gt_tabstat WHERE dow = 99 AND hod = 99.
744             PERFORM tabstat_pivot USING ls_result-object ls_
result-obj_name e_column-fieldname.
745
746         WHEN 'EXECNT' OR 'EXECNT_DD'.
747             CLEAR: lt_prognose, gt_repstat.
748
749             IF e_column-fieldname = 'EXECNT'.
750                 IF ls_result-execnt = 0.
751                     EXIT.
752                 ENDIF.
753             ELSE. "EXECNT_DD
754                 IF ls_result-execnt_dd = 0.
755                     EXIT.
756                 ENDIF.
757             ENDIF.
758
759             IF ls_result-object = 'PROG'.
760                 APPEND ls_result-obj_name TO lt_prognose.
761             ELSEIF ls_result-object = 'CLAS'.
762                 l_prognose = ls_result-obj_name.
763                 TRANSLATE l_prognose+0(30) USING ' '.
764                 CONCATENATE l_prognose 'CP' INTO l_prognose .
765                 APPEND l_prognose TO lt_prognose.
766             ELSEIF ls_result-object = 'FUGR' OR ls_result-ob
ject = 'FUGS'.
767                 CALL FUNCTION 'TRINT_SPLIT_OBJECT'

```

```

768      EXPORTING
769          iv_object      = ls_result-object
770          iv_obj_name    = ls_result-obj_name
771      IMPORTING
772          ev_prefix      = l_prefix
773          ev_stem        = l_stem
774      EXCEPTIONS
775          invalid_prefix = 1
776          OTHERS        = 2.
777      IF sy-subrc <> 0.
778          l_stem = ls_result-obj_name.          "no
      split of prefix possible
779      ENDIF.
780      CONCATENATE l_prefix 'SAPL' l_stem INTO l_prog
name.
781      APPEND l_prognose TO lt_prognose.
782      ELSEIF ls_result-trkorr = 'TOTAL'.
783      LOOP AT lt_result2 INTO ls_result.
784          IF e_column-fieldname = 'EXECNT'.
785              IF ls_result-execnt = 0.
786                  CONTINUE.
787              ENDIF.
788          ELSE. "EXECNT_DD
789              IF ls_result-execnt_dd = 0.
790                  CONTINUE.
791              ENDIF.
792          ENDIF.
793
794      CASE ls_result-object.
795          WHEN 'PROG'.
796              APPEND ls_result-obj_name TO lt_prognose
.
797          WHEN 'CLAS'.
798              l_prognose = ls_result-obj_name.
799              TRANSLATE l_prognose+0(30) USING ' '.
800              CONCATENATE l_prognose 'CP' INTO l_progn
ame .
801      APPEND l_prognose TO lt_prognose.
802      WHEN 'FUGR' OR 'FUGS'.
803      CALL FUNCTION 'TRINT_SPLIT_OBJECT'
804          EXPORTING
805              iv_object      = ls_result-object
806              iv_obj_name    = ls_result-obj_name
807          IMPORTING
808              ev_prefix      = l_prefix
809              ev_stem        = l_stem
810          EXCEPTIONS
811              invalid_prefix = 1
812              OTHERS        = 2.
813      IF sy-subrc <> 0.
814          l_stem = ls_result-obj_name.
      "no split of prefix possible
815      ENDIF.
816      CONCATENATE l_prefix 'SAPL' l_stem INTO
l_prognose.
817      APPEND l_prognose TO lt_prognose.
818      ENDCASE.
819      ENDLOOP.
820      ENDIF.
821
822      SORT lt_prognose.

```

```

823             DELETE ADJACENT DUPLICATES FROM lt_prognose.
824
825             CHECK lt_prognose IS NOT INITIAL.
826             CALL FUNCTION '/SDF/OI_READ_REPSTAT'
827                 DESTINATION p_target
828                 EXPORTING
829                     it_master   = lt_prognose
830                     iv_detail   = 'X'
831                 TABLES
832                     et_repstat = gt_repstat.
833             IF gt_repstat[] IS INITIAL.
834                 EXIT.
835             ENDIF.
836             DELETE gt_repstat WHERE dow = 99 AND hod = 99.
837             PERFORM repstat_pivot USING ls_result-object ls_
result-obj_name e_column-fieldname.
838
839                 ENDCASE. "CASE e_column-fieldname.
840
841                 ENDCASE. "CASE g_level
842
843                 ENDCASE. "CASE l_form5
844
845                 ENDIF. "IF lt_results[] IS NOT INITIAL.
846
847             ENDCASE. "CASE cmo_tr_check-activetab.
848
849             ENDMETHOD.                 "handle_double_click
850             ENDClass.                 "lcl_gui_alv_event_receiver IMPLEMENTATIO
N
851
852 *&-----*
853 *&      Form  show_data
854 *&-----*
855 *      text
856 *-----*
857 FORM show_data .
858     CASE l_switch.
859         WHEN lc_transport.
860             CLEAR lt_request_numbers.
861             ls_request_number-trkorr = l_trkorr.
862             APPEND ls_request_number TO lt_request_numbers.
863             " CNV_CDMC_CTS_TRANSPORT_DISPLAY is not supported any more
864             CALL FUNCTION 'OXT_DISPLAY_REQUESTS'
865                 DESTINATION l_rfcdest
866                 EXPORTING
867                     it_request_numbers = lt_request_numbers.
868
869         WHEN lc_object.
870             CASE l_obj_type.
871                 WHEN 'METH'.
872                     l_object_type = 'OM'.
873                     l_object_name = l_obj_name+30(90).
874                     l_enclosing_object = l_obj_name+0(30).
875                 WHEN 'ATRB'.
876                     l_object_type = 'OA'.
877                     l_object_name = l_obj_name+30(90).
878                     l_enclosing_object = l_obj_name+0(30).
879                 WHEN OTHERS.
880                     l_object_type = l_obj_type.
881                     l_object_name = l_obj_name.

```

```
882         CLEAR: l_enclosing_object.
883     ENDCASE.
884 * CNV_CDMC_UCIA_ACCESS_OBJECT no more compatible
885     CALL FUNCTION 'RS_TOOL_ACCESS_REMOTE'
886         DESTINATION l_rfcdest
887         EXPORTING
888             operation      = 'SHOW'
889             object_type    = l_object_type
890             object_name    = l_object_name
891             enclosing_object = l_enclosing_object
892         IMPORTING
893             iv_message     = l_message
894     EXCEPTIONS
895         not_executed      = 1
896         not_exists       = 2
897         OTHERS            = 3.
898     IF sy-subrc <> 0.
899         l_sysubrc = sy-subrc.
900     CONCATENATE 'Cant display object - RFC Error/Incompatible obje
ct :' l_sysubrc
901         INTO l_string SEPARATED BY space.                "#EC NOTEXT
902     CALL FUNCTION 'POPUP_TO_INFORM'
903         EXPORTING
904             titel = 'Warning'                               "#EC NOTEXT
905             txt1  = l_string
906             txt2  = space.
907     ELSEIF NOT l_message IS INITIAL.
908     CALL FUNCTION 'POPUP_TO_INFORM'
909         EXPORTING
910             titel = 'Warning'                               "#EC NOTEXT
911             txt1  = l_message
912             txt2  = space.
913     ENDIF.
914
915     WHEN OTHERS.
916 *         ls_message =
917     ENDCASE.
918     CLEAR : l_switch , l_trkorr , l_object_type , l_obj_name.
919
920
921
922     ENDFORM.                "show_data
923
924 *CMO_TR_CHECK-ACTIVETAB = 'PUSH1'.
925
926     FORM check_system_information CHANGING pv_error TYPE flag.
927     CLEAR pv_error.
928
929 * Check source system RFC
930     IF p_source CS 'None'.                                "#EC NOTEXT
931         p_source = 'NONE'.
932         lv_dev_sid = sy-sysid.
933     ELSE.
934     CALL FUNCTION 'RFC_READ_R3_DESTINATION'
935         EXPORTING
936             destination      = p_source
937         IMPORTING
938             user              = lv_user
939             password          = lv_password
940     EXCEPTIONS
941         authority_not_available = 1
```



```
942         destination_not_exist      = 2
943         information_failure          = 3
944         internal_failure             = 4
945         OTHERS                      = 5.
946     IF sy-subrc <> 0. "RFC does not exist
947         MESSAGE i333(s1) WITH text-016 p_source.
948         pv_error = 'X'.
949         EXIT.
950     ENDIF.
951
952     IF sy-batch NE 'X'. "dialog mode: test logon
953         CALL FUNCTION '/SDF/OCS_GET_INFO'      ##FM_OLDDED
954             DESTINATION p_source
955             EXCEPTIONS
956                 OTHERS = 1.
957         IF sy-subrc <> 0.
958             MESSAGE i333(s1) WITH text-016 p_source.
959             pv_error = 'X'.
960             EXIT.
961         ENDIF.
962     ENDIF.
963
964     CALL FUNCTION 'RFC_SYSTEM_INFO'
965         DESTINATION p_source
966         IMPORTING
967             rfcsi_export = ls_rfcsi_export.
968     lv_dev_sid = ls_rfcsi_export-rfcsysid.
969
970 ENDIF.
971
972 * Check target system RFC
973 IF p_target CS 'None'.                                     "#EC NOTEXT
974     p_target = 'NONE'.
975     lv_sid = sy-sysid.
976     lv_client = sy-mandt.
977 ELSE.
978     CALL FUNCTION 'RFC_READ_R3_DESTINATION'
979         EXPORTING
980             destination      = p_target
981         IMPORTING
982             user              = lv_user
983             password          = lv_password
984             client            = lv_client
985         EXCEPTIONS
986             authority_not_available = 1
987             destination_not_exist   = 2
988             information_failure     = 3
989             internal_failure        = 4
990             OTHERS                 = 5.
991     IF sy-subrc <> 0. "RFC does not exist
992         MESSAGE i333(s1) WITH text-016 p_target.
993         pv_error = 'X'.
994         EXIT.
995     ENDIF.
996
997     IF sy-batch NE 'X'. "dialog mode: test logon
998         CALL FUNCTION '/SDF/OCS_GET_INFO'
999             DESTINATION p_target
1000             EXCEPTIONS
1001                 OTHERS = 1.
1002         IF sy-subrc <> 0.
```

```
1003         MESSAGE i333(s1) WITH text-016 p_target.
1004         pv_error = 'X'.
1005         EXIT.
1006     ENDIF.
1007 ENDIF.
1008
1009     CALL FUNCTION 'RFC_SYSTEM_INFO'
1010         DESTINATION p_target
1011         IMPORTING
1012             rfcsi_export = ls_rfcsi_export.
1013     lv_sid = ls_rfcsi_export-rfcsysid.
1014
1015 ENDIF.
1016
1017 ENDFORM.                                "check_system_information
1018
1019 *&-----*
1020 *&      Form   importque
1021 *&-----*
1022 *      text
1023 *-----*
1024 FORM importque.
1025
1026     DATA : lv_sid_temp TYPE tmssysnam,
1027             lv_client_temp TYPE rfcdisplay-rfcclient.
1028
1029 *   l_form = 'IMPORTQUE '.
1030     IF p_system IS NOT INITIAL.
1031         lv_sid_temp = p_system.
1032     ELSE.
1033         lv_sid_temp = lv_sid.
1034     ENDIF.
1035
1036     CALL FUNCTION '/SDF/TEAP_READ_TRANSPORT_QUEUE'
1037         DESTINATION p_target
1038         EXPORTING
1039             iv_system = lv_sid_temp
1040         TABLES
1041             tt_buffer = lt_buffer.
1042
1043     CLEAR ls_reqs.
1044
1045     IF p_client IS NOT INITIAL.
1046         lv_client_temp = p_client.
1047     ELSE.
1048         lv_client_temp = lv_client.
1049     ENDIF.
1050
1051     LOOP AT lt_buffer
1052     WHERE impflg = '1' "Request waiting to be imported
1053     OR impflg = 'c' "C request waiting for import
1054     OR impflg = 'e' "E request waiting for import
1055     OR impflg = 'k' "K request waiting for import
1056     OR impflg = 'o' "O request waiting for import
1057     OR impflg = 't' "T request waiting for import
1058     OR impflg = 'w' "W request waiting for import
1059     IF lt_buffer-tarcli IS INITIAL.
1060         lt_buffer-tarcli = lt_buffer-srccli.
1061     ENDIF.
1062     IF lt_buffer-tarcli = lv_client_temp OR lv_client_temp = '*'.
1063         ls_reqs-trkorr = lt_buffer-trkorr.
```

```
1064         MOVE-CORRESPONDING ls_reqs TO lt_reqs.
1065         APPEND lt_reqs.
1066     ENDIF.
1067 ENDLOOP.
1068
1069 ENDFORM.                                "importque
1070
1071 *&-----*
1072 *&      Form  get_transport_details
1073 *&-----*
1074 *      text
1075 *-----*
1076 FORM get_transport_details.
1077 *Transfer trkorr into lt_transport_list to get details
1078 *like status, type, etc.
1079     IF lt_reqs[] IS INITIAL.
1080         LOOP AT p_ori_tr.
1081             lt_transport_list-trkorr = p_ori_tr-low.
1082             APPEND lt_transport_list.
1083         ENDLOOP.
1084     ELSE.
1085         LOOP AT lt_reqs.
1086             lt_transport_list-trkorr = lt_reqs-trkorr.
1087             APPEND lt_transport_list.
1088         ENDLOOP.
1089     ENDIF.
1090
1091
1092     CALL FUNCTION '/SDF/CMO_GET_TRANSPORT_TEXTS'
1093     DESTINATION p_source
1094     TABLES
1095         tt_transport_list      = lt_transport_list
1096         tt_transport_list_text = lt_transport_list_t.
1097 ENDFORM.                                "authority_check
1098
1099
1100
1101 START-OF-SELECTION.
1102
1103
1104 *&-----*
1105 *&      Form  crossref
1106 *&-----*
1107 *      text
1108 *-----*
1109 FORM crossref.
1110
1111
1112
1113     l_form1 = 'CROSSREF'.
1114
1115     IF lt_reqs[] IS INITIAL.
1116         CLEAR lt_reqs[].
1117         LOOP AT p_ori_tr.
1118             ls_reqs-trkorr = p_ori_tr-low.
1119             MOVE-CORRESPONDING ls_reqs TO lt_reqs.
1120             APPEND lt_reqs.
1121         ENDLOOP.
1122     ENDIF.
1123
1124     CLEAR: lt_envanal_res_err.
```

```

1125 CALL FUNCTION '/SDF/TEAP_ENVI_ANA'
1126 EXPORTING
1127     iv_ana_rfc                = p_source
1128     iv_tar_rfc                = p_target
1129 TABLES
1130     it_reqs                   = lt_reqs
1131 *     IT_OBJS                   =
1132 *     ET_ENVANAL_RES           =
1133     et_envanal_res_err        = lt_envanal_res_err
1134 *     ET_MESSAGES              =
1135 EXCEPTIONS
1136     empty_checked_tr_list     = 1
1137     destination_not_reached   = 2
1138     get_checked_obj_failed    = 3
1139     no_objs_specified_for_anal = 4
1140     no_referred_objects_found = 5
1141     prerequisites_not_in_place = 6
1142     OTHERS                    = 9.
1143 IF sy-subrc <> 0.
1144     DATA(lv_sysubrc) = sy-subrc. "Fork 28.12.2022
1145     "In any case the cross_ref_flag is "F"
1146     ls_hist_run_flag-cross_ref_flag = 'F'.
1147
1148     IF sy-batch = abap_true.
1149         CASE lv_sysubrc.
1150             WHEN 1.
1151                 txt_crossref = '@0A@ No transport selected to check'. "#EC N
OTEXT
1152                 PERFORM screen_text_set CHANGING txt_crossref.
1153                 MESSAGE i333(s1) WITH 'Error in /SDF/TEAP_ENVI_ANA-' 'No tra
nsport selected to check' | Sy-Subrc={ lv_sysubrc }|. "#EC NOTEXT
1154             WHEN 2.
1155                 txt_crossref = '@0A@ RFC issue, Destination not reached'. "#
EC NOTEXT
1156                 PERFORM screen_text_set CHANGING txt_crossref.
1157                 MESSAGE i333(s1) WITH 'Error in /SDF/TEAP_ENVI_ANA-' 'RFC is
sue, Destination not reached' | Sy-Subrc={ lv_sysubrc }|. "#EC NOTEXT
1158             WHEN 3.
1159                 txt_crossref = '@0A@ GET_OBJ_LIST_TR Failed'. "#EC NOTEXT
1160                 PERFORM screen_text_set CHANGING txt_crossref.
1161                 MESSAGE i333(s1) WITH 'Error in /SDF/TEAP_ENVI_ANA-' 'GET_OB
J_LIST_TR Failed' | Sy-Subrc={ lv_sysubrc }|. "#EC NOTEXT
1162             WHEN 4.
1163                 txt_crossref = '@0A@ Incompatible objs specified for analysi
s'. "#EC NOTEXT
1164                 PERFORM screen_text_set CHANGING txt_crossref.
1165                 MESSAGE i333(s1) WITH 'Error in /SDF/TEAP_ENVI_ANA-' 'Incomp
atible objs specified for analysis' | Sy-Subrc={ lv_sysubrc }|. "#EC NOT
EXT
1166             WHEN 5.
1167                 txt_crossref = '@0A@ No Reference objects found'. "#EC NOTEX
T
1168                 PERFORM screen_text_set CHANGING txt_crossref.
1169                 MESSAGE i333(s1) WITH 'Error in /SDF/TEAP_ENVI_ANA-' 'No Ref
erence objects found' | Sy-Subrc={ lv_sysubrc }|. "#EC NOTEXT
1170             WHEN 6.
1171                 txt_crossref = '@0A@ Prerequisites not in place'. "#EC NOTEX
T
1172                 PERFORM screen_text_set CHANGING txt_crossref.
1173                 MESSAGE i333(s1) WITH 'Error in /SDF/TEAP_ENVI_ANA-' 'Prereq
uisites not in place' | Sy-Subrc={ lv_sysubrc }|. "#EC NOTEXT

```

```

1174         WHEN OTHERS.
1175             txt_crossref = '@0A@ Error in /SDF/TEAP_ENVI_ANA'. "#EC NOTE
XT
1176             PERFORM screen_text_set CHANGING txt_crossref.
1177             MESSAGE i333(s1) WITH 'Error in /SDF/TEAP_ENVI_ANA-' 'Error
in /SDF/TEAP_ENVI_ANA' | Sy-Subrc={ lv_sysubrc }|. "#EC NOTEXT
1178             ENDCASE.
1179             ENDIF.
1180             ELSE.
1181                 CALL FUNCTION 'DD_DOMVALUES_GET'
1182                     EXPORTING
1183                         domname      = '/SDF/TEAP_ENVI_STATUS'
1184                         text          = 'X'
1185                         langu         = sy-langu
1186                 TABLES
1187                     dd07v_tab = lt_dd07v_tab.
1188                 ls_dd07v_tab-domname = '/SDF/TEAP_ENVI_STATUS'.
1189                 ls_dd07v_tab-valpos = '0011'.
1190                 ls_dd07v_tab-ddlanguage = sy-langu.
1191                 ls_dd07v_tab-domvalue_l = 'B'.
1192                 ls_dd07v_tab-ddtext = 'Original in target'.           "#EC NOTEXT
1193                 COLLECT ls_dd07v_tab INTO lt_dd07v_tab.
1194 * CLEAR: lt_envanal_res_err_output.
1195 * MOVE-CORRESPONDING lt_envanal_res_err TO lt_envanal_res_err_output.
1196 DATA: ls_envanal_res_err LIKE LINE OF lt_envanal_res_err.
1197 LOOP AT lt_envanal_res_err INTO ls_envanal_res_err.
1198 * CHAR4 can handle only max 9999 entries hence we need to check her
e
1199     IF lv_crsref_cric_count < 9999.
1200         lv_crsref_cric_count = lv_crsref_cric_count + 1.
1201     ENDIF.
1202
1203     CLEAR: ls_envanal_res_err_output.
1204     MOVE-CORRESPONDING ls_envanal_res_err TO ls_envanal_res_err_outp
ut.
1205
1206     READ TABLE lt_transport_list_t WITH KEY trkorr =
1207         ls_envanal_res_err_output-chk_trkorr.
1208     IF sy-subrc = 0.
1209         ls_envanal_res_err_output-trstatus = lt_transport_list_t-trsta
tus.
1210         ls_envanal_res_err_output-type = lt_transport_list_t-trfunctio
n.
1211         ls_envanal_res_err_output-cts_project = lt_transport_list_t-st
rkorr.
1212         ls_envanal_res_err_output-short_text = lt_transport_list_t-as4
text.
1213     ENDIF.
1214     APPEND ls_envanal_res_err_output TO lt_envanal_res_err_output.
1215
1216     ENDLLOOP.
1217
1218     LOOP AT lt_envanal_res_err_output ASSIGNING <envanal_res_err_outpu
t>.
1219         READ TABLE lt_dd07v_tab WITH KEY domvalue_l = <envanal_res_err_o
utput>-status INTO ls_dd07v_tab.
1220         IF sy-subrc = 0.
1221             <envanal_res_err_output>-status = ls_dd07v_tab-ddtext.
1222         ENDIF.
1223
1224

```

```

1225     ENDLLOOP.
1226     IF lt_envanal_res_err[] IS NOT INITIAL AND sy-batch <> 'X'.
1227     PERFORM get_fieldcat TABLES lt_envanal_res_err_output CHANGING l
t_fieldcat.
1228     prepare_fieldcat:
1229         'CHK_TRKORR'      'Checked Request',           "#EC NOTEXT
1230         'CHK_TR_OWNER'    'Request Owner',             "#EC NOTEXT
1231         'OBJ_TYPE'        'Object',                   "#EC NOTEXT
1232         'OBJ_NAME'        'Object Name',               "#EC NOTEXT
1233         'REF_OBJ_TYPE'    'Ref. Object',               "#EC NOTEXT
1234         'REF_OBJ_NAME'    'Ref. Object Name',          "#EC NOTEXT
1235         'SEVERITY'        'Severity',                  "#EC NOTEXT
1236         'STATUS'          'Status',                    "#EC NOTEXT
1237         'ANA_TRKORR'      'Missing Transport',         "#EC NOTEXT
1238         'TRSTATUS'        'Req.Status',                "#EC NOTEXT
1239         'TYPE'            'Type',                      "#EC NOTEXT
1240         'CTS_PROJECT'     'CTS Project',               "#EC NOTEXT
1241         'SHORT_TEXT'      'Short Text',                "#EC NOTEXT
1242         'REMARK'          'Remarks'.                  "#EC NOTEXT
1243     overrule_fieldcat_outputlen:
1244         'OBJ_NAME'        40,                          "#EC NOTEXT
1245         'REF_OBJ_NAME'    40.                          "#EC NOTEXT
1246
1247     LOOP AT lt_fieldcat INTO ls_fieldcat.
1248 *   if sy-TABIX > 3.
1249         MOVE-CORRESPONDING ls_fieldcat TO ls_fcat.
1250         ls_fcat-no_out = ''.
1251         ls_fcat-seltext = ls_fieldcat-seltext_l.
1252         ls_fcat-coltext = ls_fieldcat-seltext_l.
1253
1254         APPEND ls_fcat TO lt_fcat.
1255
1256     ENDLLOOP.
1257
1258
1259     LOOP AT lt_fcat INTO ls_fcat FROM 10 TO 14.
1260         ls_fcat-no_out = 'X'.
1261         MODIFY lt_fcat FROM ls_fcat.
1262     ENDLLOOP.
1263
1264     IF mycontainer1 IS INITIAL.
1265         CREATE OBJECT mycontainer1
1266             EXPORTING
1267                 container_name = 'CONT_CROSSREF'.
1268         lv_layout-cwidth_opt = 'X'.
1269
1270         CREATE OBJECT grid1
1271             EXPORTING
1272                 i_parent = mycontainer1.
1273     ENDIF.
1274     lv_layout-grid_title = 'Cross Reference Check'.      "#EC NOTEXT
1275
1276     DATA:ls_variant TYPE disvariant.    "Fork 03.08.2023
1277     ls_variant-report = sy-repid.        "Fork 03.08.2023
1278     ls_variant-handle = 'ALV1'.          "Fork 03.08.2023
1279
1280
1281     CALL METHOD grid1->set_table_for_first_display
1282         EXPORTING
1283             is_layout = lv_layout
1284             i_save = 'U' "The user may save all t

```

ypes of a layout / Fork 03.08.2023

```

1285         is_variant = ls_variant "Fork 03.08.2023
1286     CHANGING
1287         it_outtab = lt_envanal_res_err_output[]
1288         it_fieldcatalog = lt_fcat[]
1289     EXCEPTIONS
1290         invalid_parameter_combination = 1
1291         program_error = 2
1292         too_many_lines = 3
1293         OTHERS = 4.
1294
1295     PERFORM register_event_handlers.
1296
1297
1298     txt_crossref = ''.
1299
1300     PERFORM screen_text_set CHANGING txt_crossref.
1301 ENDIF.
1302 IF lt_envanal_res_err_output[] IS INITIAL.
1303
1304     IF mycontainer1 IS NOT INITIAL.
1305         PERFORM free_ctrls CHANGING mycontainer1 grid1.
1306     ENDIF.
1307
1308     PERFORM screen_text_set CHANGING txt_crossref.
1309     IF p_crsref = 'X'.
1310         txt_crossref = 'No Errors Found in the Cross reference check E
xecution'. "#EC NOTEXT
1311         CONCATENATE '@08@ ' txt_crossref INTO txt_crossref.
1312         ls_hist_run_flag-cross_ref_flag = 'S'.
1313     ENDIF.
1314     PERFORM screen_text_set CHANGING txt_crossref.
1315 ENDIF.
1316
1317
1318 ENDIF.
1319
1320 l_form = 'CROSSREF'.
1321 cmo_tr_check-activetab = 'PUSH1'.
1322
1323 SELECT MAX( run_nummer ) FROM /sdf/hist_run_db INTO lv_nummer. "#
EC CI_NOWHERE
1324
1325 lv_nummer = lv_nummer + 1.
1326 IF p_chkbox = 'X'.
1327
1328
1329     LOOP AT lt_envanal_res_err_output INTO ls_envanal_res_err_output.
1330         MOVE-CORRESPONDING ls_envanal_res_err_output TO ls_all_result.
1331         ls_all_result-run_nummer = lv_nummer.
1332         ls_all_result-run_datum = sy-datum.
1333         ls_all_result-sequence = sy-tabix.
1334         ls_all_result-run_time = sy-uzzeit.
1335         ls_all_result-run_type = ls_syscomp_run-run_type.
1336
1337         IF ls_all_result IS NOT INITIAL.
1338             APPEND ls_all_result TO gt_/sdf/env_resl_db. "Fork /
09.09.2022
1339 * INSERT INTO /sdf/env_resl_db VALUES ls_all_result. "Fork
/ 09.09.2022
1340 * COMMIT WORK. Removed Fork 18.11.2021 because of errors when th

```


e report run in background task

```
1341         ENDIF.
1342         ENDLOOP.
1343     ENDIF.
1344
1345     CLEAR: lt_envanal_res_err.
1346     CLEAR :   lv_rfc, lv_nummer.
1347
1348
1349     ENDFORM.                " crossref
1350
1351
1352 *&-----*
1353 *&      Form   bw_crossref
1354 *&-----*
1355
1356     FORM bw_crossref .
1357
1358     ENDFORM.                " bw_crossref
1359
1360 *&-----*
1361 *&      Form   sequence
1362 *&-----*
1363
1364     FORM sequence .
1365         DATA l_time_stamp TYPE tzonref-tstamps.
1366
1367
1368         l_form2 = 'SEQUENCE'.
1369
1370         CLEAR lt_tmstpalog_h[].
1371         CLEAR lt_tmstpalog_h.
1372
1373         IF lt_reqs[] IS INITIAL.
1374             LOOP AT p_ori_tr.
1375                 lt_tmstpalog_h-listname = '/SDF/CMO_TR_CHECK'.
1376 *          lt_tmstpalog_h-trkorr = p_ori_tr.
1377                 lt_tmstpalog_h-trkorr = p_ori_tr-low.
1378                 CONCATENATE sy-datum sy-uzeit INTO lv_time_stamp.
1379                 ls_time_stamp = lv_time_stamp.
1380                 lt_tmstpalog_h-trtime = ls_time_stamp.
1381                 APPEND lt_tmstpalog_h.
1382             ENDLOOP.
1383
1384         ELSE.
1385             LOOP AT lt_reqs.
1386                 lt_tmstpalog_h-listname = '/SDF/CMO_TR_CHECK'.
1387                 lt_tmstpalog_h-trkorr = lt_reqs-trkorr.
1388                 CONCATENATE sy-datum sy-uzeit INTO lv_time_stamp.
1389                 ls_time_stamp = lv_time_stamp.
1390                 lt_tmstpalog_h-trtime = ls_time_stamp.
1391                 APPEND lt_tmstpalog_h.
1392             ENDLOOP.
1393
1394         ENDIF.
1395
1396         lt_tmstpalog[] = lt_tmstpalog_h[].
1397
1398         SELECT SINGLE param_value_i FROM /sdf/cmo_tr_conf
1399         INTO lv_period
1400         WHERE config_param = 'PERIOD'.
```

```

1401
1402     IF lv_period IS INITIAL.
1403         lv_start_date = sy-datum - 180.
1404     ELSE.
1405         lv_start_date = sy-datum - lv_period.
1406     ENDIF.
1407
1408     CLEAR lt_dgp_conf[].
1409
1410     lv_func_name = '/SDF/TEAP_DOWNGRADE_PROTECT'.
1411     CALL FUNCTION lv_func_name
1412         EXPORTING
1413             iv_dev_sid          = lv_dev_sid
1414             iv_tar_sid          = lv_sid
1415             iv_dev_rfc          = p_source
1416             iv_tar_rfc          = p_target
1417             iv_start_date       = lv_start_date
1418             iv_end_date         = sy-datum
1419     *   IMPORTING
1420     *       EV_FIRST_TR_EXP_TIME =
1421     *       EV_FIRST_TR         =
1422     TABLES
1423         it_checked_tr          = lt_tmstpalog
1424         et_dgp_conf            = lt_dgp_conf
1425     *   ET_DUPL_OBJ             =
1426     *   ET_DUPL_OBJ_STAT        =
1427     *   ET_OBSOLETE_TR          =
1428     *   ET_DEV_EXP_HISTORY      =
1429     *   ET_TAR_IMP_HISTORY      =
1430     *   ET_CAND_CONF_TR         =
1431     *   ET_MESSAGES             =
1432     EXCEPTIONS
1433         get_dev_exp_history_error = 1
1434         get_tar_imp_history_error = 2
1435         no_exp_hist_for_checked_tr = 3
1436         empty_checked_tr_list     = 4
1437         get_csol_error            = 5
1438         OTHERS                    = 6.
1439     IF sy-subrc <> 0.
1440         DATA(lv_sysubrc) = sy-subrc. "Fork 28.12.2022
1441
1442         IF lv_sysubrc = 4.
1443             txt_sequence = '@08@ Sequence check only support workbench reques
1444 sts, customizing requests or transport of copies'. "#EC NOTEXT
1445             PERFORM screen_text_set CHANGING txt_sequence.
1446             ls_hist_run_flag-seq_check_flag = 'S'.
1447         ELSE.
1448             txt_sequence = '@0A@ Error in /SDF/TEAP_DOWNGRADE_PROTECT'. "#EC
1449 NOTEXT
1450             PERFORM screen_text_set CHANGING txt_sequence.
1451             ls_hist_run_flag-seq_check_flag = 'F'.
1452         ENDIF.
1453
1454         IF sy-batch = abap_true. "New Fork / 28.12.2022
1455             "New Fork / 28.12.2022 - errorhandling only for the log when run
1456 in Background:
1457             CASE lv_sysubrc.
1458                 WHEN 1.
1459                     MESSAGE i333(s1) WITH 'Error in /SDF/TEAP_DOWNGRADE_PROTECT'
1460 'get_dev_exp_history_error' |:Sy-subrc={ lv_sysubrc }|. "#EC NOTEXT
1461                 WHEN 2.

```

```
1458         MESSAGE i333(s1) WITH 'Error in /SDF/TEAP_DOWNGRADE_PROTECT'
'get_tar_imp_history_error' |:Sy-subrc = { lv_sysubrc }|. "#EC NOTEXT
1459         WHEN 3.
1460         MESSAGE i333(s1) WITH 'Error in /SDF/TEAP_DOWNGRADE_PROTECT'
'no_exp_hist_for_checked_tr' |:Sy-subrc = { lv_sysubrc }|. "#EC NOTEXT
1461         WHEN 4.
1462         MESSAGE i333(s1) WITH 'Error in /SDF/TEAP_DOWNGRADE_PROTECT'
'empty_checked_tr_list' |:Sy-subrc = { lv_sysubrc }|. "#EC NOTEXT
1463         WHEN 5.
1464         MESSAGE i333(s1) WITH 'Error in /SDF/TEAP_DOWNGRADE_PROTECT'
'get_csol_error' |:Sy-subrc = { lv_sysubrc }|. "#EC NOTEXT
1465         WHEN 6.
1466         MESSAGE i333(s1) WITH 'Error in /SDF/TEAP_DOWNGRADE_PROTECT'
'Unknown error' |:Sy-subrc = { lv_sysubrc }|. "#EC NOTEXT
1467         ENDCASE.
1468         ENDIF.
1469     ELSE.
1470
1471 *      MOVE-CORRESPONDING lt_dgp_conf TO lt_dgp_conf_output.
1472      DATA: ls_dgp_conf LIKE LINE OF lt_dgp_conf.
1473      LOOP AT lt_dgp_conf INTO ls_dgp_conf.
1474          CLEAR: ls_dgp_conf_output.
1475          MOVE-CORRESPONDING ls_dgp_conf TO ls_dgp_conf_output.
1476          READ TABLE lt_transport_list_t WITH KEY trkorr =
1477              ls_dgp_conf_output-checked_trkorr.
1478          IF sy-subrc = 0.
1479              ls_dgp_conf_output-trstatus = lt_transport_list_t-trstatus.
1480              ls_dgp_conf_output-type = lt_transport_list_t-trfunction.
1481              ls_dgp_conf_output-cts_project = lt_transport_list_t-strkorr.
1482              ls_dgp_conf_output-owner = lt_transport_list_t-as4user.
1483              ls_dgp_conf_output-short_text = lt_transport_list_t-as4text.
1484          ENDIF.
1485          APPEND ls_dgp_conf_output TO lt_dgp_conf_output.
1486      ENDLOOP.
1487      LOOP AT lt_dgp_conf_output ASSIGNING <dgp_conf_output>.
1488          IF <dgp_conf_output>-criticality_2 = '@8N@' OR
1489              <dgp_conf_output>-criticality_2 = '@0A@'.
1490 *      CHAR4 can handle only max 9999 entries hence we need to check here
1491          IF lv_seq_cric_count < 9999.
1492              lv_seq_cric_count = lv_seq_cric_count + 1.
1493 *      ELSEIF lv_seq_cric_count >= 9999.
1494 **      CHAR 4 Max value is 9999 we can collect result until 9998
1495 *      EXIT.
1496          ENDIF.
1497      ENDIF.
1498
1499 *      Set Conflict request import status
1500      IF <dgp_conf_output>-criticality_2 = '@8N@'. "Red
1501          IF <dgp_conf_output>-conflict_tr_imp_seq = '0000'.
1502              <dgp_conf_output>-conflict_tr_imp_seq = 'imported earlier'.
1503              "#EC NOTEXT
1504          ELSE.
1505              <dgp_conf_output>-conflict_tr_imp_seq = 'to be imported'. "#
1506          EC NOTEXT
1507          ENDIF.
1508          ELSE. "Yellow
1509              <dgp_conf_output>-conflict_tr_imp_seq = 'not yet imported'. "#
1510          EC NOTEXT
1511          ENDIF.
1512 *      Convert timestamp
1513      l_time_stamp = <dgp_conf_output>-checked_tr_exp_time.
```

```

1511     WRITE l_time_stamp TO <dgp_conf_output>-checked_tr_exp_time TIME
      ZONE 'UTC' DD/MM/YYYY.
1512     l_time_stamp = <dgp_conf_output>-conflict_tr_exp_time.
1513     WRITE l_time_stamp TO <dgp_conf_output>-conflict_tr_exp_time TIM
E ZONE 'UTC' DD/MM/YYYY.
1514
1515     ENDLLOOP.
1516
1517
1518     IF lt_dgp_conf_output[] IS NOT INITIAL AND sy-batch <> 'X'.
1519     PERFORM get_fieldcat TABLES lt_dgp_conf_output CHANGING lt_field
cat.
1520     prepare_fieldcat:
1521     'CRITICALITY_2'          'Criticality',           "#EC NOTEXT
1522     'OWNER'                  'Request Owner',         "#EC NOTEXT
1523     'CHECKED_TRKORR'         'Checked Request',       "#EC NOTEXT
1524     'CHECKED_TR_EXP_TIME'    'Export Timestamp',      "#EC NOTEXT
1525     'CONFLICT_TRKORR'        'Conflict Request',      "#EC NOTEXT
1526     'CONFLICT_TR_EXP_TIME'   'Export Timestamp',      "#EC NOTEXT
1527     'CONFLICT_TR_IMP_SEQ'    'Conflict Request Status', "#EC NOTEXT
1528     'CONFLICT_OBJECT'        'Object',               "#EC NOTEXT
1529     'CONFLICT_OBJNAME'       'Object Name',           "#EC NOTEXT
1530     'CONFLICT_TABLE'         'Table',                "#EC NOTEXT
1531     'CONFLICT_TABKEY'        'Table Key',             "#EC NOTEXT
1532     'TRSTATUS'               'Status',               "#EC NOTEXT
1533     'TYPE'                   'Type',                 "#EC NOTEXT
1534
1535     'CTS_PROJECT'            'CTS Project',           "#EC NOTEXT
1536     'SHORT_TEXT'             'Short Text',            "#EC NOTEXT
1537     'REMARK'                 'Remarks'.              "#EC NOTEXT
1538     overrule_fieldcat_outputlen:
1539     'CONFLICT_OBJNAME'       40,                      "#EC NOTEXT
1540     'CONFLICT_TABKEY'        40,                      "#EC NOTEXT
1541     CLEAR : ls_fcat , lt_fcat[].
1542     LOOP AT lt_fieldcat INTO ls_fieldcat.
1543     *   if sy-TABIX > 3.
1544         MOVE-CORRESPONDING ls_fieldcat TO ls_fcat.
1545         ls_fcat-no_out = ''.
1546         ls_fcat-seltext = ls_fieldcat-seltext_l.
1547         ls_fcat-coltext = ls_fieldcat-seltext_l.
1548
1549         APPEND ls_fcat TO lt_fcat.
1550     *   endif.
1551     ENDLLOOP.
1552
1553     LOOP AT lt_fcat INTO ls_fcat FROM 12 TO 16.
1554         ls_fcat-no_out = 'X'.
1555         MODIFY lt_fcat FROM ls_fcat.
1556     ENDLLOOP.
1557
1558
1559
1560     IF mycontainer2 IS INITIAL.
1561         CREATE OBJECT mycontainer2
1562             EXPORTING
1563                 container_name = 'CONT_DGP'.
1564         lv_layout-cwidth_opt = 'X'.
1565
1566         CREATE OBJECT grid2
1567             EXPORTING
1568                 i_parent = mycontainer2.

```

```

1569         ENDIF.
1570         lv_layout-grid_title = 'Sequence Check'.           "#EC NOTEXT
1571
1572         DATA:ls_variant TYPE disvariant.   "Fork 03.08.2023
1573         ls_variant-report  = sy-repid.      "Fork 03.08.2023
1574         ls_variant-handle = 'ALV2'.        "Fork 03.08.2023
1575
1576         CALL METHOD grid2->set_table_for_first_display
1577             EXPORTING
1578                 is_layout           = lv_layout
1579                 i_save              = 'U' "The user may save all t
types of a layout / Fork 03.08.2023
1580                 is_variant         = ls_variant   "Fork 03.08.2023
1581             CHANGING
1582                 it_outtab          = lt_dgp_conf_output[]
1583                 it_fieldcatalog    = lt_fcat[]
1584             EXCEPTIONS
1585                 invalid_parameter_combination = 1
1586                 program_error              = 2
1587                 too_many_lines             = 3
1588                 OTHERS                   = 4.
1589
1590         PERFORM register_event_handlers.
1591
1592     ELSE.
1593         txt_sequence = ''.
1594         PERFORM screen_text_set CHANGING txt_sequence.
1595
1596
1597         IF mycontainer2 IS NOT INITIAL.
1598             PERFORM free_ctrls CHANGING mycontainer2 grid2.
1599         ENDIF.
1600
1601         IF p_dgp = 'X'.
1602             txt_sequence = 'No Errors Found in the Downgrade protect check
Execution'. "#EC NOTEXT
1603             CONCATENATE '@08@ ' txt_sequence INTO txt_sequence.
1604             ls_hist_run_flag-seq_check_flag = 'S'.
1605         ENDIF.
1606
1607         PERFORM screen_text_set CHANGING txt_sequence.
1608
1609 *endif.
1610     ENDIF.
1611
1612 ENDIF.
1613
1614 IF l_form IS INITIAL.
1615     l_form = 'SEQUENCE'.
1616     cmo_tr_check-activetab = 'PUSH2'.
1617 ENDIF.
1618
1619 SELECT    MAX( run_nummer ) FROM /sdf/hist_run_db
1620 INTO lv_nummer.           "#EC CI_NOWHERE
1621
1622 lv_nummer = lv_nummer + 1.
1623
1624 IF p_chkbox = 'X'.
1625     LOOP AT lt_dgp_conf_output INTO ls_dgp_conf_output.
1626
1627         ls_all_result_dgp-run_nummer = lv_nummer.

```

```

1628     ls_all_result_dgp-run_datum = sy-datum.
1629     ls_all_result_dgp-run_time = sy-uzeit.
1630     ls_all_result_dgp-sequence = sy-tabix.
1631     ls_all_result_dgp-run_type = ls_syscomp_run-run_type.
1632     ls_all_result_dgp-checked_tr_exp_t = ls_dgp_conf_output-checked_
tr_exp_time.
1633     ls_all_result_dgp-conflict_tr_exp_ = ls_dgp_conf_output-conflict
_tr_exp_time.
1634     ls_all_result_dgp-conflict_tr_imp_ = ls_dgp_conf_output-conflict
_tr_imp_seq.
1635     MOVE-CORRESPONDING ls_dgp_conf_output TO ls_all_result_dgp.
1636
1637     IF ls_all_result_dgp IS NOT INITIAL.
1638         APPEND ls_all_result_dgp TO gt_/sdf/dgp_resl_db.           "Fork
/ 09.09.2022
1639     *      INSERT INTO /sdf/dgp_resl_db VALUES ls_all_result_dgp. "Fork
/ 09.09.2022
1640     *      COMMIT WORK. Removed Fork 18.11.2021 because of errors when th
e report run in background task
1641         ENDIF.
1642         ENDLOOP.
1643         ENDIF.
1644
1645         CLEAR lv_nummer.
1646         ENDFORM.           " sequence
1647
1648 *-----*
1649 *      Form sw_comp
1650 *-----*
1651
1652     FORM sw_comp .
1653
1654
1655
1656     l_form3 = 'SW_COMP'.
1657
1658     CLEAR lt_tmstpalog_h.
1659     CLEAR lt_tmstpalog_h[].
1660
1661     IF lt_reqs[] IS INITIAL.
1662         LOOP AT p_ori_tr.
1663             lt_tmstpalog_h-listname = '/SDF/CMO_TR_CHECK'.
1664     *      lt_tmstpalog_h-trkorr = p_ori_tr.
1665             lt_tmstpalog_h-trkorr = p_ori_tr-low.
1666             CONCATENATE sy-datum sy-uzeit INTO lv_time_stamp.
1667             ls_time_stamp = lv_time_stamp.
1668             lt_tmstpalog_h-trtime = ls_time_stamp.
1669             APPEND lt_tmstpalog_h.
1670         ENDLOOP.
1671     ELSE.
1672         LOOP AT lt_reqs.
1673             lt_tmstpalog_h-listname = '/SDF/CMO_TR_CHECK'.
1674             lt_tmstpalog_h-trkorr = lt_reqs-trkorr.
1675             CONCATENATE sy-datum sy-uzeit INTO lv_time_stamp.
1676             ls_time_stamp = lv_time_stamp.
1677             lt_tmstpalog_h-trtime = ls_time_stamp.
1678             APPEND lt_tmstpalog_h.
1679         ENDLOOP.
1680     ENDIF.
1681
1682     lt_tmstpalog[] = lt_tmstpalog_h[].

```

```
1683
1684     CLEAR lt_tr_wrong_scv[].
1685     CLEAR lt_scv_crit_obj[].
1686
1687     SELECT SINGLE * FROM /sdf/cmo_tr_conf INTO ls_tr_conf WHERE config_p
aram = `CR_ENH`.
1688
1689     IF sy-subrc <> 0 OR ls_tr_conf-param_value IS INITIAL.
1690
1691         CALL FUNCTION '/SDF/TEAP_SCV_CHECK'
1692             EXPORTING
1693                 iv_dev_sid          = lv_dev_sid
1694                 iv_tar_sid          = lv_sid
1695                 iv_dev_rfc          = p_source
1696                 iv_tar_rfc          = p_target
1697                 iv_start_date       = sy-datum
1698                 iv_end_date         = sy-datum
1699             TABLES
1700                 it_checked_tr       = lt_tmstpalog
1701             *   ET_TR_SCV            =
1702             *   ET_TR_SCV_AT_EXP    =
1703             *   ET_DEV_SCV          =
1704             *   ET_TAR_SCV          =
1705                 et_tr_wrong_scv     = lt_tr_wrong_scv
1706                 et_scv_crit_obj     = lt_scv_crit_obj
1707             *   ET_MESSAGES         =
1708             EXCEPTIONS
1709                 empty_checked_tr_list = 1
1710                 get_dev_scv_error     = 2
1711                 get_tar_scv_error     = 3
1712                 OTHERS                = 4.
1713
1714     ELSE.
1715
1716         CALL FUNCTION '/SDF/TEAP_CROSS_RELEASE_CHECK'
1717             EXPORTING
1718                 iv_dev_rfc          = p_source
1719                 iv_tar_rfc          = p_target
1720             TABLES
1721                 it_checked_tr       = lt_tmstpalog
1722                 et_tr_wrong_scv     = lt_tr_wrong_scv
1723                 et_scv_crit_obj     = lt_scv_crit_obj
1724             EXCEPTIONS
1725                 empty_checked_tr_list = 1
1726                 get_dev_scv_error     = 2
1727                 get_tar_scv_error     = 3
1728                 OTHERS                = 4.
1729
1730     ENDIF.
1731
1732     IF sy-subrc <> 0.
1733
1734         DATA(lv_sysubrc) = sy-subrc. "New Fork / 28.12.2022
1735
1736         txt_scv = '@@AA@ Error in /SDF/TEAP_SCV_CHECK'.           "#EC NOTEXT
1737         PERFORM screen_text_set CHANGING txt_scv.
1738         ls_hist_run_flag-cross_rel_flag = 'F'.
1739
1740         "New Fork / 28.12.2022 - errorhandling only for the log
1741         IF sy-batch = abap_true.
1742             CASE lv_sysubrc.
```



```

1743         WHEN 1.
1744             MESSAGE i333(s1) WITH 'Error in /SDF/TEAP_SCV_CHECK-' 'empty
_checked_tr_list' |:Sy-subrc = { lv_sysubrc }|. "#EC NOTEXT
1745         WHEN 2.
1746             MESSAGE i333(s1) WITH 'Error in /SDF/TEAP_SCV_CHECK-' 'get_d
ev_scv_error' |:Sy-subrc = { lv_sysubrc }|. "#EC NOTEXT
1747         WHEN 3.
1748             MESSAGE i333(s1) WITH 'Error in /SDF/TEAP_SCV_CHECK-' 'get_
tar_scv_error' |:Sy-subrc = { lv_sysubrc }|. "#EC NOTEXT
1749         WHEN 4.
1750             MESSAGE i333(s1) WITH 'Error in /SDF/TEAP_SCV_CHECK-' 'Unkno
wn error' |:Sy-subrc = { lv_sysubrc }|. "#EC NOTEXT
1751     ENDCASE.
1752     ENDIF.
1753
1754     ELSE.
1755         IF lt_scv_crit_obj[] IS NOT INITIAL AND sy-batch <> 'X'.
1756
1757             LOOP AT lt_scv_crit_obj INTO ls_scv_crit_obj.
1758                 IF ls_scv_crit_obj-criticality = '@8N@' OR
1759                    ls_scv_crit_obj-criticality = '@0A@'.
1760 *           CHAR4 can handle only max 9999 entries hence we need to check h
ere
1761                 IF lv_crsrel_cric_count < 9999.
1762                     lv_crsrel_cric_count = lv_crsrel_cric_count + 1.
1763                 ENDIF.
1764             ENDIF.
1765
1766             MOVE-CORRESPONDING ls_scv_crit_obj TO ls_all_result_scv.
1767             READ TABLE lt_transport_list_t WITH KEY trkorr = ls_scv_crit_o
bj-trkorr.
1768             IF sy-subrc = 0.
1769                 ls_all_result_scv-trstatus = lt_transport_list_t-trstatus.
1770                 ls_all_result_scv-cts_project = lt_transport_list_t-strkorr.
1771                 ls_all_result_scv-short_text = lt_transport_list_t-as4text.
1772
1773             ENDIF.
1774             APPEND ls_all_result_scv TO lt_all_result_scv.
1775         ENDLOOP.
1776
1777
1778
1779 *       PERFORM get_fieldcat TABLES lt_scv_crit_obj CHANGING lt_fieldcat.
1780       PERFORM get_fieldcat TABLES lt_all_result_scv CHANGING lt_fieldc
at.
1781       prepare_fieldcat:
1782           'TRKORR'      'Checked Request',           "#EC NOTEXT
1783           'TRFUNCTION'  'Type',                     "#EC NOTEXT
1784           'TR_OWNER'    'Request Owner',             "#EC NOTEXT
1785           'OBJECT'      'Object',                   "#EC NOTEXT
1786           'OBJ_NAME'    'Object Name',               "#EC NOTEXT
1787           'TABNAME'     'Table Name',                "#EC NOTEXT
1788           'TABKEY'      'Table Key',                 "#EC NOTEXT
1789           'CRITICALITY' 'Criticality',               "#EC NOTEXT
1790           'CRIT_REASON' 'Reason',                   "#EC NOTEXT
1791           'TRSTATUS'    'Status',                   "#EC NOTEXT
1792           'OWNER'       'Transport Owner',           "#EC NOTEXT
1793           'CTS_PROJECT' 'CTS Project',               "#EC NOTEXT
1794           'SHORT_TEXT'  'Short Text',                "#EC NOTEXT
1795           'REMARK'      'Remarks'.                  "#EC NOTEXT
1796       overrule_fieldcat_outputlen:

```

```

1797      'OBJ_NAME'      40,                                "#EC NOTEXT
1798      'TABKEY'       40.                                "#EC NOTEXT
1799
1800      CLEAR : ls_fcat , lt_fcat[].
1801      LOOP AT lt_fieldcat INTO ls_fieldcat FROM 6.
1802          MOVE-CORRESPONDING ls_fieldcat TO ls_fcat.
1803          ls_fcat-no_out = ''.
1804          ls_fcat-seltext = ls_fieldcat-seltext_l.
1805          ls_fcat-coltext = ls_fieldcat-seltext_l.
1806          APPEND ls_fcat TO lt_fcat.
1807      ENDLOOP.
1808
1809      LOOP AT lt_fcat INTO ls_fcat FROM 11 TO 14.
1810          ls_fcat-no_out = 'X'.
1811          MODIFY lt_fcat FROM ls_fcat.
1812      ENDLOOP.
1813
1814      txt_scv = ''.
1815      IF mycontainer3 IS INITIAL.
1816          CREATE OBJECT mycontainer3
1817              EXPORTING
1818                  container_name = 'CONT_SCV'.
1819          lv_layout-cwidth_opt = 'X'.
1820
1821          CREATE OBJECT grid3
1822              EXPORTING
1823                  i_parent = mycontainer3.
1824      ENDIF.
1825      lv_layout-grid_title = 'Cross Release Check'.        "#EC NOTEXT
1826      DATA:ls_variant TYPE disvariant.                    "Fork 03.08.2023
1827      ls_variant-report = sy-repid.                        "Fork 03.08.2023
1828      ls_variant-handle = 'ALV3'.                          "Fork 03.08.2023
1829
1830      CALL METHOD grid3->set_table_for_first_display
1831          EXPORTING
1832              is_layout                = lv_layout
1833              i_save                    = 'U' "The user may save all t
ypes of a layout / Fork 03.08.2023
1834              is_variant                = ls_variant "Fork 03.08.2023
1835          CHANGING
1836              it_outtab                = lt_all_result_scv[]
1837              it_fieldcatalog          = lt_fcat[]
1838          EXCEPTIONS
1839              invalid_parameter_combination = 1
1840              program_error              = 2
1841              too_many_lines             = 3
1842              OTHERS                     = 4.
1843
1844      PERFORM register_event_handlers.
1845      txt_scv = ''.
1846      PERFORM screen_text_set CHANGING txt_scv.
1847      ENDIF.
1848
1849      IF lt_scv_crit_obj[] IS INITIAL.
1850          IF mycontainer3 IS NOT INITIAL.
1851              PERFORM free_ctrls CHANGING mycontainer3 grid3.
1852          ENDIF.
1853
1854          IF p_swcomp = 'X'.
1855              txt_scv = 'No Errors Found in the Cross Release check Executio
n'. "#EC NOTEXT

```

```

1856         CONCATENATE '@08@ ' txt_scv INTO txt_scv.
1857         ls_hist_run_flag-cross_rel_flag = 'S'.
1858     ENDIF.
1859
1860     PERFORM screen_text_set CHANGING txt_scv.
1861
1862     ENDIF.
1863
1864     ENDIF.
1865     IF l_form IS INITIAL.
1866         l_form = 'SW_COMP'.
1867         cmo_tr_check-activetab = 'PUSH3'.
1868     ENDIF.
1869     SELECT    MAX( run_nummer ) FROM /sdf/hist_run_db
1870     INTO lv_nummer.                                     "#EC CI_NOWHERE
1871
1872     lv_nummer = lv_nummer + 1.
1873
1874     IF p_chkbox = 'X'.
1875         LOOP AT lt_all_result_scv INTO ls_all_result_scv.
1876     *
1877     *         MOVE-CORRESPONDING ls_scv_crit_obj TO ls_all_result_scv.
1878     *
1879         ls_all_result_scv-run_nummer = lv_nummer.
1880         ls_all_result_scv-run_datum = sy-datum.
1881         ls_all_result_scv-sequence = sy-tabix.
1882         ls_all_result_scv-run_time = sy-uzeit.
1883         ls_all_result_scv-run_type = ls_syscomp_run-run_type.
1884
1885         IF ls_all_result_scv IS NOT INITIAL.
1886             APPEND ls_all_result_scv TO gt_/sdf/scv_resl_db.             "Fork
1887 / 09.09.2022
1887 *         INSERT INTO /sdf/scv_resl_db VALUES ls_all_result_scv. "Fork
1888 / 09.09.2022
1888 *         COMMIT WORK. Removed Fork 18.11.2021 because of errors when th
1888 e report run in background task
1889         ENDIF.
1890     ENDLOOP.
1891     ENDIF.
1892
1893
1894     CLEAR lv_nummer.
1895
1896     ENDFORM.                                     " sw_comp
1897
1898
1899     " sw_comp
1900 *&-----*
1901 *&         Form import_time
1902 *&-----*
1903 *         text
1904 *-----*
1905     FORM import_time.
1906
1907     DATA:
1908         l_time_stamp TYPE tzonref-tstamps.
1909
1910     l_form4 = 'IMPORT_TIME'.
1911
1912     CLEAR lt_tmstpalog_h.
1913     CLEAR lt_tmstpalog_h[ ].

```

```

1914
1915     IF lt_reqs[] IS INITIAL.
1916         LOOP AT p_ori_tr.
1917             lt_tmstpalog_h-listname = '/SDF/CMO_TR_CHECK'.
1918 *         lt_tmstpalog_h-trkorr = p_ori_tr.
1919             lt_tmstpalog_h-trkorr = p_ori_tr-low.
1920             CONCATENATE sy-datum sy-uzeit INTO lv_time_stamp.
1921             ls_time_stamp = lv_time_stamp.
1922             lt_tmstpalog_h-trtime = ls_time_stamp.
1923             APPEND lt_tmstpalog_h.
1924         ENDLOOP.
1925     ELSE.
1926         LOOP AT lt_reqs.
1927             lt_tmstpalog_h-listname = '/SDF/CMO_TR_CHECK'.
1928             lt_tmstpalog_h-trkorr = lt_reqs-trkorr.
1929             CONCATENATE sy-datum sy-uzeit INTO lv_time_stamp.
1930             ls_time_stamp = lv_time_stamp.
1931             lt_tmstpalog_h-trtime = ls_time_stamp.
1932             APPEND lt_tmstpalog_h.
1933         ENDLOOP.
1934     ENDIF.
1935
1936     lt_tmstpalog[] = lt_tmstpalog_h[].
1937
1938     CLEAR lt_tr_imp_time[].
1939
1940     CALL FUNCTION '/SDF/TEAP_IMPORT_TIME'
1941         DESTINATION p_source
1942         TABLES
1943             it_checked_tr                = lt_tmstpalog
1944 *         ET_TR_STEP_IMP_TIME            =
1945             et_tr_imp_time                = lt_tr_imp_time
1946 *         ET_STEP_IMP_TIME              =
1947 *         ET_TRTYPE_IMP_TIME            =
1948 *         ET_IMPORT_PROCESSES           =
1949 *         ET ALOG_IMPORT                =
1950 *         ET_MESSAGES                   =
1951     EXCEPTIONS
1952         empty_checked_tr_list            = 1
1953         no_tpalog_for_checked_tr        = 2
1954 *         OTHERS                        = 3
1955     .
1956
1957     "New Fork / 28.12.2022 - errorhandling only for the log when run in
Background:
1958     IF sy-batch = abap_true.
1959         CASE sy-subrc.
1960             WHEN 1.
1961                 MESSAGE i333(s1) WITH 'Error in /SDF/TEAP_IMPORT_TIME-' 'empty
_checked_tr_list' |:Sy-subrc={ sy-subrc }|. "#EC NOTEXT
1962             WHEN 2.
1963                 MESSAGE i333(s1) WITH 'Error in /SDF/TEAP_IMPORT_TIME-' 'no_tp
alog_for_checked_tr' |:Sy-subrc={ sy-subrc }|. "#EC NOTEXT
1964             ENDCASE.
1965         ENDIF.
1966
1967
1968     LOOP AT lt_tr_imp_time INTO ls_tr_imp_time.
1969         CLEAR: ls_tr_imp_time_output.
1970         MOVE-CORRESPONDING ls_tr_imp_time TO ls_tr_imp_time_output.
1971 *Convert timestamp

```

```

1972         l_time_stamp = ls_tr_imp_time-begin_time.
1973         WRITE l_time_stamp TO ls_tr_imp_time_output-begin_time TIME ZONE '
UTC      ' DD/MM/YYYY.
1974         l_time_stamp = ls_tr_imp_time-end_time.
1975         WRITE l_time_stamp TO ls_tr_imp_time_output-end_time TIME ZONE 'UT
C      ' DD/MM/YYYY.
1976         APPEND ls_tr_imp_time_output TO lt_tr_imp_time_output.
1977     ENDLLOOP.
1978
1979     LOOP AT lt_tr_imp_time INTO ls_tr_imp_time.
1980         MOVE-CORRESPONDING ls_tr_imp_time TO ls_all_result_imp.
1981
1982     *   Convert timestamp
1983         l_time_stamp = ls_tr_imp_time-begin_time.
1984         WRITE l_time_stamp TO ls_all_result_imp-begin_time TIME ZONE 'UTC
      ' DD/MM/YYYY.
1985         l_time_stamp = ls_tr_imp_time-end_time.
1986         WRITE l_time_stamp TO ls_all_result_imp-end_time TIME ZONE 'UTC
      ' DD/MM/YYYY.
1987
1988     READ TABLE lt_transport_list_t WITH KEY trkorr = ls_tr_imp_time-tr
korr.
1989     IF sy-subrc = 0.
1990         ls_all_result_imp-trstatus = lt_transport_list_t-trstatus.
1991         ls_all_result_imp-type = lt_transport_list_t-trfunction.
1992         ls_all_result_imp-owner = lt_transport_list_t-as4user.
1993         ls_all_result_imp-cts_project = lt_transport_list_t-strkorr.
1994         ls_all_result_imp-short_text = lt_transport_list_t-as4text.
1995
1996     ENDIF.
1997     APPEND ls_all_result_imp TO lt_all_result_imp.
1998     ENDLLOOP.
1999     IF sy-subrc = 1.
2000         txt_imp_time = '@0A@ Error in Import_time, Enter transports'. "#EC
NOTEXT
2001         PERFORM screen_text_set CHANGING txt_imp_time.
2002
2003         MESSAGE i333(s1)
2004         WITH ' @0A@ Error in Import_time, Enter transports'. "#EC NOTEXT
2005         ls_hist_run_flag-import_time_flag = 'F'.
2006     ELSEIF sy-subrc = 2.
2007         txt_imp_time = '@0A@ TPALOG error in Import time Execution'. "#EC
NOTEXT
2008         PERFORM screen_text_set CHANGING txt_imp_time.
2009         MESSAGE i333(s1) WITH 'TPALOG error in Import time Execution'. "#E
C NOTEXT
2010         ls_hist_run_flag-import_time_flag = 'F'.
2011     ELSE.
2012
2013         IF lt_tr_imp_time[] IS NOT INITIAL AND sy-batch <> 'X'.
2014             PERFORM get_fieldcat TABLES lt_all_result_imp CHANGING lt_fieldc
at.
2015             prepare_fieldcat:
2016                 'TRKORR'      'Checked Request',           "#EC NOTEXT
2017                 'KORRDEV'    'Type',                       "#EC NOTEXT
2018                 'OWNER'      'Request Owner',              "#EC NOTEXT
2019                 'AS4TEXT'    'Short Text',                  "#EC NOTEXT
2020                 'BEGIN_TIME' 'Begin Time',                  "#EC NOTEXT
2021                 'END_TIME'   'End Time',                     "#EC NOTEXT
2022                 'DURATION'   'Duration',                     "#EC NOTEXT
2023                 'LONGEST_STEP' 'Longest Step',               "#EC NOTEXT

```

```

2024      'TRSTATUS'      'Req.Status',      "#EC NOTEXT
2025      'TYPE'          'Tr.Type',          "#EC NOTEXT
2026      'CTS_PROJECT'   'CTS Project',      "#EC NOTEXT
2027      'SHORT_TEXT'    'Short Text',       "#EC NOTEXT
2028      'REMARK'        'Remarks'.         "#EC NOTEXT
2029
2030
2031      CLEAR : ls_fcat , lt_fcat[].
2032      LOOP AT lt_fieldcat INTO ls_fieldcat FROM 6.
2033          MOVE-CORRESPONDING ls_fieldcat TO ls_fcat.
2034          ls_fcat-no_out = ''.
2035          ls_fcat-seltext = ls_fieldcat-seltext_l.
2036          ls_fcat-coltext = ls_fieldcat-seltext_l.
2037          APPEND ls_fcat TO lt_fcat.
2038      ENDLOOP.
2039
2040      LOOP AT lt_fcat INTO ls_fcat FROM 9 TO 13.
2041          ls_fcat-no_out = 'X'.
2042          MODIFY lt_fcat FROM ls_fcat.
2043      ENDLOOP.
2044
2045      txt_imp_time = ''.
2046      IF mycontainer4 IS INITIAL.
2047          CREATE OBJECT mycontainer4
2048              EXPORTING
2049                  container_name = 'CONT_IMP_TIME'.
2050          lv_layout-cwidth_opt = 'X'.
2051
2052          CREATE OBJECT grid4
2053              EXPORTING
2054                  i_parent = mycontainer4.
2055      ENDIF.
2056      lv_layout-grid_title = 'Import time in Source System Check'. "#E
C NOTEXT
2057      DATA:ls_variant TYPE disvariant.      "Fork 03.08.2023
2058      ls_variant-report = sy-repid.          "Fork 03.08.2023
2059      ls_variant-handle = 'ALV4'.            "Fork 03.08.2023
2060
2061      CALL METHOD grid4->set_table_for_first_display
2062          EXPORTING
2063              is_layout                      = lv_layout
2064              i_save                         = 'U' "The user may save all t
ypes of a layout / Fork 03.08.2023
2065              is_variant                    = ls_variant      "Fork 03.08.2023
2066          CHANGING
2067              it_outtab                     = lt_all_result_imp[]
2068              it_fieldcatalog               = lt_fcat[]
2069          EXCEPTIONS
2070              invalid_parameter_combination = 1
2071              program_error                 = 2
2072              too_many_lines                = 3
2073              OTHERS                       = 4.
2074
2075      PERFORM register_event_handlers.
2076
2077      txt_imp_time = ''.
2078      PERFORM screen_text_set CHANGING txt_imp_time.
2079
2080      ENDIF.
2081
2082

```

```

2083
2084
2085     IF lt_tr_imp_time[] IS INITIAL.
2086         IF mycontainer4 IS NOT INITIAL.
2087             PERFORM free_ctrls CHANGING mycontainer4 grid4.
2088         ENDIF.
2089
2090         IF p_imptim = 'X'.
2091             txt_imp_time = 'No Errors Found in the Import time check Execu
tion'. "#EC NOTEXT
2092             CONCATENATE '@08@ ' txt_imp_time INTO txt_imp_time.
2093             ls_hist_run_flag-import_time_flag = 'S'.
2094         ENDIF.
2095
2096         PERFORM screen_text_set CHANGING txt_imp_time.
2097
2098     ENDIF.
2099
2100
2101
2102
2103     ENDIF.
2104     IF l_form IS INITIAL.
2105         l_form = 'IMPORT_TIME'.
2106         cmo_tr_check-activetab = 'PUSH4'.
2107     ENDIF.
2108
2109     SELECT    MAX( run_nummer ) FROM /sdf/hist_run_db
2110     INTO lv_nummer.                                     "#EC CI_NOWHERE
2111
2112     lv_nummer = lv_nummer + 1.
2113     IF p_chkbox = 'X'.
2114
2115         LOOP AT lt_all_result_imp INTO ls_all_result_imp.
2116             ls_all_result_imp-run_nummer = lv_nummer.
2117             ls_all_result_imp-run_datum = sy-datum.
2118             ls_all_result_imp-run_time = sy-uzeit.
2119             ls_all_result_imp-sequence = sy-tabix.
2120
2121             ls_all_result_imp-run_type = ls_syscomp_run-run_type.
2122
2123             IF ls_all_result_imp IS NOT INITIAL.
2124                 APPEND ls_all_result_imp TO gt_/sdf/imp_resl_db.           "Fork
09.09.2022
2125             *      INSERT INTO /sdf/imp_resl_db VALUES ls_all_result_imp. "Fork
/ 09.09.2022
2126             *      COMMIT WORK. Removed Fork 18.11.2021 because of errors when th
e report run in background task
2127             ENDIF.
2128         ENDLOOP.
2129     ENDIF.
2130
2131     CLEAR lv_nummer.
2132
2133     ENDFORM.                                     "import_time
2134
2135 *-----*
2136 *      Form   oi_check
2137 *-----*
2138 *      text
2139 *-----*

```



```

2140 FORM oi_check.
2141
2142
2143
2144     l_form5 = 'OI_CHECK'.
2145
2146     lt_req[] = lt_reqs[].
2147     IF lt_req[] IS INITIAL.
2148         CLEAR lt_req.
2149         LOOP AT p_ori_tr.
2150             ls_req-trkorr = p_ori_tr-low.
2151             APPEND ls_req TO lt_req.
2152         ENDLOOP.
2153     ENDIF.
2154
2155     CALL FUNCTION '/SDF/OI_CHECK'
2156         EXPORTING
2157             iv_ana_rfc          = p_source
2158             iv_tar_rfc          = p_target
2159         TABLES
2160             it_reqs             = lt_req
2161             et_result           = lt_result
2162             et_results          = lt_results
2163             * et_messages       = lt_messages
2164         EXCEPTIONS
2165             destination_not_reached = 1
2166             no_objs_specified_for_anal = 2
2167             prerequisites_not_fulfilled = 3
2168             other                  = 4
2169             OTHERS                 = 5.
2170
2171     IF sy-subrc <> 0.
2172         DATA(lv_sysubrc) = sy-subrc.
2173         txt_oi_chk = '@OA@ Function module /SDF/OI_CHECK reports an error'
2174         . "#EC NOTEXT
2175         PERFORM screen_text_set CHANGING txt_oi_chk.
2176         ls_hist_run_flag-online_imp_flag = 'F'.
2177
2178         "New Fork / 28.12.2022 - errorhandling only for the log when run i
2179         n Background:
2180         IF sy-batch = abap_true.
2181             CASE lv_sysubrc.
2182                 WHEN 1.
2183                     MESSAGE i333(s1) WITH 'Function module /SDF/OI_CHECK reports
2184                     an error-' 'destination_not_reached' |:Sy-subrc = { lv_sysubrc }|. "#EC
2185                     NOTEXT
2186                 WHEN 2.
2187                     MESSAGE i333(s1) WITH 'Function module /SDF/OI_CHECK reports
2188                     an error-' 'no_objs_specified_for_anal' |:Sy-subrc = { lv_sysubrc }|. "#
2189                     EC NOTEXT
2190                 WHEN 3.
2191                     MESSAGE i333(s1) WITH 'Function module /SDF/OI_CHECK reports
2192                     an error-' 'prerequisites_not_fulfilled' |:Sy-subrc = { lv_sysubrc }|. "
2193                     #EC NOTEXT
2194                 WHEN 4.
2195                     MESSAGE i333(s1) WITH 'Function module /SDF/OI_CHECK reports
2196                     an error-' 'Unknown' |:Sy-subrc = { lv_sysubrc }|. "#EC NOTEXT
2197                 WHEN 5.
2198                     MESSAGE i333(s1) WITH 'Function module /SDF/OI_CHECK reports
2199                     an error-' 'Unknown' |:Sy-subrc = { lv_sysubrc }|. "#EC NOTEXT
2200             ENDCASE.
2201         ENDIF.

```

```

2191
2192     ELSE.
2193         IF lt_results[] IS NOT INITIAL.
2194
2195             LOOP AT lt_results INTO ls_results.
2196                 MOVE-CORRESPONDING ls_results TO ls_all_result_oi.
2197                 READ TABLE lt_transport_list_t WITH KEY trkorr = ls_results-tr
korr.
2198                 IF sy-subrc = 0.
2199                     ls_all_result_oi-trstatus = lt_transport_list_t-trstatus.
2200                     ls_all_result_oi-type = lt_transport_list_t-trfunction.
2201     *      ls_all_result_oi-owner = lt_transport_list_t-as4user.
2202                     ls_all_result_oi-cts_project = lt_transport_list_t-strkorr.
2203                     ls_all_result_oi-short_text = lt_transport_list_t-as4text.
2204
2205                 ENDIF.
2206                 APPEND ls_all_result_oi TO lt_all_result_oi.
2207
2208             ENDLLOOP.
2209             PERFORM get_fieldcat TABLES lt_all_result_oi CHANGING lt_fieldca
t.
2210             prepare_fieldcat:
2211                 'TRKORR'      'Checked Request',           "#EC NOTEXT
2212                 'AS4USER'     'Request Owner',             "#EC NOTEXT
2213                 'ACCNT'       'Table Reads per Hour',      "#EC NOTEXT
2214                 'CHCNT'       'Table Writes per Hour',     "#EC NOTEXT
2215                 'OCCTB'       'Table Size [KB]',           "#EC NOTEXT
2216                 'ACTION'      'DB Action',                 "#EC NOTEXT
2217                 'EXECNT'      'Report Exec.per Hour',      "#EC NOTEXT
2218                 'EXECNT_DD'   'Report Exec.per Hour(DD)',  "#EC NOTEXT
2219                 'CRIOBJ'      'Critical Object',           "#EC NOTEXT
2220                 'REQ_IN_TAR'   'Req.in Target',            "#EC NOTEXT
2221                 'CRITICALITY' 'Criticality',              "#EC NOTEXT
2222                 'TRSTATUS'    'Status',                    "#EC NOTEXT
2223                 'TYPE'        'Type',                      "#EC NOTEXT
2224                 'CTS_PROJECT' 'CTS Project',               "#EC NOTEXT
2225                 'SHORT_TEXT'  'Short Text',                "#EC NOTEXT
2226                 'REMARK'      'Remarks'.                 "#EC NOTEXT
2227             overrule_fieldcat_outputlen:
2228                 'CRIOBJ'      15,                          "#EC NOTEXT
2229                 'OCCTB'       30.                          "#EC NOTEXT
2230             CLEAR: gs_exit_caused_by_user.
2231             g_level = 1.
2232
2233
2234             CLEAR : ls_fcat , lt_fcat[].
2235             LOOP AT lt_fieldcat INTO ls_fieldcat FROM 6.
2236                 MOVE-CORRESPONDING ls_fieldcat TO ls_fcat.
2237                 ls_fcat-no_out = ''.
2238                 ls_fcat-seltext = ls_fieldcat-seltext_l.
2239                 ls_fcat-coltext = ls_fieldcat-seltext_l.
2240                 IF sy-tabix = 13.
2241                     ls_fcat-tooltip = 'Report Executions affected by DDIC change
s'. "#EC NOTEXT
2242                 ENDIF.
2243                 IF sy-tabix = 15.
2244                     ls_fcat-tooltip = 'Request already imported in target sys'.
"#EC NOTEXT
2245                 ENDIF.
2246
2247             APPEND ls_fcat TO lt_fcat.

```

```

2248         CLEAR ls_fcat.
2249     ENDL00P.
2250
2251     LOOP AT lt_fcat INTO ls_fcat FROM 12 TO 16.
2252         ls_fcat-no_out = 'X'.
2253         MODIFY lt_fcat FROM ls_fcat.
2254     ENDL00P.
2255
2256     *Sy-batch is checked so that this part of code does
2257     *not execute in background job
2258     IF sy-batch <> 'X'.
2259         IF mycontainer5 IS INITIAL.
2260             CREATE OBJECT mycontainer5
2261                 EXPORTING
2262                     container_name = 'CONT_IMP_CHECK'.
2263             lv_layout-cwidth_opt = 'X'.
2264
2265             CREATE OBJECT grid5
2266                 EXPORTING
2267                     i_parent = mycontainer5.
2268         ENDIF.
2269         lv_layout-grid_title = 'Online Import Check'.      "#EC NOTEXT
2270
2271         DATA:ls_variant TYPE disvariant.
2272         ls_variant-report = sy-repid.
2273         ls_variant-handle = 'ALV5'.
2274
2275         CALL METHOD grid5->set_table_for_first_display
2276             EXPORTING
2277                 is_layout              = lv_layout
2278                 i_save                 = 'U' "The user may save all
types of a layout / Fork 03.08.2023
2279                 is_variant            = ls_variant
2280             CHANGING
2281                 it_outtab              = lt_all_result_oi[]
2282                 it_fieldcatalog        = lt_fcat[]
2283             EXCEPTIONS
2284                 invalid_parameter_combination = 1
2285                 program_error              = 2
2286                 too_many_lines             = 3
2287                 OTHERS                    = 4.
2288
2289         CALL METHOD cl_gui_control=>set_focus EXPORTING control = grid
5.
2290
2291         PERFORM register_event_handlers.
2292
2293         txt_oi_chk = ''.
2294
2295         PERFORM screen_text_set CHANGING txt_oi_chk.
2296     ENDIF.
2297
2298     IF lt_results[] IS INITIAL.
2299         IF mycontainer5 IS NOT INITIAL.
2300             PERFORM free_ctrls CHANGING mycontainer5 grid5.
2301         ENDIF.
2302
2303         IF p_oichck = 'X'.
2304             txt_oi_chk = 'No Errors Found in the online Import check Exe
cution'. "#EC NOTEXT
2305             CONCATENATE '@08@ ' txt_oi_chk INTO txt_oi_chk.

```

```

2306         ls_hist_run_flag-online_imp_flag = 'S'.
2307     ENDIF.
2308
2309     PERFORM screen_text_set CHANGING txt_oi_chk.
2310
2311     ENDIF.
2312
2313     ENDIF.
2314
2315     ENDIF.
2316
2317     IF l_form IS INITIAL.
2318         l_form = 'OI_CHECK'.
2319         cmo_tr_check-activetab = 'PUSH5'.
2320     ENDIF.
2321
2322     SELECT    MAX( run_nummer ) FROM /sdf/hist_run_db
2323     INTO lv_nummer.                                     "#EC CI_NOWHERE
2324
2325     lv_nummer = lv_nummer + 1.
2326
2327     IF p_checkbox = 'X'.
2328         LOOP AT lt_all_result_oi INTO ls_all_result_oi.
2329             ls_all_result_oi-run_nummer = lv_nummer.
2330             ls_all_result_oi-run_datum = sy-datum.
2331             ls_all_result_oi-run_time = sy-uzeit.
2332             ls_all_result_oi-sequence = sy-tabix.
2333             ls_all_result_oi-run_type = ls_syscomp_run-run_type.
2334
2335             IF ls_all_result_oi IS NOT INITIAL.
2336                 APPEND ls_all_result_oi TO gt_/sdf/oi_resl_db.           "Fork 09
2337             *      INSERT INTO /sdf/oi_resl_db VALUES ls_all_result_oi.   "Fork
2338             *      / 09.09.2022
2339             *      COMMIT WORK. Removed Fork 18.11.2021 because of errors when th
2340             *      e report run in background task
2341             ENDIF.
2342             ENDLLOOP.
2343
2344             LOOP AT lt_result INTO ls_result.
2345                 *      Remarked Fork/13/12/2022 - Counter not correct here - Start
2346                 *      IF ls_result-criticality = '@8N@' OR
2347                 *      ls_result-criticality = '@0A@'.
2348                 *      **      CHAR4 can handle only max 9999 entries hence we need to check he
2349                 *      re
2350                 *      IF lv_imptime_cric_count <= 9999.
2351                 *          lv_imptime_cric_count = lv_imptime_cric_count + 1.
2352                 *      ENDIF.
2353                 *      ENDIF.
2354                 *      Remarked Fork/13/12/2022 - Counter not correct here - Start
2355                 IF ls_result-accnt < 10000.
2356                     MODIFY LINE sy-index FIELD FORMAT ls_result-accnt COLOR 5 INVE
2357                     RSE.
2358                 ELSEIF ls_result-accnt > 10000 AND ls_result-accnt < 100000.
2359                     MODIFY LINE sy-index FIELD FORMAT ls_result-accnt COLOR 3 INVE
2360                     RSE.
2361                 ELSE.
2362                     MODIFY LINE sy-index FIELD FORMAT ls_result-accnt COLOR 6 INVE
2363                     RSE.
2364                 ENDIF.
2365             ENDIF.
2366         ENDIF.
2367     ENDIF.
2368 END.

```

```

2360
2361     MOVE-CORRESPONDING ls_result TO ls_oi_result_2.
2362     ls_oi_result_2-run_nummer = lv_nummer.
2363     ls_oi_result_2-run_datum = sy-datum.
2364     ls_oi_result_2-run_time = sy-uzeit.
2365     ls_oi_result_2-sequence = sy-tabix.
2366     ls_oi_result_2-run_type = ls_syscomp_run-run_type.
2367
2368     IF ls_oi_result_2 IS NOT INITIAL.
2369         APPEND ls_oi_result_2 TO gt_/sdf/oi_result_2. "Fork 09.09.2022
2370     *      Remarked Fork 09.09.2022
2371     *      INSERT INTO /sdf/oi_result_2 VALUES ls_oi_result_2.      "Fork
2372 / 09.09.2022
2373     *      COMMIT WORK.  Removed Fork 18.11.2021 because of errors when th
e report run in background task
2374     ENDIF.
2375     ENDLOOP.
2376
2377 *      New Fork/13.12.2022
2378 *      Count the real number of critically objects. The value will be store
d in table /SDF/HIST_RUN_DB.
2379 *      /SDF/HIST_RUN_DB is the basis for the overview
2380     LOOP AT lt_results INTO ls_results WHERE criticality = '@8N@' OR c
riticality = '@0A@' .
2381     AT FIRST      ##LOOP_AT_OK.
2382     CLEAR lv_imptime_cric_count.
2383     ENDAT.
2384
2385     IF lv_imptime_cric_count <= 9999.
2386         lv_imptime_cric_count = lv_imptime_cric_count + 1.
2387     ENDIF.
2388     ENDLOOP.
2389
2390     ENDIF.
2391     CLEAR lv_nummer.
2392
2393     ENDFORM.                                "oi_check
2394
2395 *&-----*
2396 *&      Form  free_ctrls
2397 *&-----*
2398 *      text
2399 *-----*
2400 *      -->P_CONTAINER  text
2401 *      -->P_GRID      text
2402 *-----*
2403     FORM free_ctrls USING p_container TYPE REF TO cl_gui_custom_container
2404     p_grid TYPE REF TO cl_gui_alv_grid.
2405     IF p_container IS NOT INITIAL.
2406         CALL METHOD p_grid->free.
2407         CALL METHOD p_container->free.
2408         CLEAR p_grid.
2409         CLEAR p_container.
2410     ENDIF.
2411     ENDFORM.                                "free_ctrls
2412
2413 *&-----*
2414 *&      Form  get_fieldcat
2415 *&-----*
2416 *      text
2417 *-----*

```

```

2417 *      —>STRUCTABLE text
2418 *      <—FIELD CAT   text
2419 *_____*
```

```

2420 FORM get_fieldcat TABLES structable
2421 CHANGING fieldcat TYPE slis_t_fieldcat_alv.
2422                                     "#EC *
2423 TYPE-POOLS: sydes.
2424
2425 DATA: td                                TYPE          sydes_desc,
2426        td_names                         TYPE          sydes_nameinfos,
2427        td_types                         TYPE          sydes_typeinfos,
2428        ls_td_names                      LIKE LINE OF td_names,
2429        ls_td_types                      LIKE LINE OF td_types,
2430        ls_td_types_root                 LIKE LINE OF td_types,
2431        BEGIN OF ls_fieldlist,
2432        fieldname(30) TYPE c,
2433        END OF ls_fieldlist,
2434        lt_fieldlist LIKE STANDARD TABLE OF ls_fieldlist,
2435        ls_fieldcat LIKE LINE OF fieldcat,
2436        lf_index      TYPE i,
2437        lf_dummy      TYPE i,
2438        fname(30).
2439
2440
2441 FIELD-SYMBOLS: <column> TYPE any.
2442
2443 CLEAR: fieldcat.
2444
2445 * Get Type information
2446 DESCRIBE FIELD structable INTO td.
2447 td_names = td-names.
2448 td_types = td-types.
2449
2450 * Get fieldnames (only flat table supported)
2451 READ TABLE td_types INTO ls_td_types_root WITH KEY back = 0.
2452 IF sy-subrc = 0.
2453
2454     LOOP AT td_types INTO ls_td_types FROM ls_td_types_root-from
2455     TO   ls_td_types_root-to.
2456 * h Internal table
2457 * r Object reference
2458 * u flat structure
2459 * v deep structure
2460     IF NOT ( ls_td_types-type = 'u' ). "and ls_td_types-context = 'P
' ).
2461         IF ls_td_types-type NA 'hruv'.
2462             READ TABLE td_names INTO ls_td_names INDEX ls_td_types-idx_n
ame.
2463             IF ls_td_names-continue = '*'.
2464                 fname = ls_td_names-name.
2465                 lf_dummy = ls_td_types-idx_name + 1.
2466                 READ TABLE td_names INTO ls_td_names INDEX lf_dummy.
2467                 CONCATENATE fname ls_td_names-name INTO fname.
2468                 APPEND fname TO lt_fieldlist.
2469             ELSE.
2470                 APPEND ls_td_names-name TO lt_fieldlist.
2471             ENDIF.
2472         ENDIF.
2473     ENDIF.
2474 ENDLOOP.
2475
```

```

2476     LOOP AT lt_fielddlist INTO ls_fielddlist.
2477         ASSIGN COMPONENT ls_fielddlist-fieldname
2478         OF STRUCTURE structable TO <column>.
2479     * Should be accessible
2480     IF sy-subrc = 0.
2481     * GET COLUMN ATTRIBUTES
2482         lf_index = lf_index + 1.
2483         CLEAR ls_fielddcat.
2484         ls_fielddcat-fieldname = ls_fielddlist-fieldname.
2485         ls_fielddcat-seltext_s = ls_fielddlist-fieldname.
2486         ls_fielddcat-seltext_m = ls_fielddlist-fieldname.
2487         ls_fielddcat-seltext_l = ls_fielddlist-fieldname.
2488         ls_fielddcat-col_pos = lf_index.
2489
2490         DESCRIBE FIELD <column>
2491         TYPE ls_fielddcat-inttype COMPONENTS lf_dummy
2492         OUTPUT-LENGTH ls_fielddcat-outputlen.
2493
2494         CASE ls_fielddcat-inttype.
2495             WHEN 'C' OR 'G' OR 'N'. " CHARACTER TYPE
2496                 DESCRIBE FIELD <column>
2497                 LENGTH ls_fielddcat-intlen IN CHARACTER MODE
2498                 DECIMALS ls_fielddcat-decimals_out.
2499                 IF ls_fielddcat-inttype = 'C'.
2500                     ls_fielddcat-lowercase = 'X'.
2501                 ENDIF.
2502             WHEN OTHERS.
2503                 DESCRIBE FIELD <column>
2504                 LENGTH ls_fielddcat-intlen IN BYTE MODE
2505                 DECIMALS ls_fielddcat-decimals_out.
2506                 IF ls_fielddcat-inttype = 'P'. "packed
2507                     ls_fielddcat-outputlen = ls_fielddcat-outputlen * 2 - 1.
2508                 ENDIF.
2509             ENDCASE.
2510     * Hide all fields initially
2511         ls_fielddcat-no_out = abap_true.
2512
2513         APPEND ls_fielddcat TO fieldcat.
2514     ENDIF.
2515 ENDLOOP.
2516 ENDIF.
2517
2518 ENDFORM. "get_fielddcat
2519
2520
2521 **
2522 * FORM tabstat_pivot USING objtype tabname fieldname.
2523 * DATA:
2524 *     lt_tabstat_pivot_t TYPE tt_tabstat_pivot_t,
2525 *     ls_tabstat_pivot_t TYPE ts_tabstat_pivot_t,
2526 *     ls_tabstat_temp LIKE LINE OF gt_tabstat_pivot,
2527 *     ls_tabstat_pivot LIKE LINE OF gt_tabstat_pivot,
2528 *     lt_tabstat_pivot_color TYPE tt_tabstat_pivot_color,
2529 *     ls_tabstat_pivot_color LIKE LINE OF lt_tabstat_pivot_color,
2530 *     l_index TYPE sy-tabix,
2531 *     ls_cellcolor TYPE lvc_s_scol,
2532 *     lv_times TYPE i,
2533 *     l_title_table TYPE lvc_title.
2534 *
2535 * FIELD-SYMBOLS:
2536 * <tabstat> LIKE LINE OF gt_tabstat.

```



```
2537 *
2538 * CLEAR: gt_tabstat_pivot.
2539 * LOOP AT gt_tabstat ASSIGNING <tabstat>.
2540 * CLEAR: ls_tabstat_pivot_t.
2541 * ls_tabstat_pivot_t-hod = <tabstat>-hod.
2542 * CASE <tabstat>-dow.
2543 * WHEN 1.
2544 * ls_tabstat_pivot_t-monday_accnt = <tabstat>-accnt.
2545 * ls_tabstat_pivot_t-monday_chcnt = <tabstat>-chcnt.
2546 * WHEN 2.
2547 * ls_tabstat_pivot_t-tuesday_accnt = <tabstat>-accnt.
2548 * ls_tabstat_pivot_t-tuesday_chcnt = <tabstat>-chcnt.
2549 * WHEN 3.
2550 * ls_tabstat_pivot_t-wednesday_accnt = <tabstat>-accnt.
2551 * ls_tabstat_pivot_t-wednesday_chcnt = <tabstat>-chcnt.
2552 * WHEN 4.
2553 * ls_tabstat_pivot_t-thursday_accnt = <tabstat>-accnt.
2554 * ls_tabstat_pivot_t-thursday_chcnt = <tabstat>-chcnt.
2555 * WHEN 5.
2556 * ls_tabstat_pivot_t-friday_accnt = <tabstat>-accnt.
2557 * ls_tabstat_pivot_t-friday_chcnt = <tabstat>-chcnt.
2558 * WHEN 6.
2559 * ls_tabstat_pivot_t-saturday_accnt = <tabstat>-accnt.
2560 * ls_tabstat_pivot_t-saturday_chcnt = <tabstat>-chcnt.
2561 * WHEN 7.
2562 * ls_tabstat_pivot_t-sunday_accnt = <tabstat>-accnt.
2563 * ls_tabstat_pivot_t-sunday_chcnt = <tabstat>-chcnt.
2564 * ENDCASE.
2565 * COLLECT ls_tabstat_pivot_t INTO lt_tabstat_pivot_t.
2566 * ENDLOOP.
2567 * LOOP AT lt_tabstat_pivot_t INTO ls_tabstat_pivot_t.
2568 * CLEAR: ls_tabstat_pivot.
2569 * MOVE-CORRESPONDING ls_tabstat_pivot_t TO ls_tabstat_pivot.
2570 * APPEND ls_tabstat_pivot TO gt_tabstat_pivot.
2571 * ENDLOOP.
2572 *
2573 * lv_times = 1.
2574 * DO 24 TIMES.
2575 * READ TABLE lt_tabstat_pivot_t WITH TABLE KEY
2576 * hod = lv_times INTO ls_tabstat_pivot_t .
2577 * IF sy-subrc <> 0 AND sy-index < 24.
2578 ** if ls_tabstat_pivot_t-hod <> sy-tabix.
2579 *
2580 * ls_tabstat_temp-hod = sy-index.
2581 *
2582 * ls_tabstat_temp-monday_accnt = 0.
2583 * ls_tabstat_temp-monday_chcnt = 0.
2584 *
2585 * ls_tabstat_temp-tuesday_accnt = 0.
2586 * ls_tabstat_temp-tuesday_chcnt = 0.
2587 *
2588 * ls_tabstat_temp-wednesday_accnt = 0.
2589 * ls_tabstat_temp-wednesday_chcnt = 0.
2590 *
2591 * ls_tabstat_temp-thursday_accnt = 0.
2592 * ls_tabstat_temp-thursday_chcnt = 0.
2593 *
2594 * ls_tabstat_temp-friday_accnt = 0.
2595 * ls_tabstat_temp-friday_chcnt = 0.
2596 *
2597 * ls_tabstat_temp-saturday_accnt = 0.
```

```

2598 *          ls_tabstat_temp-saturday_chcnt = 0.
2599 *
2600 *          ls_tabstat_temp-sunday_accnt = 0.
2601 *          ls_tabstat_temp-sunday_chcnt = 0.
2602 *
2603 *          CLEAR ls_tabstat_pivot.
2604 *          MOVE-CORRESPONDING ls_tabstat_temp TO ls_tabstat_pivot.
2605 *          APPEND ls_tabstat_pivot TO gt_tabstat_pivot.
2606 *
2607 *          ENDIF.
2608 *          lv_times = lv_times + 1.
2609 *        ENDDO.
2610 *
2611 *          SORT gt_tabstat_pivot BY hod.
2612 *
2613 *          PERFORM get_fieldcat TABLES gt_tabstat_pivot CHANGING lt_fieldcat.
2614 *          CASE fieldname.
2615 *            WHEN 'OBJECT' OR 'OBJ_NAME' OR 'COMPONENT' OR 'OCCTB' OR 'ACTION'
2616 *            OR 'EXECNT' OR 'CRIOBJ'.
2617 *              **          Title should be set to Object name - Executions
2618 *              CONCATENATE objtype tabname '- Executions' INTO l_title_table S
2619 *              EPARATED BY space. "#EC NOTEXT
2620 *
2621 *              prepare_fieldcat:
2622 *                'HOD'          'Hour of Day',          "#EC NOTEXT
2623 *                'MONDAY_ACCNT' 'MON Reads',            "#EC NOTEXT
2624 *                'MONDAY_CHCNT'  'MON Writes',           "#EC NOTEXT
2625 *                'TUESDAY_ACCNT' 'TUE Reads',            "#EC NOTEXT
2626 *                'TUESDAY_CHCNT' 'TUE Writes',           "#EC NOTEXT
2627 *                'WEDNESDAY_ACCNT' 'WED Reads',          "#EC NOTEXT
2628 *                'WEDNESDAY_CHCNT' 'WED Writes',         "#EC NOTEXT
2629 *                'THURSDAY_ACCNT' 'THU Reads',           "#EC NOTEXT
2630 *                'THURSDAY_CHCNT' 'THU Writes',          "#EC NOTEXT
2631 *                'FRIDAY_ACCNT'  'FRI Reads',            "#EC NOTEXT
2632 *                'FRIDAY_CHCNT'  'FRI Writes',           "#EC NOTEXT
2633 *                'SATURDAY_ACCNT' 'SAT Reads',           "#EC NOTEXT
2634 *                'SATURDAY_CHCNT' 'SAT Writes',          "#EC NOTEXT
2635 *                'SUNDAY_ACCNT'  'SUN Reads',            "#EC NOTEXT
2636 *                'SUNDAY_CHCNT'  'SUN Writes',           "#EC NOTEXT
2637 *              overrule_fieldcat_outputlen:
2638 *                'HOD'          12,          "#EC NOTEXT
2639 *                'MONDAY_ACCNT' 12,          "#EC NOTEXT
2640 *                'MONDAY_CHCNT'  12,          "#EC NOTEXT
2641 *                'TUESDAY_ACCNT' 12,          "#EC NOTEXT
2642 *                'TUESDAY_CHCNT' 12,          "#EC NOTEXT
2643 *                'WEDNESDAY_ACCNT' 12,        "#EC NOTEXT
2644 *                'WEDNESDAY_CHCNT' 12,        "#EC NOTEXT
2645 *                'THURSDAY_ACCNT' 12,        "#EC NOTEXT
2646 *                'THURSDAY_CHCNT' 12,        "#EC NOTEXT
2647 *                'FRIDAY_ACCNT'   12,        "#EC NOTEXT
2648 *                'FRIDAY_CHCNT'   12,        "#EC NOTEXT
2649 *                'SATURDAY_ACCNT' 12,        "#EC NOTEXT
2650 *                'SATURDAY_CHCNT' 12,        "#EC NOTEXT
2651 *                'SUNDAY_ACCNT'   12,        "#EC NOTEXT
2652 *                'SUNDAY_CHCNT'   12.        "#EC NOTEXT
2653 *            WHEN 'ACCNT'.
2654 *              CONCATENATE 'Table' tabname '- Reads' INTO l_title_table SEPARA
2655 *              TED BY space. "#EC NOTEXT
2656 *              prepare_fieldcat:
2657 *                'HOD'          'Hour of Day',          "#EC NOTEXT
2658 *                'MONDAY_ACCNT' 'Monday',              "#EC NOTEXT

```

```

2656 *          'TUESDAY_ACCNT'      'Tuesday',          "#EC NOTEXT
2657 *          'WEDNESDAY_ACCNT'    'Wednesday',        "#EC NOTEXT
2658 *          'THURSDAY_ACCNT'     'Thursday',         "#EC NOTEXT
2659 *          'FRIDAY_ACCNT'       'Friday',           "#EC NOTEXT
2660 *          'SATURDAY_ACCNT'     'Saturday',          "#EC NOTEXT
2661 *          'SUNDAY_ACCNT'       'Sunday'.            "#EC NOTEXT
2662 *          override_fieldcat_outputlen:
2663 *          'HOD'                  12,                "#EC NOTEXT
2664 *          'MONDAY_ACCNT'        12,                "#EC NOTEXT
2665 *          'TUESDAY_ACCNT'       12,                "#EC NOTEXT
2666 *          'WEDNESDAY_ACCNT'     12,                "#EC NOTEXT
2667 *          'THURSDAY_ACCNT'     12,                "#EC NOTEXT
2668 *          'FRIDAY_ACCNT'       12,                "#EC NOTEXT
2669 *          'SATURDAY_ACCNT'     12,                "#EC NOTEXT
2670 *          'SUNDAY_ACCNT'       12.                 "#EC NOTEXT
2671 *          WHEN 'CHCNT'.
2672 *          CONCATENATE 'Table' tabname '- Writes' INTO l_title_table SEPAR
ATED BY space. "#EC NOTEXT
2673 *          prepare_fieldcat:
2674 *          'HOD'                  'Hour of Day',      "#EC NOTEXT
2675 *          'MONDAY_CHCNT'        'Monday',           "#EC NOTEXT
2676 *          'TUESDAY_CHCNT'       'Tuesday',          "#EC NOTEXT
2677 *          'WEDNESDAY_CHCNT'     'Wednesday',        "#EC NOTEXT
2678 *          'THURSDAY_CHCNT'     'Thursday',         "#EC NOTEXT
2679 *          'FRIDAY_CHCNT'       'Friday',           "#EC NOTEXT
2680 *          'SATURDAY_CHCNT'     'Saturday',          "#EC NOTEXT
2681 *          'SUNDAY_CHCNT'       'Sunday'.            "#EC NOTEXT
2682 *          override_fieldcat_outputlen:
2683 *          'HOD'                  12,                "#EC NOTEXT
2684 *          'MONDAY_CHCNT'        12,                "#EC NOTEXT
2685 *          'TUESDAY_CHCNT'       12,                "#EC NOTEXT
2686 *          'WEDNESDAY_CHCNT'     12,                "#EC NOTEXT
2687 *          'THURSDAY_CHCNT'     12,                "#EC NOTEXT
2688 *          'FRIDAY_CHCNT'       12,                "#EC NOTEXT
2689 *          'SATURDAY_CHCNT'     12,                "#EC NOTEXT
2690 *          'SUNDAY_CHCNT'       12.                 "#EC NOTEXT
2691 *          ENDCASE.
2692 *          CLEAR: gs_exit_caused_by_user.
2693 *          g_level = 3.
2694 *          CLEAR lt_fcat[].
2695 *          LOOP AT lt_fieldcat INTO ls_fieldcat WHERE no_out <> 'X'.
2696 *              MOVE-CORRESPONDING ls_fieldcat TO ls_fcat.
2697 *              ls_fcat-no_out = ''.
2698 *              ls_fcat-seltext = ls_fieldcat-seltext_l.
2699 *              ls_fcat-coltext = ls_fieldcat-seltext_l.
2700 *
2701 *              APPEND ls_fcat TO lt_fcat.
2702 *
2703 *          ENDLOOP.
2704 *
2705 *          lv_layout-grid_title = l_title_table.
2706 *
2707 *          IF gt_tabstat_pivot[] IS NOT INITIAL.
2708 *
2709 *              LOOP AT gt_tabstat_pivot INTO ls_tabstat_temp.
2710 *                  l_index = sy-tabix.
2711 *                  MOVE-CORRESPONDING ls_tabstat_temp TO ls_tabstat_pivot_color.
2712 *
2713 *                  PERFORM fill_table_cell_color_reads USING ls_tabstat_pivot_color
r-monday_accnt
2714 *                  'MONDAY_ACCNT' CHANGING ls_cellcolor.

```

```
2715 *      APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
2716 *
2717 *      PERFORM fill_table_cell_color_writes USING ls_tabstat_pivot_col
or-monday_chcnt
2718 *      'MONDAY_CHCNT' CHANGING ls_cellcolor.
2719 *      APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
2720 *
2721 *      PERFORM fill_table_cell_color_reads USING ls_tabstat_pivot_colo
r-tuesday_accnt
2722 *      'TUESDAY_ACCNT' CHANGING ls_cellcolor.
2723 *      APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
2724 *
2725 *      PERFORM fill_table_cell_color_writes USING ls_tabstat_pivot_col
or-tuesday_chcnt
2726 *      'TUESDAY_CHCNT' CHANGING ls_cellcolor.
2727 *      APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
2728 *
2729 *      PERFORM fill_table_cell_color_reads USING ls_tabstat_pivot_colo
r-wednesday_accnt
2730 *      'WEDNESDAY_ACCNT' CHANGING ls_cellcolor.
2731 *      APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
2732 *
2733 *      PERFORM fill_table_cell_color_writes USING ls_tabstat_pivot_col
or-wednesday_chcnt
2734 *      'WEDNESDAY_CHCNT' CHANGING ls_cellcolor.
2735 *      APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
2736 *
2737 *      PERFORM fill_table_cell_color_reads USING ls_tabstat_pivot_colo
r-thursday_accnt
2738 *      'THURSDAY_ACCNT' CHANGING ls_cellcolor.
2739 *      APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
2740 *
2741 *      PERFORM fill_table_cell_color_writes USING ls_tabstat_pivot_col
or-thursday_chcnt
2742 *      'THURSDAY_CHCNT' CHANGING ls_cellcolor.
2743 *      APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
2744 *
2745 *      PERFORM fill_table_cell_color_reads USING ls_tabstat_pivot_colo
r-friday_accnt
2746 *      'FRIDAY_ACCNT' CHANGING ls_cellcolor.
2747 *      APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
2748 *
2749 *      PERFORM fill_table_cell_color_writes USING ls_tabstat_pivot_col
or-friday_chcnt
2750 *      'FRIDAY_CHCNT' CHANGING ls_cellcolor.
2751 *      APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
2752 *
2753 *      PERFORM fill_table_cell_color_reads USING ls_tabstat_pivot_colo
r-saturday_accnt
2754 *      'SATURDAY_ACCNT' CHANGING ls_cellcolor.
2755 *      APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
2756 *
2757 *      PERFORM fill_table_cell_color_writes USING ls_tabstat_pivot_col
or-saturday_chcnt
2758 *      'SATURDAY_CHCNT' CHANGING ls_cellcolor.
2759 *      APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
2760 *
2761 *      PERFORM fill_table_cell_color_reads USING ls_tabstat_pivot_colo
r-sunday_accnt
2762 *      'SUNDAY_ACCNT' CHANGING ls_cellcolor.
2763 *      APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
```

```

2764 *
2765 *      PERFORM fill_table_cell_color_writes USING ls_tabstat_pivot_col
or-sunday_chcnt
2766 *      'SUNDAY_CHCNT' CHANGING ls_cellcolor.
2767 *      APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
2768 *
2769 *      MODIFY lt_tabstat_pivot_color INDEX l_index FROM ls_tabstat_piv
ot_color.
2770 *
2771 *      APPEND ls_tabstat_pivot_color TO lt_tabstat_pivot_color.
2772 *      CLEAR : ls_cellcolor , ls_tabstat_pivot_color.
2773 *      ENDLOOP.
2774 *
2775 *      IF mycontainer7 IS INITIAL.
2776 *      CREATE OBJECT mycontainer7
2777 *      EXPORTING
2778 *          container_name = 'ALV_SUB_CC_3'.
2779 *      CREATE OBJECT grid7
2780 *      EXPORTING
2781 *          i_parent = mycontainer7.
2782 **      lv_layout-ctab_fname = 'CELL_COLOR'.
2783 **      lv_layout-cwidth_opt = 'X'.
2784 **      lv_layout-zebra = 'X'.
2785 *      ELSE.
2786 *      CALL METHOD cl_gui_cfw=>flush.
2787 **      CALL METHOD grid7->refresh_table_display.
2788 *      ENDIF.
2789 *
2790 *      lv_layout-cwidth_opt = 'X'.
2791 *      lv_layout-ctab_fname = 'CELL_COLOR'.
2792 *      lv_layout-zebra = 'X'.
2793 *
2794 *      DATA:ls_variant TYPE disvariant.   "Fork 03.08.2023
2795 *      ls_variant-report  = sy-repid.      "Fork 03.08.2023
2796 *      ls_variant-handle  = 'ALV'.        "Fork 03.08.2023
2797 *
2798 *      CALL METHOD grid7->set_table_for_first_display
2799 *      EXPORTING
2800 *          is_layout              = lv_layout
2801 *          i_save                 = 'U' "The user may save all ty
pes of a layout / Fork 03.08.2023
2802 *          is_variant            = ls_variant   "Fork / 03.08.202
3
2803 *      CHANGING
2804 **          it_outtab              = gt_tabstat_pivot[]
2805 *          it_outtab              = lt_tabstat_pivot_color[]
2806 *          it_fieldcatalog        = lt_fcat[]
2807 *      EXCEPTIONS
2808 *          invalid_parameter_combination = 1
2809 *          program_error              = 2
2810 *          too_many_lines              = 3
2811 *          OTHERS                     = 4.
2812 *      PERFORM register_event_handlers.
2813 *      SET TITLEBAR 'OI_CHECK_LEVEL_3_DETAILS'.      "#EC *
2814 *      CALL SCREEN 0600.
2815 *
2816 *      ENDIF.
2817 *      ENDFORM.      "tabstat_pivot
2818 *
2819 *
2820 **&

```

```

*
2821 **&      Form  fill_table_cell_color_reads
2822 **&
*
2823 **      text
2824 **
*
2825 **      —>P_CELL_VAL      text
2826 **      —>P_FIELD_NAME   text
2827 **      —>PS_CELLCOLOR   text
2828 **
*
2829 *  FORM fill_table_cell_color_reads USING  p_cell_val TYPE dec12
2830 *      p_field_name TYPE char30
2831 *  CHANGING ps_cellcolor TYPE lvc_s_scol.
2832 *
2833 *  DATA :
2834 *      lv_tabreads_y      TYPE i,
2835 *      lv_tabreads_r      TYPE i,
2836 *      ls_cellcolor TYPE lvc_s_scol.
2837 *
2838 *  CLEAR : ls_cellcolor ,lt_tr_conf[],ls_tr_conf.
2839 *
2840 **Set default
2841 *      lv_tabreads_y = 10000.
2842 *      lv_tabreads_r = 100000.
2843 *
2844 **  Read threshold values from /sdf/cmo_tr_conf
2845 *  SELECT * FROM /sdf/cmo_tr_conf INTO TABLE lt_tr_conf. "#EC CI_NOWHE
RE
2846 *  READ TABLE lt_tr_conf WITH KEY config_param = 'TABREADS_Y'
2847 *  INTO ls_tr_conf.
2848 *  IF sy-subrc = 0.
2849 *      lv_tabreads_y = ls_tr_conf-param_value_i.
2850 *  ENDIF.
2851 *  READ TABLE lt_tr_conf WITH KEY config_param = 'TABREADS_R'
2852 *  INTO ls_tr_conf.
2853 *  IF sy-subrc = 0.
2854 *      lv_tabreads_r = ls_tr_conf-param_value_i.
2855 *  ENDIF.
2856 *
2857 *  CLEAR ls_cellcolor.
2858 *
2859 *  IF p_cell_val <  lv_tabreads_y .
2860 *      "Green
2861 *      ls_cellcolor-fname = p_field_name.
2862 *      ls_cellcolor-color-col = '5'.
2863 *      ls_cellcolor-color-int = '1'.
2864 *      ls_cellcolor-color-inv = '1'.
2865 *      ELSEIF p_cell_val >=  lv_tabreads_y   AND p_cell_val < lv_tabreads_
r.
2866 *      "Yellow
2867 *      ls_cellcolor-fname = p_field_name.
2868 *      ls_cellcolor-color-col = '3'.
2869 *      ls_cellcolor-color-int = '1'.
2870 *      ls_cellcolor-color-inv = '1'.
2871 *  ELSE.
2872 *      "Red
2873 *      ls_cellcolor-fname = p_field_name.
2874 *      ls_cellcolor-color-col = '6'.
2875 *      ls_cellcolor-color-int = '1'.

```



```

2876 *      ls_cellcolor-color-inv = '1'.
2877 *      ENDIF.
2878 *
2879 *      ps_cellcolor = ls_cellcolor.
2880 *
2881 *      ENDFORM.                  "fill_table_cell_color_reads
2882 *
2883 **&-----
2884 **&      Form  fill_table_cell_color_writes
2885 **&-----
2886 **      text
2887 **-----
2888 **      —>P_CELL_VAL      text
2889 **      —>P_FIELD_NAME   text
2890 **      —>PS_CELLCOLOR   text
2891 **-----
2892 *      FORM fill_table_cell_color_writes USING  p_cell_val TYPE dec12
2893 *      p_field_name TYPE char30
2894 *      CHANGING ps_cellcolor TYPE lvc_s_scol.
2895 *
2896 *      DATA :  ls_cellcolor TYPE lvc_s_scol,
2897 *               lv_tabwrite_y  TYPE i,
2898 *               lv_tabwrite_r  TYPE i.
2899 *
2900 *      CLEAR : ls_cellcolor ,lt_tr_conf[],ls_tr_conf.
2901 *
2902 *      lv_tabwrite_y = 500.
2903 *      lv_tabwrite_r = 5000.
2904 *
2905 **      * Read threshold values from /sdf/cmo_tr_conf
2906 *      SELECT * FROM /sdf/cmo_tr_conf INTO TABLE lt_tr_conf. "#EC CI_NOWHE
RE
2907 *
2908 *      READ TABLE lt_tr_conf WITH KEY config_param = 'TABWRITE_Y'
2909 *      INTO ls_tr_conf.
2910 *      IF sy-subrc = 0.
2911 *          lv_tabwrite_y = ls_tr_conf-param_value_i.
2912 *      ENDIF.
2913 *      READ TABLE lt_tr_conf WITH KEY config_param = 'TABWRITE_R'
2914 *      INTO ls_tr_conf.
2915 *      IF sy-subrc = 0.
2916 *          lv_tabwrite_r = ls_tr_conf-param_value_i.
2917 *      ENDIF.
2918 *
2919 *      IF p_cell_val < lv_tabwrite_y .
2920 *          "Green
2921 *          ls_cellcolor-fname = p_field_name.
2922 *          ls_cellcolor-color-col = '5'.
2923 *          ls_cellcolor-color-int = '1'.
2924 *          ls_cellcolor-color-inv = '1'.
2925 *      ELSEIF p_cell_val >= lv_tabwrite_y  AND p_cell_val < lv_tabwrite_r.
2926 *          "Yellow
2927 *          ls_cellcolor-fname = p_field_name.
2928 *          ls_cellcolor-color-col = '3'.
2929 *          ls_cellcolor-color-int = '1'.
2930 *          ls_cellcolor-color-inv = '1'.
2931 *      ELSE.

```



```
2932 *      "Red
2933 *      ls_cellcolor-fname = p_field_name.
2934 *      ls_cellcolor-color-col = '6'.
2935 *      ls_cellcolor-color-int = '1'.
2936 *      ls_cellcolor-color-inv = '1'.
2937 *      ENDIF.
2938 *
2939 *      ps_cellcolor = ls_cellcolor.
2940 *
2941 *      ENDFORM.                  "fill_table_cell_color_writes
2942 *
2943 **&-----
2944 **&      Form  fill_table_cell_color_Reports
2945 **&-----
2946 **      text
2947 **-----
2948 **      -->P_CELL_VAL      text
2949 **      -->P_FIELD_NAME   text
2950 **      -->PS_CELLCOLOR   text
2951 **-----
2952 *      FORM fill_table_cell_color_reports USING  p_cell_val TYPE dec20
2953 *          p_field_name TYPE char30
2954 *      CHANGING ps_cellcolor TYPE lvc_s_scol.
2955 *
2956 *      DATA :
2957 *          ls_cellcolor      TYPE lvc_s_scol,
2958 *          lv_repexe_y       TYPE i,
2959 *          lv_repexe_r       TYPE i,
2960 *          lv_fname         TYPE c LENGTH 30.
2961 *
2962 *      CLEAR : ls_cellcolor ,lt_tr_conf[],ls_tr_conf.
2963 *
2964 *      IF p_field_name CS 'DD'.
2965 *          lv_repexe_y  = 1000000.
2966 *          lv_repexe_r  = 10000000.
2967 *          READ TABLE lt_tr_conf WITH KEY config_param = 'REPEXE_Y'
2968 *              INTO ls_tr_conf.
2969 *          IF sy-subrc = 0. lv_repexe_y = ls_tr_conf-param_value_i. ENDIF.
2970 *          READ TABLE lt_tr_conf WITH KEY config_param = 'REPEXE_R'
2971 *              INTO ls_tr_conf.
2972 *          IF sy-subrc = 0. lv_repexe_r = ls_tr_conf-param_value_i. ENDIF.
2973 *      ELSE.
2974 *          lv_repexe_y  = 5000000.
2975 *          lv_repexe_r  = 50000000.
2976 *          READ TABLE lt_tr_conf WITH KEY config_param = 'REPEXEDD_Y'
2977 *              INTO ls_tr_conf.
2978 *          IF sy-subrc = 0. lv_repexe_y = ls_tr_conf-param_value_i. ENDIF.
2979 *          READ TABLE lt_tr_conf WITH KEY config_param = 'REPEXEDD_R'
2980 *              INTO ls_tr_conf.
2981 *          IF sy-subrc = 0. lv_repexe_r = ls_tr_conf-param_value_i. ENDIF.
2982 *      ENDIF.
2983 *
2984 *      IF p_cell_val < lv_repexe_y .
2985 *          "Green
2986 *          ls_cellcolor-fname = p_field_name.
2987 *          ls_cellcolor-color-col = '5'.
2988 *          ls_cellcolor-color-int = '1'.
```

```

2989 *      ls_cellcolor-color-inv = '1'.
2990 *      ELSEIF p_cell_val >= lv_repexe_y AND p_cell_val < lv_repexe_r.
2991 *      "Yellow
2992 *      ls_cellcolor-fname = p_field_name.
2993 *      ls_cellcolor-color-col = '3'.
2994 *      ls_cellcolor-color-int = '1'.
2995 *      ls_cellcolor-color-inv = '1'.
2996 *      ELSE.
2997 *      "Red
2998 *      ls_cellcolor-fname = p_field_name.
2999 *      ls_cellcolor-color-col = '6'.
3000 *      ls_cellcolor-color-int = '1'.
3001 *      ls_cellcolor-color-inv = '1'.
3002 *      ENDIF.
3003 *
3004 *      IF ls_cellcolor-fname CS 'DD'.
3005 *      WRITE ls_cellcolor-fname TO lv_fname RIGHT-JUSTIFIED.
3006 *      SHIFT lv_fname BY 3 PLACES RIGHT.
3007 *      CONDENSE lv_fname.
3008 *      ls_cellcolor-fname = lv_fname.
3009 *      ENDIF.
3010 *
3011 *      ps_cellcolor = ls_cellcolor.
3012 *
3013 *      ENDFORM.                  "fill_table_cell_color_Reports
3014 *
3015 *
3016 *
3017 *
3018 *
3019 **&-----
3020 **&      Form  repstat_pivot
3021 **&-----
3022 **      text
3023 **-----
3024 **      —>PROGNAME    text
3025 **-----
3026 *      FORM repstat_pivot USING objtype progname fieldname.
3027 *      DATA:
3028 *      lt_repstat_pivot_t TYPE tt_repstat_pivot_t,
3029 *      ls_repstat_pivot_t TYPE ts_repstat_pivot_t,
3030 *      ls_repstat_pivot    LIKE LINE OF gt_repstat_pivot,
3031 *      lt_repstat_pivot_color TYPE tt_repstat_pivot_color,
3032 *      ls_repstat_pivot_color LIKE LINE OF lt_repstat_pivot_color,
3033 *      ls_cellcolor TYPE lvc_s_scol,
3034 *      l_index TYPE sy-tabix,
3035 *      l_title          TYPE lvc_title,
3036 *      i TYPE i,
3037 *      lv_mon TYPE char30,
3038 *      lv_tue TYPE char30,
3039 *      lv_wed TYPE char30,
3040 *      lv_thu TYPE char30,
3041 *      lv_fri TYPE char30,
3042 *      lv_sat TYPE char30,
3043 *      lv_sun TYPE char30,
3044 *      lv_layout_pivot TYPE lvc_s_layo.
3045 *

```

```

3046 *      FIELD-SYMBOLS:
3047 *      <repstat>          LIKE LINE OF gt_repstat.
3048 *
3049 *      IF fieldname = 'EXECNT'.
3050 *          lv_mon = 'MONDAY_EXECNT'.
3051 *          lv_tue = 'TUESDAY_EXECNT'.
3052 *          lv_wed = 'WEDNESDAY_EXECNT'.
3053 *          lv_thu = 'THURSDAY_EXECNT'.
3054 *          lv_fri = 'FRIDAY_EXECNT'.
3055 *          lv_sat = 'SATURDAY_EXECNT'.
3056 *          lv_sun = 'SUNDAY_EXECNT'.
3057 *      ELSE.
3058 *          lv_mon = 'MONDAY_EXECNT_DD'.
3059 *          lv_tue = 'TUESDAY_EXECNT_DD'.
3060 *          lv_wed = 'WEDNESDAY_EXECNT_DD'.
3061 *          lv_thu = 'THURSDAY_EXECNT_DD'.
3062 *          lv_fri = 'FRIDAY_EXECNT_DD'.
3063 *          lv_sat = 'SATURDAY_EXECNT_DD'.
3064 *          lv_sun = 'SUNDAY_EXECNT_DD'.
3065 *      ENDIF.
3066 *
3067 *      IF objtype IS INITIAL.
3068 *          l_title = 'TOTAL - Executions'.
3069 *      ELSE.
3070 *          CONCATENATE objtype progame '- Executions' INTO l_title SEPARATE
3071 D BY space. "#EC NOTEXT
3072 *      ENDIF.
3073 *      IF fieldname = 'EXECNT_DD'.
3074 *          CONCATENATE l_title '(DD)' INTO l_title SEPARATED BY space. "#EC
3075 NOTEXT
3076 *      ENDIF.
3077 *      CLEAR: gt_repstat_pivot.
3078 *
3079 *      LOOP AT gt_repstat ASSIGNING <repstat>.
3080 *          CLEAR: ls_repstat_pivot_t.
3081 *          ls_repstat_pivot_t-hod = <repstat>-hod.
3082 *          CASE <repstat>-dow.
3083 *              WHEN 1.
3084 *                  ls_repstat_pivot_t-monday_execnt = <repstat>-execnt.
3085 *              WHEN 2.
3086 *                  ls_repstat_pivot_t-tuesday_execnt = <repstat>-execnt.
3087 *              WHEN 3.
3088 *                  ls_repstat_pivot_t-wednesday_execnt = <repstat>-execnt.
3089 *              WHEN 4.
3090 *                  ls_repstat_pivot_t-thursday_execnt = <repstat>-execnt.
3091 *              WHEN 5.
3092 *                  ls_repstat_pivot_t-friday_execnt = <repstat>-execnt.
3093 *              WHEN 6.
3094 *                  ls_repstat_pivot_t-saturday_execnt = <repstat>-execnt.
3095 *              WHEN 7.
3096 *                  ls_repstat_pivot_t-sunday_execnt = <repstat>-execnt.
3097 *          ENDCASE.
3098 *          COLLECT ls_repstat_pivot_t INTO lt_repstat_pivot_t.
3099 *      ENDLOOP.
3100 *
3101 *      i = 0.
3102 *      DO 24 TIMES.
3103 *          READ TABLE gt_repstat_pivot WITH KEY hod = i TRANSPORTING NO FIEL
3104 DS.
3105 *          IF sy-subrc <> 0.
3106 *              CLEAR ls_repstat_pivot_t.

```

```
3104 *      ls_repstat_pivot_t-hod = i.
3105 *      COLLECT ls_repstat_pivot_t INTO lt_repstat_pivot_t.
3106 *      i = i + 1.
3107 *      ENDIF.
3108 *      ENDDO.
3109 *
3110 *      SORT gt_repstat_pivot BY hod.
3111 *      SORT lt_repstat_pivot_t BY hod.
3112 *
3113 *      LOOP AT lt_repstat_pivot_t INTO ls_repstat_pivot_t.
3114 *          CLEAR: ls_repstat_pivot.
3115 *          MOVE-CORRESPONDING ls_repstat_pivot_t TO ls_repstat_pivot.
3116 *          APPEND ls_repstat_pivot TO gt_repstat_pivot.
3117 *          MOVE-CORRESPONDING ls_repstat_pivot_t TO ls_repstat_pivot_color.
3118 *          APPEND ls_repstat_pivot_color TO lt_repstat_pivot_color.
3119 *      ENDLOOP.
3120 *
3121 *      PERFORM get_fieldcat TABLES gt_repstat_pivot CHANGING lt_fieldcat.
3122 *      prepare_fieldcat:
3123 *          'HOD'                'Hour of Day',                "#EC NOTEXT
3124 *          'MONDAY_EXECNT'      'Monday',                    "#EC NOTEXT
3125 *          'TUESDAY_EXECNT'     'Tuesday',                    "#EC NOTEXT
3126 *          'WEDNESDAY_EXECNT'   'Wednesday',                  "#EC NOTEXT
3127 *          'THURSDAY_EXECNT'    'Thursday',                    "#EC NOTEXT
3128 *          'FRIDAY_EXECNT'      'Friday',                      "#EC NOTEXT
3129 *          'SATURDAY_EXECNT'    'Saturday',                    "#EC NOTEXT
3130 *          'SUNDAY_EXECNT'      'Sunday'.                      "#EC NOTEXT
3131 *      overrule_fieldcat_outputlen:
3132 *          'HOD'                12,                            "#EC NOTEXT
3133 *          'MONDAY_EXECNT'      12,                            "#EC NOTEXT
3134 *          'TUESDAY_EXECNT'     12,                            "#EC NOTEXT
3135 *          'WEDNESDAY_EXECNT'   12,                            "#EC NOTEXT
3136 *          'THURSDAY_EXECNT'    12,                            "#EC NOTEXT
3137 *          'FRIDAY_EXECNT'      12,                            "#EC NOTEXT
3138 *          'SATURDAY_EXECNT'    12,                            "#EC NOTEXT
3139 *          'SUNDAY_EXECNT'      12.                            "#EC NOTEXT
3140 *      CLEAR: gs_exit_caused_by_user.
3141 *      g_level = 3.
3142 *
3143 *      CLEAR lt_fcat[].
3144 *      LOOP AT lt_fieldcat INTO ls_fieldcat.
3145 *          **      if sy-TABIX > 3.
3146 *          MOVE-CORRESPONDING ls_fieldcat TO ls_fcat.
3147 *          ls_fcat-no_out = ''.
3148 *          ls_fcat-seltext = ls_fieldcat-seltext_l.
3149 *          ls_fcat-coltext = ls_fieldcat-seltext_l.
3150 *
3151 *          APPEND ls_fcat TO lt_fcat.
3152 *          **      endif.
3153 *      ENDLOOP.
3154 *
3155 *      LOOP AT gt_repstat_pivot INTO ls_repstat_pivot.
3156 *          l_index = sy-tabix.
3157 *          PERFORM fill_table_cell_color_reports USING ls_repstat_pivot-mond
ay_execnt
3158 *          lv_mon CHANGING ls_cellcolor.
3159 *          APPEND ls_cellcolor TO ls_repstat_pivot_color-cell_color.
3160 *
3161 *          PERFORM fill_table_cell_color_reports USING ls_repstat_pivot-tues
day_execnt
3162 *          lv_tue CHANGING ls_cellcolor.
```

```
3163 *      APPEND ls_cellcolor TO ls_repstat_pivot_color-cell_color.
3164 *
3165 *      PERFORM fill_table_cell_color_reports USING ls_repstat_pivot-wedn
esday_execnt
3166 *      lv_wed CHANGING ls_cellcolor.
3167 *      APPEND ls_cellcolor TO ls_repstat_pivot_color-cell_color.
3168 *
3169 *      PERFORM fill_table_cell_color_reports USING ls_repstat_pivot-thur
sday_execnt
3170 *      lv_thu CHANGING ls_cellcolor.
3171 *      APPEND ls_cellcolor TO ls_repstat_pivot_color-cell_color.
3172 *
3173 *      PERFORM fill_table_cell_color_reports USING ls_repstat_pivot-frid
ay_execnt
3174 *      lv_fri CHANGING ls_cellcolor.
3175 *      APPEND ls_cellcolor TO ls_repstat_pivot_color-cell_color.
3176 *
3177 *      PERFORM fill_table_cell_color_reports USING ls_repstat_pivot-satu
rday_execnt
3178 *      lv_sat CHANGING ls_cellcolor.
3179 *      APPEND ls_cellcolor TO ls_repstat_pivot_color-cell_color.
3180 *
3181 *      PERFORM fill_table_cell_color_reports USING ls_repstat_pivot-sund
ay_execnt
3182 *      lv_sun CHANGING ls_cellcolor.
3183 *      APPEND ls_cellcolor TO ls_repstat_pivot_color-cell_color.
3184 **corrected as basis 7.5 needed transporting statement also.
3185 *      MODIFY lt_repstat_pivot_color INDEX l_index FROM ls_repstat_pivot
_color
3186 *      TRANSPORTING cell_color.
3187 *
3188 **      APPEND ls_repstat_pivot_color TO lt_repstat_pivot_color.
3189 *      CLEAR : ls_cellcolor , ls_repstat_pivot_color.
3190 *      ENDLOOP.
3191 **Sort since hod was not sorted in output
3192 *      SORT lt_repstat_pivot_color BY hod ASCENDING.
3193 *
3194 *      lv_layout-grid_title = l_title.
3195 *
3196 *      IF gt_repstat_pivot[] IS NOT INITIAL.
3197 *      IF mycontainer7 IS INITIAL.
3198 *          CREATE OBJECT mycontainer7
3199 *          EXPORTING
3200 *              container_name = 'ALV_SUB_CC_3'.
3201 *          CREATE OBJECT grid7
3202 *          EXPORTING
3203 *              i_parent = mycontainer7.
3204 *      ELSE.
3205 *          CALL METHOD cl_gui_cfw=>flush.
3206 *      ENDIF.
3207 *
3208 *      lv_layout_pivot-cwidth_opt = 'X'.          "Fork
3209 *      lv_layout_pivot-zebra      = 'X'.          "Fork
3210 *      lv_layout_pivot-ctab_fname = 'CELL_COLOR'. "Fork
3211 *      lv_layout_pivot-grid_title = l_title.
3212 *
3213 *      DATA:ls_variant TYPE disvariant.          "Fork 03.08.2023
3214 *      ls_variant-report  = sy-repid.             "Fork 03.08.2023
3215 *      ls_variant-handle  = 'ALV'.                "Fork 03.08.2023
3216 *
3217 *      CALL METHOD grid7->set_table_for_first_display
```

```

3218 *      EXPORTING
3219 *          is_layout                = lv_layout_pivot
3220 *          i_save                   = 'U' "The user may save all ty
pes of a layout / Fork 03.08.2023
3221 *          is_variant              = ls_variant  "Fork 03.08.2023
3222 *      CHANGING
3223 *          it_outtab               = lt_repstat_pivot_color[]
3224 **          it_outtab             = gt_repstat_pivot[]
3225 *          it_fieldcatalog         = lt_fcat[]
3226 *      EXCEPTIONS
3227 *          invalid_parameter_combination = 1
3228 *          program_error            = 2
3229 *          too_many_lines           = 3
3230 *          OTHERS                   = 4.
3231 *      PERFORM register_event_handlers.
3232 *      SET TITLEBAR 'OI_CHECK_LEVEL_3_DETAILS'.      "#EC *
3233 *      CALL SCREEN 0600.
3234 *  ENDIF.
3235 *  ENDFORM.      "repstat_pivot
3236
3237 * _____*
3238 *  MODULE user_command_0500 INPUT
3239 * _____*
3240 *
3241 * _____*
3242 MODULE user_command_0500 INPUT.
3243     CASE sy-ucomm.
3244         WHEN 'E' OR '&F03'.
3245             g_level = g_level - 1.
3246             LEAVE TO SCREEN 0.
3247         WHEN 'ENDE' OR '&F15'.
3248             LEAVE TO SCREEN 0.
3249         WHEN 'EC' OR '&F12'.
3250             LEAVE TO SCREEN 0.
3251         WHEN 'PUSH1'.
3252             cmo_tr_check-activetab = 'PUSH1'.
3253         WHEN 'PUSH2'.
3254             cmo_tr_check-activetab = 'PUSH2'.
3255         WHEN 'PUSH3'.
3256             cmo_tr_check-activetab = 'PUSH3'.
3257         WHEN 'PUSH4'.
3258             cmo_tr_check-activetab = 'PUSH4'.
3259         WHEN 'PUSH5'.
3260             cmo_tr_check-activetab = 'PUSH5'.
3261
3262     ENDCASE.
3263     ENDMODULE.      "USER_COMMAND_1002 INPUT
3264
3265 * _____*
3266 MODULE user_command_0600 INPUT.
3267     CASE sy-ucomm.
3268         WHEN 'E' OR '&F03'.
3269             g_level = g_level - 1.
3270             LEAVE TO SCREEN 0.
3271         WHEN 'ENDE' OR '&F15'.
3272             LEAVE TO SCREEN 0.
3273         WHEN 'EC' OR '&F12'.
3274             LEAVE TO SCREEN 0.
3275         WHEN 'PUSH1'.
3276             cmo_tr_check-activetab = 'PUSH1'.
3277         WHEN 'PUSH2'.

```



```

3278         cmo_tr_check-activetab = 'PUSH2'.
3279     WHEN 'PUSH3'.
3280         cmo_tr_check-activetab = 'PUSH3'.
3281     WHEN 'PUSH4'.
3282         cmo_tr_check-activetab = 'PUSH4'.
3283     WHEN 'PUSH5'.
3284         cmo_tr_check-activetab = 'PUSH5'.
3285 *     WHEN 'PUSH6'.
3286 *         CMO_TR_CHECK-activetab = 'PUSH6'.
3287
3288     ENDCASE.
3289     ENDMODULE.                                "user_command_0600 INPUT
3290 *&-----*
3291 *&     Form  authority_check
3292 *&-----*
3293     FORM authority_check.
3294         AUTHORITY-CHECK OBJECT 'S_TRANSPRT'
3295         ID 'ACTVT' FIELD '03'.                    "#EC *
3296         IF sy-subrc <> 0.
3297             MESSAGE text-028 TYPE 'E'. "Missing authorization!
3298         ENDIF.
3299     ENDFORM.                                "authority_check
3300 *&-----*
3301 *&     Form  SAVE_WORK
3302 *&-----*
3303 *     text
3304 *-----*
3305 *     —>PT_/SDF/OI_RESULT_2    OI Result level 2
3306 *     —>PT_/SDF/OI_RESL_DB    Table to store OI check in /sdf/cmo_tr_c
3307 *     —>PT_/SDF/IMP_RESL_DB    Table to store Import time check in /sdf
3308 *     —>PT_/SDF/ENV_RESL_DB    Table to store Cross refer check in /sdf
3309 *     —>PT_/SDF/SCV_RESL_DB    Table to store soft compon check in /sdf
3310 *     —>PT_/SDF/DGP_RESL_DB    Table to store Sequence check in /sdf/cm
3311 *     —>PS_SYSCOMP_RUN        Struktore Histroy data storage of CMO_TR
3312 *-----*
3313     FORM save_work TABLES pt_/sdf/oi_result_2 LIKE gt_/sdf/oi_result_2
3314                             pt_/sdf/oi_resl_db LIKE gt_/sdf/oi_resl_db
3315                             pt_/sdf/imp_resl_db LIKE gt_/sdf/imp_resl_db
3316                             pt_/sdf/env_resl_db LIKE gt_/sdf/env_resl_db
3317                             pt_/sdf/scv_resl_db LIKE gt_/sdf/scv_resl_db
3318                             pt_/sdf/dgp_resl_db LIKE gt_/sdf/dgp_resl_db
3319                             pt_/sdf/hist_req LIKE gt_/sdf/hist_req
3320                             USING ps_syscomp_run TYPE /sdf/hist_run_db.
3321
3322     "Main history table must not be empty!!!
3323     ASSERT ps_syscomp_run IS NOT INITIAL.
3324
3325     IF lines( pt_/sdf/oi_result_2 ) > 0. "Check on lines not on initial!
3326 !!
3327         INSERT /sdf/oi_result_2 FROM TABLE pt_/sdf/oi_result_2.
3328         IF sy-subrc <> 0.
3329             MESSAGE e333(s1) WITH 'Cannot save to:' '/sdf/oi_result_2' ##NO_
3330 TEXT. "& & &
3331         ENDIF.
3332     ENDIF.

```



```
3331
3332     IF lines( pt_/sdf/oi_resl_db ) > 0. "Check on lines not on initial!!
!
3333     INSERT /sdf/oi_resl_db FROM TABLE pt_/sdf/oi_resl_db.
3334     IF sy-subrc <> 0.
3335     MESSAGE e333(s1) WITH 'Cannot save to:' '/sdf/oi_resl_db' ##NO_T
EXT. "& & & &
3336     ENDIF.
3337
3338     ENDIF.
3339
3340     IF lines( pt_/sdf/imp_resl_db ) > 0. "Check on lines not on initial!
!!
3341     INSERT /sdf/imp_resl_db FROM TABLE pt_/sdf/imp_resl_db.
3342     IF sy-subrc <> 0.
3343     MESSAGE e333(s1) WITH 'Cannot save to:' '/sdf/imp_resl_db' ##NO_
TEXT. "& & & &
3344     ENDIF.
3345     ENDIF.
3346
3347     IF lines( pt_/sdf/env_resl_db ) > 0. "Check on lines not on initial!
!!
3348     INSERT /sdf/env_resl_db FROM TABLE pt_/sdf/env_resl_db.
3349     IF sy-subrc <> 0.
3350     MESSAGE e333(s1) WITH 'Cannot save to:' '/sdf/imp_resl_db' ##NO_
TEXT. "& & & &
3351     ENDIF.
3352     ENDIF.
3353
3354     IF lines( pt_/sdf/scv_resl_db ) > 0. "Check on lines not on initial!
!!
3355     INSERT /sdf/scv_resl_db FROM TABLE pt_/sdf/scv_resl_db.
3356     IF sy-subrc <> 0.
3357     MESSAGE e333(s1) WITH 'Cannot save to:' '/sdf/env_resl_db' ##NO_
TEXT. "& & & &
3358     ENDIF.
3359
3360     ENDIF.
3361
3362     IF lines( pt_/sdf/dgp_resl_db ) > 0. "Check on lines not on initial!
!!
3363     INSERT /sdf/dgp_resl_db FROM TABLE pt_/sdf/dgp_resl_db.
3364     IF sy-subrc <> 0.
3365     MESSAGE e333(s1) WITH 'Cannot save to:' '/sdf/imp_resl_db' ##NO_
TEXT. "& & & &
3366     ENDIF.
3367     ENDIF.
3368
3369     IF lines( pt_/sdf/hist_req ) > 0. "Check on lines not on initial!!!
3370     INSERT /sdf/hist_req FROM TABLE pt_/sdf/hist_req.
3371     IF sy-subrc <> 0.
3372     MESSAGE e333(s1) WITH 'Cannot save to:' '/sdf/hist_req' ##NO_TEX
T. "& & & &
3373     ENDIF.
3374     ENDIF.
3375
3376     IF ps_syscomp_run IS NOT INITIAL.
3377     INSERT INTO /sdf/hist_run_db VALUES ps_syscomp_run.
3378     IF sy-subrc <> 0.
3379     MESSAGE e333(s1) WITH 'Cannot save' '/sdf/dgp_resl_db' ##NO_TEXT
. "& & & &
```

```
3380         ENDIF.  
3381     ENDIF.  
3382  
3383     ENDFORM.                " SAVE_WORK
```

```

1  * _____*
2  ***INCLUDE /SDF/CMO_TR_CHECK_INC1.
3  * _____*
4  *& _____*
5  *&      Form  ADD_CRITICALITY
6  *& _____*
7  *      text
8  * _____*
9  *      -->P_LS_RESULT_TOTAL  text
10 * _____*
11 FORM add_criticality  CHANGING ps_result  TYPE /sdf/oi_result.
12
13  CONSTANTS:
14      cv_icon_very_critical TYPE char4 VALUE '@0A@', "Red
15      cv_icon_critical      TYPE char4 VALUE '@09@', "Yellow,
16      cv_icon_ok            TYPE char4 VALUE '@08@', "Green
17      cv_icon_not_available TYPE char4 VALUE '@00@', "DUMMY(Grey)
18      cv_icon_information   TYPE char4 VALUE '@0S@'. "INFO(Blue)
19
20  DATA:
21      lt_tr_conf TYPE TABLE OF /sdf/cmo_tr_conf,
22      ls_tr_conf TYPE /sdf/cmo_tr_conf,
23      lv_tabreads_y TYPE i,
24      lv_tabreads_r TYPE i,
25      lv_tabwrite_y TYPE i,
26      lv_tabwrite_r TYPE i,
27      lv_tabsize_y  TYPE i,
28      lv_tabsize_r  TYPE i,
29      lv_repexe_y   TYPE i,
30      lv_repexe_r   TYPE i,
31      lv_repexedd_y TYPE i,
32      lv_repexedd_r TYPE i.
33
34  * Identify criticality, set default threshold values
35      lv_tabreads_y = 10000.
36      lv_tabreads_r = 100000.
37      lv_tabwrite_y = 500.
38      lv_tabwrite_r = 5000.
39      lv_tabsize_y  = 100000.
40      lv_tabsize_r  = 600000.
41      lv_repexe_y   = 5000000.
42      lv_repexe_r   = 50000000.
43      lv_repexedd_y = 1000000.
44      lv_repexedd_r = 10000000.
45
46  * Read threshold values from /sdf/cmo_tr_conf
47      SELECT * FROM /sdf/cmo_tr_conf INTO TABLE lt_tr_conf. "#EC CI_NOWHERE
48      READ TABLE lt_tr_conf WITH KEY config_param = 'TABREADS_Y'
49      INTO ls_tr_conf.
50      IF sy-subrc = 0. lv_tabreads_y = ls_tr_conf-param_value_i. ENDIF.
51      READ TABLE lt_tr_conf WITH KEY config_param = 'TABREADS_R'
52      INTO ls_tr_conf.
53      IF sy-subrc = 0. lv_tabreads_r = ls_tr_conf-param_value_i. ENDIF.
54      READ TABLE lt_tr_conf WITH KEY config_param = 'TABWRITE_Y'
55      INTO ls_tr_conf.
56      IF sy-subrc = 0. lv_tabwrite_y = ls_tr_conf-param_value_i. ENDIF.
57      READ TABLE lt_tr_conf WITH KEY config_param = 'TABWRITE_R'
58      INTO ls_tr_conf.
59      IF sy-subrc = 0. lv_tabwrite_r = ls_tr_conf-param_value_i. ENDIF.
60      READ TABLE lt_tr_conf WITH KEY config_param = 'TABSIZ_Y'
61      INTO ls_tr_conf.

```

```
62 IF sy-subrc = 0. lv_tabsize_y = ls_tr_conf-param_value_i. ENDIF.
63 READ TABLE lt_tr_conf WITH KEY config_param = 'TABSIZR'
64 INTO ls_tr_conf.
65 IF sy-subrc = 0. lv_tabsize_r = ls_tr_conf-param_value_i. ENDIF.
66 READ TABLE lt_tr_conf WITH KEY config_param = 'REPEXE_Y'
67 INTO ls_tr_conf.
68 IF sy-subrc = 0. lv_repexe_y = ls_tr_conf-param_value_i. ENDIF.
69 READ TABLE lt_tr_conf WITH KEY config_param = 'REPEXE_R'
70 INTO ls_tr_conf.
71 IF sy-subrc = 0. lv_repexe_r = ls_tr_conf-param_value_i. ENDIF.
72 READ TABLE lt_tr_conf WITH KEY config_param = 'REPEXEDD_Y'
73 INTO ls_tr_conf.
74 IF sy-subrc = 0. lv_repexedd_y = ls_tr_conf-param_value_i. ENDIF.
75 READ TABLE lt_tr_conf WITH KEY config_param = 'REPEXEDD_R'
76 INTO ls_tr_conf.
77 IF sy-subrc = 0. lv_repexedd_r = ls_tr_conf-param_value_i. ENDIF.
78
79 IF ps_result-chcnt > lv_tabwrite_r
80 OR ps_result-accnt > lv_tabreads_r
81 OR ( ps_result-action IS NOT INITIAL AND
82 ps_result-occtb > lv_tabsize_r )
83 OR ( ps_result-action IS NOT INITIAL AND
84 ps_result-occtb > lv_tabsize_y AND
85 ( ps_result-chcnt > lv_tabwrite_y OR
86 ps_result-accnt > lv_tabreads_y ) )
87 OR ps_result-execnt > lv_repexe_r
88 OR ps_result-execnt_dd > lv_repexedd_r
89 OR ps_result-criobj = 'X'.
90 ps_result-criticality = cv_icon_very_critical.
91 ELSEIF ps_result-chcnt > lv_tabwrite_y
92 OR ps_result-accnt > lv_tabreads_y
93 OR ps_result-execnt > lv_repexe_y
94 OR ps_result-execnt_dd > lv_repexedd_y OR
95 ( ps_result-action IS NOT INITIAL AND
96 ps_result-occtb > lv_tabsize_y ).
97 ps_result-criticality = cv_icon_critical.
98 ELSE.
99 ps_result-criticality = cv_icon_ok.
100 ENDIF.
101
102 ENDFORM. " ADD_CRITICALITY
```

```

1  *&-----*
2  *& Include /SDF/CMO_TR_CHECK_INC2
3  *&-----*
4
5  *&-----*
6  *& Form repstat_pivot
7  *&-----*
8  * text
9  *-----*
10 * -->PROGNAME text
11 *-----*
12 FORM repstat_pivot USING objtype progname fieldname.
13
14 TYPES:
15 BEGIN OF ts_repstat_pivot_color,
16 hod TYPE /sdf/oi_repstat-hod,
17 monday_execnt TYPE /sdf/oi_repstat-execnt,
18 tuesday_execnt TYPE /sdf/oi_repstat-execnt,
19 wednesday_execnt TYPE /sdf/oi_repstat-execnt,
20 thursday_execnt TYPE /sdf/oi_repstat-execnt,
21 friday_execnt TYPE /sdf/oi_repstat-execnt,
22 saturday_execnt TYPE /sdf/oi_repstat-execnt,
23 sunday_execnt TYPE /sdf/oi_repstat-execnt,
24 cell_color TYPE lvc_t_scol,
25 END OF ts_repstat_pivot_color,
26 tt_repstat_pivot_color TYPE STANDARD TABLE OF ts_repstat_pivot_color
27
28 DATA:
29 lt_repstat_pivot_t TYPE tt_repstat_pivot_t,
30 ls_repstat_pivot_t TYPE ts_repstat_pivot_t,
31 ls_repstat_pivot LIKE LINE OF gt_repstat_pivot,
32 lt_repstat_pivot_color TYPE tt_repstat_pivot_color,
33 ls_repstat_pivot_color LIKE LINE OF lt_repstat_pivot_color,
34 ls_cellcolor TYPE lvc_s_scol,
35 l_index TYPE sy-tabix,
36 l_title TYPE lvc_title,
37 i TYPE i,
38 lv_mon TYPE char30,
39 lv_tue TYPE char30,
40 lv_wed TYPE char30,
41 lv_thu TYPE char30,
42 lv_fri TYPE char30,
43 lv_sat TYPE char30,
44 lv_sun TYPE char30,
45 lv_layout_pivot TYPE lvc_s_layo.
46
47 FIELD-SYMBOLS:
48 <repstat> LIKE LINE OF gt_repstat.
49
50 IF fieldname = 'EXECNT'.
51 lv_mon = 'MONDAY_EXECNT'.
52 lv_tue = 'TUESDAY_EXECNT'.
53 lv_wed = 'WEDNESDAY_EXECNT'.
54 lv_thu = 'THURSDAY_EXECNT'.
55 lv_fri = 'FRIDAY_EXECNT'.
56 lv_sat = 'SATURDAY_EXECNT'.
57 lv_sun = 'SUNDAY_EXECNT'.
58 ELSE.
59 lv_mon = 'MONDAY_EXECNT_DD'.
60 lv_tue = 'TUESDAY_EXECNT_DD'.

```

```

61     lv_wed = 'WEDNESDAY_EXECNT_DD'.
62     lv_thu = 'THURSDAY_EXECNT_DD'.
63     lv_fri = 'FRIDAY_EXECNT_DD'.
64     lv_sat = 'SATURDAY_EXECNT_DD'.
65     lv_sun = 'SUNDAY_EXECNT_DD'.
66 ENDIF.
67
68 IF objtype IS INITIAL.
69     l_title = 'TOTAL - Executions' ##NO_TEXT.
70 ELSE.
71     CONCATENATE objtype progame '- Executions' INTO l_title SEPARATED
BY space. "#EC NOTEXT
72 ENDIF.
73 IF fieldname = 'EXECNT_DD'.
74     CONCATENATE l_title '(DD)' INTO l_title SEPARATED BY space. "#EC N
OTEXT
75 ENDIF.
76 CLEAR: gt_repstat_pivot.
77
78 LOOP AT gt_repstat ASSIGNING <repstat>.
79     CLEAR: ls_repstat_pivot_t.
80     ls_repstat_pivot_t-hod = <repstat>-hod.
81     CASE <repstat>-dow.
82         WHEN 1.
83             ls_repstat_pivot_t-monday_execnt = <repstat>-execnt.
84         WHEN 2.
85             ls_repstat_pivot_t-tuesday_execnt = <repstat>-execnt.
86         WHEN 3.
87             ls_repstat_pivot_t-wednesday_execnt = <repstat>-execnt.
88         WHEN 4.
89             ls_repstat_pivot_t-thursday_execnt = <repstat>-execnt.
90         WHEN 5.
91             ls_repstat_pivot_t-friday_execnt = <repstat>-execnt.
92         WHEN 6.
93             ls_repstat_pivot_t-saturday_execnt = <repstat>-execnt.
94         WHEN 7.
95             ls_repstat_pivot_t-sunday_execnt = <repstat>-execnt.
96     ENDCASE.
97     COLLECT ls_repstat_pivot_t INTO lt_repstat_pivot_t.
98 ENDLOOP.
99
100 i = 0.
101 DO 24 TIMES.
102     READ TABLE gt_repstat_pivot WITH KEY hod = i TRANSPORTING NO FIELD
S.
103     IF sy-subrc <> 0.
104         CLEAR ls_repstat_pivot_t.
105         ls_repstat_pivot_t-hod = i.
106         COLLECT ls_repstat_pivot_t INTO lt_repstat_pivot_t.
107         i = i + 1.
108     ENDIF.
109 ENDDO.
110
111 SORT gt_repstat_pivot BY hod.
112 SORT lt_repstat_pivot_t BY hod.
113
114 LOOP AT lt_repstat_pivot_t INTO ls_repstat_pivot_t.
115     CLEAR: ls_repstat_pivot.
116     MOVE-CORRESPONDING ls_repstat_pivot_t TO ls_repstat_pivot.
117     APPEND ls_repstat_pivot TO gt_repstat_pivot.
118     MOVE-CORRESPONDING ls_repstat_pivot_t TO ls_repstat_pivot_color.

```

```

119     APPEND ls_repstat_pivot_color TO lt_repstat_pivot_color.
120 ENDLOOP.
121
122 PERFORM get_fieldcat TABLES gt_repstat_pivot CHANGING lt_fieldcat.
123 prepare_fieldcat:
124     'HOD'                'Hour of Day',                "#EC NOTEXT
125     'MONDAY_EXECNT'      'Monday',                    "#EC NOTEXT
126     'TUESDAY_EXECNT'     'Tuesday',                    "#EC NOTEXT
127     'WEDNESDAY_EXECNT'   'Wednesday',                  "#EC NOTEXT
128     'THURSDAY_EXECNT'    'Thursday',                    "#EC NOTEXT
129     'FRIDAY_EXECNT'      'Friday',                      "#EC NOTEXT
130     'SATURDAY_EXECNT'    'Saturday',                    "#EC NOTEXT
131     'SUNDAY_EXECNT'      'Sunday'.                      "#EC NOTEXT
132 overrule_fieldcat_outputlen:
133     'HOD'                12,                            "#EC NOTEXT
134     'MONDAY_EXECNT'      12,                            "#EC NOTEXT
135     'TUESDAY_EXECNT'     12,                            "#EC NOTEXT
136     'WEDNESDAY_EXECNT'   12,                            "#EC NOTEXT
137     'THURSDAY_EXECNT'    12,                            "#EC NOTEXT
138     'FRIDAY_EXECNT'      12,                            "#EC NOTEXT
139     'SATURDAY_EXECNT'    12,                            "#EC NOTEXT
140     'SUNDAY_EXECNT'      12.                            "#EC NOTEXT
141 CLEAR: gs_exit_caused_by_user.
142 g_level = 3.
143
144 CLEAR lt_fcat[].
145 LOOP AT lt_fieldcat INTO ls_fieldcat.
146 *     IF sy-TABIX > 3.
147         MOVE-CORRESPONDING ls_fieldcat TO ls_fcat.
148         ls_fcat-no_out = ''.
149         ls_fcat-seltext = ls_fieldcat-seltext_l.
150         ls_fcat-coltext = ls_fieldcat-seltext_l.
151
152         APPEND ls_fcat TO lt_fcat.
153 *     ENDIF.
154 ENDLOOP.
155
156 LOOP AT gt_repstat_pivot INTO ls_repstat_pivot.
157     l_index = sy-tabix.
158     PERFORM fill_table_cell_color_reports USING ls_repstat_pivot-monda
159 y_execnt
160     lv_mon CHANGING ls_cellcolor.
161     APPEND ls_cellcolor TO ls_repstat_pivot_color-cell_color.
162
163     PERFORM fill_table_cell_color_reports USING ls_repstat_pivot-tuesd
164 ay_execnt
165     lv_tue CHANGING ls_cellcolor.
166     APPEND ls_cellcolor TO ls_repstat_pivot_color-cell_color.
167
168     PERFORM fill_table_cell_color_reports USING ls_repstat_pivot-wedne
169 sday_execnt
170     lv_wed CHANGING ls_cellcolor.
171     APPEND ls_cellcolor TO ls_repstat_pivot_color-cell_color.
172
173     PERFORM fill_table_cell_color_reports USING ls_repstat_pivot-thurs
174 day_execnt
175     lv_thu CHANGING ls_cellcolor.
176     APPEND ls_cellcolor TO ls_repstat_pivot_color-cell_color.
177
178     PERFORM fill_table_cell_color_reports USING ls_repstat_pivot-frida
179 y_execnt

```



```

175     lv_fri CHANGING ls_cellcolor.
176     APPEND ls_cellcolor TO ls_repstat_pivot_color-cell_color.
177
178     PERFORM fill_table_cell_color_reports USING ls_repstat_pivot-satur
day_execnt
179     lv_sat CHANGING ls_cellcolor.
180     APPEND ls_cellcolor TO ls_repstat_pivot_color-cell_color.
181
182     PERFORM fill_table_cell_color_reports USING ls_repstat_pivot-sunda
y_execnt
183     lv_sun CHANGING ls_cellcolor.
184     APPEND ls_cellcolor TO ls_repstat_pivot_color-cell_color.
185 *corrected as basis 7.5 needed transporting statement also.
186     MODIFY lt_repstat_pivot_color INDEX l_index FROM ls_repstat_pivot_
color
187     TRANSPORTING cell_color.
188
189 *           APPEND ls_repstat_pivot_color TO lt_repstat_pivot_color.
190     CLEAR : ls_cellcolor , ls_repstat_pivot_color.
191     ENDLOOP.
192 *Sort since hod was not sorted in output
193     SORT lt_repstat_pivot_color BY hod ASCENDING.
194
195     lv_layout-grid_title = l_title.
196
197     IF gt_repstat_pivot[] IS NOT INITIAL.
198         IF mycontainer7 IS INITIAL.
199             CREATE OBJECT mycontainer7
200             EXPORTING
201                 container_name = 'ALV_SUB_CC_3'.
202             CREATE OBJECT grid7
203             EXPORTING
204                 i_parent = mycontainer7.
205         ELSE.
206             CALL METHOD cl_gui_cfw=>flush.
207         ENDIF.
208
209     lv_layout_pivot-cwidth_opt = 'X'.           "Fork
210     lv_layout_pivot-zebra      = 'X'.           "Fork
211     lv_layout_pivot-ctab_fname = 'CELL_COLOR'.  "Fork
212     lv_layout_pivot-grid_title = l_title.
213
214     DATA:ls_variant TYPE disvariant.           "Fork 03.08.2023
215     ls_variant-report  = sy-repid.               "Fork 03.08.2023
216     ls_variant-handle  = 'ALV7'.                 "Fork 03.08.2023
217
218     CALL METHOD grid7->set_table_for_first_display
219     EXPORTING
220         is_layout              = lv_layout_pivot
221         i_save                  = 'U' "The user may save all typ
es of a layout / Fork 03.08.2023
222         is_variant             = ls_variant      "Fork 03.08.2023
223     CHANGING
224         it_outtab              = lt_repstat_pivot_color[]
225 *         it_outtab            = gt_repstat_pivot[]
226         it_fieldcatalog        = lt_fcat[]
227     EXCEPTIONS
228         invalid_parameter_combination = 1
229         program_error                = 2
230         too_many_lines                = 3
231         OTHERS                        = 4.

```

```

232     PERFORM register_event_handlers.
233     SET TITLEBAR 'OI_CHECK_LEVEL_3_DETAILS'.           "#EC *
234     CALL SCREEN 0600.
235     ENDIF.
236     ENDFORM.                                           "repstat_pivot
237
238
239     FORM tabstat_pivot USING objtype tabname fieldname.
240
241     TYPES:
242     BEGIN OF ts_tabstat_pivot_color,
243         hod                TYPE /sdf/oi_tabstat-hod,
244         monday_accnt       TYPE /sdf/oi_tabstat-accnt,
245         monday_chcnt       TYPE /sdf/oi_tabstat-chcnt,
246         tuesday_accnt      TYPE /sdf/oi_tabstat-accnt,
247         tuesday_chcnt      TYPE /sdf/oi_tabstat-chcnt,
248         wednesday_accnt    TYPE /sdf/oi_tabstat-accnt,
249         wednesday_chcnt    TYPE /sdf/oi_tabstat-chcnt,
250         thursday_accnt     TYPE /sdf/oi_tabstat-accnt,
251         thursday_chcnt     TYPE /sdf/oi_tabstat-chcnt,
252         friday_accnt       TYPE /sdf/oi_tabstat-accnt,
253         friday_chcnt       TYPE /sdf/oi_tabstat-chcnt,
254         saturday_accnt     TYPE /sdf/oi_tabstat-accnt,
255         saturday_chcnt     TYPE /sdf/oi_tabstat-chcnt,
256         sunday_accnt       TYPE /sdf/oi_tabstat-accnt,
257         sunday_chcnt       TYPE /sdf/oi_tabstat-chcnt,
258         cell_color         TYPE lvc_t_scol,
259     END OF ts_tabstat_pivot_color,
260     tt_tabstat_pivot_color TYPE STANDARD TABLE OF ts_tabstat_pivot_color
261
262
263     DATA:
264         lt_tabstat_pivot_t TYPE tt_tabstat_pivot_t,
265         ls_tabstat_pivot_t TYPE ts_tabstat_pivot_t,
266         ls_tabstat_temp LIKE LINE OF gt_tabstat_pivot,
267         ls_tabstat_pivot LIKE LINE OF gt_tabstat_pivot,
268         lt_tabstat_pivot_color TYPE tt_tabstat_pivot_color,
269         ls_tabstat_pivot_color LIKE LINE OF lt_tabstat_pivot_color,
270         l_index TYPE sy-tabix,
271         ls_cellcolor TYPE lvc_s_scol,
272         lv_times TYPE i,
273         l_title_table          TYPE lvc_title.
274
275     FIELD-SYMBOLS:
276     <tabstat>          LIKE LINE OF gt_tabstat.
277
278     CLEAR: gt_tabstat_pivot.
279     LOOP AT gt_tabstat ASSIGNING <tabstat>.
280         CLEAR: ls_tabstat_pivot_t.
281         ls_tabstat_pivot_t-hod = <tabstat>-hod.
282         CASE <tabstat>-dow.
283             WHEN 1.
284                 ls_tabstat_pivot_t-monday_accnt = <tabstat>-accnt.
285                 ls_tabstat_pivot_t-monday_chcnt = <tabstat>-chcnt.
286             WHEN 2.
287                 ls_tabstat_pivot_t-tuesday_accnt = <tabstat>-accnt.
288                 ls_tabstat_pivot_t-tuesday_chcnt = <tabstat>-chcnt.
289             WHEN 3.
290                 ls_tabstat_pivot_t-wednesday_accnt = <tabstat>-accnt.
291                 ls_tabstat_pivot_t-wednesday_chcnt = <tabstat>-chcnt.
292             WHEN 4.

```

```
292         ls_tabstat_pivot_t-thursday_accnt = <tabstat>-accnt.
293         ls_tabstat_pivot_t-thursday_chcnt = <tabstat>-chcnt.
294     WHEN 5.
295         ls_tabstat_pivot_t-friday_accnt = <tabstat>-accnt.
296         ls_tabstat_pivot_t-friday_chcnt = <tabstat>-chcnt.
297     WHEN 6.
298         ls_tabstat_pivot_t-saturday_accnt = <tabstat>-accnt.
299         ls_tabstat_pivot_t-saturday_chcnt = <tabstat>-chcnt.
300     WHEN 7.
301         ls_tabstat_pivot_t-sunday_accnt = <tabstat>-accnt.
302         ls_tabstat_pivot_t-sunday_chcnt = <tabstat>-chcnt.
303     ENDCASE.
304     COLLECT ls_tabstat_pivot_t INTO lt_tabstat_pivot_t.
305     ENDLOOP.
306     LOOP AT lt_tabstat_pivot_t INTO ls_tabstat_pivot_t.
307         CLEAR: ls_tabstat_pivot.
308         MOVE-CORRESPONDING ls_tabstat_pivot_t TO ls_tabstat_pivot.
309         APPEND ls_tabstat_pivot TO gt_tabstat_pivot.
310     ENDLOOP.
311
312     lv_times = 1.
313     DO 24 TIMES.
314         READ TABLE lt_tabstat_pivot_t WITH TABLE KEY
315         hod = lv_times INTO ls_tabstat_pivot_t .
316         IF sy-subrc <> 0 AND sy-index < 24.
317     *     if ls_tabstat_pivot_t-hod <> sy-tabix.
318
319         ls_tabstat_temp-hod = sy-index.
320
321         ls_tabstat_temp-monday_accnt = 0.
322         ls_tabstat_temp-monday_chcnt = 0.
323
324         ls_tabstat_temp-tuesday_accnt = 0.
325         ls_tabstat_temp-tuesday_chcnt = 0.
326
327         ls_tabstat_temp-wednesday_accnt = 0.
328         ls_tabstat_temp-wednesday_chcnt = 0.
329
330         ls_tabstat_temp-thursday_accnt = 0.
331         ls_tabstat_temp-thursday_chcnt = 0.
332
333         ls_tabstat_temp-friday_accnt = 0.
334         ls_tabstat_temp-friday_chcnt = 0.
335
336         ls_tabstat_temp-saturday_accnt = 0.
337         ls_tabstat_temp-saturday_chcnt = 0.
338
339         ls_tabstat_temp-sunday_accnt = 0.
340         ls_tabstat_temp-sunday_chcnt = 0.
341
342         CLEAR ls_tabstat_pivot.
343         MOVE-CORRESPONDING ls_tabstat_temp TO ls_tabstat_pivot.
344         APPEND ls_tabstat_pivot TO gt_tabstat_pivot.
345
346     ENDIF.
347     lv_times = lv_times + 1.
348     ENDDO.
349
350     SORT gt_tabstat_pivot BY hod.
351
352     PERFORM get_fieldcat TABLES gt_tabstat_pivot CHANGING lt_fieldcat.
```

```

353 CASE fieldname.
354     WHEN 'OBJECT' OR 'OBJ_NAME' OR 'COMPONENT' OR 'OCCTB' OR 'ACTION'
OR 'EXECNT' OR 'CRIOBJ'.
355 *      Title should be set to Object name - Executions
356     CONCATENATE objtype tabname '- Executions' INTO l_title_table SE
PARATED BY space. "#EC NOTEXT
357
358     prepare_fieldcat:
359         'HOD'                'Hour of Day',                "#EC NOTEXT
360         'MONDAY_ACCNT'      'MON Reads',                "#EC NOTEXT
361         'MONDAY_CHCNT'      'MON Writes',                "#EC NOTEXT
362         'TUESDAY_ACCNT'     'TUE Reads',                "#EC NOTEXT
363         'TUESDAY_CHCNT'     'TUE Writes',                "#EC NOTEXT
364         'WEDNESDAY_ACCNT'   'WED Reads',                "#EC NOTEXT
365         'WEDNESDAY_CHCNT'   'WED Writes',                "#EC NOTEXT
366         'THURSDAY_ACCNT'   'THU Reads',                "#EC NOTEXT
367         'THURSDAY_CHCNT'   'THU Writes',                "#EC NOTEXT
368         'FRIDAY_ACCNT'     'FRI Reads',                "#EC NOTEXT
369         'FRIDAY_CHCNT'     'FRI Writes',                "#EC NOTEXT
370         'SATURDAY_ACCNT'   'SAT Reads',                "#EC NOTEXT
371         'SATURDAY_CHCNT'   'SAT Writes',                "#EC NOTEXT
372         'SUNDAY_ACCNT'     'SUN Reads',                "#EC NOTEXT
373         'SUNDAY_CHCNT'     'SUN Writes'.                "#EC NOTEXT
374     overrule_fieldcat_outputlen:
375         'HOD'                12,                "#EC NOTEXT
376         'MONDAY_ACCNT'      12,                "#EC NOTEXT
377         'MONDAY_CHCNT'      12,                "#EC NOTEXT
378         'TUESDAY_ACCNT'     12,                "#EC NOTEXT
379         'TUESDAY_CHCNT'     12,                "#EC NOTEXT
380         'WEDNESDAY_ACCNT'   12,                "#EC NOTEXT
381         'WEDNESDAY_CHCNT'   12,                "#EC NOTEXT
382         'THURSDAY_ACCNT'   12,                "#EC NOTEXT
383         'THURSDAY_CHCNT'   12,                "#EC NOTEXT
384         'FRIDAY_ACCNT'     12,                "#EC NOTEXT
385         'FRIDAY_CHCNT'     12,                "#EC NOTEXT
386         'SATURDAY_ACCNT'   12,                "#EC NOTEXT
387         'SATURDAY_CHCNT'   12,                "#EC NOTEXT
388         'SUNDAY_ACCNT'     12,                "#EC NOTEXT
389         'SUNDAY_CHCNT'     12.                "#EC NOTEXT
390     WHEN 'ACCNT'.
391     CONCATENATE 'Table' tabname '- Reads' INTO l_title_table SEPARAT
ED BY space. "#EC NOTEXT
392     prepare_fieldcat:
393         'HOD'                'Hour of Day',                "#EC NOTEXT
394         'MONDAY_ACCNT'      'Monday',                "#EC NOTEXT
395         'TUESDAY_ACCNT'     'Tuesday',                "#EC NOTEXT
396         'WEDNESDAY_ACCNT'   'Wednesday',                "#EC NOTEXT
397         'THURSDAY_ACCNT'   'Thursday',                "#EC NOTEXT
398         'FRIDAY_ACCNT'     'Friday',                "#EC NOTEXT
399         'SATURDAY_ACCNT'   'Saturday',                "#EC NOTEXT
400         'SUNDAY_ACCNT'     'Sunday'.                "#EC NOTEXT
401     overrule_fieldcat_outputlen:
402         'HOD'                12,                "#EC NOTEXT
403         'MONDAY_ACCNT'      12,                "#EC NOTEXT
404         'TUESDAY_ACCNT'     12,                "#EC NOTEXT
405         'WEDNESDAY_ACCNT'   12,                "#EC NOTEXT
406         'THURSDAY_ACCNT'   12,                "#EC NOTEXT
407         'FRIDAY_ACCNT'     12,                "#EC NOTEXT
408         'SATURDAY_ACCNT'   12,                "#EC NOTEXT
409         'SUNDAY_ACCNT'     12.                "#EC NOTEXT
410     WHEN 'CHCNT'.

```

```

411      CONCATENATE 'Table' tabname '- Writes' INTO l_title_table SEPARA
TED BY space. "#EC NOTEXT
412      prepare_fieldcat:
413          'HOD' 'Hour of Day', "#EC NOTEXT
414          'MONDAY_CHCNT' 'Monday', "#EC NOTEXT
415          'TUESDAY_CHCNT' 'Tuesday', "#EC NOTEXT
416          'WEDNESDAY_CHCNT' 'Wednesday', "#EC NOTEXT
417          'THURSDAY_CHCNT' 'Thursday', "#EC NOTEXT
418          'FRIDAY_CHCNT' 'Friday', "#EC NOTEXT
419          'SATURDAY_CHCNT' 'Saturday', "#EC NOTEXT
420          'SUNDAY_CHCNT' 'Sunday'. "#EC NOTEXT
421      overrule_fieldcat_outputlen:
422          'HOD' 12, "#EC NOTEXT
423          'MONDAY_CHCNT' 12, "#EC NOTEXT
424          'TUESDAY_CHCNT' 12, "#EC NOTEXT
425          'WEDNESDAY_CHCNT' 12, "#EC NOTEXT
426          'THURSDAY_CHCNT' 12, "#EC NOTEXT
427          'FRIDAY_CHCNT' 12, "#EC NOTEXT
428          'SATURDAY_CHCNT' 12, "#EC NOTEXT
429          'SUNDAY_CHCNT' 12. "#EC NOTEXT
430      ENDCASE.
431      CLEAR: gs_exit_caused_by_user.
432      g_level = 3.
433      CLEAR lt_fcat[].
434      LOOP AT lt_fieldcat INTO ls_fieldcat WHERE no_out <> 'X'.
435          MOVE-CORRESPONDING ls_fieldcat TO ls_fcat.
436          ls_fcat-no_out = ''.
437          ls_fcat-seltext = ls_fieldcat-seltext_l.
438          ls_fcat-coltext = ls_fieldcat-seltext_l.
439
440          APPEND ls_fcat TO lt_fcat.
441
442      ENDLOOP.
443
444      lv_layout-grid_title = l_title_table.
445
446      IF gt_tabstat_pivot[] IS NOT INITIAL.
447
448          LOOP AT gt_tabstat_pivot INTO ls_tabstat_temp.
449              l_index = sy-tabix.
450              MOVE-CORRESPONDING ls_tabstat_temp TO ls_tabstat_pivot_color.
451
452              PERFORM fill_table_cell_color_reads USING ls_tabstat_pivot_color
-monday_accnt
453              'MONDAY_ACCNT' CHANGING ls_cellcolor.
454              APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
455
456              PERFORM fill_table_cell_color_writes USING ls_tabstat_pivot_color
r-monday_chcnt
457              'MONDAY_CHCNT' CHANGING ls_cellcolor.
458              APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
459
460              PERFORM fill_table_cell_color_reads USING ls_tabstat_pivot_color
-tuesday_accnt
461              'TUESDAY_ACCNT' CHANGING ls_cellcolor.
462              APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
463
464              PERFORM fill_table_cell_color_writes USING ls_tabstat_pivot_color
r-tuesday_chcnt
465              'TUESDAY_CHCNT' CHANGING ls_cellcolor.
466              APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.

```

```
467
468     PERFORM fill_table_cell_color_reads USING ls_tabstat_pivot_color
-wednesday_accnt
469     'WEDNESDAY_ACCNT' CHANGING ls_cellcolor.
470     APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
471
472     PERFORM fill_table_cell_color_writes USING ls_tabstat_pivot_color
r-wednesday_chcnt
473     'WEDNESDAY_CHCNT' CHANGING ls_cellcolor.
474     APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
475
476     PERFORM fill_table_cell_color_reads USING ls_tabstat_pivot_color
-thursday_accnt
477     'THURSDAY_ACCNT' CHANGING ls_cellcolor.
478     APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
479
480     PERFORM fill_table_cell_color_writes USING ls_tabstat_pivot_color
r-thursday_chcnt
481     'THURSDAY_CHCNT' CHANGING ls_cellcolor.
482     APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
483
484     PERFORM fill_table_cell_color_reads USING ls_tabstat_pivot_color
-friday_accnt
485     'FRIDAY_ACCNT' CHANGING ls_cellcolor.
486     APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
487
488     PERFORM fill_table_cell_color_writes USING ls_tabstat_pivot_color
r-friday_chcnt
489     'FRIDAY_CHCNT' CHANGING ls_cellcolor.
490     APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
491
492     PERFORM fill_table_cell_color_reads USING ls_tabstat_pivot_color
-saturday_accnt
493     'SATURDAY_ACCNT' CHANGING ls_cellcolor.
494     APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
495
496     PERFORM fill_table_cell_color_writes USING ls_tabstat_pivot_color
r-saturday_chcnt
497     'SATURDAY_CHCNT' CHANGING ls_cellcolor.
498     APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
499
500     PERFORM fill_table_cell_color_reads USING ls_tabstat_pivot_color
-sunday_accnt
501     'SUNDAY_ACCNT' CHANGING ls_cellcolor.
502     APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
503
504     PERFORM fill_table_cell_color_writes USING ls_tabstat_pivot_color
r-sunday_chcnt
505     'SUNDAY_CHCNT' CHANGING ls_cellcolor.
506     APPEND ls_cellcolor TO ls_tabstat_pivot_color-cell_color.
507
508     MODIFY lt_tabstat_pivot_color INDEX l_index FROM ls_tabstat_pivo
t_color.
509
510     APPEND ls_tabstat_pivot_color TO lt_tabstat_pivot_color.
511     CLEAR : ls_cellcolor , ls_tabstat_pivot_color.
512     ENDLOOP.
513
514     IF mycontainer7 IS INITIAL.
515         CREATE OBJECT mycontainer7
516         EXPORTING
```



```

517         container_name = 'ALV_SUB_CC_3'.
518     CREATE OBJECT grid7
519     EXPORTING
520         i_parent = mycontainer7.
521     *         lv_layout-ctab_fname = 'CELL_COLOR'.
522     *         lv_layout-cwidth_opt = 'X'.
523     *         lv_layout-zebra = 'X'.
524     ELSE.
525         CALL METHOD cl_gui_cfw=>flush.
526     *         CALL METHOD grid7->refresh_table_display.
527     ENDIF.
528
529     lv_layout-cwidth_opt = 'X'.
530     lv_layout-ctab_fname = 'CELL_COLOR'.
531     lv_layout-zebra = 'X'.
532
533     DATA:ls_variant TYPE disvariant.      "Fork 03.08.2023
534     ls_variant-report = sy-repid.          "Fork 03.08.2023
535     ls_variant-handle = 'ALV7'.            "Fork 03.08.2023
536
537     CALL METHOD grid7->set_table_for_first_display
538     EXPORTING
539         is_layout                        = lv_layout
540         i_save                          = 'U' "The user may save all typ
es of a layout / Fork 03.08.2023
541         is_variant                      = ls_variant "Fork / 03.08.2023
542     CHANGING
543     *         it_outtab                  = gt_tabstat_pivot[]
544         it_outtab                      = lt_tabstat_pivot_color[]
545         it_fieldcatalog                 = lt_fcat[]
546     EXCEPTIONS
547         invalid_parameter_combination = 1
548         program_error                 = 2
549         too_many_lines                 = 3
550     OTHERS                             = 4.
551     PERFORM register_event_handlers.
552     SET TITLEBAR 'OI_CHECK_LEVEL_3_DETAILS'.      "#EC *
553     CALL SCREEN 0600.
554
555     ENDIF.
556     ENDFORM.          "tabstat_pivot
557
558
559 *&-----*
560 *&      Form  fill_table_cell_color_reads
561 *&-----*
562 *      text
563 *-----*
564 *      —>P_CELL_VAL      text
565 *      —>P_FIELD_NAME   text
566 *      —>PS_CELLCOLOR   text
567 *-----*
568     FORM fill_table_cell_color_reads USING  p_cell_val TYPE dec12
569         p_field_name TYPE char30
570     CHANGING ps_cellcolor TYPE lvc_s_scol.
571
572     DATA :
573         lv_tabreads_y      TYPE i,
574         lv_tabreads_r      TYPE i,
575         ls_cellcolor TYPE lvc_s_scol,
576         lt_tr_conf  TYPE TABLE OF /sdf/cmo_tr_conf,

```



```

577         ls_tr_conf  LIKE LINE OF lt_tr_conf.
578
579     CLEAR : ls_cellcolor ,lt_tr_conf[],ls_tr_conf.
580
581 *Set default
582     lv_tabreads_y = 10000.
583     lv_tabreads_r = 100000.
584
585 *   Read threshold values from /sdf/cmo_tr_conf
586 SELECT * FROM /sdf/cmo_tr_conf INTO TABLE lt_tr_conf. "#EC CI_NOWHER
E
587     READ TABLE lt_tr_conf WITH KEY config_param = 'TABREADS_Y'
588     INTO ls_tr_conf.
589     IF sy-subrc = 0.
590         lv_tabreads_y = ls_tr_conf-param_value_i.
591     ENDIF.
592     READ TABLE lt_tr_conf WITH KEY config_param = 'TABREADS_R'
593     INTO ls_tr_conf.
594     IF sy-subrc = 0.
595         lv_tabreads_r = ls_tr_conf-param_value_i.
596     ENDIF.
597
598     CLEAR ls_cellcolor.
599
600     IF p_cell_val <  lv_tabreads_y .
601         "Green
602         ls_cellcolor-fname = p_field_name.
603         ls_cellcolor-color-col = '5'.
604         ls_cellcolor-color-int = '1'.
605         ls_cellcolor-color-inv = '1'.
606     ELSEIF p_cell_val >=  lv_tabreads_y   AND p_cell_val < lv_tabreads_r
607         "Yellow
608         ls_cellcolor-fname = p_field_name.
609         ls_cellcolor-color-col = '3'.
610         ls_cellcolor-color-int = '1'.
611         ls_cellcolor-color-inv = '1'.
612     ELSE.
613         "Red
614         ls_cellcolor-fname = p_field_name.
615         ls_cellcolor-color-col = '6'.
616         ls_cellcolor-color-int = '1'.
617         ls_cellcolor-color-inv = '1'.
618     ENDIF.
619
620     ps_cellcolor = ls_cellcolor.
621
622     ENDFORM.                                "fill_table_cell_color_reads
623
624 *&-----*
625 *&      Form  fill_table_cell_color_writes
626 *&-----*
627 *      text
628 *-----*
629 *      -->P_CELL_VAL      text
630 *      -->P_FIELD_NAME   text
631 *      -->PS_CELLCOLOR   text
632 *-----*
633     FORM fill_table_cell_color_writes USING  p_cell_val TYPE dec12
634         p_field_name TYPE char30
635     CHANGING ps_cellcolor TYPE lvc_s_scol.

```

```

636
637 DATA : ls_cellcolor TYPE lvc_s_scol,
638         lv_tabwrite_y   TYPE i,
639         lv_tabwrite_r   TYPE i,
640         lt_tr_conf TYPE TABLE OF /sdf/cmo_tr_conf,
641         ls_tr_conf LIKE LINE OF lt_tr_conf.
642
643 CLEAR : ls_cellcolor ,lt_tr_conf[],ls_tr_conf.
644
645 lv_tabwrite_y = 500.
646 lv_tabwrite_r = 5000.
647
648 * * Read threshold values from /sdf/cmo_tr_conf
649 SELECT * FROM /sdf/cmo_tr_conf INTO TABLE lt_tr_conf. "#EC CI_NOWHER
E
650
651 READ TABLE lt_tr_conf WITH KEY config_param = 'TABWRITE_Y'
652 INTO ls_tr_conf.
653 IF sy-subrc = 0.
654     lv_tabwrite_y = ls_tr_conf-param_value_i.
655 ENDIF.
656 READ TABLE lt_tr_conf WITH KEY config_param = 'TABWRITE_R'
657 INTO ls_tr_conf.
658 IF sy-subrc = 0.
659     lv_tabwrite_r = ls_tr_conf-param_value_i.
660 ENDIF.
661
662 IF p_cell_val < lv_tabwrite_y .
663     "Green
664     ls_cellcolor-fname = p_field_name.
665     ls_cellcolor-color-col = '5'.
666     ls_cellcolor-color-int = '1'.
667     ls_cellcolor-color-inv = '1'.
668 ELSEIF p_cell_val >= lv_tabwrite_y AND p_cell_val < lv_tabwrite_r.
669     "Yellow
670     ls_cellcolor-fname = p_field_name.
671     ls_cellcolor-color-col = '3'.
672     ls_cellcolor-color-int = '1'.
673     ls_cellcolor-color-inv = '1'.
674 ELSE.
675     "Red
676     ls_cellcolor-fname = p_field_name.
677     ls_cellcolor-color-col = '6'.
678     ls_cellcolor-color-int = '1'.
679     ls_cellcolor-color-inv = '1'.
680 ENDIF.
681
682 ps_cellcolor = ls_cellcolor.
683
684 ENDFORM.                                "fill_table_cell_color_writes
685
686 *&-----*
687 *& Form fill_table_cell_color_Reports *
688 *&-----*
689 * text *
690 *-----*
691 * -->P_CELL_VAL text *
692 * -->P_FIELD_NAME text *
693 * -->PS_CELLCOLOR text *
694 *-----*
695 FORM fill_table_cell_color_reports USING p_cell_val TYPE dec20

```

```
696     p_field_name TYPE char30
697 CHANGING ps_cellcolor TYPE lvc_s_scol.
698
699 DATA :
700     ls_cellcolor      TYPE lvc_s_scol,
701     lv_repexe_y       TYPE i,
702     lv_repexe_r       TYPE i,
703     lv_fname          TYPE c LENGTH 30,
704     lt_tr_conf        TYPE TABLE OF /sdf/cmo_tr_conf,
705     ls_tr_conf        LIKE LINE OF lt_tr_conf.
706
707 CLEAR : ls_cellcolor , lt_tr_conf[], ls_tr_conf.
708
709 IF p_field_name CS 'DD'.
710     lv_repexe_y = 1000000.
711     lv_repexe_r = 10000000.
712     READ TABLE lt_tr_conf WITH KEY config_param = 'REPEXE_Y'
713     INTO ls_tr_conf.
714     IF sy-subrc = 0. lv_repexe_y = ls_tr_conf-param_value_i. ENDIF.
715     READ TABLE lt_tr_conf WITH KEY config_param = 'REPEXE_R'
716     INTO ls_tr_conf.
717     IF sy-subrc = 0. lv_repexe_r = ls_tr_conf-param_value_i. ENDIF.
718 ELSE.
719     lv_repexe_y = 5000000.
720     lv_repexe_r = 50000000.
721     READ TABLE lt_tr_conf WITH KEY config_param = 'REPEXEDD_Y'
722     INTO ls_tr_conf.
723     IF sy-subrc = 0. lv_repexe_y = ls_tr_conf-param_value_i. ENDIF.
724     READ TABLE lt_tr_conf WITH KEY config_param = 'REPEXEDD_R'
725     INTO ls_tr_conf.
726     IF sy-subrc = 0. lv_repexe_r = ls_tr_conf-param_value_i. ENDIF.
727 ENDIF.
728
729 IF p_cell_val < lv_repexe_y .
730     "Green
731     ls_cellcolor-fname = p_field_name.
732     ls_cellcolor-color-col = '5'.
733     ls_cellcolor-color-int = '1'.
734     ls_cellcolor-color-inv = '1'.
735 ELSEIF p_cell_val >= lv_repexe_y AND p_cell_val < lv_repexe_r.
736     "Yellow
737     ls_cellcolor-fname = p_field_name.
738     ls_cellcolor-color-col = '3'.
739     ls_cellcolor-color-int = '1'.
740     ls_cellcolor-color-inv = '1'.
741 ELSE.
742     "Red
743     ls_cellcolor-fname = p_field_name.
744     ls_cellcolor-color-col = '6'.
745     ls_cellcolor-color-int = '1'.
746     ls_cellcolor-color-inv = '1'.
747 ENDIF.
748
749 IF ls_cellcolor-fname CS 'DD'.
750     WRITE ls_cellcolor-fname TO lv_fname RIGHT-JUSTIFIED.
751     SHIFT lv_fname BY 3 PLACES RIGHT.
752     CONDENSE lv_fname.
753     ls_cellcolor-fname = lv_fname.
754 ENDIF.
755
756 ps_cellcolor = ls_cellcolor.
```

757

758 ENDFORM.

"fill_table_cell_color_Reports

```

1  * _____*
2  ***INCLUDE /SDF/_TR_CHECK_GET_SID_RFCF01 .
3  * _____*
4  *& _____*
5  *&      Form  get_rfc
6  *& _____*
7  *      text
8  * _____*
9  *      —>P_P_TARGET  text
10 *      <—P_LV_RFC  text
11 * _____*
12 FORM get_rfc  USING      p_p_target TYPE tr_target
13                      CHANGING p_lv_rfc TYPE rfcddest.
14   DATA: lv_rfcstring TYPE rfcddest,
15          lv_sysid TYPE tmssysnam.
16
17   data : lv_ping_status type /SDF/E2E_TRAFFIC_LIGHT_NUMERIC,
18          lv_logon_status type /SDF/E2E_TRAFFIC_LIGHT_NUMERIC.
19
20   IF p_p_target(1) = '/'.
21     MESSAGE i333(s1) WITH 'Transport groups are not allowed'
22                          'in this check.'.          "#EC NOTEXT
23   EXIT.
24   ENDIF.
25
26   IF p_p_target+3(1) = '.'.
27     lv_sysid = p_p_target(3).
28   ELSE.
29     lv_sysid = p_p_target.
30   ENDIF.
31
32 * Try to get RFCDEST from table /SDF/CMO_TARGET
33 SELECT SINGLE rfcddest FROM /sdf/cmo_target
34   INTO p_lv_rfc
35   WHERE tr_target = p_p_target.
36
37 * If no RFC destination is maintained, use TMSSUP connection
38 IF sy-subrc NE 0 or p_lv_rfc EQ space.
39   CONCATENATE 'TMSSUP@' lv_sysid '.*' INTO lv_rfcstring.
40 *The subroutine get_rfc is not used anywhere and hence
41 *no correction needed to avoid RFCDES table call
42 *Else API call would have been called here to extract RFC using
43 *LIKE operator
44
45 *   SELECT SINGLE rfcddest FROM rfcdes
46 *   INTO p_lv_rfc
47 *   WHERE rfcddest LIKE lv_rfcstring.  "#EC CI_GENBUFF
48   ENDIF.
49
50 *Check if TMSSUP*** RFC is working
51 *IF ping_status = 1 , Its success and RFC WORKS
52   CALL FUNCTION '/SDF/RFC_CHECK'
53     EXPORTING
54       IV_DESTINATION      = p_lv_rfc
55       IV_PING              = 'X'
56       IV_LOGON             = 'X'
57       IV_LATENCY           = 'X'
58   IMPORTING
59 *   EV_DESTINATION        =
60   EV_PING_STATUS          = lv_ping_status
61 *   EV_PING_MESSAGE       =

```

```
62      EV_LOGON_STATUS          = lv_logon_status
63  *      EV_LOGON_MESSAGE      =
64  *      EV_LATENCY_IN_MS      =
65  *      EV_LATENCY_MESSAGE    =
66      .
67
68  *If ping was not success show error
69  if lv_ping_status <> 1.
70  *
71      MESSAGE E333(S1) with
72      '(PING)Not able to reach the RFC destination'.  "#EC NOTEXT
73      EXIT.
74
75  *If logon data not available in RFC , Show Logon screen and handle
76  *RFC problems if any
77  elseif lv_logon_status = 3.
78
79  CALL FUNCTION 'SVRS_GET_VERSION_FUNC_40' DESTINATION lv_rfc
80      EXPORTING
81          object_name      = '/SDF/TEAP_ENVI_ANA'
82          versno           = '00000'
83  *      TABLES
84  *          fupar_tab      = lt_fupar_ref
85  *          uincl_tab      = lt_uincl_ref "+PB23082013 codcmp
86      EXCEPTIONS
87          communication_failure = 1  MESSAGE sy-lisel
88          system_failure       = 2  MESSAGE sy-lisel
89          no_version           = 3
90          OTHERS               = 4.
91
92  IF sy-subrc BETWEEN 1 AND 2.
93      MESSAGE E333(S1) with
94      'Execution cancelled by user during RFC Logon'.  "#EC NOTEXT
95      EXIT.
96
97  endif.
98  ENDIF.
99
100  ENDFORM.          " get_sid_rfc
```

Title:
Check Transport Request

Text elements:

001 Transport Details
002 Transport Requests
003 System Information
004 Create ToC
005 Show ToCs
006 Cross Reference
007 Sequence Check
008 Software Component
009 Manage Transport of Copies
010 Transport Checks
011 BW Cross Reference
012 Transports Selection
013 Import Queue from Target System/Client
014 Usage Statistics
015 Collect statistics for online import check in target system
016 RFC Error
017 Warning
018 The usage statistics must be activated in the target (production) system.
019 Other reason
020 History
021 Save Check Results
022 Select the check box to save the results
023 Please select a check to be performed
024 Import Queue from System/Client
026 Save Results
027 Description
028 Missing Authorizations

Selection texts:

P_CLIENT
/
P_CRSREF
Cross Reference
P_DGP
Sequence Check
P_IMPTIM
Import Time in Source System
P_OICHCK
Online Import Criticality
P_ORI_TR
Transport Request
P_SOURCE
RFC to Source System
P_SWCOMP
Cross Release
P_SYSTEM
P_TARGET
RFC to Target System

PAI modules:

		Line	Page
USER_COMMAND_0500.....	/SDF/CMO_TR_CHECK_FORMS	3242	77
USER_COMMAND_0600.....	/SDF/CMO_TR_CHECK_FORMS	3266	77
USER_COMMAND_1002.....	/SDF/CMO_TR_CHECK	711	14

PBO modules:

		Line	Page
0500_SCREEN_TITLE.....	/SDF/CMO_TR_CHECK	693	13
0600_SCREEN_TITLE.....	/SDF/CMO_TR_CHECK	701	14
CREATE_ICON_TAB.....	/SDF/CMO_TR_CHECK	880	16
SHOW_TABS.....	/SDF/CMO_TR_CHECK	847	16
STATUS_1002.....	/SDF/CMO_TR_CHECK	675	13

Subroutines:

		Line	Page
ADD_CRITICALITY.....	/SDF/CMO_TR_CHECK_FORMS	581	30
	/SDF/CMO_TR_CHECK_INC1	11	81
AUTHORITY_CHECK.....	/SDF/CMO_TR_CHECK	230	5
	/SDF/CMO_TR_CHECK_FORMS	3293	78
BW_CROSSREF.....	/SDF/CMO_TR_CHECK_FORMS	1356	44
CHECK_AUTHORIZATION.....	/SDF/CMO_TR_CHECK	465	9
	/SDF/CMO_TR_CHECK	467	9
	/SDF/CMO_TR_CHECK	484	10
	/SDF/CMO_TR_CHECK	486	10
	/SDF/CMO_TR_CHECK	500	10
	/SDF/CMO_TR_CHECK	502	10
	/SDF/CMO_TR_CHECK	516	10
	/SDF/CMO_TR_CHECK	531	11
	/SDF/CMO_TR_CHECK	533	11
	/SDF/CMO_TR_CHECK	767	15
CHECK_SYSTEM_INFORMATION.....	/SDF/CMO_TR_CHECK	437	9
	/SDF/CMO_TR_CHECK_FORMS	926	36
CROSSREF.....	/SDF/CMO_TR_CHECK	469	9
	/SDF/CMO_TR_CHECK_FORMS	1109	39
FILL_TABLE_CELL_COLOR_READS...	/SDF/CMO_TR_CHECK_INC2	452	90
	/SDF/CMO_TR_CHECK_INC2	460	90
	/SDF/CMO_TR_CHECK_INC2	468	91
	/SDF/CMO_TR_CHECK_INC2	476	91
	/SDF/CMO_TR_CHECK_INC2	484	91
	/SDF/CMO_TR_CHECK_INC2	492	91
	/SDF/CMO_TR_CHECK_INC2	500	91
	/SDF/CMO_TR_CHECK_INC2	568	92
FILL_TABLE_CELL_COLOR_REPORTS.	/SDF/CMO_TR_CHECK_INC2	158	85
	/SDF/CMO_TR_CHECK_INC2	162	85
	/SDF/CMO_TR_CHECK_INC2	166	85
	/SDF/CMO_TR_CHECK_INC2	170	85
	/SDF/CMO_TR_CHECK_INC2	174	85
	/SDF/CMO_TR_CHECK_INC2	178	86
	/SDF/CMO_TR_CHECK_INC2	182	86
	/SDF/CMO_TR_CHECK_INC2	695	94
FILL_TABLE_CELL_COLOR_WRITES..	/SDF/CMO_TR_CHECK_INC2	456	90
	/SDF/CMO_TR_CHECK_INC2	464	90
	/SDF/CMO_TR_CHECK_INC2	472	91
	/SDF/CMO_TR_CHECK_INC2	480	91
	/SDF/CMO_TR_CHECK_INC2	488	91
	/SDF/CMO_TR_CHECK_INC2	496	91
	/SDF/CMO_TR_CHECK_INC2	504	91
	/SDF/CMO_TR_CHECK_INC2	633	93

FREE_CTRLIS.....	/SDF/CMO_TR_CHECK_FORMS	1305	43
	/SDF/CMO_TR_CHECK_FORMS	1598	48
	/SDF/CMO_TR_CHECK_FORMS	1851	52
	/SDF/CMO_TR_CHECK_FORMS	2087	57
	/SDF/CMO_TR_CHECK_FORMS	2300	60
	/SDF/CMO_TR_CHECK_FORMS	2402	62
GET_FIELDCAT.....	/SDF/CMO_TR_CHECK_FORMS	601	31
	/SDF/CMO_TR_CHECK_FORMS	1227	42
	/SDF/CMO_TR_CHECK_FORMS	1519	47
	/SDF/CMO_TR_CHECK_FORMS	1780	51
	/SDF/CMO_TR_CHECK_FORMS	2014	55
	/SDF/CMO_TR_CHECK_FORMS	2209	59
	/SDF/CMO_TR_CHECK_FORMS	2420	63
	/SDF/CMO_TR_CHECK_INC2	122	85
	/SDF/CMO_TR_CHECK_INC2	352	88
GET_RFC.....	/SDF/_TR_CHECK_GET_SID_RFCF01	12	97
GET_TRANSPORT_DETAILS.....	/SDF/CMO_TR_CHECK	455	9
	/SDF/CMO_TR_CHECK_FORMS	1076	39
ICON_CREATE.....	/SDF/CMO_TR_CHECK	867	16
	/SDF/CMO_TR_CHECK	911	17
	/SDF/CMO_TR_CHECK	934	17
	/SDF/CMO_TR_CHECK	958	18
	/SDF/CMO_TR_CHECK	976	18
	/SDF/CMO_TR_CHECK	1008	19
	/SDF/CMO_TR_CHECK	450	9
IMPORTQUE.....	/SDF/CMO_TR_CHECK_FORMS	1024	38
IMPORT_TIME.....	/SDF/CMO_TR_CHECK	520	10
	/SDF/CMO_TR_CHECK_FORMS	1905	53
OI_CHECK.....	/SDF/CMO_TR_CHECK	535	11
	/SDF/CMO_TR_CHECK_FORMS	2140	58
REGISTER_EVENT_HANDLERS.....	/SDF/CMO_TR_CHECK	373	8
	/SDF/CMO_TR_CHECK_FORMS	675	32
	/SDF/CMO_TR_CHECK_FORMS	1295	43
	/SDF/CMO_TR_CHECK_FORMS	1590	48
	/SDF/CMO_TR_CHECK_FORMS	1844	52
	/SDF/CMO_TR_CHECK_FORMS	2075	56
	/SDF/CMO_TR_CHECK_FORMS	2291	60
	/SDF/CMO_TR_CHECK_INC2	232	87
	/SDF/CMO_TR_CHECK_INC2	551	92
	/SDF/CMO_TR_CHECK_FORMS	837	35
	/SDF/CMO_TR_CHECK_INC2	12	83
	/SDF/CMO_TR_CHECK	641	12
SAVE_WORK.....	/SDF/CMO_TR_CHECK_FORMS	3313	78
SCREEN_TEXT_SET.....	/SDF/CMO_TR_CHECK	474	10
	/SDF/CMO_TR_CHECK	492	10
	/SDF/CMO_TR_CHECK	508	10
	/SDF/CMO_TR_CHECK	523	10
	/SDF/CMO_TR_CHECK	538	11
	/SDF/CMO_TR_CHECK	746	14
	/SDF/CMO_TR_CHECK_FORMS	1152	40
	/SDF/CMO_TR_CHECK_FORMS	1156	40
	/SDF/CMO_TR_CHECK_FORMS	1160	40
	/SDF/CMO_TR_CHECK_FORMS	1164	40
	/SDF/CMO_TR_CHECK_FORMS	1168	40
	/SDF/CMO_TR_CHECK_FORMS	1172	40
	/SDF/CMO_TR_CHECK_FORMS	1176	41
	/SDF/CMO_TR_CHECK_FORMS	1300	43
	/SDF/CMO_TR_CHECK_FORMS	1308	43
	/SDF/CMO_TR_CHECK_FORMS	1314	43
	/SDF/CMO_TR_CHECK_FORMS	1444	45
	/SDF/CMO_TR_CHECK_FORMS	1448	45

	/SDF/CMO_TR_CHECK_FORMS	1594	48
	/SDF/CMO_TR_CHECK_FORMS	1607	48
	/SDF/CMO_TR_CHECK_FORMS	1737	50
	/SDF/CMO_TR_CHECK_FORMS	1846	52
	/SDF/CMO_TR_CHECK_FORMS	1860	53
	/SDF/CMO_TR_CHECK_FORMS	2001	55
	/SDF/CMO_TR_CHECK_FORMS	2008	55
	/SDF/CMO_TR_CHECK_FORMS	2078	56
	/SDF/CMO_TR_CHECK_FORMS	2096	57
	/SDF/CMO_TR_CHECK_FORMS	2173	58
	/SDF/CMO_TR_CHECK_FORMS	2295	60
	/SDF/CMO_TR_CHECK_FORMS	2309	61
SEQUENCE.....	/SDF/CMO_TR_CHECK	489	10
	/SDF/CMO_TR_CHECK_FORMS	1364	44
SHOW_DATA.....	/SDF/CMO_TR_CHECK_FORMS	445	28
	/SDF/CMO_TR_CHECK_FORMS	478	28
	/SDF/CMO_TR_CHECK_FORMS	501	29
	/SDF/CMO_TR_CHECK_FORMS	519	29
	/SDF/CMO_TR_CHECK_FORMS	857	35
SW_COMP.....	/SDF/CMO_TR_CHECK	505	10
	/SDF/CMO_TR_CHECK_FORMS	1652	49
TABSTAT_PIVOT.....	/SDF/CMO_TR_CHECK_FORMS	744	33
	/SDF/CMO_TR_CHECK_INC2	239	87

Screens:

		Line	Page
0500.....	/SDF/CMO_TR_CHECK_FORMS	677	32
0600.....	/SDF/CMO_TR_CHECK_INC2	234	87
	/SDF/CMO_TR_CHECK_INC2	553	92
1002.....	/SDF/CMO_TR_CHECK	662	13

Status:

		Line	Page
STATUS_9001.....	/SDF/CMO_TR_CHECK	684	13

Messages:

		Line	Page
/SDF/CMO_SYS100.....	/SDF/CMO_TR_CHECK_FORMS	332	26
/SDF/CMO_SYS101.....	/SDF/CMO_TR_CHECK_FORMS	277	24
/SDF/CMO_SYS102.....	/SDF/CMO_TR_CHECK_FORMS	284	24
/SDF/CMO_SYS103.....	/SDF/CMO_TR_CHECK_FORMS	291	25
/SDF/CMO_SYS106.....	/SDF/CMO_TR_CHECK_FORMS	302	25
/SDF/CMO_SYS107.....	/SDF/CMO_TR_CHECK_FORMS	308	25
/SDF/CMO_SYS108.....	/SDF/CMO_TR_CHECK_FORMS	313	25
/SDF/CMO_SYS109.....	/SDF/CMO_TR_CHECK_FORMS	318	25
/SDF/CMO_SYS110.....	/SDF/CMO_TR_CHECK_FORMS	325	25
?.....	/SDF/CMO_TR_CHECK_FORMS	3297	78
S1333.....	/SDF/CMO_TR_CHECK	432	9
	/SDF/CMO_TR_CHECK	445	9
	/SDF/CMO_TR_CHECK_FORMS	947	37
	/SDF/CMO_TR_CHECK_FORMS	958	37
	/SDF/CMO_TR_CHECK_FORMS	992	37
	/SDF/CMO_TR_CHECK_FORMS	1003	38
	/SDF/CMO_TR_CHECK_FORMS	1153	40
	/SDF/CMO_TR_CHECK_FORMS	1157	40
	/SDF/CMO_TR_CHECK_FORMS	1161	40

/SDF/CMO_TR_CHECK_FORMS	1165	40
/SDF/CMO_TR_CHECK_FORMS	1169	40
/SDF/CMO_TR_CHECK_FORMS	1173	40
/SDF/CMO_TR_CHECK_FORMS	1177	41
/SDF/CMO_TR_CHECK_FORMS	1456	45
/SDF/CMO_TR_CHECK_FORMS	1458	46
/SDF/CMO_TR_CHECK_FORMS	1460	46
/SDF/CMO_TR_CHECK_FORMS	1462	46
/SDF/CMO_TR_CHECK_FORMS	1464	46
/SDF/CMO_TR_CHECK_FORMS	1466	46
/SDF/CMO_TR_CHECK_FORMS	1744	51
/SDF/CMO_TR_CHECK_FORMS	1746	51
/SDF/CMO_TR_CHECK_FORMS	1748	51
/SDF/CMO_TR_CHECK_FORMS	1750	51
/SDF/CMO_TR_CHECK_FORMS	1961	54
/SDF/CMO_TR_CHECK_FORMS	1963	54
/SDF/CMO_TR_CHECK_FORMS	2003	55
/SDF/CMO_TR_CHECK_FORMS	2009	55
/SDF/CMO_TR_CHECK_FORMS	2180	58
/SDF/CMO_TR_CHECK_FORMS	2182	58
/SDF/CMO_TR_CHECK_FORMS	2184	58
/SDF/CMO_TR_CHECK_FORMS	2186	58
/SDF/CMO_TR_CHECK_FORMS	2188	58
/SDF/CMO_TR_CHECK_FORMS	3328	78
/SDF/CMO_TR_CHECK_FORMS	3335	79
/SDF/CMO_TR_CHECK_FORMS	3343	79
/SDF/CMO_TR_CHECK_FORMS	3350	79
/SDF/CMO_TR_CHECK_FORMS	3357	79
/SDF/CMO_TR_CHECK_FORMS	3365	79
/SDF/CMO_TR_CHECK_FORMS	3372	79
/SDF/CMO_TR_CHECK_FORMS	3379	79
/SDF/_TR_CHECK_GET_SID_RFCF01	21	97
/SDF/_TR_CHECK_GET_SID_RFCF01	71	98
/SDF/_TR_CHECK_GET_SID_RFCF01	93	98

External calls

Function Modules	Line	Page
/SDF/CMO_GET_TRANSPORT_TEXTS..	/SDF/CMO_TR_CHECK_FORMS	1092 39
/SDF/OCS_GET_INFO.....	/SDF/CMO_TR_CHECK_FORMS	953 37
	/SDF/CMO_TR_CHECK_FORMS	998 37
/SDF/OI_CHECK.....	/SDF/CMO_TR_CHECK_FORMS	2155 58
/SDF/OI_READ_REPSTAT.....	/SDF/CMO_TR_CHECK_FORMS	826 35
/SDF/OI_READ_TABSTAT.....	/SDF/CMO_TR_CHECK_FORMS	733 33
/SDF/RFC_CHECK.....	/SDF/_TR_CHECK_GET_SID_RFCF01	52 97
/SDF/TEAP_CROSS_RELEASE_CHECK.	/SDF/CMO_TR_CHECK_FORMS	1716 50
/SDF/TEAP_ENVI_ANA.....	/SDF/CMO_TR_CHECK_FORMS	1125 40
/SDF/TEAP_IMPORT_TIME.....	/SDF/CMO_TR_CHECK_FORMS	1940 54
/SDF/TEAP_READ_TRANSPORT_QUEUE	/SDF/CMO_TR_CHECK_FORMS	1036 38
/SDF/TEAP_SCV_CHECK.....	/SDF/CMO_TR_CHECK_FORMS	1691 50
/SDF/TEAP_SHOW_OBJECT_VERSIONS	/SDF/CMO_TR_CHECK_FORMS	423 27
?.....	/SDF/CMO_TR_CHECK_FORMS	1411 45
AUTHORITY_CHECK.....	/SDF/CMO_TR_CHECK	770 15
DD_DOMVALUES_GET.....	/SDF/CMO_TR_CHECK_FORMS	1181 41
ICON_CREATE.....	/SDF/CMO_TR_CHECK	871 16
OXT_DISPLAY_REQUESTS.....	/SDF/CMO_TR_CHECK_FORMS	544 29
	/SDF/CMO_TR_CHECK_FORMS	710 33
	/SDF/CMO_TR_CHECK_FORMS	864 35
POPUP_TO_INFORM.....	/SDF/CMO_TR_CHECK	408 8
	/SDF/CMO_TR_CHECK_FORMS	902 36
	/SDF/CMO_TR_CHECK_FORMS	908 36
RFC_READ_R3_DESTINATION.....	/SDF/CMO_TR_CHECK_FORMS	934 36
	/SDF/CMO_TR_CHECK_FORMS	978 37
RFC_SYSTEM_INFO.....	/SDF/CMO_TR_CHECK_FORMS	351 26
	/SDF/CMO_TR_CHECK_FORMS	357 26
	/SDF/CMO_TR_CHECK_FORMS	964 37
	/SDF/CMO_TR_CHECK_FORMS	1009 38
RS_TOOL_ACCESS_REMOTE.....	/SDF/CMO_TR_CHECK_FORMS	885 36
SVRS_GET_VERSION_FUNC_40.....	/SDF/_TR_CHECK_GET_SID_RFCF01	79 98
TRINT_SPLIT_OBJECT.....	/SDF/CMO_TR_CHECK_FORMS	767 33
	/SDF/CMO_TR_CHECK_FORMS	803 34

Reports:

	Line	Page
/SDF/CMO_TR_CHECK_HISTORY.....	/SDF/CMO_TR_CHECK	418 9
/SDF/OI_ADMIN.....	/SDF/CMO_TR_CHECK	413 8

DATABASE OPERATIONS

SELECT:

		Line	Page
/SDF/CM0_TARGET.....	/SDF/_TR_CHECK_GET_SID_RFCF01	33	97
/SDF/CM0_TR_CONF.....	/SDF/CM0_TR_CHECK_FORMS	1398	44
	/SDF/CM0_TR_CHECK_FORMS	1687	50
	/SDF/CM0_TR_CHECK_INC1	47	81
	/SDF/CM0_TR_CHECK_INC2	586	93
	/SDF/CM0_TR_CHECK_INC2	649	94
/SDF/HIST_RUN_DB.....	/SDF/CM0_TR_CHECK	341	7
	/SDF/CM0_TR_CHECK	544	11
	/SDF/CM0_TR_CHECK_FORMS	1323	43
	/SDF/CM0_TR_CHECK_FORMS	1619	48
	/SDF/CM0_TR_CHECK_FORMS	1869	53
	/SDF/CM0_TR_CHECK_FORMS	2109	57
	/SDF/CM0_TR_CHECK_FORMS	2322	61

INTERNAL TABLE OPERATIONS

READ TABLE:

[illegible]

[illegible]

[illegible]

	PREPARE_FIELDCAT	0	
	PREPARE_FIELDCAT	0	
	PREPARE_FIELDCAT	0	
	PREPARE_FIELDCAT	0	
	PREPARE_FIELDCAT	0	
	PREPARE_FIELDCAT	0	
	PREPARE_FIELDCAT	0	
	PREPARE_FIELDCAT	0	
	PREPARE_FIELDCAT	0	
	PREPARE_FIELDCAT	0	
	PREPARE_FIELDCAT	0	
	PREPARE_FIELDCAT	0	
	PREPARE_FIELDCAT	0	
	PREPARE_FIELDCAT	0	
	PREPARE_FIELDCAT	0	
	PREPARE_FIELDCAT	0	
LT_RESULT2.....	/SDF/CMO_TR_CHECK_FORMS	587	30
	/SDF/CMO_TR_CHECK_FORMS	700	32
LT_RESULTS.....	/SDF/CMO_TR_CHECK_FORMS	684	32
LT_SCV_CRIT_OBJ.....	/SDF/CMO_TR_CHECK_FORMS	484	28
LT_TABSTAT_PIVOT_T.....	/SDF/CMO_TR_CHECK_INC2	314	88
LT_TRANSPORT_LIST_T.....	/SDF/CMO_TR_CHECK_FORMS	1206	41
	/SDF/CMO_TR_CHECK_FORMS	1476	46
	/SDF/CMO_TR_CHECK_FORMS	1767	51
	/SDF/CMO_TR_CHECK_FORMS	1988	55
	/SDF/CMO_TR_CHECK_FORMS	2197	59
LT_TRKEY.....	/SDF/CMO_TR_CHECK_FORMS	559	30
LT_TR_CONF.....	/SDF/CMO_TR_CHECK_INC1	48	81
	/SDF/CMO_TR_CHECK_INC1	51	81
	/SDF/CMO_TR_CHECK_INC1	54	81
	/SDF/CMO_TR_CHECK_INC1	57	81
	/SDF/CMO_TR_CHECK_INC1	60	81
	/SDF/CMO_TR_CHECK_INC1	63	82
	/SDF/CMO_TR_CHECK_INC1	66	82
	/SDF/CMO_TR_CHECK_INC1	69	82
	/SDF/CMO_TR_CHECK_INC1	72	82
	/SDF/CMO_TR_CHECK_INC1	75	82
	/SDF/CMO_TR_CHECK_INC2	587	93
	/SDF/CMO_TR_CHECK_INC2	592	93
	/SDF/CMO_TR_CHECK_INC2	651	94
	/SDF/CMO_TR_CHECK_INC2	656	94
	/SDF/CMO_TR_CHECK_INC2	712	95
	/SDF/CMO_TR_CHECK_INC2	715	95
	/SDF/CMO_TR_CHECK_INC2	721	95
	/SDF/CMO_TR_CHECK_INC2	724	95
TD_NAMES.....	/SDF/CMO_TR_CHECK_FORMS	2462	63
	/SDF/CMO_TR_CHECK_FORMS	2466	63
TD_TYPES.....	/SDF/CMO_TR_CHECK_FORMS	2451	63

MODIFY:

	Line	Page
GT_/SDF/DGP_RESL_DB.....	636	12
GT_/SDF/ENV_RESL_DB.....	634	12
GT_/SDF/HIST_REQ.....	637	12
GT_/SDF/IMP_RESL_DB.....	633	12
GT_/SDF/OI_RESL_DB.....	632	12
GT_/SDF/OI_RESULT_2.....	631	12
GT_/SDF/SCV_RESL_DB.....	635	12
LT_FCAT.....	1261	42
	1555	47

	/SDF/CM0_TR_CHECK_FORMS	1811	52
	/SDF/CM0_TR_CHECK_FORMS	2042	56
	/SDF/CM0_TR_CHECK_FORMS	2253	60
LT_REPSTAT_PIVOT_COLOR.....	/SDF/CM0_TR_CHECK_INC2	186	86
LT_TABSTAT_PIVOT_COLOR.....	/SDF/CM0_TR_CHECK_INC2	508	91

DELETE:

		Line	Page
GT_REPSTAT.....	/SDF/CM0_TR_CHECK_FORMS	836	35
GT_TABSTAT.....	/SDF/CM0_TR_CHECK_FORMS	743	33
LT_PROGNAME.....	/SDF/CM0_TR_CHECK_FORMS	823	35
LT_RESULT2.....	/SDF/CM0_TR_CHECK_FORMS	551	29
	/SDF/CM0_TR_CHECK_FORMS	589	30
LT_TABNAMES.....	/SDF/CM0_TR_CHECK_FORMS	729	33
