

Created on....19.07.2022 Last changed on/by..... 21.07.2026 ABAPUSER02
Author.....ABAPUSER02

Title.....GSTR1 Report

Type.....1 Reporting

Status.....

Application.....

Class.....

Logical database.....

 from application....

Selection screen.....

Authorization group...

Development class.....ZFI_OVL

 Start via variants

 Deactivate editor lock

X Fixed point arithmetic active

```
1  *&-----*
2  *& Report  ZFI_GSTR1_REP
3  *&
4  *&-----*
5  *&
6  *&
7  *&-----*
8  REPORT zfi_gstr1_report.
9
10 *INCLUDE ZFI_GSTR_DECL.
11 INCLUDE zfi_gstr1_top.
12
13 *INCLUDE ZFI_GST_SELECTION.
14 INCLUDE zfi_gstr1_ss.
15
16 *INCLUDE ZFI_GSTR_FETCH.
17 INCLUDE zfi_gstr1_sub.
18
19 "Boc by mohd mobassir on 17.07.2026
20
21
22 AT SELECTION-SCREEN OUTPUT.      "added by mohd mobassir 16.07.2026
23   SET PF-STATUS 'ZGSTR1_PF'.
24
25 AT SELECTION-SCREEN ON EXIT-COMMAND.
26
27   IF sy-ucomm = 'FCAB'.
28
29     AUTHORITY-CHECK OBJECT 'ZGSTR_EXEM'
30     ID 'ACTVT' FIELD '02'.
31
32     IF sy-subrc <> 0.
33       MESSAGE 'You are not authorized' TYPE 'I' DISPLAY LIKE 'E'.
34       LEAVE TO SCREEN sy-dynnr.
35     ELSE.
36       CALL TRANSACTION 'ZGSTR1_EXEMPT'.
37     ENDIF.
38     clear sy-ucomm.
39     leave to SCREEN sy-dynnr.
40
41 endif.
42
43 "Boc by mohd mobassir on 17.07.2026
44
45 START-OF-SELECTION.
46
47   PERFORM fetch_data.
48
49   IF it_final IS NOT INITIAL.
50     PERFORM display.
51   ELSE.
52     MESSAGE 'No data found for your selection' TYPE 'S' DISPLAY LIKE 'E'
53   .
54   LEAVE LIST-PROCESSING.
55   ENDIF.
```

```
1  *&-----*
2  *&  Include          ZFI_GSTR1_SS
3  *&-----*
4
5  SELECTION-SCREEN BEGIN OF BLOCK b1 WITH FRAME.
6
7  SELECT-OPTIONS: s_dt FOR bkpj-budat OBLIGATORY,
8                  s_cc FOR bkpj-bukrs NO-EXTENSION NO INTERVALS OBLIGATORY
9  .
10 PARAMETERS: r1 RADIOBUTTON GROUP g1 default 'X',
11              r2 RADIOBUTTON GROUP g1 .
12 SELECTION-SCREEN END OF BLOCK b1.
```

```

1  *&-----*
2  *& Include          ZFI_GSTR1_SUB
3  *&-----*
4  *&-----*
5  *&          Form  FETCH_DATA
6  *&-----*
7  *          text
8  *-----*
9  *  -->  p1          text
10 *  <--  p2          text
11 *-----*
12 FORM fetch_data .
13
14
15     CALL FUNCTION 'G_SET_GET_ALL_VALUES'      "" FM TO FETCH DATA FROM A SET
16     EXPORTING
17         client      = sy-mandt
18 *     FORMULA_RETRIEVAL      = ' '
19 *     LEVEL              = 0
20     setnr          = 'ZTAX_CODE'
21 *     VARIABLES_REPLACEMENT      = ' '
22     table          = 'BSET'
23     class          = '0000'
24 *     NO_DESCRIPTIONS        = 'X'
25 *     NO_RW_INFO           = 'X'
26 *     DATE_FROM            =
27 *     DATE_TO              =
28     fieldname      = 'MWSKZ'
29     TABLES
30         set_values    = t_set
31     EXCEPTIONS
32         set_not_found = 1
33         OTHERS        = 2.
34     IF sy-subrc <> 0.
35         MESSAGE 'Invalid set' TYPE 'E'.
36
37     ELSEIF sy-subrc EQ 0.
38         LOOP AT t_set INTO wa_set.          "STORING THE SET VALUE IN A INTERN
39     AL TABLE.
40         wa_set1-value = wa_set-from.
41
42         APPEND wa_set1 TO lt_set.
43
44         CLEAR :  wa_set, wa_set1.
45     ENDLOOP.
46     ENDIF.
47
48
49
50
51
52
53     SELECT
54         buksr,
55         belnr,
56         gjahr,
57         blart,
58         bldat,
59         budat,
60         xblnr,

```

```

61      stblg,
62      awtyp,
63      awkey,
64      xblnr_alt,
65      glvor "added by mohd mobassir
66      FROM bkpfb INTO TABLE @DATA(it_bkpfb)
67      WHERE buks IN @s_cc
68      AND budat IN @s_dt.
69
70 IF it_bkpfb IS NOT INITIAL.
71     SORT it_bkpfb BY buks belnr gjahr.
72
73     SELECT
74         buks,
75         belnr,
76         gjahr,
77         buzei,
78         mwsks,
79         hkont,
80         txgrp,
81         hwbas,
82         hwste,
83         kschl,
84         kbetr,
85         shkzg
86     FROM bset INTO TABLE @DATA(it_bset)
87     FOR ALL ENTRIES IN @it_bkpfb
88     WHERE buks IN @s_cc
89     AND belnr = @it_bkpfb-belnr
90     AND gjahr = @it_bkpfb-gjahr.
91
92 *****code added by sandeep r as on 08.01.2024 for creation of ta
x code*****
93
94
95     DATA : v TYPE i. "USED AS INDICATOR.
96
97     LOOP AT it_bset INTO DATA(ls_bset). " FIL;TER OUT THOSE DA
TA WHOSE TAX CODE IS NOT MAINTAIN IN ZTAX_CODE.
98         LOOP AT lt_set INTO DATA(wa_set2).
99             IF ls_bset-mwsks = wa_set2-value.
100                 v = 1.
101                 EXIT.
102             ELSE.
103                 v = 0.
104             ENDIF.
105         ENDLOOP.
106         CLEAR: wa_set2.
107         IF v = 0.
108             DELETE it_bset WHERE mwsks = ls_bset-mwsks.
109         ENDIF.
110         CLEAR : v, wa_set2, ls_bset.
111
112     ENDLOOP.
113
114 *****code added by sandeep r as on 08.01.2024 for creation of ta
x code*****
115
116 **
117     """"('OE', 'DO', 'CO', 'BO', 'EO', 'YF', 'YG', 'YH', 'YE', 'YC', 'KC', 'YD', 'Y
B').

```

```
118
119
120
121
122
123
124
125 *****changes for clearing doc
126     SELECT
127         buhrs,
128         hkont,
129         augdt,
130         augbl,
131         gjahr,
132         belnr,
133         buzei,
134         budat
135     FROM bsas INTO TABLE @DATA(it_bsas)
136     FOR ALL ENTRIES IN @it_bkpf
137     WHERE buhrs = @it_bkpf-buhrs
138           AND hkont IN ( '0000192402' , '0000192403' , '0000192404' )
139           AND belnr = @it_bkpf-belnr
140           AND gjahr = @it_bkpf-gjahr.
141
142
143 IF it_bset IS NOT INITIAL.
144     SORT it_bset BY buhrs belnr gjahr buzei.
145
146     SELECT
147         buhrs,
148         belnr,
149         gjahr,
150         buzei,
151         mwskz,
152         hkont,
153         txgrp,
154         hwbas,
155         hwste,
156         kschl,
157         kbetr,
158         shkzg
159     FROM bset INTO TABLE @DATA(it_bset2)
160     FOR ALL ENTRIES IN @it_bset
161     WHERE buhrs IN @s_cc
162           AND belnr = @it_bset-belnr
163           AND gjahr = @it_bset-gjahr.
164
165     SORT it_bset2 BY buhrs belnr gjahr buzei.
166
167     SELECT
168         buhrs,
169         belnr,
170         gjahr,
171         buzei,
172         buzid,
173         koart,
174         shkzg,
175         mwskz,
176         dmbtr,
177         txgrp,
178         hkont,
```

```
179         menge,
180         meins,
181         hsn_sac,
182         vbeln "added by mohd mobassir
183 FROM bseg INTO TABLE @DATA(it_bseg_h)
184 FOR ALL ENTRIES IN @it_bset
185 WHERE buhrs IN @s_cc
186 AND   belnr = @it_bset-belnr
187 AND   koart = 'S'
188 AND   buzid NE 'T'.
189
190 SELECT
191     buhrs,
192     belnr,
193     gjahr,
194     buzei,
195     buzid,
196     koart,
197     mwszk,
198     kunnr
199 FROM bseg INTO TABLE @DATA(it_bseg_k)
200 FOR ALL ENTRIES IN @it_bset
201 WHERE buhrs IN @s_cc
202 AND   belnr = @it_bset-belnr
203 AND   koart = 'D'.
204
205 ENDIF.
206 ENDIF.
207
208 IF it_bseg_k IS NOT INITIAL.
209     SORT it_bseg_k BY buhrs belnr gjahr.
210
211     SELECT
212         kunnr,
213         land1,
214         name1,
215         regio,
216         stcd3
217     FROM kna1 INTO TABLE @DATA(it_kna1)
218     FOR ALL ENTRIES IN @it_bseg_k
219     WHERE kunnr = @it_bseg_k-kunnr.
220
221     SORT it_kna1 BY kunnr.
222
223     SELECT
224         buhrs,
225         belnr,
226         gjahr,
227         blart,
228         awkey
229     FROM bkp2 INTO TABLE @DATA(it_bkp2_r)
230     FOR ALL ENTRIES IN @it_bseg_k
231     WHERE buhrs IN @s_cc
232     AND   belnr = @it_bseg_k-belnr
233     AND   gjahr = @it_bseg_k-gjahr.
234
235     IF it_bkp2_r IS NOT INITIAL.
236         SORT it_bkp2_r BY buhrs belnr gjahr.
237
238         REFRESH it_bkp2.
239         CLEAR wa_bkp2.
```

```
240
241     LOOP AT it_bkpf_r INTO DATA(wa_bkpf_r) WHERE blart = 'KR' OR blart
    = 'KS'.
242         wa_bkpf2-belnr = wa_bkpf_r-awkey(10).
243         wa_bkpf2-gjahr = wa_bkpf_r-awkey+10(4).
244         wa_bkpf2-awkey = wa_bkpf_r-awkey.
245         APPEND wa_bkpf2 TO it_bkpf2.
246     ENDLOOP.
247
248     IF it_bkpf2 IS NOT INITIAL.
249         SORT it_bkpf2 BY belnr gjahr.
250
251         SELECT
252             belnr,
253             gjahr,
254             budat,
255             stblg
256         FROM rbkp INTO TABLE @DATA(it_rbkp)
257         FOR ALL ENTRIES IN @it_bkpf2
258         WHERE belnr = @it_bkpf2-belnr
259         AND     gjahr = @it_bkpf2-gjahr
260         AND     stblg NE ''.
261
262     ENDIF.
263
264     IF it_rbkp IS NOT INITIAL.
265         SORT it_rbkp BY belnr gjahr.
266
267         REFRESH it_temp.
268         CLEAR wa_temp.
269
270         LOOP AT it_rbkp INTO DATA(wa_rbkp).
271             wa_temp-stblg = wa_rbkp-stblg.
272             CONCATENATE wa_rbkp-stblg wa_rbkp-gjahr INTO wa_temp-awkey.
273             APPEND wa_temp TO it_temp.
274         ENDLOOP.
275
276         IF it_temp IS NOT INITIAL.
277             SORT it_temp BY stblg.
278             REFRESH it_bkpf_r.
279
280             SELECT
281                 bukrs
282                 belnr
283                 gjahr
284                 blart
285                 awkey
286             FROM bkpf INTO TABLE it_bkpf_r
287             FOR ALL ENTRIES IN it_temp
288             WHERE bukrs IN s_cc
289             AND     awkey = it_temp-awkey.
290
291         ENDIF.
292     ENDIF.
293
294 ENDIF.
295 ENDIF.
296 DELETE it_bseg_h WHERE mwszkz = ' '.
297
```

```

300  SELECT buhrs belnr gjahr
301  FROM ZGSTR1_EXEMPT
302  INTO TABLE lt_skip_chk.
303
304  * SORT lt_skip_chk BY buhrs belnr gjahr.
305
306  "EOC by mohd mobassir ON 13.07.2026
307
308  IF it_bseg_h IS NOT INITIAL.
309
310  LOOP AT it_bseg_h INTO DATA(wa_bseg).
311
312  "BOC by mohd mobassir ON 13.07.2026
313
314  READ TABLE lt_skip_chk INTO wa_skip_chk
315  WITH KEY buhrs = wa_bseg-buhrs
316  belnr = wa_bseg-belnr
317  gjahr = wa_bseg-gjahr
318  BINARY SEARCH.
319
320  IF sy-subrc <> 0. " match not found -> run existing logic as-i
S
321
322  "EOC by mohd mobassir ON 13.07.2026
323
324
325
326  wa_final-intref = wa_bseg-belnr.
327  wa_final-gstinp = '07AAAC01230F1Z2'.
328  wa_final-docsta = 'Original'.
329  wa_final-invlin = wa_bseg-buzei.
330
331  wa_final-glacct = wa_bseg-hkont.
332  wa_final-hsnsac = wa_bseg-hsn_sac.
333
334  IF wa_final-hsnsac IS INITIAL. "Added on 7/6/22 by hrishi n
335  SELECT SINGLE matnr,werks FROM bseg INTO @DATA(wa_bseg_1)
336  WHERE buhrs = @wa_bseg-buhrs
337  AND belnr = @wa_bseg-belnr
338  AND gjahr = @wa_bseg-gjahr
339  AND buzei = @wa_bseg-buzei.
340  IF wa_bseg_1 IS NOT INITIAL.
341  SELECT SINGLE steuc FROM marc INTO @DATA(hsn_sac)
342  WHERE matnr = @wa_bseg_1-matnr
343  AND werks = @wa_bseg_1-werks.
344
345  IF hsn_sac IS NOT INITIAL.
346  wa_final-hsnsac = hsn_sac.
347  ENDIF.
348  ENDIF.
349  ENDIF.
350
351  wa_final-unitedd = 'Nos'.
352  wa_final-tquant = wa_bseg-menge.
353
354  SHIFT wa_final-glacct LEFT DELETING LEADING '0'.
355
356  IF wa_final-glacct = '239094' OR wa_final-glacct = '239092'.
357  wa_final-typent = 'White Goods Recovery'.
358  ELSEIF wa_final-glacct = '230903'.
359  wa_final-typent = 'Zero Rated'.

```

```
360     ELSEIF wa_final-glacct = '230922' OR wa_final-glacct = '230923'.
361         wa_final-typent = 'LD'.
362     ELSEIF wa_final-glacct = '239012'.
363         wa_final-typent = 'Scrap Sales'.
364     ELSEIF wa_final-glacct = '239013'.
365         wa_final-typent = 'Tender Fees'.
366     ELSEIF wa_final-glacct = '239021'.
367         wa_final-typent = 'Penalty'.
368     ENDIF.
369
370     IF wa_bseg-mwskz = 'OE'.
371         wa_final-txappl = 'L'.
372     ELSE.
373         wa_final-txappl = 'T'.
374     ENDIF.
375
376
377
378 "totval and grsval logic for SD related document
379
380 *      LOOP at it_bkpf into DATA(wa_bkpf).
381 *****
382
383 "Boc by mohd mobassir
384
385 "SD Document logic
386
387 READ TABLE it_bkpf INTO DATA(wa_bkpf)
388 WITH KEY bukrs = wa_bseg-bukrs
389         belnr = wa_bseg-belnr
390         gjahr = wa_bseg-gjahr.
391
392 IF sy-subrc = 0 AND wa_bkpf-glvor = 'SD00'.
393
394     DATA(lv_vbeln) = wa_bkpf-AWKEY.
395
396     SELECT SINGLE knumv
397     FROM vbrk
398     INTO @DATA(lv_knumv)
399     WHERE vbeln = @lv_vbeln.
400
401
402 IF sy-subrc = 0.
403
404     SELECT *
405     FROM konv
406     INTO TABLE @DATA(it_konv)
407     WHERE knumv = @lv_knumv.
408
409     LOOP AT it_konv INTO DATA(wa_konv) where kposn = wa_bseg-TXGRP.
410
411         "Taxable value
412         IF wa_konv-kschl = 'JOIG'
413             OR wa_konv-kschl = 'JOCG'
414             OR wa_konv-kschl = 'JOSG'
415             OR wa_konv-kschl = 'JOUG'.
416
417             wa_final-txbval = wa_konv-kawrt.
418
419         ENDIF.
420
```

```
421      "Gross value
422      wa_final-grsval = wa_konv-kawrt.
423
424      CASE wa_konv-kschl.
425          WHEN 'JOIG'.
426
427              wa_final-igstrt = wa_konv-kbetr / 10.
428              wa_final-igstvl = wa_konv-kwert.
429
430          WHEN 'JOCG'.
431
432              wa_final-cgstrt = wa_konv-kbetr / 10.
433              wa_final-cgstvl = wa_konv-kwert.
434
435          WHEN 'JOSG' OR 'JOUG'.
436
437              wa_final-sugstr = wa_konv-kbetr / 10.
438              wa_final-sugstv = wa_konv-kwert.
439
440      ENDCASE.
441
442      wa_final-txrate =
443          wa_final-igstrt +
444          wa_final-cgstrt +
445          wa_final-sugstr.
446
447      wa_final-totval =
448          wa_final-txbval +
449          wa_final-igstvl +
450          wa_final-cgstvl +
451          wa_final-sugstv.
452
453      ENDLOOP.
454  ENDIF.
455
456  else.
457
458  "EOC by mohd mobassir
459
460  "for fi related documents
461
462      LOOP AT it_bset2 INTO DATA(wa_bset) WHERE belnr = wa_bseg-belnr AND
463      gjahr = wa_bseg-gjahr AND txgrp = wa_bseg-txgrp.
464
465          IF wa_bset-shkzg = 'H'.
466              IF wa_bset-kschl = 'JOIG'.
467                  wa_final-txbval = wa_bset-hwbas.
468              ELSEIF wa_bset-kschl = 'JOCG'.
469                  wa_final-txbval = wa_bset-hwbas.
470              ELSEIF wa_bset-kschl = 'JOSG' OR wa_bset-kschl = 'JOUG'.
471                  wa_final-txbval = wa_bset-hwbas.
472              ENDIF.
473              wa_final-grsval = wa_bset-hwbas.
474
475          CASE wa_bset-kschl.
476              WHEN 'JOIG'.
477                  wa_final-igstrt = ( wa_bset-kbetr / 10 )." * -1.
478                  wa_final-igstvl = wa_bset-hwste.
479
480              WHEN 'JOCG'.
481                  wa_final-cgstrt = ( wa_bset-kbetr / 10 )." * -1.
```

```
481         wa_final-cgstvl = wa_bset-hwste.
482
483         WHEN 'JOSG' OR 'JOUG'.
484             wa_final-sugstr = ( wa_bset-kbetr / 10 )." * -1.
485             wa_final-sugstv = wa_bset-hwste.
486
487         ENDCASE.
488
489         wa_final-txrate = wa_final-igstrt + wa_final-cgstrt + wa_final
490 -sugstr.
491         wa_final-totval = wa_final-txbval + wa_final-igstvl + wa_final
492 -cgstvl + wa_final-sugstv.
493
494     ELSE.
495
496         wa_final-txbval = wa_bset-hwbas * -1.
497         wa_final-grsval = wa_bset-hwbas * -1.
498
499         CASE wa_bset-kschl.
500             WHEN 'JOIG'.
501                 wa_final-igstrt = ( wa_bset-kbetr / 10 )." * -1.
502                 wa_final-igstvl = wa_bset-hwste * -1.
503
504             WHEN 'JOCG'.
505                 wa_final-cgstrt = ( wa_bset-kbetr / 10 )." * -1.
506                 wa_final-cgstvl = wa_bset-hwste * -1.
507
508             WHEN 'JOSG' OR 'JOUG'.
509                 wa_final-sugstr = ( wa_bset-kbetr / 10 )." * -1
510                 wa_final-sugstv = wa_bset-hwste * -1.
511
512             ENDCASE.
513
514         wa_final-txrate = wa_final-igstrt + wa_final-cgstrt + wa_final
515 -sugstr.
516         wa_final-totval = wa_final-txbval + wa_final-igstvl + wa_final
517 -cgstvl + wa_final-sugstv.
518
519     ENDIF.
520     ENDLOOP.
521
522     IF sy-subrc NE 0.
523
524         LOOP AT it_bset2 INTO DATA(wa_bset2) WHERE belnr = wa_bseg-belnr
525 AND gjahr = wa_bseg-gjahr."" AND txgrp = wa_bseg-txgrp.
526
527         IF wa_bset2-shkzg = 'H'.
528             IF wa_bset2-kschl = 'JOIG'.
529                 wa_final-txbval = wa_bset2-hwbas.
530             ELSEIF wa_bset2-kschl = 'JOCG'.
531                 wa_final-txbval = wa_bset2-hwbas.
532             ELSEIF wa_bset2-kschl = 'JOSG' OR wa_bset2-kschl = 'JOUG'.
533                 wa_final-txbval = wa_bset2-hwbas.
534             ENDF.
535             wa_final-grsval = wa_bset2-hwbas.
536
537             CASE wa_bset2-kschl.
538                 WHEN 'JOIG'.
539                     wa_final-igstrt = ( wa_bset2-kbetr / 10 )." * -1.
540                     wa_final-igstvl = wa_bset2-hwste.
```

```

537         WHEN 'JOCG'.
538             wa_final-cgstrt = ( wa_bset2-kbetr / 10 )." * -1.
539             wa_final-cgstvl = wa_bset2-hwste.
540
541         WHEN 'JOSG' OR 'JUG'.
542             wa_final-sugstr = ( wa_bset2-kbetr / 10 )." * -1.
543             wa_final-sugstv = wa_bset2-hwste.
544
545         ENDCASE.
546
547         wa_final-txrate = wa_final-igstrt + wa_final-cgstrt + wa_fin
548 al-sugstr.
549         wa_final-totval = wa_final-txbval + wa_final-igstvl + wa_fin
550 al-cgstvl + wa_final-sugstv.
551
552     ELSE.
553
554         wa_final-txbval = wa_bset2-hwbas * -1.
555         wa_final-grsval = wa_bset2-hwbas * -1.
556
557         CASE wa_bset2-kschl.
558             WHEN 'JOIG'.
559                 wa_final-igstrt = ( wa_bset2-kbetr / 10 )." * -1.
560                 wa_final-igstvl = wa_bset2-hwste * -1.
561
562             WHEN 'JOCG'.
563                 wa_final-cgstrt = ( wa_bset2-kbetr / 10 )." * -1.
564                 wa_final-cgstvl = wa_bset2-hwste * -1.
565
566             WHEN 'JOSG' OR 'JUG'.
567                 wa_final-sugstr = ( wa_bset2-kbetr / 10 )." * -1
568                 wa_final-sugstv = wa_bset2-hwste * -1.
569
570             ENDCASE.
571
572         wa_final-txrate = wa_final-igstrt + wa_final-cgstrt + wa_fin
573 al-sugstr.
574         wa_final-totval = wa_final-txbval + wa_final-igstvl + wa_fin
575 al-cgstvl + wa_final-sugstv.
576
577     ENDIF.
578 ENDLOOP.
579
580 ENDIF.
581
582 *****
583 *      READ TABLE it_bkpf INTO DATA(wa_bkpf)
584 *      WITH KEY bukrs = wa_bseg-bukrs
585 *             belnr = wa_bseg-belnr
586 *             gjahr = wa_bseg-gjahr.
587 *
588 *      IF sy-subrc = 0 AND wa_bkpf-glvr = 'SD00'.
589 *
590 *          append wa_bseg to lt_sd_docs.
591 *
592 *          sort lt_sd_docs by belnr.
593 *
594 *          DELETE ADJACENT DUPLICATES FROM lt_sd_docs
595 *          COMPARING belnr.

```

```

594 *
595 **      if wa_bkpf-glvor = 'sd00'.
596 *      data(lv_belnr) = wa_bkpf-belnr.
597 **      DATA(lv_vbeln) = wa_bkpf-awkey.
598 *      data(lv_vbeln) = wa_bseg-vbeln.
599 *
600 *      if wa_bkpf is NOT INITIAL.
601 *
602 *          SELECT knumv
603 *              FROM vbrk
604 *              into TABLE @data(it_vbrk)
605 *              where vbeln = @lv_vbeln.
606 *
607 *          if it_vbrk is not INITIAL.
608 *              SELECT *
609 *                  from konv into @data(it_konv)
610 *              where knuvm = it_vbrk-knumv.
611 *                  if sy-subrc = 0.
612 *
613 *                  loop at it_konv into data(wa_konv).
614 *
615 *
616 **      IF wa_bset-shkzg = 'H'.
617 *      IF wa_konv-kschl = 'JOIG'.
618 **          wa_final-txbval = wa_bset-hwbas.
619 **          wa_final-txbval = wa_konv-KAWRT.
620 *      ELSEIF wa_konv-kschl = 'JOCG'.
621 *          wa_final-txbval = wa_konv-KAWRT ."wa_bset-hwbas.
622 *      ELSEIF wa_konv-kschl = 'JOSG' OR wa_konv-kschl = 'JOUG'.
623 *          wa_final-txbval = wa_konv-KAWRT ."wa_bset-hwbas.
624 *      ENDIF.
625 *      wa_final-grsval = wa_konv-KAWRT ."wa_bset-hwbas.
626 *
627 *      CASE wa_konv-kschl.  "need to check from here....
628 *          WHEN 'JOIG'.
629 *              wa_final-igstrt = ( wa_bset-kbetr / 10 )." * -1.
630 *              wa_final-igstvl = wa_bset-hwste.
631 *
632 *          WHEN 'JOCG'.
633 *              wa_final-cgstrt = ( wa_bset-kbetr / 10 )." * -1.
634 *              wa_final-cgstvl = wa_bset-hwste.
635 *
636 *          WHEN 'JOSG' OR 'JOUG'.
637 *              wa_final-sugstr = ( wa_bset-kbetr / 10 )." * -1.
638 *              wa_final-sugstv = wa_bset-hwste.
639 *
640 *      ENDCASE.
641 *
642 *      wa_final-txrate = wa_final-igstrt + wa_final-cgstrt + wa_fina
643 l-sugstr.
644 *      wa_final-totval = wa_final-txbval + wa_final-igstvl + wa_fina
645 l-cgstvl + wa_final-sugstv.
646 *
647 *      ELSE.
648 *
649 *          wa_final-txbval = wa_bset-hwbas * -1.
650 *          wa_final-grsval = wa_bset-hwbas * -1.
651 *
652 *          CASE wa_bset-kschl.
653 *              WHEN 'JOIG'.
654 *                  wa_final-igstrt = ( wa_bset-kbetr / 10 )." * -1.

```

```
653 *          wa_final-igstvl = wa_bset-hwste * -1.
654 *
655 *      WHEN 'JOCG'.
656 *          wa_final-cgststr = ( wa_bset-kbetr / 10 )." * -1.
657 *          wa_final-cgstvl = wa_bset-hwste * -1.
658 *
659 *      WHEN 'JOSG' OR 'JOUG'.
660 *          wa_final-sugstr = ( wa_bset-kbetr / 10 )." * -1
661 *          wa_final-sugstv = wa_bset-hwste * -1.
662 *
663 *      ENDCASE.
664 *
665 *      wa_final-txrate = wa_final-igstrt + wa_final-cgststr + wa_fina
666 *      l-sugstr.
667 *      wa_final-totval = wa_final-txbval + wa_final-igstvl + wa_fina
668 *      l-cgstvl + wa_final-sugstv.
669 *
670 *      ENDIF.
671 *      ENDLOOP.
672 *      endloop.
673 *      *****
674 *      READ TABLE it_bkpf INTO wa_bkpf WITH KEY belnr = wa_bseg-belnr BIN
675 *      ARY SEARCH.
676 *      IF sy-subrc = 0.
677 *          "BOC by mohd mobassir ON 13.07.2026
678 *
679 *          READ TABLE lt_skip_chk INTO wa_skip_chk
680 *          WITH KEY buks = wa_bkpf-buks
681 *          belnr = wa_bkpf-belnr
682 *          gjahr = wa_bkpf-gjahr
683 *          BINARY SEARCH.
684 *
685 *          IF sy-subrc <> 0.    " match found -> run existing logic as-is
686 *
687 *          "EOC by mohd mobassir ON 13.07.2026
688 *
689 *
690 *          wa_final-invdat = wa_bkpf-bldat.
691 *          wa_final-postdt = wa_bkpf-budat.
692 *          wa_final-fiscyr = wa_bkpf-gjahr.
693 *
694 *          IF wa_bkpf-budat LT '20170701'.
695 *              wa_final-pregst = 'Yes'.
696 *          ELSE.
697 *              wa_final-pregst = 'No'.
698 *          ENDIF.
699 *
700 *          IF wa_bkpf-blart = 'DR' OR wa_bkpf-blart = 'DA' OR wa_bkpf-blart
701 *          = 'RV'.
702 *              wa_final-invnum = wa_bkpf-xblnr.
703 *          ELSEIF wa_bkpf-blart = 'KJ' OR wa_bkpf-blart = 'KM' OR wa_bkpf-b
704 *          lart = 'KR' OR wa_bkpf-blart = 'KS' OR wa_bkpf-blart = 'SA'.
705 *              wa_final-invnum = wa_bkpf-xblnr_alt.
706 *
707 *          ELSEIF wa_bkpf-blart = 'RC' OR wa_bkpf-blart = 'RD'.
708 *              wa_final-invnum = wa_bkpf-xblnr.
709 *
710 *          IF wa_bkpf-blart = 'RC'.
```

```
709         wa_final-invsta = 'Credit Note'.
710     ELSE.
711         wa_final-invsta = 'Debit Note'.
712     ENDIF.
713
714 ENDIF.
715
716 IF wa_bkpf-blart = 'DR' OR wa_bkpf-blart = 'DA' OR wa_bkpf-blart
= 'SA'.
717     wa_final-doctyp = 'Regular Invoice'.
718
719 ELSEIF wa_bkpf-blart = 'DG' OR wa_bkpf-blart = 'KG' OR wa_bkpf-b
lart = 'RC'.
720
721     wa_final-doctyp = 'Credit Note'.
722     wa_final-nvcnum = wa_bkpf-xblnr.
723     wa_final-nvcdat = wa_bkpf-bldat.
724
725 ELSEIF wa_bkpf-blart = 'RD'.
726     wa_final-doctyp = 'Debit Note'.
727     wa_final-nvcnum = wa_bkpf-xblnr.
728     wa_final-nvcdat = wa_bkpf-bldat.
729
730 ELSEIF wa_bkpf-blart = 'RV'.
731     SELECT SINGLE fkart FROM vbrk INTO @DATA(v_fkart) WHERE vbeln
= @wa_bkpf-awkey.
732     IF sy-subrc = 0.
733         IF v_fkart = 'ZSCR' OR v_fkart = 'ZSET' OR v_fkart = 'ZSEM'
.
734             wa_final-doctyp = 'Regular Invoice'.
735
736         ELSEIF v_fkart = 'ZCR1'.
737             wa_final-doctyp = 'Credit Note'.
738             wa_final-resnot = 'Sales Return'.
739
740         ELSEIF v_fkart = 'ZDR1'.
741             wa_final-doctyp = 'Debit Note'.
742
743         ELSEIF v_fkart = 'ZEXP'.
744             wa_final-doctyp = 'Bill of Supply'.
745
746         ENDIF.
747     ENDIF.
748
749 IF wa_bkpf-blart = 'KR'.
750     wa_final-typgsr = 'Goods'.
751
752 ELSEIF wa_bkpf-blart = 'RV'.
753     SELECT SINGLE pstyv FROM vbrp INTO @DATA(v_pstyv) WHERE vbel
n = @wa_bkpf-awkey.
754     IF sy-subrc = 0.
755         IF v_pstyv NE 'TAD'.
756             wa_final-typgsr = 'Goods'.
757         ELSE.
758             wa_final-typgsr = 'Services'.
759         ENDIF.
760     ENDIF.
761
762 ELSE.
763     wa_final-typgsr = 'Services'.
764 ENDIF.
```

```

765         ENDIF.
766
767         IF wa_bkpf-blart = 'KR' OR wa_bkpf-blart = 'KS'.
768
769             READ TABLE it_bkpf2 INTO wa_bkpf2 WITH KEY awkey = wa_bkpf-awkey
770             ey BINARY SEARCH.
771             IF sy-subrc = 0.
772                 READ TABLE it_rbkp INTO wa_rbkp WITH KEY belnr = wa_bkpf2-belnr
773                 lnr gjahr = wa_bkpf2-gjahr BINARY SEARCH.
774                 IF sy-subrc = 0.
775                     READ TABLE it_temp INTO wa_temp WITH KEY stblg = wa_rbkp-stblg
776                     BINARY SEARCH.
777                     IF sy-subrc = 0.
778                         READ TABLE it_bkpf_r INTO wa_bkpf_r WITH KEY awkey = wa_
779                         temp-awkey BINARY SEARCH.
780                         IF sy-subrc = 0.
781                             wa_final-revdoc = wa_bkpf_r-belnr.
782                         ENDIF.
783                     ENDIF.
784                 ENDIF.
785             ENDIF.
786         ELSEIF wa_bkpf-blart = 'RV'.
787             ""Added on 7/6/22 by hrishi n
788             SELECT SINGLE vbeln FROM vbrk INTO @DATA(canc_doc) WHERE sfakn
789             = @wa_bkpf-awkey.
790             IF sy-subrc = 0.
791                 IF canc_doc IS NOT INITIAL OR canc_doc = wa_bkpf-awkey.
792                     wa_final-revdoc = canc_doc.
793                 ENDIF.
794                 CLEAR canc_doc.
795             ELSEIF sy-subrc <> 0.
796                 SELECT SINGLE vbeln,sfakn FROM vbrk INTO @DATA(canc_doc1) WH
797                 ERE vbeln = @wa_bkpf-awkey.
798                 IF canc_doc1-sfakn IS NOT INITIAL.
799                     wa_final-revdoc = canc_doc1-sfakn.
800                 ENDIF.
801             ENDIF.
802         ELSE.
803             wa_final-revdoc = wa_bkpf-stblg.
804         ENDIF.
805
806         IF wa_final-revdoc IS NOT INITIAL.
807
808             IF wa_final-doctyp = 'Credit Note'.
809                 wa_final-invsta = 'Credit Note'.
810             ELSEIF wa_final-doctyp = 'Debit Note'.
811                 wa_final-invsta = 'Debit Note'.
812             ELSE.
813                 wa_final-invsta = 'Cancelled'.
814             ENDIF.
815         ENDIF.
816     endif.
817
818     READ TABLE it_bseg_k INTO DATA(wa_bseg2) WITH KEY belnr = wa_bseg-
819     belnr BINARY SEARCH.
820     IF sy-subrc = 0.

```

```

818      wa_final-iccode = wa_bseg2-kunnr.
819
820      READ TABLE it_kna1 INTO DATA(wa_kna1) WITH KEY kunnr = wa_bseg2-
kunnr BINARY SEARCH.
821      IF sy-subrc = 0.
822
823          IF wa_kna1-land1 = 'IN'.
824              wa_final-plsupp = wa_kna1-regio.
825
826              IF wa_kna1-regio IS NOT INITIAL AND wa_kna1-regio NOT BETWEE
N '0' AND '99' .      ""Added on 2/6/22 by hrishi n
827                  wa_final-plsupp = '99'.
828              ENDIF.
829
830          ELSE.
831              wa_final-plsupp = '99'.
832          ENDIF.
833
834          IF wa_kna1-regio = '07'.
835              wa_final-suptyp = 'Intra'.
836          ELSE.
837              wa_final-suptyp = 'Inter'.
838          ENDIF.
839
840          IF wa_kna1-stcd3 IS NOT INITIAL.
841              wa_final-invtyp = 'B2B'.
842              wa_final-ctptyp = 'Registered'.
843              wa_final-ctpgst = wa_kna1-stcd3.
844              wa_final-ctpnam = wa_kna1-name1.
845
846          ELSE.
847              wa_final-ctptyp = 'Unregistered'.
848              IF wa_kna1-regio = '07'.
849                  wa_final-invtyp = 'B2CL'.
850              ELSE.
851                  wa_final-invtyp = 'B2CS'.
852                  wa_final-ctpnam = wa_kna1-name1.
853
854              ENDIF.
855          ENDIF.
856      ***** added by aparna
857      SELECT * FROM setleaf INTO TABLE @DATA(it_setl) WHERE setname
= 'ZFI_EINV_LIFNR'.
858      READ TABLE it_setl INTO DATA(wa_setl) WITH KEY valfrom = wa_kn
a1-stcd3.
859      IF sy-subrc = 0.
860          wa_final-invtyp = 'SEZWOP'.
861          *      wa_final-stypcd = 'B2CS'.
862          *      ELSE.
863          *      wa_final-stypcd = 'B2B'.
864      ENDIF.
865      ***** ended by aparna
866      ENDIF.
867
868      ENDIF.
869
870      wa_final-report = ''.
871
872
873
874      LOOP AT it_bsas INTO DATA(wa_bsas) WHERE bukrs = wa_bkpf-bukrs AND

```

```

      belnr = wa_bkpf-belnr AND gjahr = wa_bkpf-gjahr.
875      IF sy-subrc EQ 0.
876          IF wa_final-cgstvl IS NOT INITIAL AND wa_bsas-hkont = '0000192
404'.
877              wa_final-cgstcl = wa_bsas-augbl.
878              wa_final-cgstcld = wa_bsas-augdt.
879          ENDIF.
880          IF wa_final-sugstv IS NOT INITIAL AND wa_bsas-hkont = '0000192
403'.
881              wa_final-sgstcl = wa_bsas-augbl.
882              wa_final-sgstcld = wa_bsas-augdt.
883          ENDIF.
884          IF wa_final-igstvl IS NOT INITIAL AND wa_bsas-hkont = '0000192
402'.
885              wa_final-igstcl = wa_bsas-augbl.
886              wa_final-igstcld = wa_bsas-augdt.
887          ENDIF.
888      ENDIF.
889      CLEAR wa_bsas.
890      ENDLOOP.
891
892      APPEND wa_final TO it_final.
893      CLEAR: wa_final, wa_bset, wa_bseg, wa_bseg2, wa_bkpf, wa_kna1, v_f
kart, v_pstyv.
894      ENDIF.
895      ENDLOOP.
896      ENDIF.
897      IF it_final IS NOT INITIAL.
898          SELECT fwste, belnr FROM bset INTO TABLE @DATA(t_tcs) FOR ALL ENTRIES
IN @it_final "SOC CHANGE FOR TCS FIELD ADD (04-04-2024) BY ROHIT
899          WHERE buhrs IN @s_cc
900          AND   belnr = @it_final-intref
901          AND   kschl = 'J0TC'.
902          SORT t_tcs BY belnr.
903          LOOP AT it_final INTO DATA(ls_final).
904
905              READ TABLE t_tcs INTO DATA(ls_tcs) WITH KEY belnr = ls_final-intref
BINARY SEARCH .
906              IF sy-subrc EQ 0.
907                  ls_final-fwste = ls_tcs-fwste.
908              ENDIF.
909              MODIFY it_final FROM ls_final.
910              CLEAR : ls_final .
911
912          ENDLOOP.
913
914          "EOC FOR TCS FIELD ADD(04-04-2024) BY ROHIT
915      ENDIF.
916
917      IF r2 = 'X'.
918          DELETE it_final WHERE revdoc NE ''.
919      ENDIF.
920
921  ENDFORM.
922  *&_____
923  *&      Form  DISPLAY
924  *&_____
925  *      text
926  *_____
927

```

```

928 *  —>  p1      text
929 *  <—  p2      text
930 * _____*
931 FORM display .
932
933   PERFORM build_fcat.
934
935   CALL FUNCTION 'REUSE_ALV_GRID_DISPLAY'
936     EXPORTING
937       i_callback_program      = sy-repid
938       i_callback_top_of_page  = 'TOP_OF_PAGE'
939       is_layout               = wa_layout
940       it_fieldcat             = it_fcat
941       it_sort                 = it_sort
942       i_save                  = 'A'
943     TABLES
944       t_outtab                = it_final[]
945     EXCEPTIONS
946       program_error           = 1
947       OTHERS                  = 2.
948   IF sy-subrc <> 0.
949 * Implement suitable error handling here
950   ENDIF.
951
952 ENDFORM.
953 *& _____*
954 *&      Form   BUILD_FCAT
955 *& _____*
956 *      text
957 * _____*
958 *  —>  p1      text
959 *  <—  p2      text
960 * _____*
961 FORM build_fcat .
962   DATA count TYPE i VALUE '1'.
963
964   wa_layout-zebra = 'X'.
965   wa_layout-colwidth_optimize = 'X'.
966
967   wa_fcat-col_pos = count.
968   wa_fcat-tabname = 'IT_FINAL'.
969   wa_fcat-fieldname = 'INTREF'.
970   wa_fcat-seltext_l = 'Internal Ref. Doc.'.
971   wa_fcat-key = 'X'.
972   APPEND wa_fcat TO it_fcat.
973   CLEAR wa_fcat.
974
975   count = count + 1.
976   wa_fcat-col_pos = count.
977   wa_fcat-tabname = 'IT_FINAL'.
978   wa_fcat-fieldname = 'TYPENT'.
979   wa_fcat-seltext_l = 'Type of Entry'.
980   APPEND wa_fcat TO it_fcat.
981   CLEAR wa_fcat.
982
983   count = count + 1.
984   wa_fcat-col_pos = count.
985   wa_fcat-tabname = 'IT_FINAL'.
986   wa_fcat-fieldname = 'GSTINP'.
987   wa_fcat-seltext_l = 'GSTIN of Taxpayer'.
988   wa_fcat-do_sum = ''.

```

```
989  APPEND wa_fcat TO it_fcat.
990  CLEAR wa_fcat.
991
992  count = count + 1.
993  wa_fcat-col_pos = count.
994  wa_fcat-tabname = 'IT_FINAL'.
995  wa_fcat-fieldname = 'DOCTYP'.
996  wa_fcat-seltext_l = 'Document Type'.
997  wa_fcat-do_sum = ''.
998  APPEND wa_fcat TO it_fcat.
999  CLEAR wa_fcat.
1000
1001  count = count + 1.
1002  wa_fcat-col_pos = count.
1003  wa_fcat-tabname = 'IT_FINAL'.
1004  wa_fcat-fieldname = 'INVTYP'.
1005  wa_fcat-seltext_l = 'Invoice Type'.
1006  wa_fcat-do_sum = ''.
1007  APPEND wa_fcat TO it_fcat.
1008  CLEAR wa_fcat.
1009
1010  count = count + 1.
1011  wa_fcat-col_pos = count.
1012  wa_fcat-tabname = 'IT_FINAL'.
1013  wa_fcat-fieldname = 'DOCSTA'.
1014  wa_fcat-seltext_l = 'Document Status'.
1015  wa_fcat-do_sum = ''.
1016  APPEND wa_fcat TO it_fcat.
1017  CLEAR wa_fcat.
1018
1019  count = count + 1.
1020  wa_fcat-col_pos = count.
1021  wa_fcat-tabname = 'IT_FINAL'.
1022  wa_fcat-fieldname = 'SUPTYP'.
1023  wa_fcat-seltext_l = 'Supply Type'.
1024  wa_fcat-do_sum = ''.
1025  APPEND wa_fcat TO it_fcat.
1026  CLEAR wa_fcat.
1027
1028  count = count + 1.
1029  wa_fcat-col_pos = count.
1030  wa_fcat-tabname = 'IT_FINAL'.
1031  wa_fcat-fieldname = 'CTPTYP'.
1032  wa_fcat-seltext_l = 'Counter-party Type'.
1033  wa_fcat-do_sum = ''.
1034  APPEND wa_fcat TO it_fcat.
1035  CLEAR wa_fcat.
1036
1037  count = count + 1.
1038  wa_fcat-col_pos = count.
1039  wa_fcat-tabname = 'IT_FINAL'.
1040  wa_fcat-fieldname = 'CTPGST'.
1041  wa_fcat-seltext_l = 'Counter-party GSTIN'.
1042  wa_fcat-do_sum = ''.
1043  APPEND wa_fcat TO it_fcat.
1044  CLEAR wa_fcat.
1045
1046  count = count + 1.
1047  wa_fcat-col_pos = count.
1048  wa_fcat-tabname = 'IT_FINAL'.
1049  wa_fcat-fieldname = 'CTPNAM'.
```

```
1050 wa_fcat-seltext_l = 'Counter-party Name'.
1051 wa_fcat-do_sum = ''.
1052 APPEND wa_fcat TO it_fcat.
1053 CLEAR wa_fcat.
1054
1055 count = count + 1.
1056 wa_fcat-col_pos = count.
1057 wa_fcat-tabname = 'IT_FINAL'.
1058 wa_fcat-fieldname = 'NVCNUM'.
1059 wa_fcat-seltext_l = 'Note/Voucher No.'.
1060 wa_fcat-do_sum = ''.
1061 APPEND wa_fcat TO it_fcat.
1062 CLEAR wa_fcat.
1063
1064 count = count + 1.
1065 wa_fcat-col_pos = count.
1066 wa_fcat-tabname = 'IT_FINAL'.
1067 wa_fcat-fieldname = 'NVCDAT'.
1068 wa_fcat-seltext_l = 'Note/Voucher Date'.
1069 wa_fcat-do_sum = ''.
1070 APPEND wa_fcat TO it_fcat.
1071 CLEAR wa_fcat.
1072
1073 count = count + 1.
1074 wa_fcat-col_pos = count.
1075 wa_fcat-tabname = 'IT_FINAL'.
1076 wa_fcat-fieldname = 'INVNUM'.
1077 wa_fcat-seltext_l = 'Invoice Number'.
1078 wa_fcat-do_sum = ''.
1079 APPEND wa_fcat TO it_fcat.
1080 CLEAR wa_fcat.
1081
1082 count = count + 1.
1083 wa_fcat-col_pos = count.
1084 wa_fcat-tabname = 'IT_FINAL'.
1085 wa_fcat-fieldname = 'INVDAT'.
1086 wa_fcat-seltext_l = 'Invoice Date'.
1087 wa_fcat-do_sum = ''.
1088 APPEND wa_fcat TO it_fcat.
1089 CLEAR wa_fcat.
1090
1091 count = count + 1.
1092 wa_fcat-col_pos = count.
1093 wa_fcat-tabname = 'IT_FINAL'.
1094 wa_fcat-fieldname = 'RESNOT'.
1095 wa_fcat-seltext_l = 'Reason for Note Issue'.
1096 wa_fcat-do_sum = ''.
1097 APPEND wa_fcat TO it_fcat.
1098 CLEAR wa_fcat.
1099
1100 count = count + 1.
1101 wa_fcat-col_pos = count.
1102 wa_fcat-tabname = 'IT_FINAL'.
1103 wa_fcat-fieldname = 'PREGST'.
1104 wa_fcat-seltext_l = 'Pre-GST Doc.'.
1105 wa_fcat-do_sum = ''.
1106 APPEND wa_fcat TO it_fcat.
1107 CLEAR wa_fcat.
1108
1109 count = count + 1.
1110 wa_fcat-col_pos = count.
```

```
1111 wa_fcat-tabname = 'IT_FINAL'.
1112 wa_fcat-fieldname = 'TOTVAL'.
1113 wa_fcat-seltext_l = 'Total Inv/Note Value'.
1114 wa_fcat-do_sum = ''. "Changed line
1115
1116 APPEND wa_fcat TO it_fcat.
1117 CLEAR wa_fcat.
1118
1119 count = count + 1.
1120 wa_fcat-col_pos = count.
1121 wa_fcat-tabname = 'IT_FINAL'.
1122 wa_fcat-fieldname = 'PLSUPP'.
1123 wa_fcat-seltext_l = 'Place of Supply'.
1124 wa_fcat-do_sum = ''.
1125 APPEND wa_fcat TO it_fcat.
1126 CLEAR wa_fcat.
1127
1128 count = count + 1.
1129 wa_fcat-col_pos = count.
1130 wa_fcat-tabname = 'IT_FINAL'.
1131 wa_fcat-fieldname = 'INVLIN'.
1132 wa_fcat-seltext_l = 'Sr. No.'.
1133 wa_fcat-do_sum = ''. "Changed line
1134 APPEND wa_fcat TO it_fcat.
1135 CLEAR wa_fcat.
1136
1137 count = count + 1.
1138 wa_fcat-col_pos = count.
1139 wa_fcat-tabname = 'IT_FINAL'.
1140 wa_fcat-fieldname = 'GRSVAL'.
1141 wa_fcat-seltext_l = 'Gross Value'.
1142 wa_fcat-do_sum = ''. "Changed line
1143 APPEND wa_fcat TO it_fcat.
1144 CLEAR wa_fcat.
1145
1146 count = count + 1.
1147 wa_fcat-col_pos = count.
1148 wa_fcat-tabname = 'IT_FINAL'.
1149 wa_fcat-fieldname = 'TYPGSR'.
1150 wa_fcat-seltext_l = 'Type G/S'.
1151 wa_fcat-do_sum = ''.
1152 APPEND wa_fcat TO it_fcat.
1153 CLEAR wa_fcat.
1154
1155 count = count + 1.
1156 wa_fcat-col_pos = count.
1157 wa_fcat-tabname = 'IT_FINAL'.
1158 wa_fcat-fieldname = 'HSNSAC'.
1159 wa_fcat-seltext_l = 'HSN/SAC'.
1160 wa_fcat-do_sum = ''.
1161 APPEND wa_fcat TO it_fcat.
1162 CLEAR wa_fcat.
1163
1164 count = count + 1.
1165 wa_fcat-col_pos = count.
1166 wa_fcat-tabname = 'IT_FINAL'.
1167 wa_fcat-fieldname = 'TQUANT'.
1168 wa_fcat-seltext_l = 'Quantity'.
1169 wa_fcat-do_sum = ''.
1170 APPEND wa_fcat TO it_fcat.
1171 CLEAR wa_fcat.
```

```
1172
1173     count = count + 1.
1174     wa_fcat-col_pos = count.
1175     wa_fcat-tabname = 'IT_FINAL'.
1176     wa_fcat-fieldname = 'UNITCD'.
1177     wa_fcat-seltext_l = 'Unit'.
1178     wa_fcat-do_sum = ''.
1179     APPEND wa_fcat TO it_fcat.
1180     CLEAR wa_fcat.
1181
1182     count = count + 1.
1183     wa_fcat-col_pos = count.
1184     wa_fcat-tabname = 'IT_FINAL'.
1185     wa_fcat-fieldname = 'TXBVAL'.
1186     wa_fcat-seltext_l = 'Taxable Value'.
1187     wa_fcat-do_sum = ''. "Changed line
1188     APPEND wa_fcat TO it_fcat.
1189     CLEAR wa_fcat.
1190
1191     count = count + 1.
1192     wa_fcat-col_pos = count.
1193     wa_fcat-tabname = 'IT_FINAL'.
1194     wa_fcat-fieldname = 'TXRATE'.
1195     wa_fcat-seltext_l = 'Tax Rate'.
1196     wa_fcat-do_sum = ''.
1197     APPEND wa_fcat TO it_fcat.
1198     CLEAR wa_fcat.
1199
1200     count = count + 1.
1201     wa_fcat-col_pos = count.
1202     wa_fcat-tabname = 'IT_FINAL'.
1203     wa_fcat-fieldname = 'IGSTRT'.
1204     wa_fcat-seltext_l = 'IGST Rate'.
1205     wa_fcat-do_sum = ''.
1206     APPEND wa_fcat TO it_fcat.
1207     CLEAR wa_fcat.
1208
1209     count = count + 1.
1210     wa_fcat-col_pos = count.
1211     wa_fcat-tabname = 'IT_FINAL'.
1212     wa_fcat-fieldname = 'IGSTVL'.
1213     wa_fcat-seltext_l = 'IGST Amount'.
1214     wa_fcat-do_sum = ''. "Changed line
1215     APPEND wa_fcat TO it_fcat.
1216     CLEAR wa_fcat.
1217
1218     count = count + 1.
1219     wa_fcat-col_pos = count.
1220     wa_fcat-tabname = 'IT_FINAL'.
1221     wa_fcat-fieldname = 'CGSTRT'.
1222     wa_fcat-seltext_l = 'CGST Rate'.
1223     wa_fcat-do_sum = ''.
1224     APPEND wa_fcat TO it_fcat.
1225     CLEAR wa_fcat.
1226
1227     count = count + 1.
1228     wa_fcat-col_pos = count.
1229     wa_fcat-tabname = 'IT_FINAL'.
1230     wa_fcat-fieldname = 'CGSTVL'.
1231     wa_fcat-seltext_l = 'CGST Amount'.
1232     wa_fcat-do_sum = ''. "Changed line
```

```
1233 APPEND wa_fcat TO it_fcat.
1234 CLEAR wa_fcat.
1235
1236 count = count + 1.
1237 wa_fcat-col_pos = count.
1238 wa_fcat-tabname = 'IT_FINAL'.
1239 wa_fcat-fieldname = 'SUGSTR'.
1240 wa_fcat-seltext_l = 'SGST/UGST Rate'.
1241 wa_fcat-do_sum = ''.
1242 APPEND wa_fcat TO it_fcat.
1243 CLEAR wa_fcat.
1244
1245 count = count + 1.
1246 wa_fcat-col_pos = count.
1247 wa_fcat-tabname = 'IT_FINAL'.
1248 wa_fcat-fieldname = 'SUGSTV'.
1249 wa_fcat-seltext_l = 'SGST/UGST Amount'.
1250 wa_fcat-do_sum = ''. "Changed line
1251 APPEND wa_fcat TO it_fcat.
1252 CLEAR wa_fcat.
1253
1254 count = count + 1.
1255 wa_fcat-col_pos = count.
1256 wa_fcat-tabname = 'IT_FINAL'.
1257 wa_fcat-fieldname = 'TXAPPL'.
1258 wa_fcat-seltext_l = 'Tax Applicability'.
1259 wa_fcat-do_sum = ''.
1260 APPEND wa_fcat TO it_fcat.
1261 CLEAR wa_fcat.
1262
1263 count = count + 1.
1264 wa_fcat-col_pos = count.
1265 wa_fcat-tabname = 'IT_FINAL'.
1266 wa_fcat-fieldname = 'FISCYR'.
1267 wa_fcat-seltext_l = 'Fiscal Year'.
1268 wa_fcat-do_sum = ''.
1269 APPEND wa_fcat TO it_fcat.
1270 CLEAR wa_fcat.
1271
1272 count = count + 1.
1273 wa_fcat-col_pos = count.
1274 wa_fcat-tabname = 'IT_FINAL'.
1275 wa_fcat-fieldname = 'POSTDT'.
1276 wa_fcat-seltext_l = 'Posting Date'.
1277 wa_fcat-do_sum = ''.
1278 APPEND wa_fcat TO it_fcat.
1279 CLEAR wa_fcat.
1280
1281 count = count + 1.
1282 wa_fcat-col_pos = count.
1283 wa_fcat-tabname = 'IT_FINAL'.
1284 wa_fcat-fieldname = 'INVSTA'.
1285 wa_fcat-seltext_l = 'Invoice Status'.
1286 wa_fcat-do_sum = ''.
1287 APPEND wa_fcat TO it_fcat.
1288 CLEAR wa_fcat.
1289
1290 count = count + 1.
1291 wa_fcat-col_pos = count.
1292 wa_fcat-tabname = 'IT_FINAL'.
1293 wa_fcat-fieldname = 'REVDOK'.
```

```
1294 wa_fcat-seltext_l = 'Reversed With'.
1295 wa_fcat-do_sum = ''.
1296 APPEND wa_fcat TO it_fcat.
1297 CLEAR wa_fcat.
1298
1299 count = count + 1.
1300 wa_fcat-col_pos = count.
1301 wa_fcat-tabname = 'IT_FINAL'.
1302 wa_fcat-fieldname = 'ICCODE'.
1303 wa_fcat-seltext_l = 'Internal Counter-party code'.
1304 wa_fcat-do_sum = ''.
1305 APPEND wa_fcat TO it_fcat.
1306 CLEAR wa_fcat.
1307
1308 count = count + 1.
1309 wa_fcat-col_pos = count.
1310 wa_fcat-tabname = 'IT_FINAL'.
1311 wa_fcat-fieldname = 'GLACCT'.
1312 wa_fcat-seltext_l = 'GL Account'.
1313 wa_fcat-do_sum = ''.
1314 APPEND wa_fcat TO it_fcat.
1315 CLEAR wa_fcat.
1316
1317 count = count + 1.
1318 wa_fcat-col_pos = count.
1319 wa_fcat-tabname = 'IT_FINAL'.
1320 wa_fcat-fieldname = 'REPORT'.
1321 wa_fcat-seltext_l = 'Report Type'.
1322 wa_fcat-do_sum = ''.
1323 APPEND wa_fcat TO it_fcat.
1324 CLEAR wa_fcat.
1325
1326 count = count + 1.
1327 wa_fcat-col_pos = count.
1328 wa_fcat-tabname = 'IT_FINAL'.
1329 wa_fcat-fieldname = 'CGSTCL'.
1330 wa_fcat-seltext_l = 'CGST Clearing Doc.'.
1331 wa_fcat-do_sum = ''.
1332 APPEND wa_fcat TO it_fcat.
1333 CLEAR wa_fcat.
1334
1335 count = count + 1.
1336 wa_fcat-col_pos = count.
1337 wa_fcat-tabname = 'IT_FINAL'.
1338 wa_fcat-fieldname = 'CGSTCLD'.
1339 wa_fcat-seltext_l = 'CGST Clearing Date'.
1340 wa_fcat-do_sum = ''.
1341 APPEND wa_fcat TO it_fcat.
1342 CLEAR wa_fcat.
1343
1344 count = count + 1.
1345 wa_fcat-col_pos = count.
1346 wa_fcat-tabname = 'IT_FINAL'.
1347 wa_fcat-fieldname = 'SGSTCL'.
1348 wa_fcat-seltext_l = 'SGST Clearing Doc.'.
1349 wa_fcat-do_sum = ''.
1350 APPEND wa_fcat TO it_fcat.
1351 CLEAR wa_fcat.
1352
1353 count = count + 1.
1354 wa_fcat-col_pos = count.
```

```

1355 wa_fcat-tabname = 'IT_FINAL'.
1356 wa_fcat-fieldname = 'SGSTCLD'.
1357 wa_fcat-seltext_l = 'SGST Clearing Date'.
1358 wa_fcat-do_sum = ''.
1359 APPEND wa_fcat TO it_fcat.
1360 CLEAR wa_fcat.
1361
1362 count = count + 1.
1363 wa_fcat-col_pos = count.
1364 wa_fcat-tabname = 'IT_FINAL'.
1365 wa_fcat-fieldname = 'IGSTCL'.
1366 wa_fcat-seltext_l = 'IGST Clearing Doc.'.
1367 wa_fcat-do_sum = ''.
1368 APPEND wa_fcat TO it_fcat.
1369 CLEAR wa_fcat.
1370
1371 count = count + 1.
1372 wa_fcat-col_pos = count.
1373 wa_fcat-tabname = 'IT_FINAL'.
1374 wa_fcat-fieldname = 'IGSTCLD'.
1375 wa_fcat-seltext_l = 'IGST Clearing Date'.
1376 wa_fcat-do_sum = ''.
1377 APPEND wa_fcat TO it_fcat.
1378 CLEAR wa_fcat.
1379
1380 count = count + 1. " SOC FOR FIELD ADD TCS ON (04-04-2024)
BY ROHIT
1381 wa_fcat-col_pos = count.
1382 wa_fcat-tabname = 'IT_FINAL'.
1383 wa_fcat-fieldname = 'FWSTE'.
1384 wa_fcat-seltext_l = 'TCS'.
1385 wa_fcat-do_sum = ''.
1386 APPEND wa_fcat TO it_fcat.
1387 CLEAR wa_fcat. " EOC FOR FIELD ADD TCS ON (04-04-2024)
BY ROHIT
1388
1389
1390 ENDFORM.
1391 *&-----*
1392 *&      Form  TOP_OF_PAGE
1393 *&-----*
1394 *      text
1395 *-----*
1396 *  —>  p1      text
1397 *  <—  p2      text
1398 *-----*
1399 FORM top_of_page.
1400 *ALV Header declarations
1401   DATA: t_header  TYPE slis_t_listheader,
1402          wa_header TYPE slis_listheader,
1403          dt_low    TYPE char10,
1404          dt_high   TYPE char10.
1405
1406 *Title
1407   wa_header-typ = 'H'.
1408   CONCATENATE 'GSTR1' '-' s_cc-low INTO wa_header-info SEPARATED BY spa
ce.
1409   APPEND wa_header TO t_header.
1410   CLEAR wa_header.
1411
1412   CALL FUNCTION 'CONVERT_DATE_TO_EXTERNAL'

```

```
1413     EXPORTING
1414         date_internal          = s_dt-low
1415     IMPORTING
1416         date_external          = dt_low
1417     EXCEPTIONS
1418         date_internal_is_invalid = 1
1419         OTHERS                  = 2.
1420     IF sy-subrc <> 0.
1421 * Implement suitable error handling here
1422     ENDIF.
1423
1424     CALL FUNCTION 'CONVERT_DATE_TO_EXTERNAL'
1425     EXPORTING
1426         date_internal          = s_dt-high
1427     IMPORTING
1428         date_external          = dt_high
1429     EXCEPTIONS
1430         date_internal_is_invalid = 1
1431         OTHERS                  = 2.
1432     IF sy-subrc <> 0.
1433 * Implement suitable error handling here
1434     ENDIF.
1435
1436     wa_header-typ = 'A'.
1437     CONCATENATE 'Period:' dt_low '-' dt_high INTO wa_header-info SEPARATE
1438 D BY space.
1438     APPEND wa_header TO t_header.
1439     CLEAR wa_header.
1440
1441     CALL FUNCTION 'REUSE_ALV_COMMENTARY_WRITE'
1442     EXPORTING
1443         it_list_commentary = t_header.
1444
1445     ENDFORM.
1446
```

```

1  *&-----*
2  *&  Include          ZFI_GSTR1_TOP
3  *&-----*
4
5  TABLES: bkpfb, bseg, bset, vbrk, ZGSTR1_EXEMPT, sscrfields.
6
7  TYPES: BEGIN OF ty_exempt,
8           bukr TYPE bukr,
9           belnr TYPE belnr_d,
10          gjahr TYPE gjahr,
11          END OF ty_exempt.
12
13
14  TYPES: BEGIN OF t_bkpf,
15           belnr TYPE belnr_d,
16           gjahr TYPE gjahr,
17           awkey TYPE awkey,
18          END OF t_bkpf,
19
20          BEGIN OF t_temp,
21           stblg TYPE stblg,
22           awkey TYPE awkey,
23          END OF t_temp,
24
25          BEGIN OF t_final,
26           intref TYPE belnr_d,
27           gstinp TYPE stcd3,
28           doctyp TYPE char15,
29           invtyp TYPE char10,
30           docsta TYPE char10,
31           suptyp TYPE char5,
32           ctptyp TYPE char15,
33           ctpgst TYPE stcd3,
34           ctpnam TYPE name1,
35           nvcnum TYPE xblnr,
36           nvcdat TYPE datum,
37           invnum TYPE xblnr_alt,
38           invdat TYPE datum,
39           resnot TYPE char15,
40           pregst TYPE char5,
41           totval TYPE dmbtr,
42           plsuff TYPE char20,
43           invlin TYPE char3,
44           grsval TYPE dmbtr,
45           typgsr TYPE char10,
46           hsn_sac TYPE j_1ig_hsn_sac,
47           unitcd TYPE char5,
48           tquant TYPE menge_d,
49           txbval TYPE dmbtr,
50           txrate TYPE kbetr,
51           igstrt TYPE kbetr,
52           igstvl TYPE hwste,
53           cgstrt TYPE kbetr,
54           cgstvl TYPE hwste,
55           sugstr TYPE kbetr,
56           sugstv TYPE hwste,
57           txappl TYPE c,
58           fiscyr TYPE gjahr,
59           postdt TYPE datum,
60           invsta TYPE char15,
61           iccode TYPE kunnr,

```

"ADDED on 8/6/22 by hrishi n

```

62      glacct TYPE hkont,
63      typent TYPE char20,
64      revdoc TYPE stblg,
65      report TYPE string,
66      cgstcl TYPE augbl,          "CGST Clearing Doc."adden on 27/06/2
3 by hrishi n
67      cgstcld TYPE augdt,
68      sgstcl TYPE augbl,          "SGST Clearing Doc."adden on 27/06/2
3 by hrishi n
69      sgstcld TYPE augdt,
70      igstcl TYPE augbl,          "IGST/UGST Clearing Doc."adden on 27
/06/23 by hrishi n
71      igstcld TYPE augdt,
72      fwste TYPE fwste,          "TCS field add"adden on 04/04/2024 b
y rohit.
73      END OF t_final,
74
75      BEGIN OF SET,
76      VALUE type BSET-MWSKZ,      "code added by sandeep r as on 0
8.01.2024 for creation of set tax code.
77      END OF SET.
78
79
80
81 DATA: it_final TYPE STANDARD TABLE OF t_final,
82      wa_final TYPE t_final,
83      it_bkpf2 TYPE STANDARD TABLE OF t_bkpf,
84      wa_bkpf2 TYPE t_bkpf,
85      it_temp TYPE STANDARD TABLE OF t_temp,
86      wa_temp TYPE t_temp,
87      f_nodata.
88
89 DATA :it_fcat TYPE slis_t_fieldcat_alv,
90      it_sort TYPE slis_t_sortinfo_alv,
91      wa_sort TYPE slis_sortinfo_alv,
92      wa_fcat TYPE slis_fieldcat_alv,
93      wa_layout TYPE slis_layout_alv.
94
95 *****code added by sandeep r as on 08.01.2024 for creation of ta
x code*****
96
97
98 DATA: T_SET TYPE RGSB4 OCCURS 0 WITH HEADER LINE ,
99      WA_SET TYPE RGSB4,
100
101      LT_SET TYPE SET OCCURS 0 WITH HEADER LINE,
102      WA_SET1 TYPE SET.
103
104 DATA: lt_skip_chk TYPE STANDARD TABLE OF ty_exempt, "added by mohd moba
ssir. 13.07.2026
105      wa_skip_chk TYPE ty_exempt.
106
107 *SELECTION-SCREEN FUNCTION KEY 1.
108
109 *****code added by sandeep r as on 08.01.2024*****
110

```

Title:
GSTR1 Report

Selection texts:

R1	
	All Document
R2	
	Exclude Cancelled Document
S_CC	
D	.
S_DT	
D	.

Subroutines:

		Line	Page
BUILD_FCAT.....	ZFI_GSTR1_SUB	933	20
	ZFI_GSTR1_SUB	961	20
DISPLAY.....	ZFI_GSTR1_REPORT	50	2
	ZFI_GSTR1_SUB	931	20
FETCH_DATA.....	ZFI_GSTR1_REPORT	47	2
	ZFI_GSTR1_SUB	12	4
TOP_OF_PAGE.....	ZFI_GSTR1_SUB	1399	27

Status:

		Line	Page
ZGSTR1_PF.....	ZFI_GSTR1_REPORT	23	2

Messages:

		Line	Page
?.....	ZFI_GSTR1_REPORT	33	2
?.....	ZFI_GSTR1_REPORT	52	2
?.....	ZFI_GSTR1_SUB	35	4

External calls

Function modules:	Line	Page
CONVERT_DATE_TO_EXTERNAL..... ZFI_GSTR1_SUB	1412	27
ZFI_GSTR1_SUB	1424	28
G_SET_GET_ALL_VALUES..... ZFI_GSTR1_SUB	15	4
REUSE_ALV_COMMENTARY_WRITE.... ZFI_GSTR1_SUB	1441	28
REUSE_ALV_GRID_DISPLAY..... ZFI_GSTR1_SUB	935	20

Transactions:	Line	Page
ZGSTR1_EXEMPT..... ZFI_GSTR1_REPORT	36	2

DATABASE OPERATIONS

SELECT:

		Line	Page
BKPF.....	ZFI_GSTR1_SUB	66	5
	ZFI_GSTR1_SUB	229	7
	ZFI_GSTR1_SUB	286	8
BSAS.....	ZFI_GSTR1_SUB	135	6
BSEG.....	ZFI_GSTR1_SUB	183	7
	ZFI_GSTR1_SUB	199	7
	ZFI_GSTR1_SUB	335	9
BSET.....	ZFI_GSTR1_SUB	86	5
	ZFI_GSTR1_SUB	159	6
	ZFI_GSTR1_SUB	898	19
KNA1.....	ZFI_GSTR1_SUB	217	7
KONV.....	ZFI_GSTR1_SUB	405	10
MARC.....	ZFI_GSTR1_SUB	341	9
RBKP.....	ZFI_GSTR1_SUB	256	8
SETLEAF.....	ZFI_GSTR1_SUB	857	18
VBRK.....	ZFI_GSTR1_SUB	397	10
	ZFI_GSTR1_SUB	731	16
	ZFI_GSTR1_SUB	784	17
	ZFI_GSTR1_SUB	791	17
VBRP.....	ZFI_GSTR1_SUB	753	16
ZGSTR1_EXEMPT.....	ZFI_GSTR1_SUB	301	9

MODIFY:

		Line	Page
IT_FINAL.....	ZFI_GSTR1_SUB	909	19

INTERNAL TABLE OPERATIONS

READ TABLE:

		Line	Page
IT_BKPF.....	ZFI_GSTR1_SUB	387	10
	ZFI_GSTR1_SUB	674	15
IT_BKPF2.....	ZFI_GSTR1_SUB	769	17
IT_BKPF_R.....	ZFI_GSTR1_SUB	775	17
IT_BSEG_K.....	ZFI_GSTR1_SUB	816	17
IT_KNA1.....	ZFI_GSTR1_SUB	820	18
IT_RBKP.....	ZFI_GSTR1_SUB	771	17
IT_SETL.....	ZFI_GSTR1_SUB	858	18
IT_TEMP.....	ZFI_GSTR1_SUB	773	17
LT_SKIP_CHK.....	ZFI_GSTR1_SUB	314	9
T_TCS.....	ZFI_GSTR1_SUB	905	19

DELETE:

		Line	Page
IT_BSEG_H.....	ZFI_GSTR1_SUB	296	8
IT_BSET.....	ZFI_GSTR1_SUB	108	5
IT_FINAL.....	ZFI_GSTR1_SUB	919	19
