
Created on....11.07.2014 Last changed on/by..... 11.07.2014 SAB_VAIBHAV
Author.....SAB_VAIBHAV

Title.....Bank Batch

Type.....1 Reporting

Status.....

Application.....

Class.....

Logical database.....

 from Application....

Selection screen.....

Authorization group...

Package.....ZFI_OTH

 Start by Variants

 Deactivate editor lock

X Fixed point arithmetic active

```
1  *&-----*
2  *& Report  ZFI_BNK_APP
3  *&
4  *&-----*
5  *&
6  *&
7  *&-----*
8
9  REPORT zfi_bnk_app.
10
11  * Top Include
12  INCLUDE zfi_bnk_app_top.
13  * Selection Screen
14  INCLUDE zfi_bnk_app_s01.
15  * Include for sub routines
16  INCLUDE zfi_bnk_app_f.
17  ** Include for output
18  INCLUDE zfi_bnk_app_outputo01.
19  ** Include for input
20  INCLUDE zfi_bnk_app_i01.
21
22  START-OF-SELECTION.
23    CALL SCREEN 100.
```

```

1  *_____*
2  ***INCLUDE ZFI_BNK_APP_F.
3  *_____*
4  *&_____*
5  *&      Form   F_PREPARE_OP_TAB
6  *&_____*
7  *      text
8  *_____*
9  *  -->  p1      text
10 *  <--  p2      text
11 *_____*
12 FORM f_prepare_op_tab .
13   REFRESH : gt_paym, gt_batch_header,gt_final, gt_batch_sign.
14 *break sab_vaibhav.
15   SELECT * FROM zfi_paym_file INTO TABLE gt_paym
16           WHERE laufd IN so_laufd
17           AND   laufi IN so_laufi
18           AND   sent_date IN so_sent.
19   "      AND sent = 'X'.
20
21   IF gt_paym IS NOT INITIAL.
22     SELECT * FROM bnk_batch_header INTO TABLE gt_batch_header
23           FOR ALL ENTRIES IN gt_paym
24           WHERE laufi_f = gt_paym-laufi
25           AND   laufd_f = gt_paym-laufd.
26
27     IF gt_batch_header IS NOT INITIAL.
28       SELECT * FROM   zfi_batch_sign INTO TABLE gt_batch_sign
29             FOR ALL ENTRIES IN gt_batch_header
30             WHERE batch_no = gt_batch_header-batch_no.
31 *             AND   signer EQ sy-uname.
32   ENDIF.
33   ENDIF.
34
35   LOOP AT gt_batch_header INTO gs_batch_header.
36
37     READ TABLE gt_batch_sign INTO gs_batch_sign WITH KEY batch_no = gs_b
atch_header-batch_no.
38
39     IF sy-subrc EQ 0.
40       IF gs_batch_sign-digitl_sign = ' '.
41         gs_final-pending_with = gs_batch_sign-signer.
42       ENDIF.
43       MOVE-CORRESPONDING gs_batch_header TO gs_final.
44       READ TABLE gt_paym INTO gs_paym WITH KEY laufd = gs_batch_header-l
aufd_f
45                                           laufi = gs_batch_header-l
aufi_f.
46       IF sy-subrc = 0.
47         gs_final-raw_data      = gs_paym-raw_data.
48         gs_final-file_data_sent = gs_paym-file_data_sent.
49         gs_final-error_flag    = gs_paym-sent_error.
50         gs_final-sent_flag     = gs_paym-sent.
51         gs_final-rec_flag      = gs_paym-received. "28
.07.2014
52         gs_final-file_data_received = gs_paym-file_data_received. "28
.07.2014
53         gs_final-file_name      = gs_paym-file_name. "28
.07.2014
54         gs_final-received_filename = gs_paym-received_filename. "28
.07.2014

```

```

55         ENDIF.
56         APPEND gs_final TO gt_final.
57     ENDIF.
58 *   endif.
59     CLEAR : gs_batch_header,gs_batch_sign,gs_final.
60 ENDLOOP.
61 SORT gt_final BY batch_no.
62 ENDFORM.                " F_PREPARE_OP_TAB
63 *&-----*
64 *&      Form   F_ALV_BUILD_FIELDCAT
65 *&-----*
66 *      text
67 *-----*
68 *  —>  p1      text
69 *  <—  p2      text
70 *-----*
71 FORM f_alv_build_fielddcat .
72   DATA lv_fldcat TYPE lvc_s_fcat.
73   DATA: lv_index TYPE sy-index.
74   REFRESH : it_fcat.
75   CLEAR lv_fldcat.
76   lv_fldcat-tabname   = 'GT_FINAL'.
77   lv_fldcat-fieldname = 'BATCH_NO'.
78   lv_fldcat-scrtext_m = 'Batch no.'.
79   lv_fldcat-outputlen = '10'.
80 *   lv_fldcat-row_pos  = '1'.
81   lv_fldcat-col_pos   = lv_index.
82   APPEND lv_fldcat TO it_fcat.
83
84   lv_index = lv_index + 1.
85   CLEAR lv_fldcat.
86   lv_fldcat-tabname   = 'GT_FINAL'.
87   lv_fldcat-fieldname = 'RULE_ID'.
88   lv_fldcat-scrtext_m = 'Rule Id'.
89   lv_fldcat-outputlen = '10'.
90 *   lv_fldcat-row_pos  = '1'.
91   lv_fldcat-col_pos   = lv_index.
92   APPEND lv_fldcat TO it_fcat.
93
94   lv_index = lv_index + 1.
95   CLEAR lv_fldcat.
96   lv_fldcat-tabname   = 'GT_FINAL'.
97   lv_fldcat-fieldname = 'ITEM_CNT'.
98   lv_fldcat-scrtext_m = 'No. of Payment'.
99   lv_fldcat-outputlen = '14'.
100 *   lv_fldcat-row_pos  = '1'.
101   lv_fldcat-col_pos   = lv_index.
102   APPEND lv_fldcat TO it_fcat.
103
104   lv_index = lv_index + 1.
105   CLEAR lv_fldcat.
106   lv_fldcat-tabname   = 'GT_FINAL'.
107   lv_fldcat-fieldname = 'LAUFD'.
108   lv_fldcat-scrtext_m = 'Merger date'.
109   lv_fldcat-outputlen = '11'.
110 *   lv_fldcat-row_pos  = '1'.
111   lv_fldcat-col_pos   = lv_index.
112   APPEND lv_fldcat TO it_fcat.
113
114   lv_index = lv_index + 1.
115   CLEAR lv_fldcat.

```

```
116 lv_fldcat-tabname = 'GT_FINAL'.
117 lv_fldcat-fieldname = 'LAUFI'.
118 lv_fldcat-scrtext_m = 'Merge Id'.
119 lv_fldcat-outputlen = '8'.
120 * lv_fldcat-row_pos = '1'.
121 lv_fldcat-col_pos = lv_index.
122 APPEND lv_fldcat TO it_fcat.
123
124 lv_index = lv_index + 1.
125 CLEAR lv_fldcat.
126 lv_fldcat-tabname = 'GT_FINAL'.
127 lv_fldcat-fieldname = 'LAUFD_F'.
128 lv_fldcat-scrtext_m = 'File Date'.
129 lv_fldcat-outputlen = '9'.
130 * lv_fldcat-row_pos = '1'.
131 lv_fldcat-col_pos = lv_index.
132 APPEND lv_fldcat TO it_fcat.
133
134 lv_index = lv_index + 1.
135 CLEAR lv_fldcat.
136 lv_fldcat-tabname = 'GT_FINAL'.
137 lv_fldcat-fieldname = 'LAUFI_F'.
138 lv_fldcat-scrtext_m = 'File Id'.
139 lv_fldcat-outputlen = '7'.
140 * lv_fldcat-row_pos = '1'.
141 lv_fldcat-col_pos = lv_index.
142 APPEND lv_fldcat TO it_fcat.
143
144 lv_index = lv_index + 1.
145 CLEAR lv_fldcat.
146 lv_fldcat-tabname = 'GT_FINAL'.
147 lv_fldcat-fieldname = 'SENT_FLAG'.
148 lv_fldcat-scrtext_m = 'Sent'.
149 lv_fldcat-outputlen = '4'.
150 * lv_fldcat-row_pos = '1'.
151 lv_fldcat-col_pos = lv_index.
152 APPEND lv_fldcat TO it_fcat.
153
154 lv_index = lv_index + 1.
155 CLEAR lv_fldcat.
156 lv_fldcat-tabname = 'GT_FINAL'.
157 lv_fldcat-fieldname = 'ERROR_FLAG'.
158 lv_fldcat-scrtext_m = 'Error'.
159 lv_fldcat-outputlen = '5'.
160 * lv_fldcat-row_pos = '1'.
161 lv_fldcat-col_pos = lv_index.
162 APPEND lv_fldcat TO it_fcat.
163
164 lv_index = lv_index + 1.
165 CLEAR lv_fldcat.
166 lv_fldcat-tabname = 'GT_FINAL'.
167 lv_fldcat-fieldname = 'REC_FLAG'.
168 lv_fldcat-scrtext_m = 'Rec.'.
169 lv_fldcat-outputlen = '4'.
170 * lv_fldcat-row_pos = '1'.
171 lv_fldcat-col_pos = lv_index.
172 APPEND lv_fldcat TO it_fcat.
173
174 lv_index = lv_index + 1.
175 CLEAR lv_fldcat.
176 lv_fldcat-tabname = 'GT_FINAL'.
```

```
177 lv_fldcat-fieldname = 'BATCH_SUM'.
178 lv_fldcat-scrtext_m = 'Batch Amount'.
179 lv_fldcat-outputlen = '15'.
180 * lv_fldcat-row_pos = '1'.
181 lv_fldcat-col_pos = lv_index.
182 APPEND lv_fldcat TO it_fcat.
183
184 * lv_index = lv_index + 1.
185 * CLEAR lv_fldcat.
186 * lv_fldcat-tabname = 'GT_FINAL'.
187 * lv_fldcat-fieldname = 'MAX_PAY_AMT'.
188 * lv_fldcat-scrtext_m = 'Maximum payment'.
189 * lv_fldcat-outputlen = '15'.
190 ** lv_fldcat-row_pos = '1'.
191 * lv_fldcat-col_pos = lv_index.
192 * APPEND lv_fldcat TO it_fcat.
193
194 lv_index = lv_index + 1.
195 CLEAR lv_fldcat.
196 lv_fldcat-tabname = 'GT_FINAL'.
197 lv_fldcat-fieldname = 'CRUSR'.
198 lv_fldcat-scrtext_m = 'Create User'.
199 lv_fldcat-outputlen = '12'.
200 * lv_fldcat-row_pos = '1'.
201 lv_fldcat-col_pos = lv_index.
202 APPEND lv_fldcat TO it_fcat.
203
204 lv_index = lv_index + 1.
205 CLEAR lv_fldcat.
206 lv_fldcat-tabname = 'GT_FINAL'.
207 lv_fldcat-fieldname = 'CRTIME'.
208 lv_fldcat-scrtext_m = 'Create Time'.
209 lv_fldcat-outputlen = '11'.
210 lv_fldcat-row_pos = '1'.
211 lv_fldcat-col_pos = lv_index.
212 APPEND lv_fldcat TO it_fcat.
213
214 lv_index = lv_index + 1.
215 CLEAR lv_fldcat.
216 lv_fldcat-tabname = 'GT_FINAL'.
217 lv_fldcat-fieldname = 'CRDATE'.
218 lv_fldcat-scrtext_m = 'Create Date'.
219 lv_fldcat-outputlen = '11'.
220 * lv_fldcat-row_pos = '1'.
221 lv_fldcat-col_pos = lv_index.
222 APPEND lv_fldcat TO it_fcat.
223
224 lv_index = lv_index + 1.
225 CLEAR lv_fldcat.
226 lv_fldcat-tabname = 'GT_FINAL'.
227 lv_fldcat-fieldname = 'CHUSR'.
228 lv_fldcat-scrtext_m = 'Change User'.
229 lv_fldcat-outputlen = '12'.
230 * lv_fldcat-row_pos = '1'.
231 lv_fldcat-col_pos = lv_index.
232 APPEND lv_fldcat TO it_fcat.
233
234 lv_index = lv_index + 1.
235 CLEAR lv_fldcat.
236 lv_fldcat-tabname = 'GT_FINAL'.
237 lv_fldcat-fieldname = 'CHTIME'.
```

```
238 lv_fldcat-scrtext_m = 'Change Time'.
239 lv_fldcat-outputlen = '11'.
240 * lv_fldcat-row_pos   = '1'.
241 lv_fldcat-col_pos    = lv_index.
242 APPEND lv_fldcat TO it_fcat.
243
244 lv_index = lv_index + 1.
245 CLEAR lv_fldcat.
246 lv_fldcat-tabname    = 'GT_FINAL'.
247 lv_fldcat-fieldname  = 'CHDATE'.
248 lv_fldcat-scrtext_m  = 'Change Date'.
249 lv_fldcat-outputlen  = '11'.
250 * lv_fldcat-row_pos   = '1'.
251 lv_fldcat-col_pos    = lv_index.
252 APPEND lv_fldcat TO it_fcat.
253
254 lv_index = lv_index + 1.
255 CLEAR lv_fldcat.
256 lv_fldcat-tabname    = 'GT_FINAL'.
257 lv_fldcat-fieldname  = 'ZBUKR'.
258 lv_fldcat-scrtext_m  = 'Paying company code'.
259 lv_fldcat-outputlen  = '19'.
260 * lv_fldcat-row_pos   = '1'.
261 lv_fldcat-col_pos    = lv_index.
262 APPEND lv_fldcat TO it_fcat.
263
264 * lv_index = lv_index + 1.
265 * CLEAR lv_fldcat.
266 * lv_fldcat-tabname    = 'GT_FINAL'.
267 * lv_fldcat-fieldname  = 'HBKID'.
268 * lv_fldcat-scrtext_m  = 'Short Key for a House Bank'.
269 * lv_fldcat-outputlen  = '26'.
270 ** lv_fldcat-row_pos   = '1'.
271 * lv_fldcat-col_pos    = lv_index.
272 * APPEND lv_fldcat TO it_fcat.
273
274 lv_index = lv_index + 1.
275 CLEAR lv_fldcat.
276 lv_fldcat-tabname    = 'GT_FINAL'.
277 lv_fldcat-fieldname  = 'TOT_BTCH_AMT'.
278 lv_fldcat-scrtext_m  = 'Total batch amount'.
279 lv_fldcat-outputlen  = '18'.
280 * lv_fldcat-row_pos   = '1'.
281 lv_fldcat-col_pos    = lv_index.
282 APPEND lv_fldcat TO it_fcat.
283
284 lv_index = lv_index + 1.
285 CLEAR lv_fldcat.
286 lv_fldcat-tabname    = 'GT_FINAL'.
287 lv_fldcat-fieldname  = 'PENDING_WITH'.
288 lv_fldcat-scrtext_m  = 'Pending With'.
289 lv_fldcat-outputlen  = '12'.
290 * lv_fldcat-row_pos   = '1'.
291 lv_fldcat-col_pos    = lv_index.
292 APPEND lv_fldcat TO it_fcat.
293 * lv_index = lv_index + 1.
294 * CLEAR lv_fldcat.
295 * lv_fldcat-tabname    = 'GT_FINAL'.
296 * lv_fldcat-fieldname  = 'MAXPAYAMT_RULECU'.
297 * lv_fldcat-scrtext_m  = 'Maximum payment Amount'.
298 * lv_fldcat-outputlen  = '22'.
```

```

299 *   lv_fldcat-row_pos   = '1'.
300 *   lv_fldcat-col_pos   = lv_index.
301 *   APPEND lv_fldcat TO it_fcat.
302
303 *   lv_index = lv_index + 1.
304 *   CLEAR lv_fldcat.
305 *   lv_fldcat-tabname    = 'GT_FINAL'.
306 *   lv_fldcat-fieldname  = 'GRP_FIELD1_VALUE'.
307 *   lv_fldcat-scrtext_m  = 'Grouping field val1'.
308 *   lv_fldcat-outputlen  = '30'.
309 *   lv_fldcat-row_pos    = '1'.
310 *   lv_fldcat-col_pos    = lv_index.
311 *   APPEND lv_fldcat TO it_fcat.
312
313 *   lv_index = lv_index + 1.
314 *   CLEAR lv_fldcat.
315 *   lv_fldcat-tabname    = 'GT_FINAL'.
316 *   lv_fldcat-fieldname  = 'GRP_FIELD2_VALUE'.
317 *   lv_fldcat-scrtext_m  = 'Grouping field val2'.
318 *   lv_fldcat-outputlen  = '30'.
319 *   lv_fldcat-row_pos    = '1'.
320 *   lv_fldcat-col_pos    = lv_index.
321 *   APPEND lv_fldcat TO it_fcat.
322
323 ENDFORM.                                " F_ALV_BUILD_FIELDCAT
324 *&-----*
325 *&      Form   F_ALV_REPORT_LAYOUT
326 *&-----*
327 *      text
328 *-----*
329 *  -->  p1      text
330 *  <--  p2      text
331 *-----*
332 FORM f_alv_report_layout .
333   CLEAR: it_layout.
334   it_layout-cwidth_opt = 'X'.
335   it_layout-sel_mode   = 'A'.
336
337 ENDFORM.                                " F_ALV_REPORT_LAYOUT
338 *&-----*
339 *&      Form   DOWNLOAD_SENT_DATA
340 *&-----*
341 *      text
342 *-----*
343
344 FORM download_sent_data .
345
346   DATA: lv_lines TYPE i.
347   DATA: fileleng                                TYPE i,
348         flen                                       TYPE i,
349         lv_filename                               TYPE string,
350         enh_version_management_hex_tb TYPE enh_version_management_hex_tb
351
352
353   DATA: window_title TYPE string,
354         def_ext        TYPE string VALUE '.TXT',
355         file_name      TYPE string,
356         file_path      TYPE string,
357         full_path      TYPE string.
358

```



```

416 *          WRITE_FIELD_SEPARATOR = ' '
417 *          HEADER = '00'
418 *          TRUNC_TRAILING_BLANKS = ' '
419          IMPORTING
420              filelength = fileleng
421          TABLES
422              data_tab = enh_version_management_hex_t
423 b  "OUT_DATA_TABLE
424          EXCEPTIONS
425              file_write_error = 1
426              no_batch = 2
427              gui_refuse_filetransfer = 3
428              invalid_type = 4
429              no_authority = 5
430              unknown_error = 6
431              header_not_allowed = 7
432              separator_not_allowed = 8
433              filesize_not_allowed = 9
434              header_too_long = 10
435              dp_error_create = 11
436              dp_error_send = 12
437              dp_error_write = 13
438              unknown_dp_error = 14
439              access_denied = 15
440              dp_out_of_memory = 16
441              disk_full = 17
442              dp_timeout = 18
443              file_not_found = 19
444              dataprovider_exception = 20
445              control_flush_error = 21
446              OTHERS = 22.
447          IF sy-subrc EQ 0.
448              MESSAGE 'File Downloaded Succesfully' TYPE 'I'.
449          ENDIF.
450          CLEAR :fileleng,flen,file_name,file_path,full_path.
451          REFRESH : enh_version_management_hex_tb.
452      ENDIF.
453  ENDIF.
454  ENDIF.
455  ENDIF.
456  ENDIF.
457  ENDFORM.          " DOWNLOAD_SENT_DATA
458  *&-----*
459  *&          Form  DOWNLOAD_RAW_DATA
460  *&-----*
461  *          text
462  *-----*
463  FORM download_raw_data .
464      DATA: lv_lines TYPE i.
465      DATA: fileleng          TYPE i,
466              flen            TYPE i,
467              lv_filename     TYPE string,
468              enh_version_management_hex_tb TYPE enh_version_management_hex_
469  tb.
470      DATA: window_title TYPE string,
471              def_ext      TYPE string VALUE '.TXT',
472              file_name    TYPE string,
473              file_path    TYPE string,
474              full_path    TYPE string.

```



```

532      IMPORTING
533      filelength                = fileleng
534      TABLES
535      data_tab                  = enh_version_management_hex_tb
"OUT_DATA_TABLE
536      EXCEPTIONS
537      file_write_error          = 1
538      no_batch                  = 2
539      gui_refuse_filetransfer    = 3
540      invalid_type              = 4
541      no_authority              = 5
542      unknown_error            = 6
543      header_not_allowed        = 7
544      separator_not_allowed     = 8
545      filesize_not_allowed      = 9
546      header_too_long          = 10
547      dp_error_create           = 11
548      dp_error_send             = 12
549      dp_error_write            = 13
550      unknown_dp_error          = 14
551      access_denied             = 15
552      dp_out_of_memory          = 16
553      disk_full                 = 17
554      dp_timeout                = 18
555      file_not_found            = 19
556      dataprovider_exception    = 20
557      control_flush_error       = 21
558      OTHERS                    = 22.
559      IF sy-subrc EQ 0.
560          MESSAGE 'File Downloaded Succesfully' TYPE 'I'.
561      ENDIF.
562      CLEAR :fileleng,flen,file_name,file_path,full_path.
563      REFRESH : enh_version_management_hex_tb.
564      ENDIF.
565      ENDIF.
566      ENDIF.
567      ENDIF.
568      ENDIF.
569
570      ENDFORM.                                " DOWNLOAD_RAW_DATA
571
572      *&-----*
573      *&      Form  DOWNLOAD_REC_DATA
574      *&-----*
575      *      text
576      *-----*
577      *  —>  p1      text
578      *  <—  p2      text
579      *-----*
580      FORM download_rec_data .
581          DATA: lv_lines TYPE i.
582          DATA: fileleng                TYPE i,
583                flen                    TYPE i,
584                lv_filename              TYPE string,
585                enh_version_management_hex_tb TYPE enh_version_management_hex_tb
586
587
588          DATA: window_title TYPE string,
589                def_ext       TYPE string VALUE '.TXT',
590                file_name     TYPE string,

```

```

591         file_path      TYPE string,
592         full_path      TYPE string.
593
594     REFRESH : gt_selected_rows.
595     CALL METHOD c_alvkd->get_selected_rows
596         IMPORTING
597             et_index_rows = gt_selected_rows.
598
599     CLEAR : lv_lines.
600     DESCRIBE TABLE gt_selected_rows LINES lv_lines.
601     IF lv_lines EQ 0.
602         MESSAGE 'Please select one record' TYPE 'I'.
603         EXIT.
604     ELSEIF lv_lines > 1.
605         MESSAGE 'Please select only single record' TYPE 'I'.
606         EXIT.
607     ENDIF.
608
609     IF gt_selected_rows IS NOT INITIAL.
610         READ TABLE gt_selected_rows INTO gs_selected_rows INDEX 1.
611         IF sy-subrc = 0.
612             READ TABLE gt_final INTO gs_final INDEX gs_selected_rows-index.
613             IF sy-subrc = 0.
614                 IF gs_final-rec_flag = ' '.
615                     MESSAGE 'Download can not be performed' TYPE 'I'.
616                     EXIT.
617                 ELSE.
618                     CLEAR gs_paym.
619                     READ TABLE gt_paym INTO gs_paym WITH KEY      laufi = gs_final-la
ufl_f
620
621                     laufd = gs_final-la
ufl_f.
622
623                     IF sy-subrc EQ 0.
624                         CLEAR file_name.
625                         file_name = gs_paym-received_filename .
626
627                         CALL FUNCTION 'ENH_XSTRING_TO_TAB'
628                             EXPORTING
629                                 im_xstring = gs_final-file_data_received
630                             IMPORTING
631                                 ex_data      = enh_version_management_hex_tb
632                                 ex_leng      = flen.
633
634                         window_title = 'Enter File Name and File Path'.
635                         CALL METHOD cl_gui_frontend_services=>file_save_dialog
636                             EXPORTING
637                                 window_title      = window_title
638                                 default_extension = def_ext
639                                 default_file_name = file_name
640                             CHANGING
641                                 filename          = file_name
642                                 path              = file_path
643                                 fullpath         = full_path.
644                         IF full_path IS INITIAL.
645                             MESSAGE 'Enter File name and File Path' TYPE 'I'.
646                         ELSE.
647                             CALL FUNCTION 'GUI_DOWNLOAD'
648                                 EXPORTING
649                                     bin_filesize      = flen
650                                     filename           = full_path
651                                     "lv_filename

```

```

''C:\TEST\TESTV1.TXT'
649         filetype                = 'BIN'
650 *         APPEND                  = ' '
651 *         WRITE_FIELD_SEPARATOR  = ' '
652 *         HEADER                  = '00'
653 *         TRUNC_TRAILING_BLANKS  = ' '
654         IMPORTING
655         filelength                = fileleng
656         TABLES
657         data_tab                  = enh_version_management_hex_t
b  "OUT_DATA_TABLE
658         EXCEPTIONS
659         file_write_error          = 1
660         no_batch                  = 2
661         gui_refuse_filetransfer   = 3
662         invalid_type              = 4
663         no_authority              = 5
664         unknown_error             = 6
665         header_not_allowed        = 7
666         separator_not_allowed     = 8
667         filesize_not_allowed      = 9
668         header_too_long           = 10
669         dp_error_create           = 11
670         dp_error_send             = 12
671         dp_error_write            = 13
672         unknown_dp_error          = 14
673         access_denied             = 15
674         dp_out_of_memory          = 16
675         disk_full                 = 17
676         dp_timeout                = 18
677         file_not_found            = 19
678         dataprovider_exception    = 20
679         control_flush_error       = 21
680         OTHERS                    = 22.
681         IF sy-subrc EQ 0.
682             MESSAGE 'File Downloaded Succesfully' TYPE 'I'.
683         ENDIF.
684         CLEAR :fileleng,flen,file_name,file_path,full_path.
685         REFRESH : enh_version_management_hex_tb.
686     ENDIF.
687 ENDIF.
688 ENDIF.
689 ENDIF.
690 ENDIF.
691 ENDIF.
692
693 ENDFORM.                                " DOWNLOAD_REC_DATA
694 *&-----*
695 *&      Form  F_RESENT                    *
696 *&-----*
697 *      text                               *
698 *-----*
699 *      -->  p1      text                  *
700 *      <--  p2      text                  *
701 *-----*
702 FORM f_resent .
703     REFRESH : gt_selected_rows.
704     DATA:   lv_lines TYPE i.
705     DATA:   fileleng      TYPE i,
706             flen           TYPE i,
707             lv_filename    TYPE string,

```

```

708      enh_version_management_hex_tb TYPE enh_version_management_hex_
709      tb.
710      DATA: lo_bnk_detail      TYPE REF TO zco_sios_bank_interface_encryp, "z
711      co_sios_sbiwebservice_encrypt, "zfi_bnk_sbi_in_enccco_si_sbiweb, "
712      proxy_data      TYPE zfile_upload2, "
713      zfi_bnk_sbi_in_encfile_upload2, "
714      lt_input      TYPE zfile_upload_response2, "
715      zfi_bnk_sbi_in_encfile_upload1,
716      lo_sys_exception TYPE REF TO cx_ai_system_fault.
717
718      DATA: err_string      TYPE string.
719
720      CREATE OBJECT lo_bnk_detail.
721
722      CALL METHOD c_alvkd->get_selected_rows
723      IMPORTING
724      et_index_rows = gt_selected_rows.
725
726      CLEAR : lv_lines.
727      DESCRIBE TABLE gt_selected_rows LINES lv_lines.
728      IF lv_lines EQ 0.
729
730      MESSAGE 'Please select one record' TYPE 'I'.
731      EXIT.
732      ELSEIF lv_lines > 1.
733      MESSAGE 'Please select only single record' TYPE 'I'.
734      EXIT.
735      ENDIF.
736
737      IF gt_selected_rows IS NOT INITIAL.
738      READ TABLE gt_selected_rows INTO gs_selected_rows INDEX 1.
739      IF sy-subrc = 0.
740      READ TABLE gt_final INTO gs_final INDEX gs_selected_rows-index.
741      IF sy-subrc = 0.
742
743      CLEAR gs_paym.
744      READ TABLE gt_paym INTO gs_paym WITH KEY      laufi = gs_final-lauf
745      i_f
746      laufd = gs_final-lauf
747      d_f.
748
749      IF sy-subrc = 0.
750      IF gs_paym-sent <> 'X'.
751      MESSAGE 'Can not be resent' TYPE 'I'.
752      EXIT.
753      ELSE.
754      proxy_data-parameters-arg0 = gs_paym-file_name.
755      proxy_data-parameters-arg1 = gs_paym-file_data_sent.
756      TRY.
757      CALL METHOD lo_bnk_detail->sios_bank_interface_encryptio
758      n "SIOS_SBIWEBSERVICE_ENCRYPTION "si_sbiwebservice_enc
759      EXPORTING
760      output = proxy_data
761      IMPORTING
762      input = lt_input.
763      CATCH cx_ai_system_fault INTO lo_sys_exception.
764      err_string = lo_sys_exception->get_text( ).
765
766      CATCH cx_ai_application_fault .
767      ENDTRY.

```

```
762         IF err_string IS NOT INITIAL.
763             gs_paym-file_data_sent = gs_paym-file_data_sent.
764             gs_paym-sent_error      = 'X'.
765             gs_paym-sent            = 'X'.
766             gs_paym-sent_date       = sy-datum.
767             gs_paym-sent_time       = sy-uzeit.
768             MODIFY zfi_paym_file FROM gs_paym.
769             MESSAGE 'Error in sending' TYPE 'I'.
770         ELSE.
771             gs_paym-file_data_sent = gs_paym-file_data_sent.
772             gs_paym-sent           = 'X'.
773             gs_paym-sent_error     = ' '.
774             gs_paym-sent_date      = sy-datum.
775             gs_paym-sent_time      = sy-uzeit.
776             MODIFY zfi_paym_file FROM gs_paym.
777             MESSAGE 'Sent Successfully' TYPE 'I'.
778         ENDIF.
779     ENDIF.
780 ENDIF.
781 ENDIF.
782 ENDIF.
783 ENDIF.
784
785 ENDFORM.                                " F_RESENT
```



```
1  *-----*
2  ***INCLUDE ZFI_BNK_APP_I01.
3  *-----*
4  *&-----*
5  *&      Module  USER_COMMAND_0100  INPUT
6  *&-----*
7  *      text
8  *-----*
9  MODULE user_command_0100 INPUT.
10  DATA : lv_code type sy-ucomm.
11  lv_code = sy-ucomm.
12  case lv_code.
13  when 'E'.
14  LEAVE to SCREEN 0.
15  *      call TRANSACTION 'ZBNK_APP2'.
16
17  ENDCASE.
18
19  ENDMODULE.                  " USER_COMMAND_0100  INPUT
20  *&-----*
21  *&      Module  GET_SELECTED_ROW  INPUT
22  *&-----*
23  *      text
24  *-----*
25  MODULE get_selected_row INPUT.
26  DATA : lv_code1 TYPE sy-ucomm.
27  lv_code1 = sy-ucomm.
28  IF lv_code1 = 'DOWNLOAD1'.
29  PERFORM download_sent_data.
30  ELSEIF lv_code1 = 'DOWNLOAD2'.
31  PERFORM download_raw_data.
32  ELSEIF lv_code1 = 'DOWNLOAD3'.
33  PERFORM download_rec_data.
34  ELSEIF lv_code1 = 'RESENT'.
35  PERFORM f_resent.
36  ENDIF.
37
38  ENDMODULE.                  " GET_SELECTED_ROW  INPUT
```

```
1  *-----*
2  ***INCLUDE ZFI_BNK_APP_OUTPUT001.
3  *-----*
4  *&-----*
5  *&      Module  OUTPUT  OUTPUT
6  *&-----*
7  *      text
8  *-----*
9  MODULE output OUTPUT.
10  PERFORM f_prepare_op_tab.
11  ***
12  IF  c_ccont IS INITIAL.
13
14      CREATE OBJECT c_ccont
15      EXPORTING
16          container_name = 'CONTROL'.
17  ENDIF.
18
19  IF c_alvkd IS INITIAL.
20      CREATE OBJECT c_alvkd
21      EXPORTING
22          i_parent = c_ccont.
23  ENDIF.
24  * **Set field for ALV
25  PERFORM f_alv_build_fieldcat.
26
27  **Set ALV attributes FOR LAYOUT
28  PERFORM f_alv_report_layout.
29
30  CHECK NOT c_alvkd IS INITIAL.
31
32  **Call ALV GRID
33  CALL METHOD c_alvkd->set_table_for_first_display
34      EXPORTING
35          is_layout                = it_layout
36      CHANGING
37          it_outtab                = gt_final
38          it_fieldcatalog          = it_fcat
39      EXCEPTIONS
40          invalid_parameter_combination = 1
41          program_error              = 2
42          too_many_lines             = 3
43          OTHERS                    = 4.
44  IF sy-subrc EQ 0.
45  *      CALL METHOD c_alvkd3->refresh_table_display.
46
47  ENDIF.
48
49
50  ENDMODULE.                                " OUTPUT  OUTPUT
51  *&-----*
52  *&      Module  STATUS_0100  OUTPUT
53  *&-----*
54  *      text
55  *-----*
56  MODULE status_0100 OUTPUT.
57  *  SET PF-STATUS 'xxxxxxxx'.
58  *  SET TITLEBAR 'xxx'.
59
60  ENDMODULE.                                " STATUS_0100  OUTPUT
```

```
1  *&-----*
2  *&  Include          ZFI_BNK_APP_S01
3  *&-----*
4  SELECT-OPTIONS : so_laufd      FOR gv_laufd,
5                   so_laufi      FOR gv_laufi,
6                   so_sent       FOR gv_sent_date.
7
8  CREATE OBJECT c_dwnld.
```

```

1  *&-----*
2  *& Include          ZFI_BNK_APP_TOP
3  *&-----*
4
5
6  TYPES : BEGIN OF ty_final,
7      sel                TYPE c,
8      guid               TYPE bnk_com_btch_guid,
9      batch_no           TYPE bnk_com_btch_no,
10     rule_id             TYPE bnk_com_btch_rule_id,
11     item_cnt            TYPE bnk_com_btch_ctr,
12     laufd               TYPE bnk_com_btch_mrge_dat,
13     laufi               TYPE bnk_com_btch_mrge_id,
14     xvorl               TYPE xvorl,
15     laufd_f             TYPE bnk_com_btch_file_dat,
16     laufi_f             TYPE bnk_com_btch_file_id,
17     sent_flag           TYPE c,
18     error_flag          TYPE c,
19     rec_flag            TYPE c,
20     batch_sum           TYPE bnk_com_btch_amount,
21     batch_curr           TYPE bnk_com_btch_curr,
22     max_pay_amt         TYPE bnk_com_max_paymnt_amount,
23     status              TYPE bnk_com_btch_status_id,
24     crusr               TYPE bnk_com_create_user,
25     crtime              TYPE bnk_com_create_time,
26     crdate              TYPE bnk_com_create_date,
27     chusr               TYPE bnk_com_change_user,
28     chtime              TYPE bnk_com_change_time,
29     chdate              TYPE bnk_com_change_date,
30     cur_processor       TYPE bnk_com_cur_processor,
31     archive_status      TYPE bnk_com_archive_status,
32     zbukr               TYPE dzbukr,
33     hbkid               TYPE hbkid,
34     tot_btch_amt        TYPE bnk_com_btch_amt_in_rule_curr,
35     maxpayamt_rulecu    TYPE bnk_com_max_pymntamt_in_rulcur,
36     grp_field1_value    TYPE bnk_com_grp_fld_val1,
37     grp_field2_value    TYPE bnk_com_grp_fld_val2,
38     raw_data            TYPE xstring,
39     file_data_sent      TYPE xstring,
40     file_data_received  TYPE xstring,
41     pending_with        TYPE sy-uname,
42     file_name           TYPE zfi_paym_file-file_name ,
43     received_filename   TYPE zfi_paym_file-received_filename,
44
45 END OF ty_final.
46
47 DATA : gt_paym          TYPE STANDARD TABLE OF zfi_paym_file,
48         gt_batch_header  TYPE STANDARD TABLE OF bnk_batch_header,
49         gt_batch_sign    TYPE STANDARD TABLE OF zfi_batch_sign ,
50         gt_final         TYPE STANDARD TABLE OF ty_final,
51
52
53         gs_paym          TYPE zfi_paym_file,
54         gs_batch_header  TYPE bnk_batch_header,
55         gs_batch_sign    TYPE zfi_batch_sign ,
56         gs_final         TYPE ty_final,
57
58         c_ccont          TYPE REF TO cl_gui_custom_container,  "Custom co
59 nt                       c_alvgd          TYPE REF TO cl_gui_alv_grid,      "ALV grid
60         it_fcatt         TYPE lvc_t_fcatt,      " Fieldca

```

```

t
61      it_layout          TYPE lvc_s_layo,           "Layout
62      c_dwnld            TYPE REF TO cl_gui_frontend_services.
63
64
65 DATA: gt_selected_rows TYPE lvc_t_row,           "Selected Row
66      gs_selected_rows TYPE lvc_s_row.
67
68 DATA : gv_laufd          TYPE zfi_paym_file-laufd,
69      gv_laufi            TYPE zfi_paym_file-laufi,
70      gv_sent_date        TYPE zfi_paym_file-sent_date.
```

Title:
Bank Batch

Selection texts:

S0_LAUF	D	
	File	Date
S0_LAUF	I	
	File	ID
S0_SENT		
	Sent	Date

PAI modules:

		Line	Page
GET_SELECTED_ROW.....	ZFI_BNK_APP_I01	25	17
USER_COMMAND_0100.....	ZFI_BNK_APP_I01	9	17

PBO modules:

		Line	Page
OUTPUT.....	ZFI_BNK_APP_OUTPUT001	9	18
STATUS_0100.....	ZFI_BNK_APP_OUTPUT001	56	18

Subroutines:

		Line	Page
DOWNLOAD_RAW_DATA.....	ZFI_BNK_APP_F	463	10
	ZFI_BNK_APP_I01	31	17
DOWNLOAD_REC_DATA.....	ZFI_BNK_APP_F	580	12
	ZFI_BNK_APP_I01	33	17
DOWNLOAD_SENT_DATA.....	ZFI_BNK_APP_F	344	8
	ZFI_BNK_APP_I01	29	17
F_ALV_BUILD_FIELDCAT.....	ZFI_BNK_APP_F	71	4
	ZFI_BNK_APP_OUTPUT001	25	18
F_ALV_REPORT_LAYOUT.....	ZFI_BNK_APP_F	332	8
	ZFI_BNK_APP_OUTPUT001	28	18
F_PREPARE_OP_TAB.....	ZFI_BNK_APP_F	12	3
	ZFI_BNK_APP_OUTPUT001	10	18
F_RESENT.....	ZFI_BNK_APP_F	702	14
	ZFI_BNK_APP_I01	35	17

Screens:

		Line	Page
0100.....	ZFI_BNK_APP	23	2

Messages:

		Line	Page
?	ZFI_BNK_APP_F	367	9
?	ZFI_BNK_APP_F	370	9
?	ZFI_BNK_APP_F	380	9
?	ZFI_BNK_APP_F	408	9
?	ZFI_BNK_APP_F	447	10
?	ZFI_BNK_APP_F	484	11
?	ZFI_BNK_APP_F	487	11
?	ZFI_BNK_APP_F	521	11
?	ZFI_BNK_APP_F	560	12
?	ZFI_BNK_APP_F	602	13
?	ZFI_BNK_APP_F	605	13
?	ZFI_BNK_APP_F	615	13
?	ZFI_BNK_APP_F	643	13
?	ZFI_BNK_APP_F	682	14
?	ZFI_BNK_APP_F	727	15
?	ZFI_BNK_APP_F	730	15
?	ZFI_BNK_APP_F	745	15
?	ZFI_BNK_APP_F	769	16
?	ZFI_BNK_APP_F	777	16

External calls

Function Modules		Line	Page
ENH_XSTRING_TO_TAB.....	ZFI_BNK_APP_F	390	9
	ZFI_BNK_APP_F	503	11
	ZFI_BNK_APP_F	625	13
GUI_DOWNLOAD.....	ZFI_BNK_APP_F	410	9
	ZFI_BNK_APP_F	523	11
	ZFI_BNK_APP_F	645	13

DATABASE OPERATIONS

SELECT:

	Line	Page
BNK_BATCH_HEADER..... ZFI_BNK_APP_F	22	3
ZFI_BATCH_SIGN..... ZFI_BNK_APP_F	28	3
ZFI_PAYM_FILE..... ZFI_BNK_APP_F	15	3

MODIFY:

	Line	Page
ZFI_PAYM_FILE..... ZFI_BNK_APP_F	768	16
ZFI_BNK_APP_F	776	16

INTERNAL TABLE OPERATIONS

READ TABLE:

		Line	Page
GT_BATCH_SIGN.....	ZFI_BNK_APP_F	37	3
GT_FINAL.....	ZFI_BNK_APP_F	377	9
	ZFI_BNK_APP_F	494	11
	ZFI_BNK_APP_F	612	13
	ZFI_BNK_APP_F	737	15
GT_PAYM.....	ZFI_BNK_APP_F	44	3
	ZFI_BNK_APP_F	384	9
	ZFI_BNK_APP_F	497	11
	ZFI_BNK_APP_F	619	13
	ZFI_BNK_APP_F	741	15
GT_SELECTED_ROWS.....	ZFI_BNK_APP_F	375	9
	ZFI_BNK_APP_F	492	11
	ZFI_BNK_APP_F	610	13
	ZFI_BNK_APP_F	735	15
