```
Created on....11.07.2014    Last changed on/by........ 08.08.2025 SAP_VIKAS
Author........CAB_ALOK

Title.........SBI Beneficiary file Generation, Signing and Transfer

Type..................1     Reporting
Status................K     Customer Program
Application...........
Class.................
Logical database......
  from Application....
Selection screen......
Authorization group...
Package...............ZFI_OTH

  Start by Variants
  Deactivate editor lock
X Fixed point arithmetic active
```

```
*&---------------------------------------------------------------------*
*& Report  ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN
*&---------------------------------------------------------------------*
*& OLD Report  ZFIVMS_BRD_FILEGEN
*&
*&---------------------------------------------------------------------*
*& Sudhir Sharma <RD1K968710>                Date 06-10-10
*& Sudhir Sharma <RD1K976705> CR No.30005915 Date 13-06-11
*& lipsy swain   <RD1K983162>                Date 07-01-2013
*&---------------------------------------------------------------------*
*&---------------------------------------------------------------------*
*& New Report  ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN
* Author                : Alok kumar Singh
* Created on            :
* Title                 : SBI Composite Beneficiary File registration/dereg. process
* Description           : Program handles SBI Composite Beneficiary file generation,
*                         digital signing and File Transfer.
*                         1. Previously used  4 formats whereby 4 type of files for each
*                         payment center was being generated(old Prog:ZFIVMS_BRD_SEL_FILEGEN)
*                         , have been discarded.
*                         Now all the data is transfered in the new composite format,
*                         so now only 1 file for each payment center will be generated.
*                         2. Program signs the data with Digital signature of the user
*                         3. Transfers data thro' PI to SBI
* CR:  30010502
* TP : RD1K991769
*&---------------------------------------------------------------------*
**********************************************************************
*CHANGE HISTORY
*
* Mod Date  CR No.  Changed by    Description           Chng ID       *
* 21.10.2016  30014976 RAMA
**********************************************************************


REPORT  ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN.

TABLES :  ZFIVMS_BRD , pa0001, pa0006 , pa0009 , pa9205 , zfi_path.

**********************************************************************
* Begin RD1K991769 CAB_ALOK     CR 30010502
 types: begin of TY_record,    " Old record
          record(200)   ,
        end of TY_record.

 types: begin of TY_record_new, "concatenated record in NEW_FORMAT, now max length > 200
          record(210)   ,
        end of TY_record_new.

  types: begin of TY_NEW_FORMAT, "length 194 + 8 separators +EoL
    BEN_TYPE(1),      "Beneficiary Type * 1
    BEN_ACT_TYPE(1), "  Beneficiary Action Type * 1
    BEN_NAME(35),     "Beneficiary Name * 35
```

```
    BEN_AC_NO(38),    "Beneficiary Account Number *  33//17
    BEN_CODE(24),     "Beneficiary Code 20 (back to 24)
    IFSC(11),         "IFS Code#  11
    ADDR1(35),         "Address1 35
    ADDR2(35),        "Address2  35
    ADDR3(35),         "Address3 35
    end of TY_NEW_FORMAT.



  data: IST_94427 TYPE STANDARD TABLE OF TY_NEW_FORMAT. "cvp-mum
  data: IST_93128 TYPE STANDARD TABLE OF TY_NEW_FORMAT. "cep-ddn
  data: IST_30523 TYPE STANDARD TABLE OF TY_NEW_FORMAT.  "övl

  data: IST_94427_FILE TYPE STANDARD TABLE OF TY_record_new. "cvp
  data: IST_93128_FILE TYPE STANDARD TABLE OF TY_record_new. "ddn
  data: IST_30523_FILE TYPE STANDARD TABLE OF TY_record_new.  "övl
**** START CR 6000000474    ON 20.11.18
  data: IST_96726 TYPE STANDARD TABLE OF TY_NEW_FORMAT.  "ECPF
  data: IST_96726_FILE TYPE STANDARD TABLE OF TY_record_new. "ECPF

***END
data: trans_string type string.


* End  RD1K991769 CAB_ALOK     CR 30010502
*********************************************************************

data : begin of ist_rdata_sbi occurs 0,
         span(200),
*         koinh_new  type zfivmsbank-koinh_new,
*         bankn_new  type zfivmsbank-bankn_new,
*         bankl_new  type zfivmsbank-bankl_new,
       end of ist_rdata_sbi.

data : begin of ist_rdata_nonsbi occurs 0,
         span(200),
       end of ist_rdata_nonsbi.

data : begin of ist_ddata_sbi occurs 0,
         span(200),                                        "(80),
       end of ist_ddata_sbi.
data : begin of ist_ddata_nonsbi occurs 0,
         span(200),
       end of ist_ddata_nonsbi.
* Begin of < > on 02052011
data : begin of ist_rdata_sbi_ovl occurs 0,
      span(200),
    end of ist_rdata_sbi_ovl.
data : begin of ist_rdata_nonsbi_ovl occurs 0,
         span(200),
       end of ist_rdata_nonsbi_ovl.
data : begin of ist_ddata_sbi_ovl occurs 0,
         span(200),                                        "(80),
       end of ist_ddata_sbi_ovl.
data : begin of ist_ddata_nonsbi_ovl occurs 0,
         span(200),
       end of ist_ddata_nonsbi_ovl.
* End of <> on 02052011
* Begin of < > on 16072012
data : begin of ist_rdata_sbi_s occurs 0,
```

```
115           span(200),
116         end of ist_rdata_sbi_s.
117  data : begin of ist_ddata_sbi_s occurs 0,
118           span(200),
119         end of ist_ddata_sbi_s.
120  data : begin of ist_rdata_nonsbi_s occurs 0,
121           span(200),
122         end of ist_rdata_nonsbi_s.
123  data : begin of ist_ddata_nonsbi_s occurs 0,
124           span(200),
125         end of ist_ddata_nonsbi_s.
126  * End of <> on 16072012
127  * Begin of < > on 28062011
128  data : begin of ist_rdata_sbi_ovl_e occurs 0,
129          span(200),
130      end of ist_rdata_sbi_ovl_e.
131  data : begin of ist_ddata_sbi_ovl_e occurs 0,
132           span(200),
133         end of ist_ddata_sbi_ovl_e.
134
135  data : begin of ist_rdata_nonsbi_ovl_e occurs 0,
136           span(200),
137         end of ist_rdata_nonsbi_ovl_e.
138  data : begin of ist_ddata_nonsbi_ovl_e occurs 0,
139           span(200),
140         end of ist_ddata_nonsbi_ovl_e.
141  * End of <> on 28062011
142  data : begin of ist_rdata_sbi_e occurs 0,
143           span(200),
144  *         koinh_new  type zfivmsbank-koinh_new,
145  *         bankn_new  type zfivmsbank-bankn_new,
146  *         bankl_new  type zfivmsbank-bankl_new,
147         end of ist_rdata_sbi_e.
148
149  data : begin of ist_rdata_nonsbi_e occurs 0,
150           span(200),
151         end of ist_rdata_nonsbi_e.
152
153  data : begin of ist_ddata_sbi_e occurs 0,
154           span(200),                                          "(80),
155         end of ist_ddata_sbi_e.
156  data : begin of ist_ddata_nonsbi_e occurs 0,
157           span(200),
158         end of ist_ddata_nonsbi_e.
159
160
161  data : wa_ddata_sbi    like ist_ddata_sbi,
162         wa_ddata_nonsbi like ist_ddata_nonsbi,
163         g_benf.
164  * Begin of <> on 10062011
165  data : ist_zfi_path type table of zfi_path,
166         wa_path type zfi_path.
167  * End of <> on 10062011
168  * Begin of <RD1K977143> on 14072011
169  data : g_filegen.
170  * End of <RD1K977143> on 14072011
171
172  data : ist_zfivms_resend type table of zfivms_resend,
173         wa_zfivms_resend  type zfivms_resend,
174         ist_zfivms_brd    type table of zfivms_brd,
175         wa_zfivms_brd     type zfivms_brd,
```

```
176         ist_zfivms_brd1   type table of zfivms_brd,          "21062011
177         ist_zfivms_brdt   type table of zfivms_brd,          "21062011
178         ist_zfivms_brdtmp type table of zfivms_brd,          "21062011
179         ist_zfivms_brdtmp1 type table of zfivms_brd,         "21062011
180
181   "added by lipsy on 27.09.2012 for customer maintainance
182         ist_zsdcust_bankupd type table of zfivms_brd,
183   "end of addition by lipsy
184
185         wa_zfivms_brdtmp   type zfivms_brd,                  "21062011
186         wa_zfivms_brdt    type zfivms_brd,                   "21062011
187         wa_zfivms_brd1    type zfivms_brd,                   "21062011
188         ist_pa0009        type table of pa0009,
189         wa_pa0009         type  pa0009,
190         ist_pa0009as      type table of pa0009,              "29122011
191         ist_pa0009as1     type table of pa0009,              "29122011
192         wa_pa0009as       type  pa0009,                      "29122011
193         wa_pa0009t        type  pa0009,
194         ist_pa0006        type table of pa0006,
195         wa_pa0006         type  pa0006,
196         wa_pa0001         type  pa0001,
197         wa_pa9205         type  pa9205,
198         g_date_rd(10),
199         g_time_rd(06),
200         l_rsbi type i,
201         l_dsbi type i,
202         l_stat type i,
203         g_filename1 like rlgrap-filename,
204         g_filename  type string ,"type string.
205         g_fsnam     type zfi_path-fsnam,                     "10062011
206         g_corpid    type zfi_path-corpid.                    "16062011
207   * Begin of <> on 18052012
208   data : l_spanemp(17),
209          l_spanasa(24),
210          l_span(7),
211          l_strlen type n.
212   * End of <> on 18052012
213   data : valid_characters_as type string,
214          valid_input_as      type string.
215
216   **Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30
      010502
217   data g_cancel_pressed(1).
218   data: ok_code2000 TYPE sy-ucomm.
219   DATA: G_PASSWD_INPUT TYPE SSFINFO-PASSWORD. "(132).
220   DATA G_PASSWORD TYPE SSFINFO-PASSWORD..
221   data ist_pa0009_BAK type table of pa0009.
222
223   DATA: IST_pa0009_OVL type table of pa0009,
224         IST_pa0009_ONGC type table of pa0009.
225   **End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 3001
      0502
226
227
228   selection-screen begin of block rad1
229                            with frame title text-001.
230
231   PARAMETERS : p_date type zfivmsbank-VMC_APDATE.
232   * Begin of <> on 09052012
233   Select-OPTIONS : s_span for zfivms_brd-span.
234   * End of <> on 09052012
```

```
PARAMETERS : p_payctr type zpay_ctr OBLIGATORY.

selection-screen end of block rad1.


START-OF-SELECTION.

**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502
PERFORM AUTH_CHECK.
PERFORM SET_TRANS.
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502


  perform check_req_value.
  PERFORM EXTRACT_DATA.
**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502
*  PERFORM GENERATE_FILE.
  PERFORM GENERATE_NEW_FORMAT.
  PERFORM MERGE_FILE.
  PERFORM PROCESS.
  PERFORM CLEAR_VAR.
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502


*&---------------------------------------------------------------------*
*&      Form  EXTRACT_DATA
*&---------------------------------------------------------------------*
*       text
*----------------------------------------------------------------------*
*  -->  p1        text
*  <--  p2        text
*----------------------------------------------------------------------*
FORM EXTRACT_DATA .
  data : l_begdate   type pa0009-begda,
         l_begdateas type pa0009-begda,
         l_strlen  type n,
         l_line(2),
         l_enddate type pa0009-endda value '99991231',
         l_endda(10),
         l_begda(10),
         l_tabix type sy-tabix,                            "20062011
         l_bukrs type pa0001-bukrs.                        "16062011
  concatenate 'ABCDEFGHIJKLMNOPQRSTUVWXYZ'
              'abcdefghijklmnopqrstuvwxyz' into valid_characters_as.
* Begin of <> on 01022011

*  CONCATENATE p_date(4) p_date(4) p_date(4) into l_begda.
*  write p_date to p_date YYMMDD.


**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502
*  select * from pa0009 into table ist_pa0009as where aedtm = p_date and endda =  l_enddate  "p_date
*                                                   and subty = '0'.

 select * from pa0009
```

```
290     into table ist_pa0009as
291       where  subty = '0'
292         and endda =  l_enddate
293           and aedtm = p_date
294           and flag1 = ''.
295 *          and FLAG2 = ''.
296 **End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 3001
    0502
297
298 *  if sy-subrc = 0.
299 *      append ist_pa0009as to ist_pa0009.
300 *      sort ist_pa0009as descending by pernr.
301 *      read table ist_pa0009as into wa_pa0009as with key
302 *      l_begdateas = wa_pa0009as-begda - 1.
303 *      select * from pa0009 into table ist_pa0009as1 where endda =  l_be
    gdateas
304 *                                                  and subty = '0'.
305 *   endif.
306 * Begin of <> on 16072012
307   ist_pa0009[] = ist_pa0009as[].
308 **Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital sig
    ning, Logging
309   ist_pa0009_BAK[] = ist_pa0009as[].
310
311 **End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signi
    ng, Logging
312
313
314 *  select * from pa0009 into table ist_pa0009 where begda = p_date and e
    ndda =  l_enddate "'31.12.9999' "p_date
315 *                                                 and subty = '0'." and zl
    sch in ('S','N','8','9'). "20062011 20062011
316 *
317 **  if sy-subrc = 0.    "16022012
318 ** Begin of <> on 291211
319 *
320 *  loop at ist_pa0009as into wa_pa0009as.
321 *    append wa_pa0009as to ist_pa0009 ." from  . "index sy-tabix.
322 *  endloop.
323 * End of <> on 16072012
324 * End of <> on 291211
325 * Begin of <> on 16062011 To take OVL employee data also
326
327 **Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital sig
    ning, Logging
328   clear wa_pa0009  .
329 **End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signi
    ng, Logging
330   loop at ist_pa0009 into wa_pa0009.
331     l_tabix = sy-tabix.
332     select single bukrs into l_bukrs from pa0001 where pernr = wa_pa0009
    -pernr
333                                                   and begda <= p_date a
    nd endda >= p_date .  "p_date
334     if sy-subrc = 0.
335 *     loop at ist_pa0009 into wa_pa0009.
336 * End of <> on 16062011
337       if l_bukrs = 'OVL'.
338         perform get_ovl_emlpoyee_details.
339       elseif l_bukrs = 'OGL'.
340         CONTINUE.
```

```
      else.
        perform get_ongc_emlpoyee_details.
      endif.
    endif.
    clear wa_pa0009.                                          "21062011
  endloop.
*  endif.
* End of <>

* Begin of <> on 231110
  select * from zfivms_resend into table ist_zfivms_resend where status = 'DEREGISTRATION FAILURE'.
* End of <>
*  select * from zfivms_brd into table ist_zfivms_brd where vmc_apdate = p_date and status = 'APPROVED BY VMC'.
* Begin of <> on 09052012
  if not p_date is initial and not s_span is initial.

    """""""""
    "added by lipsy  on 04.01.2013 for file generation even if customer bank data is not there  RD1K983162
     select * from zsdcust_bankupd into table ist_zsdcust_bankupd where ( vmc_apdate EQ p_date and span in s_span )
    and status in ('RELEASE BY CMC').
    "end of addition by lipsy  on 04.01.2013 for file generation even if customer  bank data is not there  RD1K983162
    """""""""""

    select * from zfivms_brd into table ist_zfivms_brd where  ( vmc_apdate EQ p_date and span in s_span )
    and status in ('RELEASE BY VMC' , 'RELEASE BY EMPLOYEE' , 'RELEASE BY VMC FOR OVL', 'RELEASE BY EMPLOYEE FOR OVL').

      "commented by lipsy  on 04.01.2013 for file generation even if customer  bank data is not there  RD1K983162
      "added by lipsy on 27.09.2012
*     select * from zsdcust_bankupd into table ist_zsdcust_bankupd where ( vmc_apdate = p_date and span in s_span )
*    and status in ('RELEASE BY CMC').
      "end of addition by lipsy on 27.09.2012
     "end of comment by lipsy  on 04.01.2013 for file generation even if customer  bank data is not there  RD1K983162

  elseif not p_date is initial.

    """""""""
    "added by lipsy  on 04.01.2013 for file generation even if customer bank data is not there  RD1K983162
     select * from zsdcust_bankupd into table ist_zsdcust_bankupd where vmc_apdate = p_date
    and status in ('RELEASE BY CMC').
    "end of addition  by lipsy  on 04.01.2013 for file generation even if customer  bank data is not there  RD1K983162
    """""""""
    select * from zfivms_brd into table ist_zfivms_brd where vmc_apdate = p_date
   and status in ('RELEASE BY VMC' , 'RELEASE BY EMPLOYEE' , 'RELEASE BY VMC FOR OVL', 'RELEASE BY EMPLOYEE FOR OVL').

"commented by lipsy  on 04.01.2013 for file generation even if customer bank data is not there  RD1K983162
```

```
386  "added by lipsy on 27.09.2012
387  *     select * from zsdcust_bankupd into table ist_zsdcust_bankupd where
       ( vmc_apdate = p_date and span in s_span )
388  *    and status in ('RELEASE BY CMC').
389  "end of addition by lipsy on 27.09.2012
390  "commented by lipsy  on 04.01.2013 for file generation even if customer
      bank data is not there  RD1K983162
391
392    elseif not s_span is initial.
393
394
395  """"""""""
396  "added by lipsy  on 04.01.2013 for file generation even if customer  ban
     k data is not there  RD1K983162
397    select * from zsdcust_bankupd into table ist_zsdcust_bankupd where   s
     pan in s_span
398    and status in ('RELEASE BY CMC').
399  "end of addition by lipsy  on 04.01.2013 for file generation even if cus
     tomer  bank data is not there  RD1K983162
400  """""""""
401  "
402  "commented by lipsy  on 04.01.2013 for file generation even if customer
      bank data is not there  RD1K983162
403
404      """"added by lipsy on 28.12.2012 RD1K983099
405      "added by lipsy on 27.09.2012
406  *    select * from zsdcust_bankupd into table ist_zsdcust_bankupd where
      ( vmc_apdate = p_date and span in s_span )
407  *    and status in ('RELEASE BY CMC').
408  "end of addition by lipsy on 27.09.2012
409      """"end of addition by lipsy on 28.12.2012 RD1K983099
410  "commented by lipsy  on 04.01.2013 for file generation even if customer
      bank data is not there  RD1K983162
411        """""""""""
412      select * from zfivms_brd into table ist_zfivms_brd where  span in s_
     span
413     and status in ('RELEASE BY VMC' , 'RELEASE BY EMPLOYEE' , 'RELEASE BY
      VMC FOR OVL', 'RELEASE BY EMPLOYEE FOR OVL').
414        "commented by lipsy on 28.12.2012 RD1K983099
415  *"added by lipsy on 27.09.2012
416  *    select * from zsdcust_bankupd into table ist_zsdcust_bankupd where
      ( vmc_apdate = p_date and span in s_span )
417  *    and status in ('RELEASE BY CMC').
418  *"end of addition by lipsy on 27.09.2012
419        "commented by lipsy on 28.12.2012 RD1K983099
420    endif.
421  * End of <> on 09052012
422  *
       status in ('APPROVED BY VMC' , 'APPROVED BY EMPLOYEE' , 'APPROVED BY
      VMC FOR OVL', 'APPROVED BY EMPLOYEE FOR OVL'). 290911
423
424  "commented by lipsy  on 04.01.2013 for file generation even if customer
      bank data is not there  RD1K983162
425  *  if sy-subrc = 0.
426
427  "commented by lipsy  on 04.01.2013 for file generation even if customer
      bank data is not there  RD1K983162
428      """""""""""
429     "added by lipsy  on 04.01.2013 for file generation even if customer
     bank data is not there  RD1K983162
430      if ist_zfivms_brd is not INITIAL or ist_zsdcust_bankupd is NOT INITI
```

```
AL.
   "end of  addition  by lipsy  on 04.01.2013 for file generation even if customer  bank data is not there  RD1K983162
    """"""""

* Begin of <> on 21062011
    sort ist_zfivms_brd DESCENDING by span .
    ist_zfivms_brd1[] = ist_zfivms_brd[].
***S/4 Start of Change —  Support  # TR RD1K9A0Q5P # 2022/11/28
    sort ist_zfivms_brd1 DESCENDING by span .
***S/4 End of Change — Support  # TR RD1K9A0Q5P # 2022/11/28
    Delete ADJACENT DUPLICATES FROM ist_zfivms_brd1 comparing span.

    loop at ist_zfivms_brd1 into wa_zfivms_brd1.
      ist_zfivms_brdt[] = ist_zfivms_brd[].
      loop at ist_zfivms_brdt into wa_zfivms_brdt where span =  wa_zfivms_brd1-span.
        append wa_zfivms_brdt to ist_zfivms_brdtmp .
      endloop.
*      delete ist_zfivms_brdt where span <>  wa_zfivms_brd1-span.
      if sy-subrc = 0.

        clear l_line.
        describe table ist_zfivms_brdtmp lines l_line.
        shift l_line left deleting leading '0'.            "16072012
        if l_line > 0.
          read table ist_zfivms_brdtmp into wa_zfivms_brdtmp with key seqno = l_line.
          if sy-subrc <> 0.
            read table ist_zfivms_brdtmp into wa_zfivms_brdtmp index 1.
          endif.
        endif.
*         sort ist_zfivms_brdtmp ascending by seqno span.
*         read table ist_zfivms_brdtmp into wa_zfivms_brdtmp index 1.
        append wa_zfivms_brdtmp to ist_zfivms_brdtmp1.
*          modify ist_zfivms_brdtmp1 from wa_zfivms_brdtmp.
        refresh ist_zfivms_brdtmp.
      endif.

    endloop.
    refresh ist_zfivms_brd.
    ist_zfivms_brd[] = ist_zfivms_brdtmp1[].
* End of <> on 21062011

* Begin of <> on 16072012
    loop at ist_zfivms_resend into wa_zfivms_resend.
      move-corresponding wa_zfivms_resend to wa_zfivms_brd.
      append wa_zfivms_brd to ist_zfivms_brd..
*      append lines of ist_zfivms_resend to ist_zfivms_brd.
    endloop.
* End of <> on 16072012

    "added by lipsy  on 27.09.2012
    APPEND LINES OF ist_zsdcust_bankupd TO ist_zfivms_brd.
    "end of addition by lipsy on 27.09.2012
* Vendor Registration - D
    loop at ist_zfivms_brd into wa_zfivms_brd . "where status <> 'APPROVED BY EMPLOYEE'.
* Begin of <> on 03122010


```

```
487 **Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital sig
    ning, Logging
488 *      if wa_zfivms_brd-bankl_new(4) = 'SBIN'.
489 *        valid_input_as = wa_zfivms_brd-bankl_new+6(5).
490 *      else.
491 *        valid_input_as = wa_zfivms_brd-bankl_new.
492 *      endif.
493     clear  valid_input_as.
494     valid_input_as = wa_zfivms_brd-bankl_new.
495
496 **End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signi
    ng, Logging
497
498
499 * End of <> on 03122010
500   check valid_input_as is not INITIAL.                "28.08.2014
501       condense valid_input_as.
502 * NON SBI
503 *{
504 */..Begin of Change CR : 30016236 by CAB_RAMA
505   CONSTANTS: g_setclass LIKE setleaf-setclass VALUE '0000',
506              g_setname  LIKE setleaf-setname VALUE 'ZFI_SBIN_EXCEPTION '
    .
507   DATA :        ist_setleaf    LIKE setleaf OCCURS 0 WITH HEADER LINE,
508            L_SBI_OTH(1) TYPE C.
509
510  CLEAR : ist_setleaf, L_SBI_OTH.
511         REFRESH : ist_setleaf.
512         SELECT * FROM setleaf
513         INTO CORRESPONDING FIELDS OF TABLE ist_setleaf
514         WHERE setclass = g_setclass
515           AND setname = g_setname.
516
517     READ TABLE ist_setleaf WITH KEY setclass = g_setclass
518                                     setname  = g_setname
519                                     valfrom  = valid_input_as+0(4).
520     IF SY-SUBRC = 0.
521       L_SBI_OTH = 'X'.
522       ENDIF.
523
524
525 *}END OF CR 30016236
526 **Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital sig
    ning, Logging
527 *      if  valid_input_as ca valid_characters_as.
528      if  valid_input_as+0(4) <> 'SBIN' AND L_SBI_OTH = ''.
529 **End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signi
    ng, Logging
530         if wa_zfivms_brd-span ca 'R'.
531 * Begin of <> on 18052012
532 *          concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn_
    new '*' valid_input_as '*'
533 *          wa_zfivms_brd-street '*' wa_zfivms_brd-str_suppl1  '*' wa_zfi
    vms_brd-city1 '*' wa_zfivms_brd-tel_number '*' wa_zfivms_brd-span '*'  i
    nto ist_rdata_nonsbi-span.
534 * End of <> on 18052012
535           if wa_zfivms_brd-status = 'RELEASE BY VMC FOR OVL'.
536             concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn
    _new '*' valid_input_as '*'
537             wa_zfivms_brd-street '*' wa_zfivms_brd-str_suppl1  '*' wa_zf
    ivms_brd-city1 '*' wa_zfivms_brd-tel_number '*' wa_zfivms_brd-span '*'
```

```
into ist_rdata_nonsbi-span.
            MOVE-CORRESPONDING ist_rdata_nonsbi to ist_rdata_nonsbi_ovl. "05052011
            append ist_rdata_nonsbi_ovl.
          elseif wa_zfivms_brd-status = 'RELEASE BY EMPLOYEE FOR OVL'. "28062011

            perform add_7x_emp.

            concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn_new '*' valid_input_as '*'
            wa_zfivms_brd-street '*' wa_zfivms_brd-str_suppl1  '*' wa_zfivms_brd-city1 '*' wa_zfivms_brd-tel_number '*' l_spanasa '*'  into ist_rdata_nonsbi-span.
            MOVE-CORRESPONDING ist_rdata_nonsbi to ist_rdata_nonsbi_ovl_e. "28062011
            append ist_rdata_nonsbi_ovl_e.
          elseif wa_zfivms_brd-status = 'RELEASE BY EMPLOYEE'.
            perform add_7x_emp.
            concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn_new '*' valid_input_as '*'
            wa_zfivms_brd-street '*' wa_zfivms_brd-str_suppl1  '*' wa_zfivms_brd-city1 '*' wa_zfivms_brd-tel_number '*' l_spanasa '*'  into ist_rdata_nonsbi_s-span.
            append ist_rdata_nonsbi_s.
          elseif wa_zfivms_brd-status = 'RELEASE BY VMC'.
           concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn_new '*' valid_input_as '*'
            wa_zfivms_brd-street '*' wa_zfivms_brd-str_suppl1  '*' wa_zfivms_brd-city1 '*' wa_zfivms_brd-tel_number '*' wa_zfivms_brd-span '*' into ist_rdata_nonsbi-span.
            append ist_rdata_nonsbi.

            "added by lipsy on 27.09.2012
             elseif wa_zfivms_brd-status = 'RELEASE BY CMC'.
            if wa_zfivms_brd-span+13(1) = 'R'."r is registration
           concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn_new '*' valid_input_as '*'
            wa_zfivms_brd-street '*' wa_zfivms_brd-str_suppl1  '*' wa_zfivms_brd-city1 '*' wa_zfivms_brd-tel_number '*' wa_zfivms_brd-span '*' into ist_rdata_nonsbi-span.
            append ist_rdata_nonsbi.
            endif.
            "end of addition by lipsy on 27.09.2012
          endif.

        elseif wa_zfivms_brd-span ca 'D'.
* 18052012

          if wa_zfivms_brd-status = 'RELEASE BY VMC FOR OVL'.
            concatenate  wa_zfivms_brd-bankn_new '#' valid_input_as '#' wa_zfivms_brd-koinh_new  '#' wa_zfivms_brd-span '#'  into ist_ddata_nonsbi-span.
            MOVE-CORRESPONDING ist_ddata_nonsbi to ist_ddata_nonsbi_ovl. "05052011
            append  ist_ddata_nonsbi_ovl.

          elseif wa_zfivms_brd-status = 'RELEASE BY EMPLOYEE FOR OVL'. "28062011
            perform add_7x_emp_D.
            concatenate  wa_zfivms_brd-bankn_new '#' valid_input_as '#'
```

```
wa_zfivms_brd-koinh_new  '#' l_spanasa '#'  into ist_ddata_nonsbi-span.
            MOVE-CORRESPONDING ist_ddata_nonsbi to ist_ddata_nonsbi_ovl_e. "28062011
            append ist_ddata_nonsbi_ovl_e.

          elseif wa_zfivms_brd-status = 'RELEASE BY EMPLOYEE'.
            perform add_7x_emp_D.
            concatenate  wa_zfivms_brd-bankn_new '#' valid_input_as '#' wa_zfivms_brd-koinh_new  '#' l_spanasa '#'  into ist_ddata_nonsbi_s-span.
            append ist_ddata_nonsbi_s.

          elseif wa_zfivms_brd-status = 'RELEASE BY VMC'.
            concatenate  wa_zfivms_brd-bankn_new '#' valid_input_as '#' wa_zfivms_brd-koinh_new  '#' wa_zfivms_brd-span '#'  into ist_ddata_nonsbi-span.
            append ist_ddata_nonsbi.

            "addition by lipsy on 27.09.2012
            elseif wa_zfivms_brd-status = 'RELEASE BY CMC'.
             if wa_zfivms_brd-span+13(1) = 'D'."d is for deregistration
            concatenate  wa_zfivms_brd-bankn_new '#' valid_input_as '#' wa_zfivms_brd-koinh_new  '#' wa_zfivms_brd-span '#'  into ist_ddata_nonsbi-span.
            append ist_ddata_nonsbi.
            endif.
            "end of addition  by lipsy on 27.09.2012
          endif.
        endif.
      else.
* SBI
        if wa_zfivms_brd-span ca 'R'.
* 18052012

* move-corresponding wa_zfivms_brd to ist_rdata_sbi.


          if wa_zfivms_brd-status = 'RELEASE BY VMC FOR OVL'.
            concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn_new '*' valid_input_as '*'  wa_zfivms_brd-span '*'  into ist_rdata_sbi-span.
            MOVE-CORRESPONDING ist_rdata_sbi to ist_rdata_sbi_ovl. "05052011
            append ist_rdata_sbi_ovl.
          elseif wa_zfivms_brd-status = 'RELEASE BY EMPLOYEE FOR OVL'. "28062011
            perform add_7x_emp.
            concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn_new '*' valid_input_as '*'  l_spanasa '*'  into ist_rdata_sbi-span.
            MOVE-CORRESPONDING ist_rdata_sbi to ist_rdata_sbi_ovl_e.
            append ist_rdata_sbi_ovl_e.
          elseif wa_zfivms_brd-status = 'RELEASE BY EMPLOYEE'.
            perform add_7x_emp.
            concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn_new '*' valid_input_as '*'  l_spanasa  '*'  into ist_rdata_sbi_s-span.
            append ist_rdata_sbi_s.
          elseif wa_zfivms_brd-status = 'RELEASE BY VMC'.
            concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn_new '*' valid_input_as '*'  wa_zfivms_brd-span '*'  into ist_rdata_sbi-span.
            append ist_rdata_sbi.
```

```
624
625             "added by lipsy on 27.09.2012
626            elseif wa_zfivms_brd-status = 'RELEASE BY CMC'.
627              if wa_zfivms_brd-span+13(1) = 'R'."r is for registration
628             concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn
    _new '*' valid_input_as '*'  wa_zfivms_brd-span '*'  into ist_rdata_sbi-
    span.
629             append ist_rdata_sbi.
630             endif.
631             "end of addition by lipsy on 27.09.2012
632           endif.
633         elseif wa_zfivms_brd-span ca 'D'.
634 * 18052012
635
636           if wa_zfivms_brd-status = 'RELEASE BY VMC FOR OVL'.
637             concatenate wa_zfivms_brd-koinh_new  '#' '#' wa_zfivms_brd-b
    ankn_new '#' valid_input_as '#' wa_zfivms_brd-span '#'  into ist_ddata_s
    bi-span.
638             MOVE-CORRESPONDING ist_ddata_sbi to ist_ddata_sbi_ovl. "0505
    2011
639             append ist_ddata_sbi_ovl.
640           elseif wa_zfivms_brd-status = 'RELEASE BY EMPLOYEE FOR OVL'. "
    28062011
641             perform add_7x_emp_D.
642             concatenate wa_zfivms_brd-koinh_new  '#' '#' wa_zfivms_brd-b
    ankn_new '#' valid_input_as '#'  l_spanasa '#'  into ist_ddata_sbi-span.
643             MOVE-CORRESPONDING ist_ddata_sbi to ist_ddata_sbi_ovl_e.
644             append ist_ddata_sbi_ovl_e.
645           elseif wa_zfivms_brd-status = 'RELEASE BY EMPLOYEE'.
646             perform add_7x_emp_D.
647             concatenate wa_zfivms_brd-koinh_new  '#' '#' wa_zfivms_brd-b
    ankn_new '#' valid_input_as '#'  l_spanasa '#'  into ist_ddata_sbi_s-spa
    n.
648             append ist_ddata_sbi_s.
649           elseif wa_zfivms_brd-status = 'RELEASE BY VMC'.
650             concatenate wa_zfivms_brd-koinh_new  '#' '#' wa_zfivms_brd-b
    ankn_new '#' valid_input_as '#' wa_zfivms_brd-span '#'  into ist_ddata_s
    bi-span.
651             append ist_ddata_sbi.
652
653             "added by lipsy  on 27.09.2012
654              elseif wa_zfivms_brd-status = 'RELEASE BY CMC'.
655                if wa_zfivms_brd-span+13(1) = 'D'."D is for Deregistratio
    n
656             concatenate wa_zfivms_brd-koinh_new  '#' '#' wa_zfivms_brd-b
    ankn_new '#' valid_input_as '#' wa_zfivms_brd-span '#'  into ist_ddata_s
    bi-span.
657             append ist_ddata_sbi.
658             endif.
659
660             "end of addition by lipsy on 27.09.2012
661           endif.
662         endif.
663       endif.
664     endloop.
665 * Employee Registration - D
666
667     loop at ist_zfivms_brd into wa_zfivms_brd where status = 'RELEASE BY
     EMPLOYEE' .
668
669
```

```
670 **Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital sig
    ning, Logging
671 *      if wa_zfivms_brd-bankl_new(4) = 'SBIN'.
672 *        valid_input_as = wa_zfivms_brd-bankl_new+6(5).
673 *      else.
674 *        valid_input_as = wa_zfivms_brd-bankl_new.
675 *      endif.
676          clear  valid_input_as.
677         valid_input_as = wa_zfivms_brd-bankl_new.
678 **End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signi
    ng, Logging
679      check valid_input_as is not INITIAL.
         "28.08.2014
680       condense valid_input_as.
681 * NON SBI
682 **Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital sig
    ning, Logging
683 *     if  valid_input_as ca valid_characters_as.
684      if  valid_input_as+0(4) <> 'SBIN'.
685 **End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signi
    ng, Logging
686
687         if wa_zfivms_brd-span ca 'R'.
688 *          perform add_7x_emp.
689           concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn_n
    ew '*' valid_input_as '*'
690           wa_zfivms_brd-street '*' wa_zfivms_brd-str_suppl1  '*' wa_zfiv
    ms_brd-city1 '*' wa_zfivms_brd-tel_number '*' wa_zfivms_brd-span  '*'  i
    nto ist_rdata_nonsbi_e-span.
691
692           append ist_rdata_nonsbi_e.
693         elseif wa_zfivms_brd-span ca 'D'.
694 *          perform add_7x_emp_D.
695           concatenate  wa_zfivms_brd-bankn_new '#' valid_input_as '#' wa
    _zfivms_brd-koinh_new  '#' wa_zfivms_brd-span '#'  into ist_ddata_nonsbi
    _e-span.
696           append ist_ddata_nonsbi_e.
697         endif.
698       else.
699 * SBI
700         if wa_zfivms_brd-span ca 'R'.
701 *          perform add_7x_emp.
702           concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn_n
    ew '*' valid_input_as '*' wa_zfivms_brd-span '*'  into ist_rdata_sbi_e-s
    pan.
703 *        move-corresponding wa_zfivms_brd to ist_rdata_sbi.
704           append ist_rdata_sbi_e.
705         elseif wa_zfivms_brd-span ca 'D'.
706 *          perform add_7x_emp_D.
707           concatenate wa_zfivms_brd-koinh_new  '#' '#' wa_zfivms_brd-ban
    kn_new '#' valid_input_as '#' wa_zfivms_brd-span  '#' into ist_ddata_sbi
    _e-span.
708           append ist_ddata_sbi_e.
709         endif.
710       endif.
711     endloop.
712
713   endif.
714 ENDFORM.                    " EXTRACT_DATA
715 *&---------------------------------------------------------------------*
716 *&      Form  GENERATE_FILE
```

```
717 *&---------------------------------------------------------------------*
718 *       text
719 *---------------------------------------------------------------------*
720 *  ---> p1        text
721 *  <--- p2        text
722 *---------------------------------------------------------------------*
723 *FORM GENERATE_FILE .
724 FORM GENERATE_NEW_FORMAT .
725
726  refresh: IST_94427 . "cvp-mum
727  refresh: IST_93128 . "cep-ddn
728  refresh:IST_30523  . "övl
729
730 **** START CR 6000000474
731   refresh: IST_96726 . "ECPF
732 *** END
733   PERFORM vendor_filegen.
734   PERFORM employee_filegen.
735
736 *  if g_filegen = 'X'.
737 *    message s411(zfi).
738 *  endif.
739
740   refresh : ist_zfivms_brdtmp,ist_ddata_sbi_e,ist_rdata_sbi_e,ist_ddata_
    nonsbi_e,ist_rdata_nonsbi_e,ist_zfivms_brd,ist_zfivms_resend.
741
742
743
744 ENDFORM.                    " GENERATE_FILE
745 *&---------------------------------------------------------------------*
746 *&      Form  VENDOR_FILEGEN
747 *&---------------------------------------------------------------------*
748 *       text
749 *---------------------------------------------------------------------*
750 *  ---> p1        text
751 *  <--- p2        text
752 *---------------------------------------------------------------------*
753 FORM VENDOR_FILEGEN .
754 * Data Declaration
755   DATA : D_MSG_TEXT(50).
756
757
758
759 * SBI
760 * Begin of <> on 16072012
761   if not ist_rdata_sbi_s[] is initial.
762      append lines of ist_rdata_sbi_s to ist_rdata_sbi.
763   endif.
764 * End of <> on 16072012
765   describe table ist_rdata_sbi lines l_rsbi.
766   if l_rsbi > 0.
767 *    write sy-datum to g_date_rd DDMMYY.      "14022011
768     CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
769     g_time_rd = sy-uzeit.
770 * Begin of <RD1K976705> on 10062011 15062011
771 * Begin of <> on 24122010
772     select single fsnam corpid into (g_fsnam, g_corpid) from zfi_path wh
    ere sysid = syst-sysid
773                                                  and zbukr = 'MUM'.
774     if sy-subrc = 0.
775       concatenate g_fsnam '3P.'  g_date_rd '.' g_corpid '.txt' into g_fi
```

```
lename1.
    endif.
*    concatenate g_fsnam '3P.'  g_date_rd '.94427' '.txt' into g_filenam
e1.   "16062011
*   concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/m
um/' '3P.'  g_date_rd '.94427' '.txt' into g_filename1. "04052011
* End of <RD1K976705> on 10062011
*    concatenate '/usr/sap/syst-sysid/DigSignApp/data/output/signed/mum/
' '3P.'  g_date_rd '.94427' '.txt' into g_filename1. "11042011
*    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/mum/' '3P.'
  g_date_rd '.94427' '.txt' into g_filename1. "11042011
*    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/mum/' '3P'
 g_date_rd g_time_rd '.txt' into g_filename1.
* End of <> on 24122010


**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30
010502

*  ZVMSFILEGEN_CVP, MUM, 3P (SBI - Regis. )
*1==============================================================
  IF p_payctr = 'CVP' .


** Opening the File
*    open dataset g_filename1 for output in text mode ENCODING DEFAULT M
ESSAGE D_MSG_TEXT.
** Begin of <> on 04052011
*    IF SY-SUBRC NE 0.
*      WRITE: 'File cannot be opened. Reason:', D_MSG_TEXT.
*      EXIT.
*    ENDIF.
** Transferring Data
** End of <>
*    LOOP AT ist_rdata_sbi.
*      transfer ist_rdata_sbi to g_filename1.
*      g_filegen = 'X'.
*    ENDLOOP.
** Closing the File
*    close dataset g_filename1.

    if ist_rdata_sbi[] is not INITIAL.
      perform PREPARE_NEW_FORMAT USING '3P' '94427' ist_rdata_sbi[] .
*      PERFORM DO_DS tables ist_rdata_sbi using sbi_filename .
    endif.

  ENDIF. " p_payctr = 'CVP' .


**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 3001
0502


    """""""""opened and commented by lipsy on 7.01.2013
    "commented by lipsy on 28.12.2012 <RD1K983099>
    "opened commented part on 27.09.2012
* Begin of Comment on 07082012
*    concatenate 'C:\SPAN\' 'R_SBI'  g_date_rd g_time_rd '.txt' into g_f
ilename. "21122010 11042011 21062011 05072011
*
*    CALL FUNCTION 'GUI_DOWNLOAD'
```

```
827  *     EXPORTING
828  *       FILENAME                          = g_filename
829  *       FILETYPE                          = 'ASC'
830  **     WRITE_FIELD_SEPARATOR             = '*'
831  *     TABLES
832  *       DATA_TAB                          = ist_rdata_sbi
833  *    EXCEPTIONS
834  *      FILE_WRITE_ERROR                  = 1
835  *      NO_BATCH                          = 2
836  *      GUI_REFUSE_FILETRANSFER           = 3
837  *      INVALID_TYPE                      = 4
838  *      NO_AUTHORITY                      = 5
839  *      UNKNOWN_ERROR                     = 6
840  *      HEADER_NOT_ALLOWED                = 7
841  *      SEPARATOR_NOT_ALLOWED             = 8
842  *      FILESIZE_NOT_ALLOWED              = 9
843  *      HEADER_TOO_LONG                   = 10
844  *      DP_ERROR_CREATE                   = 11
845  *      DP_ERROR_SEND                     = 12
846  *      DP_ERROR_WRITE                    = 13
847  *      UNKNOWN_DP_ERROR                  = 14
848  *      ACCESS_DENIED                     = 15
849  *      DP_OUT_OF_MEMORY                  = 16
850  *      DISK_FULL                         = 17
851  *      DP_TIMEOUT                        = 18
852  *      FILE_NOT_FOUND                    = 19
853  *      DATAPROVIDER_EXCEPTION            = 20
854  *      CONTROL_FLUSH_ERROR               = 21
855  *      OTHERS                            = 22.
856  *
857  *    IF SY-SUBRC <> 0.
858  *      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
859  *                 WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
860  *    ENDIF.
861
862      "commented by lipsy on 28.12.2012 <RD1K983099>
863      "opened and commented by lipsy on 7.01.2013
864      "end of open 27.09.2012
865  * End of <> on 07082012
866    endif.
867
868  * Begin of <> on 16072012
869    if not ist_ddata_sbi_s[] is initial.
870       append lines of ist_ddata_sbi_s to ist_ddata_sbi.
871    endif.
872  * End of <> on 16072012
873    describe table ist_ddata_sbi lines l_dsbi.
874    if l_dsbi > 0.
875  *    write sy-datum to g_date_rd DDMMYY.         "14022011
876      CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
877      g_time_rd = sy-uzeit.
878
879  "opened  and commented by lipsy on 7.01.2013
880      "commented by lipsy on 28.12.2012 <RD1K983099>
881      "opened comment on 3.10.2012 for testing by lipsy
882  * Begin of Comment on 07082012
883  *     concatenate '/usr/sap/RP1/FIN/epay/send/mum/' 'D3P'  g_date_rd g_t
     ime_rd '.txt' into g_filename.
884  *    concatenate 'C:\SPAN\' 'D_SBI'  g_date_rd g_time_rd '.txt' into g_f
     ilename. "21122010   "11042011 21062011 05072011
885  *
```

```
886  *    CALL FUNCTION 'GUI_DOWNLOAD'
887  *     EXPORTING
888  *       FILENAME                        = g_filename
889  *       FILETYPE                        = 'ASC'
890  **      WRITE_FIELD_SEPARATOR           = ''
891  *     TABLES
892  *       DATA_TAB                        = ist_ddata_sbi
893  *    EXCEPTIONS
894  *      FILE_WRITE_ERROR                = 1
895  *      NO_BATCH                        = 2
896  *      GUI_REFUSE_FILETRANSFER         = 3
897  *      INVALID_TYPE                    = 4
898  *      NO_AUTHORITY                    = 5
899  *      UNKNOWN_ERROR                   = 6
900  *      HEADER_NOT_ALLOWED              = 7
901  *      SEPARATOR_NOT_ALLOWED           = 8
902  *      FILESIZE_NOT_ALLOWED            = 9
903  *      HEADER_TOO_LONG                 = 10
904  *      DP_ERROR_CREATE                 = 11
905  *      DP_ERROR_SEND                   = 12
906  *      DP_ERROR_WRITE                  = 13
907  *      UNKNOWN_DP_ERROR                = 14
908  *      ACCESS_DENIED                   = 15
909  *      DP_OUT_OF_MEMORY                = 16
910  *      DISK_FULL                       = 17
911  *      DP_TIMEOUT                      = 18
912  *      FILE_NOT_FOUND                  = 19
913  *      DATAPROVIDER_EXCEPTION          = 20
914  *      CONTROL_FLUSH_ERROR             = 21
915  *      OTHERS                          = 22.
916  *
917  *    IF SY-SUBRC <> 0.
918  *      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
919  *                 WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
920  *    ENDIF.
921  "opened and commented by lipsy on 7.01.2013
922      "commented by lipsy on 28.12.2012 <RD1K983099>
923      "end of open of comment by lipsy  on 3.10.2012
924  * End of <> on 07082012
925  * Begin of <> on 10062011
926  * Begin of <> on 24122010
927      select single fsnam corpid into (g_fsnam, g_corpid) from zfi_path wh
     ere sysid = syst-sysid
928                                                          and zbukr = 'MUM'.
929      if sy-subrc = 0.
930        concatenate g_fsnam  'D3P.'  g_date_rd '.' g_corpid '.txt' into g_
     filename1.
931      endif.
932  *    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/
     mum/' 'D3P.'  g_date_rd '.94427' '.txt' into g_filename1. "11042011
933  * End of <> on 10062011
934  *    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/mum/' 'D3P.
     '  g_date_rd '.94427' '.txt' into g_filename1. "11042011
935  *    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/mum/' 'D3P'
       g_date_rd g_time_rd '.txt' into g_filename1.
936  * End of <> on 24212010
937
938
939  **Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30
     010502
940
```

```
** ZVMSFILEGEN_CVP, MUM, D3P (SBI - DeRegis. )
*2==============================================================

  IF p_payctr = 'CVP' .

**    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
**    lOOP AT ist_ddata_sbi.
**      transfer ist_ddata_sbi to g_filename1.
**      g_filegen = 'X'.
**    ENDLOOP.
**    close dataset g_filename1.

    if ist_ddata_sbi[] is not INITIAL.

      perform PREPARE_NEW_FORMAT USING 'D3P' '94427' ist_ddata_sbi[] .
*      PERFORM DO_DS tables ist_ddata_sbi using sbi_filename .

    endif.
  ENDIF. "  p_payctr = 'CVP' .
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502


    loop at ist_ddata_sbi into wa_ddata_sbi.
      split wa_ddata_sbi at  '#' into : wa_zfivms_brd-koinh_new  g_benf wa_zfivms_brd-bankn_new wa_zfivms_brd-bankl_new wa_zfivms_brd-span.
*       split wa_ddata_sbi at '#' into :  g_koinh g_benf g_bankn g_bankl g_status g_remarks g_span.
      update zfivms_resend set status = 'SENT TO SBI'
                              where span = wa_zfivms_brd-span.
    endloop.
  endif.

* NON SBI
  clear : l_rsbi , l_dsbi.
* Begin of <> on 16072012
  if not ist_rdata_nonsbi_s[] is initial.
     append lines of ist_rdata_nonsbi_s to ist_rdata_nonsbi.
  endif.
* End of <> on 16072012
  describe table ist_rdata_nonsbi lines l_rsbi.
  if l_rsbi > 0.
*    write sy-datum to g_date_rd DDMMYY.
    CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
    g_time_rd = sy-uzeit.
* Begin of <> on 10062011
* Begin of <> on 24122010
    select single fsnam corpid into (g_fsnam, g_corpid) from zfi_path where sysid = syst-sysid
                                                          and zbukr = 'MUM'.
    concatenate g_fsnam  'IBTP.'  g_date_rd '.' g_corpid '.txt' into g_filename1.
*    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/mum/' 'IBTP.'  g_date_rd '.94427' '.txt' into g_filename1. "11042011
* End of <> 10062011
*    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/mum/' 'IBTP.'  g_date_rd '.94427' '.txt' into g_filename1."11042011 04052011
*    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/mum/' 'IBTP'  g_date_rd g_time_rd '.txt' into g_filename1.
* End of <> on 24212010

```

```
**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502
* ZVMSFILEGEN_CVP, MUM, IBTP (Non-SBI - Regis. )
*3==============================================================

  IF p_payctr = 'CVP' .

***    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
***    lOOP AT ist_rdata_nonsbi.
***      transfer ist_rdata_nonsbi to g_filename1.
***      g_filegen = 'X'.
***    ENDLOOP.
***    close dataset g_filename1.

    if ist_rdata_nonsbi[] is not INITIAL.
      perform PREPARE_NEW_FORMAT USING 'IBTP' '94427' ist_rdata_nonsbi[].
*      PERFORM DO_DS tables ist_rdata_nonsbi using sbi_filename .
    endif.

  ENDIF. " IF p_payctr = 'CVP'
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502


* 14102011 17102011 09052012

"opened and commented by lipsy on 7.01.2013
"commented by lipsy on 28.12.2012 <RD1K983099>
    "opened commented part 27.09.2012
* Begin of Comment on 07082012
*    concatenate '/usr/sap/RP1/FIN/epay/send/mum/' 'IBTP'  g_date_rd g_time_rd '.txt' into g_filename.
*    concatenate 'C:\SPAN\' 'R_NONSBI'  g_date_rd g_time_rd '.txt' into g_filename.                    "11042011 21062011 05072011
*
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                        = g_filename
*       FILETYPE                        = 'ASC'
**      WRITE_FIELD_SEPARATOR           = '*'
*     TABLES
*       DATA_TAB                        = ist_rdata_nonsbi
*    EXCEPTIONS
*      FILE_WRITE_ERROR                 = 1
*      NO_BATCH                         = 2
*      GUI_REFUSE_FILETRANSFER          = 3
*      INVALID_TYPE                     = 4
*      NO_AUTHORITY                     = 5
*      UNKNOWN_ERROR                    = 6
*      HEADER_NOT_ALLOWED               = 7
*      SEPARATOR_NOT_ALLOWED            = 8
*      FILESIZE_NOT_ALLOWED             = 9
*      HEADER_TOO_LONG                  = 10
*      DP_ERROR_CREATE                  = 11
*      DP_ERROR_SEND                    = 12
*      DP_ERROR_WRITE                   = 13
*      UNKNOWN_DP_ERROR                 = 14
*      ACCESS_DENIED                    = 15
```

```
1049  *      DP_OUT_OF_MEMORY                = 16
1050  *      DISK_FULL                       = 17
1051  *      DP_TIMEOUT                      = 18
1052  *      FILE_NOT_FOUND                  = 19
1053  *      DATAPROVIDER_EXCEPTION          = 20
1054  *      CONTROL_FLUSH_ERROR             = 21
1055  *      OTHERS                          = 22.
1056  *
1057  *    IF SY-SUBRC <> 0.
1058  *      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
1059  *                 WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
1060  *    ENDIF.
1061  "opened and commented by lipsy on 7.01.2013
1062  "commented by lipsy on 28.12.2012 <RD1K983099>
1063    "end of open 27.09.2012
1064  * End of <> on 07082012
1065
1066  * 14102011 17102011 090502012
1067    endif.
1068  * Begin of <> on 16072012
1069    if not ist_ddata_nonsbi_s[] is initial.
1070       append lines of ist_ddata_nonsbi_s to ist_ddata_nonsbi.
1071    endif.
1072  * End of <> on 16072012
1073    describe table ist_ddata_nonsbi lines l_dsbi.
1074    if l_dsbi > 0.
1075  *    write sy-datum to g_date_rd DDMMYY.
1076      CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
1077      g_time_rd = sy-uzeit.
1078  * Begin of <> on 10062011
1079  * Begin of <> on 24122010
1080      select single fsnam corpid into (g_fsnam, g_corpid) from zfi_path wh
      ere sysid = syst-sysid
1081                                                  and zbukr = 'MUM'.
1082      if sy-subrc = 0.
1083        concatenate g_fsnam  'DIBTP.'  g_date_rd '.' g_corpid '.txt' into
      g_filename1.
1084      endif.
1085  *    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/
      mum/' 'DIBTP.'  g_date_rd '.94427' '.txt' into g_filename1. "11042011
1086  * End of <> 10062011
1087  *    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/mum/' 'DIBT
      P.'  g_date_rd '.94427' '.txt' into g_filename1.        "11042011
1088  *    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/mum/' 'DIBT
      P'  g_date_rd g_time_rd '.txt' into g_filename1.
1089  * End of <> on 24122010
1090
1091
1092  **Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30
      010502
1093
1094  * ZVMSFILEGEN_CVP, MUM, DIBTP (Non-SBI - DeRegis. )
1095  *4==============================================================
1096
1097    IF p_payctr = 'CVP' .
1098
1099  ***    open dataset g_filename1 for output in text mode ENCODING DEFAULT
      .
1100  ***    lOOP AT ist_ddata_nonsbi.
1101  ***      transfer ist_ddata_nonsbi to g_filename1.
1102  ***      g_filegen = 'X'.
```

```
1103  ***     ENDLOOP.
1104  ***     close dataset g_filename1.
1105
1106      if ist_ddata_nonsbi[] is not INITIAL.
1107        perform PREPARE_NEW_FORMAT USING 'DIBTP' '94427' ist_ddata_nonsbi[
      ] .
1108  *       PERFORM DO_DS tables ist_ddata_nonsbi using sbi_filename .
1109      endif.
1110
1111    ENDIF. " IF p_payctr = 'CVP' .
1112  **End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 3001
      0502
1113
1114  "opened and commented by lipsy on 7.01.2013
1115      "commented by lipsy on 28.12.2012 <RD1K983099>
1116      "opened comment for testing by lipsy on 3.10.2012
1117  * Begin of Comment on 07082012
1118  *     concatenate '/usr/sap/RP1/FIN/epay/send/mum/' 'DIBTP'  g_date_rd g
      _time_rd '.txt' into g_filename.
1119  * Begin of <> on 21122010
1120  *    concatenate 'C:\SPAN\' 'D_NONSBI'  g_date_rd g_time_rd '.txt' into
      g_filename. "21122010  "11042011 21062011 05072011
1121  *
1122  *    CALL FUNCTION 'GUI_DOWNLOAD'
1123  *     EXPORTING
1124  *       FILENAME                        = g_filename
1125  *       FILETYPE                        = 'ASC'
1126  *     WRITE_FIELD_SEPARATOR           = ''
1127  *     TABLES
1128  *       DATA_TAB                        = ist_ddata_nonsbi
1129  *    EXCEPTIONS
1130  *      FILE_WRITE_ERROR                = 1
1131  *      NO_BATCH                        = 2
1132  *      GUI_REFUSE_FILETRANSFER         = 3
1133  *      INVALID_TYPE                    = 4
1134  *      NO_AUTHORITY                    = 5
1135  *      UNKNOWN_ERROR                   = 6
1136  *      HEADER_NOT_ALLOWED              = 7
1137  *      SEPARATOR_NOT_ALLOWED           = 8
1138  *      FILESIZE_NOT_ALLOWED            = 9
1139  *      HEADER_TOO_LONG                 = 10
1140  *      DP_ERROR_CREATE                 = 11
1141  *      DP_ERROR_SEND                   = 12
1142  *      DP_ERROR_WRITE                  = 13
1143  *      UNKNOWN_DP_ERROR                = 14
1144  *      ACCESS_DENIED                   = 15
1145  *      DP_OUT_OF_MEMORY                = 16
1146  *      DISK_FULL                       = 17
1147  *      DP_TIMEOUT                      = 18
1148  *      FILE_NOT_FOUND                  = 19
1149  *      DATAPROVIDER_EXCEPTION          = 20
1150  *      CONTROL_FLUSH_ERROR             = 21
1151  *      OTHERS                          = 22.
1152  *
1153  *    IF SY-SUBRC <> 0.
1154  *      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
1155  *                 WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
1156  *    ENDIF.
1157     "opened and commented by lipsy on 7.01.2013
1158      "commented by lipsy on 28.12.2012 <RD1K983099>
1159      "end of open of comment by lipsy on 03.10.2012
```

```
    loop at ist_ddata_nonsbi into wa_ddata_nonsbi.
      split wa_ddata_nonsbi at  '#' into : wa_zfivms_brd-bankn_new wa_zfivms_brd-bankl_new wa_zfivms_brd-koinh_new  wa_zfivms_brd-span.

      update zfivms_resend set status = 'SENT TO SBI'
                            where span = wa_zfivms_brd-span.
*                               where span = wa_zfivms_brd-span.
    endloop.


  endif.
* Code Written for OVL Bank registration Date 02-05-2011
  clear : l_rsbi, l_dsbi.
* OVL SBI - R
* Begin of <RD1K977143> on 14072011
  if not ist_rdata_sbi_ovl_e[] is initial.
* End of <RD1K977143> on 14072011
    append lines of ist_rdata_sbi_ovl_e to ist_rdata_sbi_ovl.        "06072011
  endif.
  describe table ist_rdata_sbi_ovl lines l_rsbi.
  if l_rsbi > 0.
    CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
    g_time_rd = sy-uzeit.
* Begin of <> on 10062011
    select single fsnam corpid into (g_fsnam, g_corpid) from zfi_path where sysid = syst-sysid
                                                        and zbukr = 'OVL'.
    if sy-subrc = 0.
      concatenate g_fsnam  '3P.'  g_date_rd '.' g_corpid '.txt' into g_filename1. "16062011
*    concatenate g_fsnam  '3P.'  g_date_rd '.30523' '.txt' into g_filename1.  "16062011
    endif.
*    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/ovl/' '3P.'  g_date_rd '.30523' '.txt' into g_filename1.
* End of <> on 10062011

**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502

* ZVMSFILEGEN_OVL, OVL, 3P (SBI - Regis. )
*5==============================================================

  IF p_payctr = 'OVL' .

***    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
***    lOOP AT ist_rdata_sbi_ovl.
***      transfer ist_rdata_sbi_ovl to g_filename1.
***      g_filegen = 'X'.
***    ENDLOOP.
***    close dataset g_filename1.

    if ist_rdata_sbi_ovl[] is not INITIAL.
      perform PREPARE_NEW_FORMAT USING '3P' '30523' ist_rdata_sbi_ovl[].
    endif.

  ENDIF. " p_payctr = 'OVL' .
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 3001
```

```
      0502
1212
1213      "opened and commented by lipsy on 7.01.2013
1214  * Begin of Comment on 07082012
1215  *    Concatenate 'C:\SPAN\' 'R_SBI_OVL'  g_date_rd g_time_rd '.txt' into
       g_filename. "05052011 "10062011 21062011 05072011 110711
1216  *
1217  *    CALL FUNCTION 'GUI_DOWNLOAD'
1218  *     EXPORTING
1219  *       FILENAME                        = g_filename
1220  *       FILETYPE                        = 'ASC'
1221  **      WRITE_FIELD_SEPARATOR           = '*'
1222  *     TABLES
1223  *       DATA_TAB                        = ist_rdata_sbi_ovl
1224  *    EXCEPTIONS
1225  *      FILE_WRITE_ERROR                = 1
1226  *      NO_BATCH                        = 2
1227  *      GUI_REFUSE_FILETRANSFER         = 3
1228  *      INVALID_TYPE                    = 4
1229  *      NO_AUTHORITY                    = 5
1230  *      UNKNOWN_ERROR                   = 6
1231  *      HEADER_NOT_ALLOWED              = 7
1232  *      SEPARATOR_NOT_ALLOWED           = 8
1233  *      FILESIZE_NOT_ALLOWED            = 9
1234  *      HEADER_TOO_LONG                 = 10
1235  *      DP_ERROR_CREATE                 = 11
1236  *      DP_ERROR_SEND                   = 12
1237  *      DP_ERROR_WRITE                  = 13
1238  *      UNKNOWN_DP_ERROR                = 14
1239  *      ACCESS_DENIED                   = 15
1240  *      DP_OUT_OF_MEMORY                = 16
1241  *      DISK_FULL                       = 17
1242  *      DP_TIMEOUT                      = 18
1243  *      FILE_NOT_FOUND                  = 19
1244  *      DATAPROVIDER_EXCEPTION          = 20
1245  *      CONTROL_FLUSH_ERROR             = 21
1246  *      OTHERS                          = 22.
1247  *
1248  *    IF SY-SUBRC <> 0.
1249  *      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
1250  *                 WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
1251  *    ENDIF.
1252  * End of <> on 07082012
1253      "opened and commented by lipsy on 7.01.2013
1254    endif.
1255
1256
1257  * SBI - D
1258    clear : l_rsbi, l_dsbi.                              "14072011 RD1K9771
      43
1259  * Begin of <RD1K977143> on 14072011
1260    if not ist_ddata_sbi_ovl_e[] is initial.
1261  * End of <RD1K977143> on 14072011
1262      append lines of ist_ddata_sbi_ovl_e to ist_ddata_sbi_ovl.        "06
      072011
1263    endif.
1264    describe table ist_ddata_sbi_ovl lines l_dsbi.
1265    if l_dsbi > 0.
1266      CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
1267      g_time_rd = sy-uzeit.
1268  * Begin of <> on 10062011
```

```
    select single fsnam corpid into (g_fsnam, g_corpid) from zfi_path where sysid = syst-sysid
                                                                  and zbukr = 'OVL'.
    if sy-subrc = 0.
      concatenate g_fsnam  'D3P.'  g_date_rd '.' g_corpid '.txt' into g_filename1.
    endif.
*    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/ovl/' 'D3P.'  g_date_rd '.30523' '.txt' into g_filename1.
* End of <> on 10062011


**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502

* ZVMSFILEGEN_OVL, OVL, D3P (SBI - DeRegis. )
*6==============================================================

  IF p_payctr = 'OVL' .

***    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
***    lOOP AT ist_ddata_sbi_ovl.
***      transfer ist_ddata_sbi_ovl to g_filename1.
***      g_filegen = 'X'.
***    ENDLOOP.
***    close dataset g_filename1.

    if ist_ddata_sbi_ovl[] is not INITIAL.

      perform PREPARE_NEW_FORMAT USING 'D3P' '30523' ist_ddata_sbi_ovl[].

    endif.

  ENDIF. " p_payctr = 'OVL' .
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502


** Begin of Comment on 07082012
*
*    Concatenate 'C:\SPAN\' 'D_SBI_OVL'  g_date_rd g_time_rd '.txt' into g_filename. "05052011 21062011 05072011 11072011
*
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                        = g_filename
*       FILETYPE                        = 'ASC'
**      WRITE_FIELD_SEPARATOR           = '*'
*     TABLES
*       DATA_TAB                        = ist_ddata_sbi_ovl
*    EXCEPTIONS
*      FILE_WRITE_ERROR                 = 1
*      NO_BATCH                         = 2
*      GUI_REFUSE_FILETRANSFER          = 3
*      INVALID_TYPE                     = 4
*      NO_AUTHORITY                     = 5
*      UNKNOWN_ERROR                    = 6
*      HEADER_NOT_ALLOWED               = 7
*      SEPARATOR_NOT_ALLOWED            = 8
```

```
1322  *      FILESIZE_NOT_ALLOWED            = 9
1323  *      HEADER_TOO_LONG                 = 10
1324  *      DP_ERROR_CREATE                 = 11
1325  *      DP_ERROR_SEND                   = 12
1326  *      DP_ERROR_WRITE                  = 13
1327  *      UNKNOWN_DP_ERROR                = 14
1328  *      ACCESS_DENIED                   = 15
1329  *      DP_OUT_OF_MEMORY                = 16
1330  *      DISK_FULL                       = 17
1331  *      DP_TIMEOUT                      = 18
1332  *      FILE_NOT_FOUND                  = 19
1333  *      DATAPROVIDER_EXCEPTION          = 20
1334  *      CONTROL_FLUSH_ERROR             = 21
1335  *      OTHERS                          = 22.
1336  *
1337  *    IF SY-SUBRC <> 0.
1338  *      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
1339  *                 WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
1340  *    ENDIF.
1341  * End of <> on 07082012
1342
1343      loop at ist_ddata_sbi_ovl into wa_ddata_sbi.
1344        split wa_ddata_sbi at  '#' into : wa_zfivms_brd-koinh_new  g_benf
      wa_zfivms_brd-bankn_new wa_zfivms_brd-bankl_new wa_zfivms_brd-span.
1345        update zfivms_resend set status = 'SENT TO SBI'
1346                                 where span = wa_zfivms_brd-span.
1347      endloop.
1348    endif.
1349
1350  * NON SBI - R
1351    clear : l_rsbi , l_dsbi.
1352  * Begin of <RD1K977143> on 14072011
1353    if not ist_rdata_nonsbi_ovl_e[] is initial.
1354  * End of <RD1K977143> on 14072011
1355      append lines of ist_rdata_nonsbi_ovl_e to ist_rdata_nonsbi_ovl.  "06
      072011
1356    endif.
1357    describe table ist_rdata_nonsbi_ovl lines l_rsbi.
1358    if l_rsbi > 0.
1359      CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
1360      g_time_rd = sy-uzeit.
1361  * Begin of <> on 10062011
1362      select single fsnam corpid into (g_fsnam, g_corpid) from zfi_path wh
      ere sysid = syst-sysid
1363                                                   and zbukr = 'OVL'.
1364      if sy-subrc = 0.
1365        concatenate g_fsnam  'IBTP.'  g_date_rd '.' g_corpid '.txt' into g
      _filename1.
1366      endif.
1367  *    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/
      ovl/' 'IBTP.'  g_date_rd '.30523' '.txt' into g_filename1.
1368  * End of <> on 10062011
1369
1370
1371
1372  **Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30
      010502
1373
1374  * ZVMSFILEGEN_OVL, OVL, IBTP (nonSBI - Regis. )
1375  *7==============================================================
1376
```

```
  IF p_payctr = 'OVL' .

***    open dataset g_filename1 for output in text mode ENCODING DEFAULT .
***    lOOP AT ist_rdata_nonsbi_ovl. "ist_rdata_nonsbi. "19052011
***      transfer ist_rdata_nonsbi_ovl to g_filename1.
***      g_filegen = 'X'.
***    ENDLOOP.
***    close dataset g_filename1.

    if ist_rdata_nonsbi_ovl[] is not INITIAL.
      perform PREPARE_NEW_FORMAT USING 'IBTP' '30523' ist_rdata_nonsbi_ovl[] .
    endif.

  ENDIF. " p_payctr = 'OVL' .
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502


    "opened and commented by lipsy on 7.01.2013

* Begin of Comment on 07082012

*    Concatenate 'C:\SPAN\' 'R_NONSBI_OVL'  g_date_rd g_time_rd '.txt' into g_filename. "04052011 21062011 05072011 11072011
**
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                        = g_filename
*       FILETYPE                        = 'ASC'
**      WRITE_FIELD_SEPARATOR           = '*'
*     TABLES
*       DATA_TAB                        = ist_rdata_nonsbi_ovl
*    EXCEPTIONS
*      FILE_WRITE_ERROR                 = 1
*      NO_BATCH                         = 2
*      GUI_REFUSE_FILETRANSFER          = 3
*      INVALID_TYPE                     = 4
*      NO_AUTHORITY                     = 5
*      UNKNOWN_ERROR                    = 6
*      HEADER_NOT_ALLOWED               = 7
*      SEPARATOR_NOT_ALLOWED            = 8
*      FILESIZE_NOT_ALLOWED             = 9
*      HEADER_TOO_LONG                  = 10
*      DP_ERROR_CREATE                  = 11
*      DP_ERROR_SEND                    = 12
*      DP_ERROR_WRITE                   = 13
*      UNKNOWN_DP_ERROR                 = 14
*      ACCESS_DENIED                    = 15
*      DP_OUT_OF_MEMORY                 = 16
*      DISK_FULL                        = 17
*      DP_TIMEOUT                       = 18
*      FILE_NOT_FOUND                   = 19
*      DATAPROVIDER_EXCEPTION           = 20
*      CONTROL_FLUSH_ERROR              = 21
*      OTHERS                           = 22.
*
*    IF SY-SUBRC <> 0.
*      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
*                 WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
```

```
*    ENDIF.
* End of <> on 07082012
"opened and commented by lipsy on 7.01.2013
  endif.
* NON SBI - D
  clear : l_rsbi, l_dsbi.                                "14072011 RD1K977143
* Begin of <RD1K977143> on 14072011
  if not ist_ddata_nonsbi_ovl_e[] is initial.
* End of <RD1K977143> on 14072011
    append lines of ist_ddata_nonsbi_ovl_e to ist_ddata_nonsbi_ovl.  "06072011
  endif.
  describe table ist_ddata_nonsbi_ovl lines l_dsbi.
  if l_dsbi > 0.
    CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
    g_time_rd = sy-uzeit.
* Begin of <> on 10062011
    select single fsnam corpid into (g_fsnam, g_corpid) from zfi_path where sysid = syst-sysid
                                                          and zbukr = 'OVL'.
    if sy-subrc = 0.
      concatenate g_fsnam  'DIBTP.'  g_date_rd '.' g_corpid '.txt' into g_filename1.
    endif.
*    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/ovl/' 'DIBTP.'  g_date_rd '.30523' '.txt' into g_filename1.
* End of <> on 10062011

**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502

* ZVMSFILEGEN_OVL, OVL, DIBTP (nonSBI - DeRegis. )
*8==============================================================

  IF p_payctr = 'OVL' .

***    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
***    lOOP AT ist_ddata_nonsbi_ovl. "ist_ddata_nonsbi. 19052011
****      transfer ist_ddata_nonsbi to g_filename1.     19052011
***      transfer ist_ddata_nonsbi_ovl  to g_filename1.
***      g_filegen = 'X'.
***    ENDLOOP.
***    close dataset g_filename1.

    if ist_ddata_nonsbi_ovl[] is not INITIAL.

      perform PREPARE_NEW_FORMAT USING 'DIBTP' '30523' ist_ddata_nonsbi_ovl[] .

    endif.

  ENDIF. " p_payctr = 'OVL' .
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502


* Begin of Comment on 07082012

*    Concatenate 'C:\SPAN\' 'D_NONSBI_OVL'  g_date_rd g_time_rd '.txt' i
```

```
nto g_filename. "05052011 21062011 11072011
**
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                        = g_filename
*       FILETYPE                        = 'ASC'
**      WRITE_FIELD_SEPARATOR           = '*'
*     TABLES
*       DATA_TAB                        = ist_ddata_nonsbi_ovl
*    EXCEPTIONS
*      FILE_WRITE_ERROR                 = 1
*      NO_BATCH                         = 2
*      GUI_REFUSE_FILETRANSFER          = 3
*      INVALID_TYPE                     = 4
*      NO_AUTHORITY                     = 5
*      UNKNOWN_ERROR                    = 6
*      HEADER_NOT_ALLOWED               = 7
*      SEPARATOR_NOT_ALLOWED            = 8
*      FILESIZE_NOT_ALLOWED             = 9
*      HEADER_TOO_LONG                  = 10
*      DP_ERROR_CREATE                  = 11
*      DP_ERROR_SEND                    = 12
*      DP_ERROR_WRITE                   = 13
*      UNKNOWN_DP_ERROR                 = 14
*      ACCESS_DENIED                    = 15
*      DP_OUT_OF_MEMORY                 = 16
*      DISK_FULL                        = 17
*      DP_TIMEOUT                       = 18
*      FILE_NOT_FOUND                   = 19
*      DATAPROVIDER_EXCEPTION           = 20
*      CONTROL_FLUSH_ERROR              = 21
*      OTHERS                           = 22.
*
*    IF SY-SUBRC <> 0.
*      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
*                 WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
*    ENDIF.
* End of <> on 07082012

    loop at ist_ddata_nonsbi_ovl into wa_ddata_nonsbi.
      split wa_ddata_nonsbi at  '#' into : wa_zfivms_brd-bankn_new wa_zf
ivms_brd-bankl_new wa_zfivms_brd-koinh_new  wa_zfivms_brd-span.

      update zfivms_resend set status = 'SENT TO SBI'
                          where span = wa_zfivms_brd-span.
    endloop.

  endif.

* End of Logic for OVL

**Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital sig
ning, Logging
*  describe table ist_zfivms_brd lines l_stat.
*  if l_stat > 0.
** Begin of <> on 26082011
*    update zfivmsbank set status = 'SENT TO SBI'
*                          where vmc_apdate = p_date
*                            and status in ('RELEASE BY VMC' , 'RELEASE B
Y EMPLOYEE' , 'RELEASE BY VMC FOR OVL', 'RELEASE BY EMPLOYEE FOR OVL').
**    update zfivmsbank set status = 'SENT TO SBI'
```

```
**                          where vmc_apdate = p_date.
** End of <> on 26082011
*
*    "added by lipsy on 27.09.2012
*     update zsdcust_bank set status = 'SENT TO SBI'
*                          where chon = p_date
*                            and status = 'RELEASE BY CMC'.
*    "end of addition by lipsy on 27.09.2012
*  endif.

**End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging


* End of <> on 21122010
ENDFORM.                    " VENDOR_FILEGEN
*&---------------------------------------------------------------------*
*&      Form  EMPLOYEE_FILEGEN
*&---------------------------------------------------------------------*
*       text
*----------------------------------------------------------------------*
*  -->  p1        text
*  <--  p2        text
*----------------------------------------------------------------------*
FORM EMPLOYEE_FILEGEN .
* SBI
  describe table ist_rdata_sbi_e lines l_rsbi.
  if l_rsbi > 0.
*    write sy-datum to g_date_rd DDMMYY.           "14022011
    CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
    g_time_rd = sy-uzeit.
* Begin of <> on 10062011
    select single fsnam into g_fsnam from zfi_path where sysid = syst-sysid
                                                     and zbukr = 'DDN'.
    concatenate g_fsnam  '3P.'  g_date_rd '.93128' '.txt' into g_filename1.


**** START
    select single fsnam into g_fsnam from zfi_path where sysid = syst-sysid
                                                     and zbukr = 'ECPF'.
    concatenate g_fsnam  '3P.'  g_date_rd '.96726' '.txt' into g_filename1.
***END
*    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/ddn/' '3P.'  g_date_rd '.93128' '.txt' into g_filename1. "11042011
* End of <> 10062011
*    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/ddn/' '3P.'  g_date_rd '.93128' '.txt' into g_filename1. "11042011


**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502

* ZVMSFILEGEN_CEP, CEP, 3P (SBI - Regis. )
*9==================================================================
  IF p_payctr = 'CEP'.

***    open dataset g_filename1 for output in text mode ENCODING DEFAULT
```

```
.
***     lOOP AT ist_rdata_sbi_e.
***       transfer ist_rdata_sbi_e to g_filename1.
***       g_filegen = 'X'.
***     ENDLOOP.
***     close dataset g_filename1.

    if ist_rdata_sbi_e[] is not INITIAL.

      perform PREPARE_NEW_FORMAT USING '3P' '93128' ist_rdata_sbi_e[] .

    endif.

  ENDIF. " p_payctr = 'CEP .

***** start
  IF p_payctr = 'ECPF'.

    if ist_rdata_sbi_e[] is not INITIAL.

      perform PREPARE_NEW_FORMAT USING '3P' '96726' ist_rdata_sbi_e[] .

    endif.

  ENDIF. "
*** end
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 3001
0502


    "opened and commented by lipsy on 7.01.2013
* Begin of Comment on 07082012

*    concatenate 'C:\SPAN\' 'R_SBI_E'  g_date_rd g_time_rd '.txt' into g
_filename.   "11042011 "21062011 291211 27012012
*
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                        = g_filename
*       FILETYPE                        = 'ASC'
**      WRITE_FIELD_SEPARATOR           = '*'
*     TABLES
*       DATA_TAB                        = ist_rdata_sbi_e
*    EXCEPTIONS
*      FILE_WRITE_ERROR                 = 1
*      NO_BATCH                         = 2
*      GUI_REFUSE_FILETRANSFER          = 3
*      INVALID_TYPE                     = 4
*      NO_AUTHORITY                     = 5
*      UNKNOWN_ERROR                    = 6
*      HEADER_NOT_ALLOWED               = 7
*      SEPARATOR_NOT_ALLOWED            = 8
*      FILESIZE_NOT_ALLOWED             = 9
*      HEADER_TOO_LONG                  = 10
*      DP_ERROR_CREATE                  = 11
*      DP_ERROR_SEND                    = 12
*      DP_ERROR_WRITE                   = 13
*      UNKNOWN_DP_ERROR                 = 14
*      ACCESS_DENIED                    = 15
*      DP_OUT_OF_MEMORY                 = 16
*      DISK_FULL                        = 17
```

```
*      DP_TIMEOUT                        = 18
*      FILE_NOT_FOUND                    = 19
*      DATAPROVIDER_EXCEPTION            = 20
*      CONTROL_FLUSH_ERROR               = 21
*      OTHERS                            = 22.
*
*    IF SY-SUBRC <> 0.
*      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
*                    WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
*    ENDIF.
* End of <> on 07082012
"opened and commented by lipsy on 7.01.2013
  endif.

  describe table ist_ddata_sbi_e lines l_dsbi.
  if l_dsbi > 0.
*    write sy-datum to g_date_rd DDMMYY.         "14022011
    CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
    g_time_rd = sy-uzeit.

* Begin of Comment on 07082012

*    concatenate 'C:\SPAN\' 'D_SBI_E'  g_date_rd g_time_rd '.txt' into g
_filename. "21122010  "11042011 21060211 291211 27012012
*
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                         = g_filename
*       FILETYPE                         = 'ASC'
**      WRITE_FIELD_SEPARATOR            = ''
*     TABLES
*       DATA_TAB                         = ist_ddata_sbi_e
*    EXCEPTIONS
*      FILE_WRITE_ERROR                  = 1
*      NO_BATCH                          = 2
*      GUI_REFUSE_FILETRANSFER           = 3
*      INVALID_TYPE                      = 4
*      NO_AUTHORITY                      = 5
*      UNKNOWN_ERROR                     = 6
*      HEADER_NOT_ALLOWED                = 7
*      SEPARATOR_NOT_ALLOWED             = 8
*      FILESIZE_NOT_ALLOWED              = 9
*      HEADER_TOO_LONG                   = 10
*      DP_ERROR_CREATE                   = 11
*      DP_ERROR_SEND                     = 12
*      DP_ERROR_WRITE                    = 13
*      UNKNOWN_DP_ERROR                  = 14
*      ACCESS_DENIED                     = 15
*      DP_OUT_OF_MEMORY                  = 16
*      DISK_FULL                         = 17
*      DP_TIMEOUT                        = 18
*      FILE_NOT_FOUND                    = 19
*      DATAPROVIDER_EXCEPTION            = 20
*      CONTROL_FLUSH_ERROR               = 21
*      OTHERS                            = 22.
*
*    IF SY-SUBRC <> 0.
*      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
*                    WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
*    ENDIF.
* End of <> on 07082012
```

```
* Begin of <> on 10062011
    select single fsnam into g_fsnam from zfi_path where sysid = syst-sysid
                                                        and zbukr = 'DDN'.
    concatenate g_fsnam  'D3P.'  g_date_rd '.93128' '.txt' into g_filename1.

****start
    select single fsnam into g_fsnam from zfi_path where sysid = syst-sysid
                                                        and zbukr = 'ECPF'.
    concatenate g_fsnam  'D3P.'  g_date_rd '.96726' '.txt' into g_filename1.
**end
*    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/ddn/' 'D3P.'  g_date_rd '.93128' '.txt' into g_filename1.
* End of <> on 10062011
*    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/ddn/' 'D3P.'  g_date_rd '.93128' '.txt' into g_filename1. "11042011


**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502

* ZVMSFILEGEN_CEP, CEP, D3P (SBI - DeRegis. )
*10==============================================================
  IF p_payctr = 'CEP'.

***    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
***    lOOP AT ist_ddata_sbi_e.
***      transfer ist_ddata_sbi_e to g_filename1.
***      g_filegen = 'X'.
***    ENDLOOP.
***    close dataset g_filename1.

    if ist_ddata_sbi_e[] is not INITIAL.

      perform PREPARE_NEW_FORMAT USING 'D3P' '93128' ist_ddata_sbi_e[] .

    endif.

  ENDIF. " p_payctr = 'CEP' .
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502
**** start
  IF p_payctr = 'ECPF'.

    if ist_ddata_sbi_e[] is not INITIAL.

      perform PREPARE_NEW_FORMAT USING 'D3P' '96726' ist_ddata_sbi_e[] .

    endif.

  ENDIF. "

***end

  endif.

* NON SBI
```

```
  clear : l_rsbi , l_dsbi.
  describe table ist_rdata_nonsbi_e lines l_rsbi.
  if l_rsbi > 0.
*    write sy-datum to g_date_rd DDMMYY.    "14022011
    CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
    g_time_rd = sy-uzeit.
* Begin of <> on 10062011
    select single fsnam into g_fsnam from zfi_path where sysid = syst-sysid
                                                        and zbukr = 'DDN'.
    concatenate g_fsnam  'IBTP.'  g_date_rd '.93128' '.txt' into g_filename1.

*** start
    select single fsnam into g_fsnam from zfi_path where sysid = syst-sysid
                                                        and zbukr = 'ECPF'.
    concatenate g_fsnam  'IBTP.'  g_date_rd '.96726' '.txt' into g_filename1.
***end
*    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/ddn/' 'IBTP.'  g_date_rd '.93128' '.txt' into g_filename1. "11042011
* End of <> 10062011
*    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/ddn/' 'IBTP.'  g_date_rd '.93128' '.txt' into g_filename1. "11042011


**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502

* ZVMSFILEGEN_CEP, CEP, IBTP (nonSBI - Regis. )
*11==============================================================
  IF p_payctr = 'CEP'.

***    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
***    lOOP AT ist_rdata_nonsbi_e.
***      transfer ist_rdata_nonsbi_e to g_filename1.
***      g_filegen = 'X'.
***    ENDLOOP.
***    close dataset g_filename1.

    if ist_rdata_nonsbi_e[] is not INITIAL.

      perform PREPARE_NEW_FORMAT USING 'IBTP' '93128' ist_rdata_nonsbi_e[] .

    endif.

  ENDIF. " p_payctr = 'CEP' .
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502
*** start
  IF p_payctr = 'ECPF'.

    if ist_rdata_nonsbi_e[] is not INITIAL.

      perform PREPARE_NEW_FORMAT USING 'IBTP' '96726' ist_rdata_nonsbi_e[] .

    endif.
```

```
1816
1817    ENDIF. "
1818  ***end
1819
1820      "opened and commented by lipsy on 7.01.2013
1821
1822  * Begin of Comment on 07082012
1823
1824  *    concatenate 'C:\SPAN\' 'R_NONSBI_E'  g_date_rd g_time_rd '.txt' int
      o g_filename.  "11042011 21062011
1825  *
1826  *    CALL FUNCTION 'GUI_DOWNLOAD'
1827  *     EXPORTING
1828  *       FILENAME                        = g_filename
1829  *       FILETYPE                        = 'ASC'
1830  **      WRITE_FIELD_SEPARATOR           = '*'
1831  *     TABLES
1832  *       DATA_TAB                        = ist_rdata_nonsbi_e
1833  *    EXCEPTIONS
1834  *      FILE_WRITE_ERROR                = 1
1835  *      NO_BATCH                        = 2
1836  *      GUI_REFUSE_FILETRANSFER         = 3
1837  *      INVALID_TYPE                    = 4
1838  *      NO_AUTHORITY                    = 5
1839  *      UNKNOWN_ERROR                   = 6
1840  *      HEADER_NOT_ALLOWED              = 7
1841  *      SEPARATOR_NOT_ALLOWED           = 8
1842  *      FILESIZE_NOT_ALLOWED            = 9
1843  *      HEADER_TOO_LONG                 = 10
1844  *      DP_ERROR_CREATE                 = 11
1845  *      DP_ERROR_SEND                   = 12
1846  *      DP_ERROR_WRITE                  = 13
1847  *      UNKNOWN_DP_ERROR                = 14
1848  *      ACCESS_DENIED                   = 15
1849  *      DP_OUT_OF_MEMORY                = 16
1850  *      DISK_FULL                       = 17
1851  *      DP_TIMEOUT                      = 18
1852  *      FILE_NOT_FOUND                  = 19
1853  *      DATAPROVIDER_EXCEPTION          = 20
1854  *      CONTROL_FLUSH_ERROR             = 21
1855  *      OTHERS                          = 22.
1856  *
1857  *    IF SY-SUBRC <> 0.
1858  *      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
1859  *                 WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
1860  *    ENDIF.
1861  * End of <> on 07082012
1862
1863  "opened and commented by lipsy on 7.01.2013
1864    endif.
1865
1866    describe table ist_ddata_nonsbi_e lines l_dsbi.
1867    if l_dsbi > 0.
1868  *    write sy-datum to g_date_rd DDMMYY.          "14022011
1869      CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
1870      g_time_rd = sy-uzeit.
1871  * Begin of <> on 10062011
1872      select single fsnam into g_fsnam from zfi_path where sysid = syst-sy
      sid
1873                                                        and zbukr = 'DDN'.
1874      concatenate g_fsnam  'DIBTP.'  g_date_rd '.93128' '.txt' into g_file
```

```
name1.

*** start
    select single fsnam into g_fsnam from zfi_path where sysid = syst-sysid
                                                        and zbukr = 'ECPF'.
    concatenate g_fsnam  'DIBTP.'  g_date_rd '.96726' '.txt' into g_filename1.
***end
*    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/ddn/' 'DIBTP.'  g_date_rd '.93128' '.txt' into g_filename1. "11042011
* End of <> on 10062011
*    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/ddn/' 'DIBTP.'  g_date_rd '.93128' '.txt' into g_filename1.        "11042011

**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502

* ZVMSFILEGEN_CEP, CEP, DIBTP (nonSBI - DeRegis. )
*12==============================================================
  IF p_payctr = 'CEP'.

***    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
***    lOOP AT ist_ddata_nonsbi_e.
***      transfer ist_ddata_nonsbi_e to g_filename1.
***      g_filegen = 'X'.
***    ENDLOOP.
***    close dataset g_filename1.

    if ist_ddata_nonsbi_e[] is not INITIAL.

      perform PREPARE_NEW_FORMAT USING 'DIBTP' '93128' ist_ddata_nonsbi_e[] .

    endif.

  ENDIF. " p_payctr = 'CEP' .
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502
**** start
  IF p_payctr = 'ECPF'.

    if ist_ddata_nonsbi_e[] is not INITIAL.

      perform PREPARE_NEW_FORMAT USING 'DIBTP' '96726' ist_ddata_nonsbi_e[] .

    endif.

  ENDIF.
***end

* Begin of Comment on 07082012

*    concatenate 'C:\SPAN\' 'D_NONSBI_E'  g_date_rd g_time_rd '.txt' into g_filename.   "11042011 21062011
*
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                        = g_filename
```

```
*       FILETYPE                          = 'ASC'
**     WRITE_FIELD_SEPARATOR             = ''
*     TABLES
*       DATA_TAB                          = ist_ddata_nonsbi_e
*    EXCEPTIONS
*      FILE_WRITE_ERROR                  = 1
*      NO_BATCH                          = 2
*      GUI_REFUSE_FILETRANSFER           = 3
*      INVALID_TYPE                      = 4
*      NO_AUTHORITY                      = 5
*      UNKNOWN_ERROR                     = 6
*      HEADER_NOT_ALLOWED                = 7
*      SEPARATOR_NOT_ALLOWED             = 8
*      FILESIZE_NOT_ALLOWED              = 9
*      HEADER_TOO_LONG                   = 10
*      DP_ERROR_CREATE                   = 11
*      DP_ERROR_SEND                     = 12
*      DP_ERROR_WRITE                    = 13
*      UNKNOWN_DP_ERROR                  = 14
*      ACCESS_DENIED                     = 15
*      DP_OUT_OF_MEMORY                  = 16
*      DISK_FULL                         = 17
*      DP_TIMEOUT                        = 18
*      FILE_NOT_FOUND                    = 19
*      DATAPROVIDER_EXCEPTION            = 20
*      CONTROL_FLUSH_ERROR               = 21
*      OTHERS                            = 22.
*
*    IF SY-SUBRC <> 0.
*      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
*                    WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
*    ENDIF.
* End of <> on 07082012
  endif.

* OVL Employee
  clear :  l_rsbi , l_dsbi.
* Begin of <> on 06072011
* SBI
*  describe table ist_rdata_sbi_ovl_e lines l_rsbi.
*  if l_rsbi > 0.
**    write sy-datum to g_date_rd DDMMYY.           "14022011
*    CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
*    g_time_rd = sy-uzeit.
** Begin of <> on 10062011
*     select single fsnam corpid into (g_fsnam, g_corpid) from zfi_path
where sysid = syst-sysid
*                                                  and zbukr = 'OVL'.
*    if sy-subrc = 0.
*      concatenate g_fsnam  '3P.' g_date_rd '.' g_corpid '.txt' into g_f
ilename1.
*    endif.
**    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed
/ddn/' '3P.'  g_date_rd '.93128' '.txt' into g_filename1. "11042011
** End of <> 10062011
**    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/ddn/' '3P.
'  g_date_rd '.93128' '.txt' into g_filename1. "11042011
*
*
*    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
*    LOOP AT ist_rdata_sbi_ovl_e.
```

```
*      transfer ist_rdata_sbi_ovl_e to g_filename1.
*    ENDLOOP.
*    close dataset g_filename1.
*
*    concatenate 'C:\SPAN\' 'R_SBI_OVL_E'  g_date_rd g_time_rd '.txt' in to g_filename.
*
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                        = g_filename
*       FILETYPE                        = 'ASC'
**      WRITE_FIELD_SEPARATOR           = '*'
*     TABLES
*       DATA_TAB                        = ist_rdata_sbi_ovl_e
*    EXCEPTIONS
*      FILE_WRITE_ERROR                = 1
*      NO_BATCH                        = 2
*      GUI_REFUSE_FILETRANSFER         = 3
*      INVALID_TYPE                    = 4
*      NO_AUTHORITY                    = 5
*      UNKNOWN_ERROR                   = 6
*      HEADER_NOT_ALLOWED              = 7
*      SEPARATOR_NOT_ALLOWED           = 8
*      FILESIZE_NOT_ALLOWED            = 9
*      HEADER_TOO_LONG                 = 10
*      DP_ERROR_CREATE                 = 11
*      DP_ERROR_SEND                   = 12
*      DP_ERROR_WRITE                  = 13
*      UNKNOWN_DP_ERROR                = 14
*      ACCESS_DENIED                   = 15
*      DP_OUT_OF_MEMORY                = 16
*      DISK_FULL                       = 17
*      DP_TIMEOUT                      = 18
*      FILE_NOT_FOUND                  = 19
*      DATAPROVIDER_EXCEPTION          = 20
*      CONTROL_FLUSH_ERROR             = 21
*      OTHERS                          = 22.
*
*    IF SY-SUBRC <> 0.
*      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
*                 WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
*    ENDIF.
*  endif.

*  describe table ist_ddata_sbi_ovl_e lines l_dsbi.
*  if l_dsbi > 0.

**     write sy-datum to g_date_rd DDMMYY.         "14022011
*    CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
*    g_time_rd = sy-uzeit.
*
*    concatenate 'C:\SPAN\' 'D_SBI_OVL_E'  g_date_rd g_time_rd '.txt' in to g_filename. "21122010  "11042011 21060211
*
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                        = g_filename
*       FILETYPE                        = 'ASC'
**      WRITE_FIELD_SEPARATOR           = ''
*     TABLES
*       DATA_TAB                        = ist_ddata_sbi_ovl_e
```

```
*    EXCEPTIONS
*      FILE_WRITE_ERROR                = 1
*      NO_BATCH                        = 2
*      GUI_REFUSE_FILETRANSFER         = 3
*      INVALID_TYPE                    = 4
*      NO_AUTHORITY                    = 5
*      UNKNOWN_ERROR                   = 6
*      HEADER_NOT_ALLOWED              = 7
*      SEPARATOR_NOT_ALLOWED           = 8
*      FILESIZE_NOT_ALLOWED            = 9
*      HEADER_TOO_LONG                 = 10
*      DP_ERROR_CREATE                 = 11
*      DP_ERROR_SEND                   = 12
*      DP_ERROR_WRITE                  = 13
*      UNKNOWN_DP_ERROR                = 14
*      ACCESS_DENIED                   = 15
*      DP_OUT_OF_MEMORY                = 16
*      DISK_FULL                       = 17
*      DP_TIMEOUT                      = 18
*      FILE_NOT_FOUND                  = 19
*      DATAPROVIDER_EXCEPTION          = 20
*      CONTROL_FLUSH_ERROR             = 21
*      OTHERS                          = 22.
*
*    IF SY-SUBRC <> 0.
*      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
*                 WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
*    ENDIF.
** Begin of <> on 10062011
*     select single fsnam corpid into (g_fsnam, g_corpid) from zfi_path where sysid = syst-sysid
*                                                          and zbukr = 'OVL'.
*    if sy-subrc = 0.
*      concatenate g_fsnam  'D3P.' g_date_rd '.' g_corpid '.txt' into g_filename1.
*    endif.
*
**    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/ddn/' 'D3P.'  g_date_rd '.93128' '.txt' into g_filename1.
** End of <> on 10062011
**    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/ddn/' 'D3P.'  g_date_rd '.93128' '.txt' into g_filename1. "11042011
*
*
*    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
*    LOOP AT ist_ddata_sbi_ovl_e.
*      transfer ist_ddata_sbi_ovl_e to g_filename1.
*    ENDLOOP.
*    close dataset g_filename1.
*
*  endif.

* NON SBI
*  clear : l_rsbi , l_dsbi.
*  describe table ist_rdata_nonsbi_ovl_e lines l_rsbi.
*  if l_rsbi > 0.
**    write sy-datum to g_date_rd DDMMYY.    "14022011
*    CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
*    g_time_rd = sy-uzeit.
** Begin of <> on 10062011
*   select single fsnam corpid into (g_fsnam, g_corpid) from zfi_path wh
```

```
      ere sysid = syst-sysid
2098  *                                                  and zbukr = 'OVL'.
2099  *    if sy-subrc = 0.
2100  *      concatenate g_fsnam  'IBTP.' g_date_rd '.' g_corpid '.txt' into g
      _filename1.
2101  *    endif.
2102  *
2103  **    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed
      /ddn/' 'IBTP.'  g_date_rd '.93128' '.txt' into g_filename1. "11042011
2104  ** End of <> 10062011
2105  **    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/ddn/' 'IBT
      P.'  g_date_rd '.93128' '.txt' into g_filename1. "11042011
2106  *
2107  *    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
2108  *    LOOP AT ist_rdata_nonsbi_ovl_e.
2109  *      transfer ist_rdata_nonsbi_ovl_e to g_filename1.
2110  *    ENDLOOP.
2111  *    close dataset g_filename1.
2112
2113  *    concatenate 'C:\SPAN\' 'R_NONSBI_OVL_E'  g_date_rd g_time_rd '.txt'
       into g_filename.  "11042011 21062011
2114  *
2115  *    CALL FUNCTION 'GUI_DOWNLOAD'
2116  *     EXPORTING
2117  *       FILENAME                        = g_filename
2118  *       FILETYPE                        = 'ASC'
2119  **      WRITE_FIELD_SEPARATOR           = '*'
2120  *     TABLES
2121  *       DATA_TAB                        = ist_rdata_nonsbi_ovl_e
2122  *    EXCEPTIONS
2123  *      FILE_WRITE_ERROR                = 1
2124  *      NO_BATCH                        = 2
2125  *      GUI_REFUSE_FILETRANSFER         = 3
2126  *      INVALID_TYPE                    = 4
2127  *      NO_AUTHORITY                    = 5
2128  *      UNKNOWN_ERROR                   = 6
2129  *      HEADER_NOT_ALLOWED              = 7
2130  *      SEPARATOR_NOT_ALLOWED           = 8
2131  *      FILESIZE_NOT_ALLOWED            = 9
2132  *      HEADER_TOO_LONG                 = 10
2133  *      DP_ERROR_CREATE                 = 11
2134  *      DP_ERROR_SEND                   = 12
2135  *      DP_ERROR_WRITE                  = 13
2136  *      UNKNOWN_DP_ERROR                = 14
2137  *      ACCESS_DENIED                   = 15
2138  *      DP_OUT_OF_MEMORY                = 16
2139  *      DISK_FULL                       = 17
2140  *      DP_TIMEOUT                      = 18
2141  *      FILE_NOT_FOUND                  = 19
2142  *      DATAPROVIDER_EXCEPTION          = 20
2143  *      CONTROL_FLUSH_ERROR             = 21
2144  *      OTHERS                          = 22.
2145  *
2146  *    IF SY-SUBRC <> 0.
2147  *      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
2148  *                 WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
2149  *    ENDIF.
2150  *  endif.
2151  *
2152  *  describe table ist_ddata_nonsbi_ovl_e lines l_dsbi.
2153  *  if l_dsbi > 0.
```

```
**    write sy-datum to g_date_rd DDMMYY.           "14022011
*    CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
*    g_time_rd = sy-uzeit.
** Begin of <> on 10062011
*    select single fsnam corpid into (g_fsnam, g_corpid) from zfi_path where sysid = syst-sysid
*                                                  and zbukr = 'OVL'.
*    if sy-subrc = 0.
*      concatenate g_fsnam  'DIBTP.' g_date_rd '.' g_corpid '.txt' into g_filename1.
*    endif.
*
**    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/ddn/' 'DIBTP.'  g_date_rd '.93128' '.txt' into g_filename1. "11042011
** End of <> on 10062011
**    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/ddn/' 'DIBTP.'  g_date_rd '.93128' '.txt' into g_filename1.        "11042011
*
*    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
*    LOOP AT ist_ddata_nonsbi_ovl_e.
*      transfer ist_ddata_nonsbi_ovl_e to g_filename1.
*    ENDLOOP.
*    close dataset g_filename1.
*
*
*    concatenate 'C:\SPAN\' 'D_NONSBI_OVL_E'  g_date_rd g_time_rd '.txt' into g_filename.   "11042011 21062011
*
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                        = g_filename
*       FILETYPE                        = 'ASC'
**      WRITE_FIELD_SEPARATOR           = ''
*     TABLES
*       DATA_TAB                        = ist_ddata_nonsbi_ovl_e
*    EXCEPTIONS
*      FILE_WRITE_ERROR                 = 1
*      NO_BATCH                         = 2
*      GUI_REFUSE_FILETRANSFER          = 3
*      INVALID_TYPE                     = 4
*      NO_AUTHORITY                     = 5
*      UNKNOWN_ERROR                    = 6
*      HEADER_NOT_ALLOWED               = 7
*      SEPARATOR_NOT_ALLOWED            = 8
*      FILESIZE_NOT_ALLOWED             = 9
*      HEADER_TOO_LONG                  = 10
*      DP_ERROR_CREATE                  = 11
*      DP_ERROR_SEND                    = 12
*      DP_ERROR_WRITE                   = 13
*      UNKNOWN_DP_ERROR                 = 14
*      ACCESS_DENIED                    = 15
*      DP_OUT_OF_MEMORY                 = 16
*      DISK_FULL                        = 17
*      DP_TIMEOUT                       = 18
*      FILE_NOT_FOUND                   = 19
*      DATAPROVIDER_EXCEPTION           = 20
*      CONTROL_FLUSH_ERROR              = 21
*      OTHERS                           = 22.
*
*    IF SY-SUBRC <> 0.
*      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
```

```
2210 *                    WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
2211 *    ENDIF.
2212 *  endif.
2213 * End of <> 06072011
2214 ENDFORM.                    " EMPLOYEE_FILEGEN
2215 *&---------------------------------------------------------------------*
2216 *&      Form  GET_ONGC_EMLPOYEE_DETAILS
2217 *&---------------------------------------------------------------------*
2218 *       text
2219 *---------------------------------------------------------------------*
2220 *  -->  p1        text
2221 *  <--  p2        text
2222 *---------------------------------------------------------------------*
2223 FORM GET_ONGC_EMLPOYEE_DETAILS .
2224   data : l_begdate type pa0009-begda,
2225          l_strlen  type n,
2226          l_line(2) type n,
2227          l_enddate type pa0009-endda value '99991231',
2228          l_endda(10),
2229          l_begda(10).
2230 * Begin of <> on 15022012
2231 */..Begin of Change CR :30014976 by CAB_RAMA
2232 *    CONCATENATE 'EMP0000000000R00' wa_pa0009-pernr into wa_zfivms_brd-s
     pan.
2233 CONCATENATE 'EM' sy-datum '000R00' wa_pa0009-pernr into wa_zfivms_brd-sp
     an.
2234 */..End of Change CR :30014976 by CAB_RAMA
2235
2236 *  CONCATENATE '0000000000000R00' wa_pa0009-pernr into wa_zfivms_brd-spa
     n.
2237 * End of <> on 15022012
2238
2239 **Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital sig
     ning, Logging
2240 *  if wa_pa0009-bankl(4) = 'SBIN'.
2241 *    wa_zfivms_brd-BANKL_NEW = wa_pa0009-bankl+6(5).
2242 *  else.
2243 *    wa_zfivms_brd-BANKL_NEW = wa_pa0009-bankl.
2244 *  endif.
2245     wa_zfivms_brd-BANKL_NEW = wa_pa0009-bankl.
2246 **End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signi
     ng, Logging
2247
2248   wa_zfivms_brd-bankn_new = wa_pa0009-bankn.
2249
2250   if not wa_pa0009-emftx is initial.
2251     wa_zfivms_brd-koinh_new = wa_pa0009-emftx.
2252   else.
2253     select single ename from pa0001 into wa_zfivms_brd-koinh_new where p
     ernr = wa_pa0009-pernr.
2254   endif.
2255 **Begin 26.05.2014 RD1K991769 CAB_ALOK CR 30010502:Beneficiary file-digi
     tal signing, Logging
2256
2257 *REPLACE ALL OCCURRENCES OF '.' IN wa_zfivms_brd-koinh_new WITH space.
2258 *translate
2259     TRANSLATE wa_zfivms_brd-koinh_new USING trans_string.
2260
2261 **End RD1K991769 CAB_ALOK  CR 30010502:Beneficiary file-digital signing,
      Logging
2262
```

```
2263
2264    select single zphone from pa9205 into wa_zfivms_brd-tel_number where p
      ernr = wa_pa0009-pernr and subty = '01'.
2265
2266    wa_zfivms_brd-vmc_apdate = wa_pa0009-aedtm . " wa_pa0009-begda. 301211
2267
2268    wa_zfivms_brd-STATUS     = 'RELEASE BY EMPLOYEE'.
2269
2270    select * from pa0006 into table ist_pa0006 where pernr = wa_pa0009-per
      nr
2271                                                and anssa in ('1', '3' )
2272                                                and endda = l_enddate. "'
      31.12.9999'.
2273    read table ist_pa0006 into wa_pa0006 with key anssa = '1'.
2274    if sy-subrc = 0.
2275      if not wa_pa0006-name2 is initial.
2276        wa_zfivms_brd-STREET = 'ONGC'.                  "wa_pa0006-name2. 2
      90911
2277        wa_zfivms_brd-CITY1  = 'DEHRADUN'.              "wa_pa0006-ort01. 2
      90911
2278        if not wa_pa0006-stras is initial.
2279          wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.      "wa_pa0006-stras. 2
      90911
2280        else.
2281          wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
2282        endif.
2283      else.
2284        read table ist_pa0006 into wa_pa0006 with key anssa = '3'.
2285        if sy-subrc = 0.
2286          if not wa_pa0006-name2 is initial.
2287            wa_zfivms_brd-STREET = 'ONGC'.              "wa_pa0006-name2. 2
      90911
2288            wa_zfivms_brd-CITY1  = 'DEHRADUN'.          "wa_pa0006-ort01. 2
      90911
2289            if not wa_pa0006-stras is initial.
2290              wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.  "wa_pa0006-stras.
      290911
2291            else.
2292              wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
2293            endif.
2294          else.
2295            wa_zfivms_brd-CITY1  = 'DEHRADUN'.          "wa_pa0006-ort01.
      290911
2296            if not wa_pa0006-stras is initial.
2297              wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.  "wa_pa0006-stras.
      290911
2298            else.
2299              wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
2300            endif.
2301            wa_zfivms_brd-STREET = 'ONGC'.
2302          endif.
2303  * Begin of <> on 30052012
2304        else.
2305          wa_zfivms_brd-STREET = 'ONGC'.
2306          wa_zfivms_brd-CITY1  = 'DEHRADUN'.
2307          wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
2308  * End of <> on 30052012
2309        endif.
2310      endif.
2311    endif.
2312  * Begin of <> on 20062011 21062011
```

```
  refresh ist_zfivms_brd1.
  select * from zfivms_brd into corresponding fields of table  ist_zfivms_brd1 where span = wa_zfivms_brd-span.
  if sy-subrc = 0.
* Begin of <> on 22052012
    clear l_line.
    describe table ist_zfivms_brd1 lines l_line.
    shift l_line left deleting leading '0'.                "16072012
    if l_line > 0.
      read table ist_zfivms_brd1 into wa_zfivms_brd1 with key seqno = l_line.
      if sy-subrc <> 0.
        read table ist_zfivms_brd1 into wa_zfivms_brd1 index 1.
      endif.
*    sort ist_zfivms_brd1 descending by seqno.
*    read table ist_zfivms_brd1 into wa_zfivms_brd1 index 1.
* End of <> on 22052012
      if sy-subrc = 0.
        wa_zfivms_brd-seqno = wa_zfivms_brd1-seqno + 1.
      endif.
    endif.
    modify zfivms_brd  from wa_zfivms_brd .
*     update zfivms_brd set seqno = wa_zfivms_brd-seqno
*                           BANKL_NEW = wa_zfivms_brd-BANKL_NEW
*                           BANKN_NEW  = wa_zfivms_brd-BANKn_NEW
*                           KOINH_NEW  = wa_zfivms_brd-KOINH_NEW
*                           STREET     = wa_zfivms_brd-STREET
*                           STR_SUPPL1 = wa_zfivms_brd-STR_SUPPL1
*                           TEL_NUMBER = wa_zfivms_brd-TEL_NUMBER
*                           CITY1      = wa_zfivms_brd-CITY1
*                           VMC_APDATE = wa_zfivms_brd-VMC_APDATE
*                           VMC_APTIME = wa_zfivms_brd-VMC_APTIME
*                           STATUS     = wa_zfivms_brd-STATUS
*                           REMARKS    = wa_zfivms_brd-REMARKS
*                       where span = wa_zfivms_brd-span .
  else.
* End of <> on 20062011
    wa_zfivms_brd-seqno = 1.
    modify zfivms_brd  from wa_zfivms_brd .
  endif.
  .     "ENDDA

**Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging
*  if sy-subrc = 0.
*    update pa0009 set flag1 = 'R' where pernr = wa_pa0009-pernr and endda =  l_enddate and subty = '0'.
*  endif.

*  update pa0009        "FLAG2
*    set flag2 = 'X'
*      where pernr = wa_pa0009-pernr
*        and endda =  l_enddate
*        and subty = '0'.
*  wa_pa0009t-FLAG2 = 'X'.

  wa_pa0009-FLAG1 = 'R'.
 APPEND wa_pa0009 TO IST_pa0009_ONGC.
**1234
* data: WA_ZPA0009 type ZPA0009.

```

```
* WA_ZPA0009 = wa_pa0009.
* WA_ZPA0009-flag_read = 'Q'.
* insert  ZPA0009 FROM  WA_ZPA0009.
**1234
**End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging

  clear : wa_zfivms_brd , wa_zfivms_brd1.
*    append wa_zfivms_brd to ist_zfivms_brd.     "ENDDA

  l_begdate = wa_pa0009-begda - 1.
**Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging
  clear wa_pa0009t.
**End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging

**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502
*  select single * from pa0009 into wa_pa0009t where  pernr = wa_pa0009-pernr and endda = l_begdate  "begda = p_date and
*                                                  and subty = '0'." and zlsch in ('S','N'). 20062011
  select single *
    from pa0009
      into wa_pa0009t
        where pernr = wa_pa0009-pernr
          and subty = '0'
          and endda = l_begdate
          and ( flag1 = '' or flag1 = 'S' or flag1 = 'F').
*          and FLAG2 = ''.

**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502


  if sy-subrc = 0.
* Begin of <> on 15022012
*/..Begin of Change CR :30014976 by CAB_RAMA
*  CONCATENATE 'EMP0000000000D00' wa_pa0009t-pernr into wa_zfivms_brd-span.
CONCATENATE 'EM' sy-datum '000D00' wa_pa0009t-pernr into wa_zfivms_brd-span.
*/..End of Change CR :30014976 by CAB_RAMA

*    CONCATENATE '0000000000000D00' wa_pa0009t-pernr into wa_zfivms_brd-span.
* End of <> on 15022012

**Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging
*    if wa_pa0009t-bankl(4) = 'SBIN'.
*      wa_zfivms_brd-BANKL_NEW = wa_pa0009t-bankl+6(5).
*    else.
*      wa_zfivms_brd-BANKL_NEW = wa_pa0009t-bankl.
*    endif.

      wa_zfivms_brd-BANKL_NEW = wa_pa0009t-bankl.
**End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging

```

```
2419
2420      wa_zfivms_brd-bankn_new = wa_pa0009t-bankn.
2421
2422      if not wa_pa0009t-emftx is initial.
2423        wa_zfivms_brd-koinh_new = wa_pa0009t-emftx.
2424      else.
2425        select single ename from pa0001 into wa_zfivms_brd-koinh_new where
       pernr = wa_pa0009t-pernr.
2426      endif.
2427  **Begin 26.05.2014 RD1K991769 CAB_ALOK CR 30010502:Beneficiary file-digi
      tal signing, Logging
2428
2429  *REPLACE ALL OCCURRENCES OF '.' IN wa_zfivms_brd-koinh_new WITH space.
2430  *translate
2431      TRANSLATE wa_zfivms_brd-koinh_new USING trans_string.
2432  **End RD1K991769 CAB_ALOK  CR 30010502:Beneficiary file-digital signing,
       Logging
2433
2434      select single zphone from pa9205 into wa_zfivms_brd-tel_number where
       pernr = wa_pa0009-pernr and subty = '01'.
2435
2436      wa_zfivms_brd-vmc_apdate = wa_pa0009-aedtm . " wa_pa0009-begda. 3012
      11
2437
2438      wa_zfivms_brd-STATUS = 'RELEASE BY EMPLOYEE'.
2439
2440      refresh ist_pa0006.
2441      select * from pa0006 into table ist_pa0006 where pernr = wa_pa0009t-
      pernr
2442                                                  and anssa in ('1', '3'
       )
2443                                                  and endda = l_enddate.
      "'31.12.9999'.
2444      read table ist_pa0006 into wa_pa0006 with key anssa = '1'.
2445      if sy-subrc = 0.
2446        if not wa_pa0006-name2 is initial.
2447          wa_zfivms_brd-STREET = 'ONGC'.              "wa_pa0006-name2.
2448          wa_zfivms_brd-CITY1  = 'DEHRADUN'.          "wa_pa0006-ort01.
2449          if not wa_pa0006-stras is initial.
2450            wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.  "wa_pa0006-stras.  2
      90911
2451          else.
2452            wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
2453          endif.
2454        else.
2455          read table ist_pa0006 into wa_pa0006 with key anssa = '3'.
2456          if sy-subrc = 0.
2457            if not wa_pa0006-name2 is initial.
2458              wa_zfivms_brd-STREET = 'ONGC'.              "wa_pa0006-name2
      .
2459              wa_zfivms_brd-CITY1  = 'DEHRADUN'.          "wa_pa0006-ort01
      .
2460              if not wa_pa0006-stras is initial.
2461                wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.  "wa_pa0006-stras
      .
2462              else.
2463                wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
2464              endif.
2465            else.
2466              wa_zfivms_brd-CITY1  = 'DEHRADUN'.          "wa_pa0006-ort01
      .
```

```
2467            if not wa_pa0006-stras is initial.
2468              wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.  "wa_pa0006-stras
    .
2469            else.
2470              wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
2471            endif.
2472            wa_zfivms_brd-STREET = 'ONGC'.
2473          endif.
2474        endif.
2475      endif.
2476    endif.
2477 * Begin of <> on 20062011 21062011
2478    refresh ist_zfivms_brd1.
2479    select * from zfivms_brd into corresponding fields of table  ist_zfi
    vms_brd1 where span = wa_zfivms_brd-span.
2480    if sy-subrc = 0.
2481 * Begin of <> on 22052012
2482      clear l_line.
2483      describe table ist_zfivms_brd1 lines l_line.
2484      shift l_line left deleting leading '0'.               "16072012
2485      if l_line > 0.
2486        read table ist_zfivms_brd1 into wa_zfivms_brd1 with key seqno =
    l_line.
2487        if sy-subrc <> 0.
2488          read table ist_zfivms_brd1 into wa_zfivms_brd1 index 1.
2489        endif.
2490 *      sort ist_zfivms_brd1 descending by seqno.
2491 *      read table ist_zfivms_brd1 into wa_zfivms_brd1 index 1.
2492        if sy-subrc = 0.
2493          wa_zfivms_brd-seqno = wa_zfivms_brd1-seqno + 1.
2494        endif.
2495      endif.
2496      modify zfivms_brd  from wa_zfivms_brd .
2497 *    update zfivms_brd set seqno = wa_zfivms_brd-seqno
2498 *                          BANKL_NEW = wa_zfivms_brd-BANKL_NEW
2499 *                          BANKN_NEW  = wa_zfivms_brd-BANKn_NEW
2500 *                          KOINH_NEW  = wa_zfivms_brd-KOINH_NEW
2501 *                          STREET     = wa_zfivms_brd-STREET
2502 *                          STR_SUPPL1 = wa_zfivms_brd-STR_SUPPL1
2503 *                          TEL_NUMBER = wa_zfivms_brd-TEL_NUMBER
2504 *                          CITY1      = wa_zfivms_brd-CITY1
2505 *                          VMC_APDATE = wa_zfivms_brd-VMC_APDATE
2506 *                          VMC_APTIME = wa_zfivms_brd-VMC_APTIME
2507 *                          STATUS     = wa_zfivms_brd-STATUS
2508 *                          REMARKS    = wa_zfivms_brd-REMARKS
2509 *                        where span = wa_zfivms_brd-span .
2510    else.
2511 * End of <> on 20062011
2512      wa_zfivms_brd-seqno = 1.
2513      modify zfivms_brd from wa_zfivms_brd .     "ENDDA
2514
2515    endif.
2516
2517 **Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital sig
    ning, Logging
2518 *    if sy-subrc = 0.
2519 *      update pa0009 set flag1 = 'D' where pernr = wa_pa0009t-pernr and
    endda =  l_begdate and subty = '0'.
2520 **      clear : wa_zfivms_brd , wa_zfivms_brd1.
2521 *    endif.
2522
```

```
*  update pa0009
*    set flag2 = 'X'
*    where pernr = wa_pa0009t-pernr
*       and endda =  l_begdate
*       and subty = '0'.
*  wa_pa0009t-FLAG2 = 'X'.

 wa_pa0009t-FLAG1 = 'D'.
 APPEND wa_pa0009t TO IST_pa0009_ONGC.

*1234
* data: W_ZPA0009 type ZPA0009.

* W_ZPA0009 = wa_pa0009.
* W_ZPA0009-flag_read = 'Q'.
* insert  ZPA0009 FROM  W_ZPA0009.
*1234

**End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging

    clear : wa_zfivms_brd , wa_zfivms_brd1.
  endif.

ENDFORM.                    " GET_ONGC_EMLPOYEE_DETAILS
*&---------------------------------------------------------------------*
*&      Form  GET_OVL_EMLPOYEE_DETAILS
*&---------------------------------------------------------------------*
*       text
*----------------------------------------------------------------------*
*  -->  p1        text
*  <--  p2        text
*----------------------------------------------------------------------*
FORM GET_OVL_EMLPOYEE_DETAILS .
  data : l_begdate type pa0009-begda,
         l_strlen  type n,
         l_line(2) type n,
         l_enddate type pa0009-endda value '99991231',
         l_endda(10),
         l_begda(10).
* Begin of <> on 15022012

*/..Begin of Change CR :30014976 by CAB_RAMA
*  CONCATENATE 'EMP0000000000R00' wa_pa0009-pernr into wa_zfivms_brd-span.
CONCATENATE 'EM' sy-datum '000R00' wa_pa0009-pernr into wa_zfivms_brd-span.
*/..End of Change CR :30014976 by CAB_RAMA

* CONCATENATE '0000000000000R00' wa_pa0009-pernr into wa_zfivms_brd-span.
* End of <> on 15022012

**Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging
*  if wa_pa0009-bankl(4) = 'SBIN'.
*    wa_zfivms_brd-BANKL_NEW = wa_pa0009-bankl+6(5).
*  else.
*    wa_zfivms_brd-BANKL_NEW = wa_pa0009-bankl.
*  endif.

```

```
    wa_zfivms_brd-BANKL_NEW = wa_pa0009-bankl.
**End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signi
ng, Logging

  wa_zfivms_brd-bankn_new = wa_pa0009-bankn.

  if not wa_pa0009-emftx is initial.
    wa_zfivms_brd-koinh_new = wa_pa0009-emftx.
  else.
    select single ename from pa0001 into wa_zfivms_brd-koinh_new where p
ernr = wa_pa0009-pernr.
  endif.

**Begin 26.05.2014 RD1K991769 CAB_ALOK CR 30010502:Beneficiary file-digi
tal signing, Logging

*REPLACE ALL OCCURRENCES OF '.' IN wa_zfivms_brd-koinh_new WITH space.
*translate
    TRANSLATE wa_zfivms_brd-koinh_new USING trans_string.

**End RD1K991769 CAB_ALOK  CR 30010502:Beneficiary file-digital signing,
 Logging

  select single zphone from pa9205 into wa_zfivms_brd-tel_number where p
ernr = wa_pa0009-pernr and subty = '01'.

  wa_zfivms_brd-vmc_apdate = wa_pa0009-aedtm . " wa_pa0009-begda. 301211
.

  wa_zfivms_brd-STATUS     = 'RELEASE BY EMPLOYEE FOR OVL'.

  select * from pa0006 into table ist_pa0006 where pernr = wa_pa0009-per
nr
                                                and anssa in ('1', '3' )
                                                and endda = l_enddate. "'
31.12.9999'.
  read table ist_pa0006 into wa_pa0006 with key anssa = '1'.
  if sy-subrc = 0.
    if not wa_pa0006-name2 is initial.
      wa_zfivms_brd-STREET = 'ONGC'.              "wa_pa0006-name2.
      wa_zfivms_brd-CITY1  = 'DEHRADUN'.          "wa_pa0006-ort01.
      if not wa_pa0006-stras is initial.
        wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.  "wa_pa0006-stras.
      else.
        wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
      endif.
    else.
      wa_zfivms_brd-STREET = 'ONGC'.
      if not wa_pa0006-stras is initial.
        wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.   "wa_pa0006-stras.
      else.
        wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
      endif.
    endif.
  else.
    read table ist_pa0006 into wa_pa0006 with key anssa = '3'.
    if sy-subrc = 0.
      if not wa_pa0006-name2 is initial.
        wa_zfivms_brd-STREET = 'ONGC'.              "wa_pa0006-name2.
        wa_zfivms_brd-CITY1  = 'DEHRADUN'.          "wa_pa0006-ort01.
        if not wa_pa0006-stras is initial.
```

```
          wa_zfivms_brd-STR_SUPPL1 ='TEL BHAVAN'.      " wa_pa0006-stras.
        else.
          wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
        endif.
      else.
        wa_zfivms_brd-CITY1  = 'DEHRADUN'.              "wa_pa0006-ort01.
        if not wa_pa0006-stras is initial.
          wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.  "wa_pa0006-stras.
        else.
          wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
        endif.
        wa_zfivms_brd-STREET = 'ONGC'.
      endif.
* Begin of <> on 30052012
    else.
      wa_zfivms_brd-STREET = 'ONGC'.
      wa_zfivms_brd-CITY1  = 'DEHRADUN'.
      wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
* End of <> on 30052012
    endif.
  endif.

*Begin of <> on 20062011 21062011
  refresh ist_zfivms_brd1.
  select * from zfivms_brd into corresponding fields of table  ist_zfivms_brd1 where span = wa_zfivms_brd-span.
  if sy-subrc = 0.
* Begin of <> on 22052012
    clear l_line.
    describe table ist_zfivms_brd1 lines l_line.
    shift l_line left deleting leading '0'.                 "16072012
    if l_line > 0.
      read table ist_zfivms_brd1 into wa_zfivms_brd1 with key seqno = l_line.
      if sy-subrc <> 0.
        read table ist_zfivms_brd1 into wa_zfivms_brd1 index 1.
      endif.
*    sort ist_zfivms_brd1 descending by seqno.
*    read table ist_zfivms_brd1 into wa_zfivms_brd1 index 1.
      if sy-subrc = 0.
        wa_zfivms_brd-seqno = wa_zfivms_brd1-seqno + 1.
      endif.
    endif.
    modify zfivms_brd  from wa_zfivms_brd .
  else.
* End of <> on 20062011
    wa_zfivms_brd-seqno = 1.
    modify zfivms_brd  from wa_zfivms_brd .
  endif.
*  modify zfivms_brd from wa_zfivms_brd .     "ENDDA

**Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging
*  if sy-subrc = 0.
*    update pa0009 set flag1 = 'R' where pernr = wa_pa0009-pernr and endda =  l_enddate and subty = '0'.
*    clear : wa_zfivms_brd  .                                "21062011
*  endif.

```

```
*  update pa0009
*  set flag2 = 'X'
*  where pernr = wa_pa0009-pernr
*    and endda =  l_enddate
*    and subty = '0'.
*  wa_pa0009-FLAG2 = 'X'.

  wa_pa0009-FLAG1 = 'R'.
 APPEND wa_pa0009 TO IST_pa0009_OVL.
**End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging

  clear : wa_zfivms_brd , wa_zfivms_brd1  .
*    append wa_zfivms_brd to ist_zfivms_brd.     "ENDDA

  l_begdate = wa_pa0009-begda - 1.
**Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging
  clear wa_pa0009t.
**End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging
*  select single * from pa0009 into wa_pa0009t where  pernr = wa_pa0009-pernr "30062011
*                                                  and endda = l_begdate "begda = p_date and
*                                                  and subty = '0'. " and zlsch in ('S','N','8','9'). "('S','N'). 20062011 20062011
    select single *
    from pa0009
      into wa_pa0009t
        where pernr = wa_pa0009-pernr
          and subty = '0'
          and endda = l_begdate
          and ( flag1 = '' or flag1 = 'S' or flag1 = 'F').
*          and FLAG2 = ''.

  if sy-subrc = 0.
* Begin of <> on 15022012

*/..Begin of Change CR :30014976 by CAB_RAMA
*  CONCATENATE 'EMP0000000000D00' wa_pa0009t-pernr into wa_zfivms_brd-span.
CONCATENATE 'EM' sy-datum '000D00' wa_pa0009t-pernr into wa_zfivms_brd-span.
*/..End of Change CR :30014976 by CAB_RAMA

*    CONCATENATE '0000000000000D00' wa_pa0009t-pernr into wa_zfivms_brd-span.
* End of <> on 15022012

**Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging
*    if wa_pa0009t-bankl(4) = 'SBIN'.
*      wa_zfivms_brd-BANKL_NEW = wa_pa0009t-bankl+6(5).
*    else.
*      wa_zfivms_brd-BANKL_NEW = wa_pa0009t-bankl.
*    endif.
      wa_zfivms_brd-BANKL_NEW = wa_pa0009t-bankl.
**End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging

```

```
2737      wa_zfivms_brd-bankn_new = wa_pa0009t-bankn.
2738
2739      if not wa_pa0009t-emftx is initial.
2740        wa_zfivms_brd-koinh_new = wa_pa0009t-emftx.
2741      else.
2742        select single ename from pa0001 into wa_zfivms_brd-koinh_new where
       pernr = wa_pa0009t-pernr.
2743      endif.
2744
2745  **Begin 26.05.2014 RD1K991769 CAB_ALOK CR 30010502:Beneficiary file-digi
      tal signing, Logging
2746
2747  *REPLACE ALL OCCURRENCES OF '.' IN wa_zfivms_brd-koinh_new WITH space.
2748  *translate
2749      TRANSLATE wa_zfivms_brd-koinh_new USING trans_string.
2750
2751  **End RD1K991769 CAB_ALOK  CR 30010502:Beneficiary file-digital signing,
       Logging
2752
2753
2754      select single zphone from pa9205 into wa_zfivms_brd-tel_number where
       pernr = wa_pa0009-pernr and subty = '01'.
2755
2756      wa_zfivms_brd-vmc_apdate = wa_pa0009-aedtm . " wa_pa0009-begda. 3012
      11
2757
2758      wa_zfivms_brd-STATUS = 'RELEASE BY EMPLOYEE FOR OVL'.
2759
2760      refresh ist_pa0006.
2761      select * from pa0006 into table ist_pa0006 where pernr = wa_pa0009t-
      pernr
2762                                                  and anssa in ('1', '3'
       )
2763                                                  and endda = l_enddate.
      "'31.12.9999'.
2764      read table ist_pa0006 into wa_pa0006 with key anssa = '1'.
2765      if sy-subrc = 0.
2766        if not wa_pa0006-name2 is initial.
2767          wa_zfivms_brd-STREET = 'ONGC'.     "wa_pa0006-name2.
2768          wa_zfivms_brd-CITY1  = 'DEHRADUN'. "wa_pa0006-ort01.
2769          if not wa_pa0006-stras is initial.
2770            wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'. "wa_pa0006-stras.
2771          else.
2772            wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
2773          endif.
2774        else.
2775          read table ist_pa0006 into wa_pa0006 with key anssa = '3'.
2776          if sy-subrc = 0.
2777            if not wa_pa0006-name2 is initial.
2778              wa_zfivms_brd-STREET ='ONGC'. " wa_pa0006-name2.
2779              wa_zfivms_brd-CITY1  = 'DEHRADUN'. "wa_pa0006-ort01.
2780              if not wa_pa0006-stras is initial.
2781                wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'. "wa_pa0006-stras.
2782              else.
2783                wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
2784              endif.
2785            else.
2786              wa_zfivms_brd-CITY1  ='DEHRADUN'. " wa_pa0006-ort01.
2787              if not wa_pa0006-stras is initial.
2788                wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'. "wa_pa0006-stras.
2789              else.
```

```
              wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
            endif.
            wa_zfivms_brd-STREET = 'ONGC'.
          endif.
        endif.
      endif.
    endif.
*Begin of <> on 20062011 21062011
    refresh ist_zfivms_brd1.
    select * from zfivms_brd into corresponding fields of table  ist_zfivms_brd1 where span = wa_zfivms_brd-span.
    if sy-subrc = 0.
* Begin of <> on 22052012
      clear l_line.
      describe table ist_zfivms_brd1 lines l_line.
      shift l_line left deleting leading '0'.                "16072012
      if l_line > 0.
        read table ist_zfivms_brd1 into wa_zfivms_brd1 with key seqno = l_line.
        if sy-subrc <> 0.
          read table ist_zfivms_brd1 into wa_zfivms_brd1 index 1.
        endif.
*      sort ist_zfivms_brd1 descending by seqno.
*      read table ist_zfivms_brd1 into wa_zfivms_brd1 index 1.
        if sy-subrc = 0.
          wa_zfivms_brd-seqno = wa_zfivms_brd1-seqno + 1.
        endif.
      endif.
* End of <> on 22052012
      modify zfivms_brd  from wa_zfivms_brd .
    else.
* End of <> on 20062011
      wa_zfivms_brd-seqno = 1.
      modify zfivms_brd  from wa_zfivms_brd .
    endif.
*    modify zfivms_brd from wa_zfivms_brd .     "ENDDA

**Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging
*    if sy-subrc = 0.
*      update pa0009 set flag1 = 'D' where pernr = wa_pa0009t-pernr and endda =  l_begdate and subty = '0'.
*      clear : wa_zfivms_brd .                                "21062011
*    endif.

*  update pa0009
*    set flag2 = 'X'
*      where pernr = wa_pa0009t-pernr
*        and endda =  l_begdate
*        and subty = '0'.
*  wa_pa0009t-FLAG2 = 'X'.

  wa_pa0009t-FLAG1 = 'D'.

 APPEND wa_pa0009t TO IST_pa0009_OVL.
**End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging

    clear : wa_zfivms_brd , wa_zfivms_brd1  .
  endif.
ENDFORM.                    " GET_OVL_EMLPOYEE_DETAILS
```

```
*&---------------------------------------------------------------------*
*&      Form  CHECK_REQ_VALUE
*&---------------------------------------------------------------------*
*       text
*----------------------------------------------------------------------*
*  -->  p1        text
*  <--  p2        text
*----------------------------------------------------------------------*
FORM CHECK_REQ_VALUE .
  if p_date is initial and s_span is initial.
    message e434(zfi).
  endif.
ENDFORM.                    " CHECK_REQ_VALUE
*&---------------------------------------------------------------------*
*&      Form  ADD_7X_EMP
*&---------------------------------------------------------------------*
*       text
*----------------------------------------------------------------------*
*  -->  p1        text
*  <--  p2        text
*----------------------------------------------------------------------*
FORM ADD_7X_EMP .
*  clear : l_spanemp,
*          l_spanasa,
*          l_span,
*          l_strlen.
*  l_spanemp = wa_zfivms_brd-span(17).
  l_spanasa = wa_zfivms_brd-span.
  replace 'R0000' in l_spanasa with 'R0007'.

*  shift l_spanasa left deleting leading '0'.
*  l_strlen = strlen( l_spanasa ).
*  if l_strlen = '5'.
*    concatenate '70' l_spanasa into l_span.
*  elseif l_strlen = '6'.
*    concatenate '7' l_spanasa into l_span.
*  endif.

ENDFORM.                    " ADD_7X_EMP
*&---------------------------------------------------------------------*
*&      Form  ADD_7X_EMP_D
*&---------------------------------------------------------------------*
*       text
*----------------------------------------------------------------------*
*  -->  p1        text
*  <--  p2        text
*----------------------------------------------------------------------*
FORM ADD_7X_EMP_D .
  l_spanasa = wa_zfivms_brd-span.
  replace 'D0000' in l_spanasa with 'D0007'.
ENDFORM.                    " ADD_7X_EMP_D

 INCLUDE zbcm_class.
 INCLUDE zbcm_class_declare.

INCLUDE zfivms_brd_sel_filegen_digso01.

INCLUDE zfivms_brd_sel_filegen_digsi01.

INCLUDE zfivms_brd_sel_filegen_digsf01.
```

```
*&---------------------------------------------------------------------*
*&  Include           ZBCM_CLASS
*&---------------------------------------------------------------------*
CLASS lcl_file_verifier DEFINITION CREATE PRIVATE FINAL.

  PUBLIC SECTION.

    CLASS-METHODS:
      get_instance
        RETURNING
        value(ro_obj) TYPE REF TO lcl_file_verifier.

*    METHODS:
*      get_file_info " get the file data, type and other information
*        IMPORTING
*          value(iv_filename) TYPE string
*        EXPORTING
*          value(ev_signature) TYPE xstring.

    METHODS:
      verify_signature
        IMPORTING
          value(iv_signature)       TYPE xstring
        EXPORTING
          value(ev_owner)           TYPE string
          value(ev_email)           TYPE string
          value(ev_serial)          TYPE string
          value(ev_thumbprint)      TYPE string
          value(ev_validfrom)       TYPE string
          value(ev_validto)         TYPE string
          value(ev_issuer)          TYPE string
          value(ev_bindocument_out) TYPE xstring,

          get_filename
            EXPORTING
              value(ev_filename_save) TYPE string
              value(ev_file_type)     TYPE char10.

*  PRIVATE SECTION.

    CLASS-DATA: go_object TYPE REF TO lcl_file_verifier.

    METHODS:
      get_signer_info
        IMPORTING
          value(is_signerlist) TYPE ssfsigner
          EXPORTING
            value(ev_owner)       TYPE string
            value(ev_email)       TYPE string
            value(ev_serial)      TYPE string
            value(ev_thumbprint)  TYPE string
            value(ev_validfrom)   TYPE string
            value(ev_validto)     TYPE string
            value(ev_issuer)      TYPE string
            value(e_int) type i.

    DATA: mv_filename_save  TYPE string,
          mv_file_type      TYPE char10.

ENDCLASS.                    "lcl_file_verifier DEFINITION
```

```
1   *&---------------------------------------------------------------------*
2   *&  Include           ZBCM_CLASS_DECLARE
3   *&---------------------------------------------------------------------*
4
5
6   CLASS lcl_file_verifier IMPLEMENTATION.
7
8     METHOD get_instance.
9       IF lcl_file_verifier=>go_object IS INITIAL.
10        CREATE OBJECT lcl_file_verifier=>go_object.
11      ENDIF.
12
13      ro_obj = lcl_file_verifier=>go_object.
14    ENDMETHOD.                    "get_instance
15
16  *  METHOD get_file_info.
17  *
18  *    TYPES : BEGIN OF ty_file,
19  *              content TYPE sdok_sdatx,
20  *            END OF ty_file.
21  *
22  *    DATA: lv_filename_save  TYPE          string,
23  *          lv_filename       TYPE          string,
24  *          lv_temp           TYPE          string,
25  *          lv_temp1          TYPE          string,
26  *          lv_extn           TYPE          string,
27  *          lv_invalid_file   TYPE          xfeld,
28  *          lv_length         TYPE          i,
29  *          lt_data_tab       TYPE TABLE OF ty_file,
30  *          lv_signature      TYPE          xstring.
31  *
32  *    CLEAR lv_invalid_file.
33  *
34  *    lv_filename = iv_filename.
35  *    TRANSLATE lv_filename TO LOWER CASE.
36  *    MOVE lv_filename TO lv_temp1.
37  *
38  *    DO.
39  *      SPLIT lv_temp1 AT '.'
40  *        INTO lv_temp
41  *             lv_temp1.
42  *
43  *      IF lv_temp1 IS INITIAL.
44  *        "invalid file.
45  *        lv_invalid_file = abap_true.
46  *        EXIT.
47  *      ELSEIF lv_temp1 EQ 'sig'.
48  *        lv_extn = lv_temp.
49  *        EXIT.
50  *      ENDIF.
51  *    ENDDO.
52  *
53  *    IF lv_invalid_file EQ abap_true.
54  **        Message: Invalid file type, only signed files can be verified
55  *      MESSAGE text-017 TYPE 'E'.
56  *      RETURN.
57  *    ELSE.
58  *      " get the original filename inorder to save the data later.
59  *      SPLIT lv_filename AT '.sig'
60  *        INTO lv_filename_save lv_temp.
61  *
```

```
*       SPLIT lv_filename_save AT '.' INTO lv_file_down lv_dummy .
*       CONCATENATE lv_file_down '_verified.' lv_extn INTO lv_file_down.
**       MOVE lv_filename_save TO me->mv_filename_save.
*       MOVE lv_file_down TO me->mv_filename_save.
*
*       TRANSLATE lv_extn TO UPPER CASE.
*
*       CASE lv_extn.
*         WHEN 'PDF'.
*           me->mv_file_type = 'BIN'.
*         WHEN 'TXT'.
*           me->mv_file_type = 'BIN'."'ASC'.
*         WHEN OTHERS.
*           me->mv_file_type = 'BIN'.
*       ENDCASE.
*
***     Incase of signed file the GUI_UPLOAD file type would always be BIN.
*       CALL FUNCTION 'GUI_UPLOAD'
*         EXPORTING
*           filename                = lv_filename
*           filetype                = me->mv_file_type "'BIN'
*         IMPORTING
*           filelength              = lv_length
*         TABLES
*           data_tab                = lt_data_tab
*         EXCEPTIONS
*           file_open_error         = 1
*           file_read_error         = 2
*           no_batch                = 3
*           gui_refuse_filetransfer = 4
*           invalid_type            = 5
*           no_authority            = 6
*           unknown_error           = 7
*           bad_data_format         = 8
*           header_not_allowed      = 9
*           separator_not_allowed   = 10
*           header_too_long         = 11
*           unknown_dp_error        = 12
*           access_denied           = 13
*           dp_out_of_memory        = 14
*           disk_full               = 15
*           dp_timeout              = 16
*           OTHERS                  = 17.
*
*       IF sy-subrc <> 0.
**        Message: Error while uploading the file, please contact system administrator
*         MESSAGE text-014 TYPE 'E'.
*       ELSE.
*         " convert data into xstring.
*         IF me->mv_file_type EQ 'BIN'.
*           CALL FUNCTION 'SCMS_BINARY_TO_XSTRING'
*             EXPORTING
*               input_length = lv_length
*             IMPORTING
*               buffer       = lv_signature
*             TABLES
*               binary_tab   = lt_data_tab
*             EXCEPTIONS
*               failed       = 1
```

```
121 *              OTHERS       = 2.
122 *        ELSE.
123 *          CALL FUNCTION 'SCMS_TEXT_TO_XSTRING'
124 *            IMPORTING
125 *              buffer   = lv_signature
126 *            TABLES
127 *              text_tab = lt_data_tab
128 *            EXCEPTIONS
129 *              failed   = 1
130 *              OTHERS   = 2.
131 *        ENDIF.
132 *
133 *
134 *        IF sy-subrc <> 0.
135 **         Message: Data conversion error, please contact system adminis
    trator
136 *          MESSAGE text-015 TYPE 'E'.
137 *        ELSE.
138 *          ev_signature = lv_signature.
139 *        ENDIF.
140 *
141 *      ENDIF.
142 *
143 *    ENDIF.
144 *
145 *  ENDMETHOD.                    "get_file_info
146
147   METHOD verify_signature.
148
149     DATA: lv_crc                TYPE          i,
150           lv_bindocument_out    TYPE          xstring,
151           lt_signerlist         TYPE          ssfsignertab,
152           ls_signerlist         TYPE          ssfsigner.
153
154     CALL FUNCTION 'SSFS_SERVER_VERIFY'
155       EXPORTING
156         signature        = iv_signature
157       IMPORTING
158         crc              = lv_crc
159         signerlist       = lt_signerlist
160         bindocument_out  = lv_bindocument_out
161       EXCEPTIONS
162         kernel_error     = 1
163         parameter_error  = 2
164         conversion_error = 3
165         OTHERS           = 4.
166
167     IF sy-subrc <> 0.
168 *     Message: Verification failed.
169       MESSAGE text-016 TYPE 'E'.
170     ELSE.
171       IF lv_crc <> 0 AND lv_crc <> 5.
172 *       Message: Verification failed.
173         MESSAGE text-016 TYPE 'E'.
174       ELSE.
175 *       Message: Verification Successful.
176         MESSAGE text-004 TYPE 'S'.
177         " get signer info.
178         READ TABLE lt_signerlist INTO ls_signerlist INDEX 1.
179
180         CALL METHOD get_signer_info
```

```
181           EXPORTING
182             is_signerlist = ls_signerlist
183           IMPORTING
184             ev_owner      = ev_owner
185             ev_email      = ev_email
186             ev_serial     = ev_serial
187             ev_thumbprint = ev_thumbprint
188             ev_validfrom  = ev_validfrom
189             ev_validto    = ev_validto
190             ev_issuer     = ev_issuer.
191
192         ev_bindocument_out = lv_bindocument_out.
193
194       ENDIF.
195     ENDIF.
196
197   ENDMETHOD.                    "verify_signature
198
199   METHOD get_signer_info.
200
201     DATA: lo_pdo_dig_sig  TYPE REF TO cl_abap_x509_certificate,
202           lv_text         TYPE c LENGTH 200,
203           ls_email        TYPE sx_address.
204
205     lo_pdo_dig_sig = cl_abap_x509_certificate=>get_instance( is_signerli
    st-cert ).
206
207     TRY.
208         CALL METHOD lo_pdo_dig_sig->get_subject_issuer
209           IMPORTING
210             ef_subject = ev_owner
211             ef_issuer  = ev_issuer.
212       CATCH cx_abap_x509_certificate .
213     ENDTRY.
214
215     TRY.
216         CALL METHOD lo_pdo_dig_sig->get_serial_hex
217           RECEIVING
218             rf_value = ev_serial.
219       CATCH cx_abap_x509_certificate .
220     ENDTRY.
221
222     TRY.
223         CALL METHOD lo_pdo_dig_sig->get_pk_finger_print
224           RECEIVING
225             rf_value = ev_thumbprint.
226       CATCH cx_abap_x509_certificate .
227     ENDTRY.
228
229     TRY.
230         CALL METHOD lo_pdo_dig_sig->get_valid_from
231           IMPORTING
232             ef_gmt_string = ev_validfrom.
233       CATCH cx_abap_x509_certificate .
234     ENDTRY.
235
236     TRY.
237         CALL METHOD lo_pdo_dig_sig->get_valid_to
238           IMPORTING
239             ef_gmt_string = ev_validto.
240       CATCH cx_abap_x509_certificate .
```

```
241      ENDTRY.
242
243
244  try.
245
246  *  TRY.
247    CALL METHOD lo_pdo_dig_sig->get_version
248      RECEIVING
249        rf_int = e_int
250        .
251  *   CATCH cx_abap_x509_certificate .
252    ENDTRY.
253
254
255  *CALL METHOD lo_pdo_dig_sig->GET_VERSION
256  *returning
257  *  rf_int = e_int.
258  *endtry.
259
260      TRY.
261          CALL METHOD lo_pdo_dig_sig->get_subject_alt_string
262            RECEIVING
263              rf_string = ev_email.
264
265          IF ev_email IS NOT INITIAL.
266            CLEAR lv_text.
267            SPLIT ev_email AT '=' INTO ev_email lv_text.
268
269            ls_email-type = 'INT'.
270            ls_email-address = lv_text.
271
272            CALL FUNCTION 'SX_INTERNET_ADDRESS_TO_NORMAL'
273              EXPORTING
274                address_unstruct    = ls_email
275              EXCEPTIONS
276                error_address_type  = 1
277                error_address       = 2
278                error_group_address = 3
279                OTHERS              = 4.
280            IF sy-subrc = 0.
281              ev_email = lv_text.
282            ELSE.
283              CLEAR ev_email.
284            ENDIF.
285          ENDIF.
286
287        CATCH cx_abap_x509_certificate .
288      ENDTRY.
289
290
291    ENDMETHOD.                    "get_signer_info
292
293
294    METHOD get_filename.
295
296      ev_filename_save = mv_filename_save.
297      ev_file_type = mv_file_type.
298
299    ENDMETHOD.                    "get_filename
300
301  ENDCLASS.                    "lcl_utility IMPLEMENTATION
```

```
*---------------------------------------------------------------------*
***INCLUDE ZFIVMS_BRD_SEL_FILEGEN_DIGSF01.
*---------------------------------------------------------------------*
**RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502


*&---------------------------------------------------------------------*
*&      Form  DO_DS
*&---------------------------------------------------------------------*
*       text
*---------------------------------------------------------------------*
*      -->P_SBI_FILENAME  text
*      -->P_IST_RDATA_SBI  text
*---------------------------------------------------------------------*
**Digital sign using a certificate on the user PC. Later changed to e-to
ken, hence commented.
***FORM DO_DS  TABLES   P_IST_DATA_SBI STRUCTURE IST_RDATA_SBI
***            USING    P_SBI_FILENAME
***             .
****data : begin of ist_rdata_nonsbi occurs 0,
****         span(200),
****       end of ist_rdata_nonsbi.
***data: WA_DATA_SBI LIKE LINE OF IST_RDATA_SBI.
***
***DATA: IN_DATA_TABLE LIKE SSFBIN OCCURS 0 WITH HEADER LINE,
***      WA_DATA_TABLE LIKE LINE OF IN_DATA_TABLE.
***
***data: l_userdata type USADDRESS.
***data: MYADSSF LIKE ADSSF OCCURS 0 WITH HEADER LINE.
***data: signer type TABLE OF SSFINFO with HEADER LINE.
***
***DATA: PARAMS LIKE SSFPARMS, "OCCURS 0 WITH HEADER LINE,
***      SSFRC LIKE SSFPARMS-SSFCRC,
***      OUT_DATA_TABLE LIKE SSFBIN OCCURS 0 WITH HEADER LINE.
***
***
*****LOOP at P_IST_DATA_SBI INTO WA_DATA_SBI.
*****  WA_DATA_TABLE-BINDATA = WA_DATA_SBI-SPAN.
*****  APPEND WA_DATA_TABLE to IN_DATA_TABLE.
*****
*****  CLEAR: WA_DATA_TABLE, WA_DATA_SBI.
*****ENDLOOP.
***

***CALL FUNCTION 'SCMS_TEXT_TO_BINARY'
**** EXPORTING
****   FIRST_LINE            = 0
****   LAST_LINE             = 0
****   APPEND_TO_TABLE       = ' '
****   MIMETYPE              = ' '
****   ENCODING              =
*** IMPORTING
***   OUTPUT_LENGTH         =  PARAMS-INDATALEN
***  TABLES
***    TEXT_TAB              = P_IST_DATA_SBI
***    BINARY_TAB            = IN_DATA_TABLE
**** EXCEPTIONS
****   FAILED                = 1
****   OTHERS                = 2
***          .
***IF SY-SUBRC <> 0.
```

```
 61  **** Implement suitable error handling here
 62  ***ENDIF.
 63  ***
 64  ***
 65  ***
 66  ***
 67  ***CALL FUNCTION 'SUSR_USER_READ'
 68  ***  EXPORTING
 69  ***    USER_NAME                  = sy-uname
 70  ****   WITH_TEXT                  = ' '
 71  ****   READ_UCLASS                = ' '
 72  *** IMPORTING
 73  ****   USER_LOGONDATA             =
 74  ****   USER_DEFAULTS              =
 75  ***   USER_ADDRESS               = l_userdata
 76  ****   REF_USER                   =
 77  ****   ALIAS                      =
 78  ****   UCLASS                     =
 79  **** TABLES
 80  ****   USER_PARAMETERS            =
 81  ****   UCLASSSYS                  =
 82  **** EXCEPTIONS
 83  ****   USER_NAME_NOT_EXISTS       = 1
 84  ****   INTERNAL_ERROR             = 2
 85  ****   OTHERS                     = 3
 86  ***          .
 87  ***IF SY-SUBRC = 0.
 88  ***
 89  ***  CALL FUNCTION 'ADDR_PERS_COMP_COMM_GET'
 90  ***    EXPORTING
 91  ****     ADDRESS_HANDLE              = l_userdata-addrnumber
 92  ***     ADDRESS_NUMBER              = l_userdata-addrnumber
 93  ****     DATE_FROM                   = '00010101'
 94  ****     LANGUAGE                    = SY-LANGU
 95  ****     PERSON_HANDLE               = ' '
 96  ***     PERSON_NUMBER               = l_userdata-persnumber
 97  ***      TABLE_TYPE                  = 'ADSSF'
 98  ****     IV_CURRENT_STATE            = 'X'
 99  ****     IV_FILL_EMPTY_COUNTRY       = 'X'
100  ****   IMPORTING
101  ****     RETURNCODE                  =
102  ***    TABLES
103  ***      COMM_TABLE                  = myadssf
104  ****     ERROR_TABLE                 =
105  ****     ET_USAGE                    =
106  ****     ET_USAGE_UUID               =
107  ****   EXCEPTIONS
108  ****     PARAMETER_ERROR             = 1
109  ****     ADDRESS_NOT_EXIST           = 2
110  ****     PERSON_NOT_EXIST            = 3
111  ****     INTERNAL_ERROR              = 4
112  ****     OTHERS                      = 5
113  ***            .
114  ***  IF SY-SUBRC = 0.
115  ***    read TABLE myadssf with key flgdefault = 'X'.
116  **** Implement suitable error handling here
117  ***  ENDIF.
118  ***
119  **** Implement suitable error handling here
120  ***ENDIF.
121  ***
```

```
122  ***
123  ***signer-id = myadssf-SSFID. " 'CN=TEST CLASS IIIB SHATWO, SP=Gujarat,
     postalCode=392015, OU=CID - 2431135, OU=Marketing, O=Gujarat Narmada Val
     ley Fertilizers Company Limited, C=IN'."wa_ZFI_BATCH_SIGN-ssf_screen.
124  ***signer-profile = myadssf-SSFPROF. "'C:\A_PSE_Cert_ALOK\alok.pse'. " '
     /usr/sap/RD1/DVEBMGS00/sec/FINBRM.pse'.
125
126  ***
127  ***** FM: Popup_get_user_password
128  *** CALL SCREEN 2000 STARTING AT 5 10.
129  ***
130
131  ***if g_cancel_pressed = ' '.  " OK
132  ***  signer-password = G_PASSWORD.
133  ****signer-password = 'alok'.
134  ***else.
135  ***  exit.
136  ***endif.
137  ***
138  ***
139  ****signer-result = 28.
140  ***append signer.
141  ***
142  ***CALL FUNCTION 'SSF_SIGN'
143  ***  EXPORTING
144  ***    SSF_DEST                          = 'SAP_SSFATGUI'
145  ****   STR_FORMAT                        = 'PKCS7'
146  ****   B_INC_CERTS                       = 'X'
147  ****   B_DETACHED                        = ' '
148  ****   B_INENC                           = 'X'
149  ****   IO_SPEC                           = 'T'
150  ***    OSTR_INPUT_DATA_L                 = PARAMS-INDATALEN
151  ****   STR_HASHALG                       =
152  *** IMPORTING
153  ***   OSTR_SIGNED_DATA_L                = PARAMS-OUTDATALEN
154  ***   CRC                               = ssfrc
155  ***  TABLES
156  ***    OSTR_INPUT_DATA                   = IN_DATA_TABLE
157  ***    SIGNER                            = signer
158  ***    OSTR_SIGNED_DATA                  = OUT_DATA_TABLE
159  **** EXCEPTIONS
160  ****   SSF_RFC_ERROR                     = 1
161  ****   SSF_RFC_NO_MEMORY                 = 2
162  ****   SSF_RFC_GET_DATA_ERROR            = 3
163  ****   SSF_RFC_SEND_DATA_ERROR           = 4
164  ****   SSF_RFC_SIGNER_LIST_ERROR         = 5
165  ****   SSF_RFC_INPUT_DATA_ERROR          = 6
166  ****   SSF_FB_INPUT_PARAMETER_ERROR      = 7
167  ****   SSF_RFC_DESTINATION_ERROR         = 8
168  ****   OTHERS                            = 9
169  ***          .
170  ***IF SY-SUBRC <> 0.
171  **** Implement suitable error handling here
172  ***ENDIF.
173  ***
174  ******************
175  ***
176  ***
177  ***DATA: lo_bnk_detail TYPE REF TO ZFI_BNK_SBI_IN_ENCCO_SI_SBIWEB, "ZFI_
     BNK_SBI_OUT_TESTINGCO_SBIW,"zco_corp_file_upload_ongc_out,"zfi_bnk_sbico
     _file_upload_serv,""zfi_bnk_sbico_file_upload_serv,
```

```
178 ***      proxy_data TYPE ZFI_BNK_SBI_IN_ENCFILE_UPLOAD2."ZFI_BNK_SBI_OUT
    _TESTINGREQ_FIL,"zfileuploadrequest,"zfi_bnk_sbifileuploadrequest,
179 ***
180 ***DATA: lo_attachment_protocol  TYPE REF TO if_wsprotocol_attachments,
181 ***      l_attachment            TYPE REF TO if_ai_attachment,
182 ***      lt_attach               TYPE prx_attach,
183 ***      l_xstring               TYPE xstring,
184 ***      l_xstring_line               TYPE xstring,
185 ***      l_string                TYPE string,
186 ***      l_type                  TYPE string,
187 ***      l_name                  TYPE string,
188 ****  Exception variables
189 ****  lo_oref                 TYPE REF TO cx_root,
190 ***    lo_text                 TYPE string,
191 ***    lo_sys_exception        TYPE REF TO cx_ai_system_fault,
192 ***    lo_app_exception        TYPE REF TO cx_ai_application_fault.
193 ***
194 ***DATA: lt_input   TYPE ZFI_BNK_SBI_IN_ENCFILE_UPLOAD1."ZFI_BNK_SBI_OUT
    _TESTINGRES_FIL,"zfileuploadresponse,"zfi_bnk_sbifileuploadresponse,
195 ***DATA: err_string TYPE string.
196 ***
197 ***
198 *** TRY.
199 ***   CREATE OBJECT lo_bnk_detail.
200 ***
201 ***  TRY.
202 ***     proxy_data-parameters-arg0    = P_SBI_FILENAME. " 'BeneFILE.TXT'
    . " file name to be sent to SBI using webservice.
203 ****    PROXY_DATA-PARAMETERS-ARG1     "actual data
204 ***
205 ****loop at OUT_DATA_TABLE into BINDATE..
206 ****ls_data = BINDATE-bindata.
207 ****append ls_data to lt_data_conv.
208 ****  endloop.
209
210 ***CALL FUNCTION 'SCMS_BINARY_TO_XSTRING'
211 ***  EXPORTING
212 ***    input_length       = PARAMS-OUTDATALEN
213 ****   FIRST_LINE         = 0
214 ****   LAST_LINE          = 0
215 *** IMPORTING
216 ***   BUFFER             = PROXY_DATA-PARAMETERS-ARG1     "actual data
217 ***  tables
218 ***    binary_tab         = OUT_DATA_TABLE
219 **** EXCEPTIONS
220 ****   FAILED             = 1
221 ****   OTHERS             = 2
222 ***          .
223 ***IF sy-subrc <> 0.
224 **** Implement suitable error handling here
225 ***ENDIF.
226 ***
227 ***
228 ****       CALL FUNCTION 'ENH_TAB_TO_XSTRING'
229 ****          EXPORTING
230 ****            im_data    = lt_data_conv""in_data_table
231 *****           IM_LENG    =
232 ****          IMPORTING
233 ****            ex_xstring = PROXY_DATA-PARAMETERS-ARG1."FILE_UPLOAD_MTO
    MATTACHMENTS.
234 ***
```

```
235  ***
236  ***CATCH cx_ai_system_fault INTO lo_sys_exception.
237  ****    lo_text = lo_sys_exception->errortext.
238  ***         lo_text = lo_sys_exception->get_text( ).
239  ***         MESSAGE lo_text TYPE 'A'.
240  ***         LEAVE PROGRAM.
241  ***
242  ***     ENDTRY.
243  ***
244  ***  CATCH cx_ai_system_fault .
245  ***ENDTRY.
246  ***
247  ***
248  ***TRY.
249  ***     CALL METHOD lo_bnk_detail->SI_SBIWEBSERVICE_ENC"SBIWEB_SERVICE_TE
     STING_OUT"corp_file_upload_ongc_in"file_upload_service_out ""
250  ***       EXPORTING
251  ***         output = proxy_data
252  ***       IMPORTING
253  ***         input  = lt_input.
254  ***  CATCH cx_ai_system_fault INTO lo_sys_exception.
255  ***     err_string = lo_sys_exception->get_text( ).
256  ***
257  ***  CATCH cx_ai_application_fault .
258  ***ENDTRY.
259  ***
260  ***
261  ***
262  ***
263  ***ENDFORM.                        " DO_DS
264
265
266
267  *&---------------------------------------------------------------------*
268  *&      Form  PREPARE_NEW_FORMAT
269  *&---------------------------------------------------------------------*
270  *       text
271  *---------------------------------------------------------------------*
272  *      -->P_1610   text
273  *      -->P_1611   text
274  *      -->P_IST_RDATA_SBI  text
275  *---------------------------------------------------------------------*
276
277
278  form prepare_new_format  using p_type type zchar05   "3P, D3P, IBTP, DIB
     TP
279                                 p_corpid type zchar05  " cvp MUM 94427, c
     ep DDN 93128 and OVL 30523
280                                 p_ist_record type standard table.
281
282  ** final data in IST_94427 MUM
283  *             IST_93128 "ddn
284  *             IST_30523 cvp
285
286
287  *---------------------------------------------------------------------
     --------
288  *** 1.3P ( SBI, Registration)
289  *==========================================
290  **AAA*10101010101*01234*0000009457001R0000876681*
291  **KOINH_NEW*  BANKN_NEW *  BANKL_NEW * SPAN *   => need to be modified
```

```
292
293  ** New Format
294  ***Beneficiary Type | Beneficiary Action Type | Beneficiary Name
295  **      |Beneficiary Account Number | Beneficiary Code| IFS Code#
296  *                                                |Address1|Address2|Add
     ress3
297  ***S                |A                        |KOINH_NEW
298  **      |BANKN_NEW                  | SPAN            |BANKL_NEW
299  *                                                | STREET| STR_SUPPL1|
     CITY1
300
301  ***2. D3P ( SBI, De-registration)
302  *==============================================
303  **ORIENT ENTERPRISE GUJ PVT LTD#    ____#00000030043632391#03993#00000024
     00001R0000807379#
304  **KOINH_NEW #    #  BANKN_NEW #  BANKL_NEW # SPAN #
305
306  ** New Format
307  **S|D|ComBenNSRegSBAdd1|00000037773091731|EDYWYE35|ICIC0000001|MIN NAGAR
      WEST  NETHAJI AV|TAMILNADU|INDIA
308  **
309  **S|D|KOINH_NEW|BANKN_NEW | SPAN|BANKL_NEW| STREET| STR_SUPPL1| CITY1
310
311
312  ***3.0 IBTP ( Non-SBI, registration)
313  *==============================================
314  **AS & Sons*361101010036053*UBIN0536113*ONGC*ONGC*ONGC**0000000001948R00
     00100032*
315  **KOINH_NEW* BANKN_NEW *  BANKL_NEW *STREET* STR_SUPPL1*CITY1*SPAN *
316
317  ** New Format
318  **O|A|ComBenNSRegOBAdd1|111222333777|STSNS64636|ICIC0000001|MIN NAGAR WE
     ST  NETHAJI AV|TAMILNADU|INDIA
319  **O|A|KOINH_NEW|BANKN_NEW | SPAN|BANKL_NEW| STREET| STR_SUPPL1| CITY1
320
321
322  ***4.0 DIBTP ( Non-SBI, De-registration)
323  *==============================================
324  **AS & Sons*361101010036053*UBIN0536113*ONGC*ONGC*ONGC**0000000001948R00
     00100032*
325  **KOINH_NEW* BANKN_NEW *  BANKL_NEW *STREET* STR_SUPPL1*CITY1*SPAN *
326
327  ** New Format
328  **O|A|ComBenNSRegOBAdd1|111222333777|STSNS64636|ICIC0000001|MIN NAGAR WE
     ST  NETHAJI AV|TAMILNADU|INDIA
329  **O|A|KOINH_NEW|BANKN_NEW | SPAN|BANKL_NEW| STREET| STR_SUPPL1| CITY1
330
331    data: l_koinh_new# type zfivms_brd-koinh_new,  " KOINH_FI,
332          l_bankn_new  type zfivms_brd-bankn_new, " BANKN,
333          l_bankl_new  type zfivms_brd-bankl_new, " BANKK,
334          l_dummy(10),
335          l_span       type  zfivms_brd-span, "  ZSPAN,
336          l_street     type zfivms_brd-street,
337          l_str_suppl1 type zfivms_brd-str_suppl1,
338          l_city1      type zfivms_brd-city1,
339          l_phone(30).
340
341    data: wa_record type ty_record.
342    data: wa_94427 type ty_new_format.
343    data: wa_30523 type ty_new_format.
344    data: wa_93128 type ty_new_format.
```

```
  data: wa_96726 type ty_new_format.


*BREAK-POINT.
  if p_corpid = '94427'.  " 94427 - MUM " create IST_94427[]

    case p_type.
      when '3P'.

        loop at p_ist_record into wa_record.
          split wa_record at '*' into l_koinh_new  l_bankn_new l_bankl_new l_span .

*    create new record
          wa_94427-ben_type = 'S'.          "Beneficiary Type * 1
          wa_94427-ben_act_type = 'A'.     "Beneficiary Action Type *  1
          wa_94427-ben_name = l_koinh_new.  "Beneficiary Name * 35
          wa_94427-ben_ac_no = l_bankn_new. "Beneficiary Account Number * 17, max :33

*now prefix 0 not needed
*          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
*            EXPORTING
*              INPUT  = WA_94427-BEN_AC_NO
*            IMPORTING
*              OUTPUT = WA_94427-BEN_AC_NO.

          wa_94427-ben_code = l_span  .     "Beneficiary Code, 24
          wa_94427-ifsc     = l_bankl_new .  "IFS Code#  11

          select single street str_suppl1 city1
            from zfivms_brd
              into  (wa_94427-addr1, wa_94427-addr2, wa_94427-addr3)
                where span = l_span.

          if wa_94427-addr1 is initial.
            wa_94427-addr1 = 'ONGC'.
          endif.
          if wa_94427-addr2 is initial.
            wa_94427-addr2 = 'ONGC'.
          endif.
          if wa_94427-addr3 is initial.
            wa_94427-addr3 = 'ONGC'.
          endif.

          append wa_94427 to ist_94427.

          clear: wa_record, wa_94427.
          clear: l_koinh_new, l_bankn_new, l_bankl_new, l_span, l_street, l_str_suppl1, l_city1.
        endloop.

      when 'D3P'.

        loop at p_ist_record into wa_record.
          split wa_record at '#' into l_koinh_new l_dummy l_bankn_new l_bankl_new l_span .

*    create new record
          wa_94427-ben_type = 'S'.          "Beneficiary Type * 1
```

```
402            wa_94427-ben_act_type = 'D'.     "Beneficiary Action Type *  1
403            wa_94427-ben_name = l_koinh_new.  "Beneficiary Name * 35
404            wa_94427-ben_ac_no = l_bankn_new. "Beneficiary Account Number
     * 17, max :33
405
406  **now prefix 0 not needed
407  *          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
408  *            EXPORTING
409  *              INPUT  = WA_94427-BEN_AC_NO
410  *            IMPORTING
411  *              OUTPUT = WA_94427-BEN_AC_NO.
412
413            wa_94427-ben_code = l_span  .     "Beneficiary Code, 24
414            wa_94427-ifsc     = l_bankl_new .  "IFS Code#  11
415
416            select single street str_suppl1 city1
417              from zfivms_brd
418                into  (wa_94427-addr1, wa_94427-addr2, wa_94427-addr3)
419                  where span = l_span.
420            if wa_94427-addr1 is initial.
421              wa_94427-addr1 = 'ONGC'.
422            endif.
423            if wa_94427-addr2 is initial.
424              wa_94427-addr2 = 'ONGC'.
425            endif.
426            if wa_94427-addr3 is initial.
427              wa_94427-addr3 = 'ONGC'.
428            endif.
429
430            append wa_94427 to ist_94427.
431
432            clear: wa_record, wa_94427.
433            clear: l_koinh_new, l_bankn_new, l_bankl_new, l_span, l_street
     , l_str_suppl1, l_city1.
434          endloop.
435
436        when 'IBTP'.
437
438          loop at p_ist_record into wa_record.
439            split wa_record at '*' into l_koinh_new  l_bankn_new l_bankl_n
     ew l_street l_str_suppl1 l_city1 l_phone l_span .
440
441  *    create new record
442            wa_94427-ben_type = 'O'.          "Beneficiary Type * 1
443            wa_94427-ben_act_type = 'A'.     "Beneficiary Action Type *  1
444            wa_94427-ben_name = l_koinh_new.  "Beneficiary Name * 35
445            wa_94427-ben_ac_no = l_bankn_new. "Beneficiary Account Number
     * 17, max :33
446
447  *Change Requirement: prefix 0 not needed
448  *          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
449  *            EXPORTING
450  *              INPUT  = WA_94427-BEN_AC_NO
451  *            IMPORTING
452  *              OUTPUT = WA_94427-BEN_AC_NO.
453
454            wa_94427-ben_code = l_span  .     "Beneficiary Code, 24
455            wa_94427-ifsc     = l_bankl_new .  "IFS Code#  11
456
457  ***          SELECT SINGLE STREET STR_SUPPL1 CITY1
458  ***            FROM ZFIVMS_BRD
```

```
459  ***                INTO  (WA_94427-ADDR1, WA_94427-ADDR2, WA_94427-ADDR3)
460  ***                  WHERE SPAN = L_SPAN.
461            wa_94427-addr1 = l_street .
462            wa_94427-addr2 = l_str_suppl1.
463            wa_94427-addr3 =  l_city1.
464
465            if wa_94427-addr1 is initial.
466              wa_94427-addr1 = 'ONGC'.
467            endif.
468            if wa_94427-addr2 is initial.
469              wa_94427-addr2 = 'ONGC'.
470            endif.
471            if wa_94427-addr3 is initial.
472              wa_94427-addr3 = 'ONGC'.
473            endif.
474
475            append wa_94427 to ist_94427.
476            clear: wa_record, wa_94427.
477            clear: l_koinh_new, l_bankn_new, l_bankl_new, l_span, l_street
     , l_str_suppl1, l_city1, l_phone.
478          endloop.
479
480        when 'DIBTP'.
481
482          loop at p_ist_record into wa_record.
483            split wa_record at '#' into  l_bankn_new l_bankl_new l_koinh_n
     ew l_span .
484
485  *    create new record
486            wa_94427-ben_type = 'O'.          "Beneficiary Type * 1
487            wa_94427-ben_act_type = 'D'.     "Beneficiary Action Type *  1
488            wa_94427-ben_name = l_koinh_new.  "Beneficiary Name * 35
489            wa_94427-ben_ac_no = l_bankn_new. "Beneficiary Account Number
     * 17, max :33
490
491  *now prefix 0 not needed
492  *          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
493  *            EXPORTING
494  *              INPUT  = WA_94427-BEN_AC_NO
495  *            IMPORTING
496  *              OUTPUT = WA_94427-BEN_AC_NO.
497
498            wa_94427-ben_code = l_span  .     "Beneficiary Code, 24
499            wa_94427-ifsc     = l_bankl_new .  "IFS Code#  11
500
501            select single street str_suppl1 city1
502              from zfivms_brd
503                into  (wa_94427-addr1, wa_94427-addr2, wa_94427-addr3)
504                  where span = l_span.
505            wa_94427-addr1 = l_street .
506            wa_94427-addr2 = l_str_suppl1.
507            wa_94427-addr3 =  l_city1.
508
509            if wa_94427-addr1 is initial.
510              wa_94427-addr1 = 'ONGC'.
511            endif.
512            if wa_94427-addr2 is initial.
513              wa_94427-addr2 = 'ONGC'.
514            endif.
515            if wa_94427-addr3 is initial.
516              wa_94427-addr3 = 'ONGC'.
```

```
          endif.

          append wa_94427 to ist_94427.

          clear: wa_record, wa_94427.
          clear: l_koinh_new, l_bankn_new, l_bankl_new, l_span, l_street, l_str_suppl1, l_city1.
        endloop.

    endcase.


  elseif p_corpid = '30523'.  " 30523 - ovl " prepare IST_30523[]

    case p_type.
      when '3P'.

        loop at p_ist_record into wa_record.
          split wa_record at '*' into l_koinh_new  l_bankn_new l_bankl_new l_span .

*    create new record
          wa_30523-ben_type = 'S'.          "Beneficiary Type * 1
          wa_30523-ben_act_type = 'A'.     "Beneficiary Action Type *  1
          wa_30523-ben_name = l_koinh_new.  "Beneficiary Name * 35
          wa_30523-ben_ac_no = l_bankn_new. "Beneficiary Account Number * 17, max :33

**now prefix 0 not needed
*          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
*            EXPORTING
*              INPUT  = WA_30523-BEN_AC_NO
*            IMPORTING
*              OUTPUT = WA_30523-BEN_AC_NO.

          wa_30523-ben_code = l_span  .     "Beneficiary Code, 24
          wa_30523-ifsc     = l_bankl_new .  "IFS Code#  11

          select single street str_suppl1 city1
            from zfivms_brd
              into  (wa_30523-addr1, wa_30523-addr2, wa_30523-addr3)
                where span = l_span.

          if wa_30523-addr1 is initial.
            wa_30523-addr1 = 'ONGC'.
          endif.
          if wa_30523-addr2 is initial.
            wa_30523-addr2 = 'ONGC'.
          endif.
          if wa_30523-addr3 is initial.
            wa_30523-addr3 = 'ONGC'.
          endif.

          append wa_30523 to ist_30523.

          clear: wa_record, wa_30523.
          clear: l_koinh_new, l_bankn_new, l_bankl_new, l_span, l_street, l_str_suppl1, l_city1.
        endloop.

      when 'D3P'.
```

```
574
575          loop at p_ist_record into wa_record.
576            split wa_record at '#' into l_koinh_new l_dummy l_bankn_new l_
     bankl_new l_span .
577
578  *    create new record
579            wa_30523-ben_type = 'S'.           "Beneficiary Type * 1
580            wa_30523-ben_act_type = 'D'.      "Beneficiary Action Type *  1
581            wa_30523-ben_name = l_koinh_new.  "Beneficiary Name * 35
582            wa_30523-ben_ac_no = l_bankn_new. "Beneficiary Account Number
     * 17, max :33
583
584  **now prefix 0 not needed
585  *          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
586  *            EXPORTING
587  *              INPUT  = WA_30523-BEN_AC_NO
588  *            IMPORTING
589  *              OUTPUT = WA_30523-BEN_AC_NO.
590
591            wa_30523-ben_code = l_span  .     "Beneficiary Code, 24
592            wa_30523-ifsc     = l_bankl_new .  "IFS Code#  11
593
594            select single street str_suppl1 city1
595              from zfivms_brd
596                into  (wa_30523-addr1, wa_30523-addr2, wa_30523-addr3)
597                  where span = l_span.
598            if wa_30523-addr1 is initial.
599              wa_30523-addr1 = 'ONGC'.
600            endif.
601            if wa_30523-addr2 is initial.
602              wa_30523-addr2 = 'ONGC'.
603            endif.
604            if wa_30523-addr3 is initial.
605              wa_30523-addr3 = 'ONGC'.
606            endif.
607
608            append wa_30523 to ist_30523.
609
610            clear: wa_record, wa_30523.
611            clear: l_koinh_new, l_bankn_new, l_bankl_new, l_span, l_street
     , l_str_suppl1, l_city1.
612          endloop.
613
614        when 'IBTP'.
615
616          loop at p_ist_record into wa_record.
617            split wa_record at '*' into l_koinh_new  l_bankn_new l_bankl_n
     ew l_street l_str_suppl1 l_city1 l_phone l_span .
618
619  *    create new record
620            wa_30523-ben_type = 'O'.           "Beneficiary Type * 1
621            wa_30523-ben_act_type = 'A'.      "Beneficiary Action Type *  1
622            wa_30523-ben_name = l_koinh_new.  "Beneficiary Name * 35
623            wa_30523-ben_ac_no = l_bankn_new. "Beneficiary Account Number
     * 17, max :33
624
625  **now prefix 0 not needed
626  *          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
627  *            EXPORTING
628  *              INPUT  = WA_30523-BEN_AC_NO
629  *            IMPORTING
```

```
630  *              OUTPUT = WA_30523-BEN_AC_NO.
631
632            wa_30523-ben_code = l_span  .     "Beneficiary Code, 24
633            wa_30523-ifsc     = l_bankl_new .  "IFS Code#  11
634
635  ***          SELECT SINGLE STREET STR_SUPPL1 CITY1
636  ***            FROM ZFIVMS_BRD
637  ***              INTO  (WA_30523-ADDR1, WA_30523-ADDR2, WA_30523-ADDR3)
638  ***                WHERE SPAN = L_SPAN.
639            wa_30523-addr1 = l_street .
640            wa_30523-addr2 = l_str_suppl1.
641            wa_30523-addr3 =  l_city1.
642
643            if wa_30523-addr1 is initial.
644              wa_30523-addr1 = 'ONGC'.
645            endif.
646            if wa_30523-addr2 is initial.
647              wa_30523-addr2 = 'ONGC'.
648            endif.
649            if wa_30523-addr3 is initial.
650              wa_30523-addr3 = 'ONGC'.
651            endif.
652
653            append wa_30523 to ist_30523.
654            clear: wa_record, wa_30523.
655            clear: l_koinh_new, l_bankn_new, l_bankl_new, l_span, l_street
     , l_str_suppl1, l_city1, l_phone.
656          endloop.
657
658
659        when 'DIBTP'.
660
661
662          loop at p_ist_record into wa_record.
663            split wa_record at '#' into  l_bankn_new l_bankl_new l_koinh_n
     ew l_span .
664
665  *    create new record
666            wa_30523-ben_type = 'O'.          "Beneficiary Type * 1
667            wa_30523-ben_act_type = 'D'.     "Beneficiary Action Type *  1
668            wa_30523-ben_name = l_koinh_new.  "Beneficiary Name * 35
669            wa_30523-ben_ac_no = l_bankn_new. "Beneficiary Account Number
     * 17, max :33
670
671  **now prefix 0 not needed
672  *           CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
673  *             EXPORTING
674  *               INPUT  = WA_30523-BEN_AC_NO
675  *             IMPORTING
676  *               OUTPUT = WA_30523-BEN_AC_NO.
677
678            wa_30523-ben_code = l_span  .     "Beneficiary Code, 24
679            wa_30523-ifsc     = l_bankl_new .  "IFS Code#  11
680
681            select single street str_suppl1 city1
682              from zfivms_brd
683                into  (wa_30523-addr1, wa_30523-addr2, wa_30523-addr3)
684                  where span = l_span.
685            wa_30523-addr1 = l_street .
686            wa_30523-addr2 = l_str_suppl1.
687            wa_30523-addr3 =  l_city1.
```

```
688
689           if wa_30523-addr1 is initial.
690             wa_30523-addr1 = 'ONGC'.
691           endif.
692           if wa_30523-addr2 is initial.
693             wa_30523-addr2 = 'ONGC'.
694           endif.
695           if wa_30523-addr3 is initial.
696             wa_30523-addr3 = 'ONGC'.
697           endif.
698
699           append wa_30523 to ist_30523.
700
701           clear: wa_record, wa_30523.
702           clear: l_koinh_new, l_bankn_new, l_bankl_new, l_span, l_street
    , l_str_suppl1, l_city1.
703         endloop.
704
705     endcase.
706
707   elseif p_corpid = '93128'.  " 93128 - CEP " prepare IST_93128[]
708
709     case p_type.
710       when '3P'.
711
712         loop at p_ist_record into wa_record.
713           split wa_record at '*' into l_koinh_new  l_bankn_new l_bankl_n
    ew l_span .
714
715 *    create new record
716           wa_93128-ben_type = 'S'.          "Beneficiary Type * 1
717           wa_93128-ben_act_type = 'A'.     "Beneficiary Action Type *  1
718           wa_93128-ben_name = l_koinh_new.  "Beneficiary Name * 35
719           wa_93128-ben_ac_no = l_bankn_new. "Beneficiary Account Number
    * 17, max :33
720
721 **now prefix 0 not needed
722 *          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
723 *            EXPORTING
724 *              INPUT  = WA_93128-BEN_AC_NO
725 *            IMPORTING
726 *              OUTPUT = WA_93128-BEN_AC_NO.
727
728           wa_93128-ben_code = l_span  .     "Beneficiary Code, 24
729           wa_93128-ifsc     = l_bankl_new .  "IFS Code#  11
730
731           select single street str_suppl1 city1
732             from zfivms_brd
733               into  (wa_93128-addr1, wa_93128-addr2, wa_93128-addr3)
734                 where span = l_span.
735
736           if wa_93128-addr1 is initial.
737             wa_93128-addr1 = 'ONGC'.
738           endif.
739           if wa_93128-addr2 is initial.
740             wa_93128-addr2 = 'ONGC'.
741           endif.
742           if wa_93128-addr3 is initial.
743             wa_93128-addr3 = 'ONGC'.
744           endif.
745
```

```
          append wa_93128 to ist_93128.

          clear: wa_record, wa_93128.
          clear: l_koinh_new, l_bankn_new, l_bankl_new, l_span, l_street, l_str_suppl1, l_city1.
        endloop.

      when 'D3P'.

        loop at p_ist_record into wa_record.
          split wa_record at '#' into l_koinh_new l_dummy l_bankn_new l_bankl_new l_span .

*    create new record
          wa_93128-ben_type = 'S'.          "Beneficiary Type * 1
          wa_93128-ben_act_type = 'D'.     "Beneficiary Action Type *  1
          wa_93128-ben_name = l_koinh_new.  "Beneficiary Name * 35
          wa_93128-ben_ac_no = l_bankn_new. "Beneficiary Account Number * 17, max :33

**now prefix 0 not needed
*          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
*            EXPORTING
*              INPUT  = WA_93128-BEN_AC_NO
*            IMPORTING
*              OUTPUT = WA_93128-BEN_AC_NO.

          wa_93128-ben_code = l_span  .     "Beneficiary Code, 24
          wa_93128-ifsc     = l_bankl_new .  "IFS Code#  11

          select single street str_suppl1 city1
            from zfivms_brd
              into  (wa_93128-addr1, wa_93128-addr2, wa_93128-addr3)
                where span = l_span.
          if wa_93128-addr1 is initial.
            wa_93128-addr1 = 'ONGC'.
          endif.
          if wa_93128-addr2 is initial.
            wa_93128-addr2 = 'ONGC'.
          endif.
          if wa_93128-addr3 is initial.
            wa_93128-addr3 = 'ONGC'.
          endif.

          append wa_93128 to ist_93128.

          clear: wa_record, wa_93128.
          clear: l_koinh_new, l_bankn_new, l_bankl_new, l_span, l_street, l_str_suppl1, l_city1.
        endloop.

      when 'IBTP'.

        loop at p_ist_record into wa_record.
          split wa_record at '*' into l_koinh_new  l_bankn_new l_bankl_new l_street l_str_suppl1 l_city1 l_phone l_span .

*    create new record
          wa_93128-ben_type = 'O'.          "Beneficiary Type * 1
          wa_93128-ben_act_type = 'A'.     "Beneficiary Action Type *  1
          wa_93128-ben_name = l_koinh_new.  "Beneficiary Name * 35
```

```
802            wa_93128-ben_ac_no = l_bankn_new. "Beneficiary Account Number
     * 17, max :33
803
804  **now prefix 0 not needed
805  *          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
806  *            EXPORTING
807  *              INPUT  = WA_93128-BEN_AC_NO
808  *            IMPORTING
809  *              OUTPUT = WA_93128-BEN_AC_NO.
810
811            wa_93128-ben_code = l_span  .     "Beneficiary Code, 24
812            wa_93128-ifsc     = l_bankl_new .  "IFS Code#  11
813
814  ***          SELECT SINGLE STREET STR_SUPPL1 CITY1
815  ***            FROM ZFIVMS_BRD
816  ***              INTO  (WA_93128-ADDR1, WA_93128-ADDR2, WA_93128-ADDR3)
817  ***                WHERE SPAN = L_SPAN.
818            wa_93128-addr1 = l_street .
819            wa_93128-addr2 = l_str_suppl1.
820            wa_93128-addr3 =  l_city1.
821
822            if wa_93128-addr1 is initial.
823              wa_93128-addr1 = 'ONGC'.
824            endif.
825            if wa_93128-addr2 is initial.
826              wa_93128-addr2 = 'ONGC'.
827            endif.
828            if wa_93128-addr3 is initial.
829              wa_93128-addr3 = 'ONGC'.
830            endif.
831
832            append wa_93128 to ist_93128.
833            clear: wa_record, wa_93128.
834            clear: l_koinh_new, l_bankn_new, l_bankl_new, l_span, l_street
     , l_str_suppl1, l_city1, l_phone.
835          endloop.
836
837
838        when 'DIBTP'.
839
840
841          loop at p_ist_record into wa_record.
842            split wa_record at '#' into  l_bankn_new l_bankl_new l_koinh_n
     ew l_span .
843
844  *    create new record
845            wa_93128-ben_type = 'O'.          "Beneficiary Type * 1
846            wa_93128-ben_act_type = 'D'.     "Beneficiary Action Type *  1
847            wa_93128-ben_name = l_koinh_new.  "Beneficiary Name * 35
848            wa_93128-ben_ac_no = l_bankn_new. "Beneficiary Account Number
     * 17, max :33
849
850  **now prefix 0 not needed
851  *          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
852  *            EXPORTING
853  *              INPUT  = WA_93128-BEN_AC_NO
854  *            IMPORTING
855  *              OUTPUT = WA_93128-BEN_AC_NO.
856
857            wa_93128-ben_code = l_span  .     "Beneficiary Code, 24
858            wa_93128-ifsc     = l_bankl_new .  "IFS Code#  11
```

```
859
860            select single street str_suppl1 city1
861              from zfivms_brd
862                into  (wa_93128-addr1, wa_93128-addr2, wa_93128-addr3)
863                  where span = l_span.
864            wa_93128-addr1 = l_street .
865            wa_93128-addr2 = l_str_suppl1.
866            wa_93128-addr3 =  l_city1.
867
868            if wa_93128-addr1 is initial.
869              wa_93128-addr1 = 'ONGC'.
870            endif.
871            if wa_93128-addr2 is initial.
872              wa_93128-addr2 = 'ONGC'.
873            endif.
874            if wa_93128-addr3 is initial.
875              wa_93128-addr3 = 'ONGC'.
876            endif.
877
878            append wa_93128 to ist_93128.
879
880            clear: wa_record, wa_93128.
881            clear: l_koinh_new, l_bankn_new, l_bankl_new, l_span, l_street
     , l_str_suppl1, l_city1.
882          endloop.
883
884      endcase.
885
886  *****start trust
887    elseif p_corpid = '96726'.  " 93128 - CEP " prepare IST_93128[]
888
889      case p_type.
890        when '3P'.
891
892          loop at p_ist_record into wa_record.
893            split wa_record at '*' into l_koinh_new  l_bankn_new l_bankl_n
     ew l_span .
894
895  *    create new record
896            wa_96726-ben_type = 'S'.          "Beneficiary Type * 1
897            wa_96726-ben_act_type = 'A'.     "Beneficiary Action Type *  1
898            wa_96726-ben_name = l_koinh_new.  "Beneficiary Name * 35
899            wa_96726-ben_ac_no = l_bankn_new. "Beneficiary Account Number
     * 17, max :33
900
901  **now prefix 0 not needed
902  *          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
903  *            EXPORTING
904  *              INPUT  = WA_93128-BEN_AC_NO
905  *            IMPORTING
906  *              OUTPUT = WA_93128-BEN_AC_NO.
907
908            wa_96726-ben_code = l_span  .     "Beneficiary Code, 24
909            wa_96726-ifsc     = l_bankl_new .  "IFS Code#  11
910
911            select single street str_suppl1 city1
912              from zfivms_brd
913                into  (wa_96726-addr1, wa_96726-addr2, wa_96726-addr3)
914                  where span = l_span.
915
916            if wa_96726-addr1 is initial.
```

```
917             wa_96726-addr1 = 'ECPF'.
918           endif.
919           if wa_96726-addr2 is initial.
920             wa_96726-addr2 = 'ECPF'.
921           endif.
922           if wa_96726-addr3 is initial.
923             wa_96726-addr3 = 'ECPF'.
924           endif.
925
926           append wa_96726 to ist_96726.
927
928           clear: wa_record, wa_96726.
929           clear: l_koinh_new, l_bankn_new, l_bankl_new, l_span, l_street
    , l_str_suppl1, l_city1.
930         endloop.
931
932       when 'D3P'.
933
934         loop at p_ist_record into wa_record.
935           split wa_record at '#' into l_koinh_new l_dummy l_bankn_new l_
    bankl_new l_span .
936
937 *    create new record
938           wa_96726-ben_type = 'S'.          "Beneficiary Type * 1
939           wa_96726-ben_act_type = 'D'.     "Beneficiary Action Type *  1
940           wa_96726-ben_name = l_koinh_new.  "Beneficiary Name * 35
941           wa_96726-ben_ac_no = l_bankn_new. "Beneficiary Account Number
    * 17, max :33
942
943 **now prefix 0 not needed
944 *          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
945 *            EXPORTING
946 *              INPUT  = WA_93128-BEN_AC_NO
947 *            IMPORTING
948 *              OUTPUT = WA_93128-BEN_AC_NO.
949
950           wa_96726-ben_code = l_span  .     "Beneficiary Code, 24
951           wa_96726-ifsc     = l_bankl_new .  "IFS Code#  11
952
953           select single street str_suppl1 city1
954             from zfivms_brd
955               into  (wa_96726-addr1, wa_96726-addr2, wa_96726-addr3)
956                 where span = l_span.
957           if wa_96726-addr1 is initial.
958             wa_96726-addr1 = 'ECPF'.
959           endif.
960           if wa_96726-addr2 is initial.
961             wa_96726-addr2 = 'ECPF'.
962           endif.
963           if wa_96726-addr3 is initial.
964             wa_96726-addr3 = 'ECPF'.
965           endif.
966
967           append wa_96726 to ist_96726.
968
969           clear: wa_record, wa_96726.
970           clear: l_koinh_new, l_bankn_new, l_bankl_new, l_span, l_street
    , l_str_suppl1, l_city1.
971         endloop.
972
973       when 'IBTP'.
```

```
974
975          loop at p_ist_record into wa_record.
976            split wa_record at '*' into l_koinh_new  l_bankn_new l_bankl_n
     ew l_street l_str_suppl1 l_city1 l_phone l_span .
977
978  *    create new record
979            wa_96726-ben_type = 'O'.           "Beneficiary Type * 1
980            wa_96726-ben_act_type = 'A'.      "Beneficiary Action Type *  1
981            wa_96726-ben_name = l_koinh_new.  "Beneficiary Name * 35
982            wa_96726-ben_ac_no = l_bankn_new. "Beneficiary Account Number
     * 17, max :33
983
984  **now prefix 0 not needed
985  *          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
986  *            EXPORTING
987  *              INPUT  = WA_96726-BEN_AC_NO
988  *            IMPORTING
989  *              OUTPUT = WA_96726-BEN_AC_NO.
990
991            wa_96726-ben_code = l_span  .     "Beneficiary Code, 24
992            wa_96726-ifsc     = l_bankl_new .  "IFS Code#  11
993
994  ***          SELECT SINGLE STREET STR_SUPPL1 CITY1
995  ***            FROM ZFIVMS_BRD
996  ***              INTO  (WA_96726-ADDR1, WA_96726-ADDR2, WA_96726-ADDR3)
997  ***                WHERE SPAN = L_SPAN.
998            wa_96726-addr1 = l_street .
999            wa_96726-addr2 = l_str_suppl1.
1000           wa_96726-addr3 =  l_city1.
1001
1002           if wa_96726-addr1 is initial.
1003             wa_96726-addr1 = 'ECPF'.
1004           endif.
1005           if wa_96726-addr2 is initial.
1006             wa_96726-addr2 = 'ECPF'.
1007           endif.
1008           if wa_96726-addr3 is initial.
1009             wa_96726-addr3 = 'ECPF'.
1010           endif.
1011
1012           append wa_96726 to ist_96726.
1013           clear: wa_record, wa_96726.
1014           clear: l_koinh_new, l_bankn_new, l_bankl_new, l_span, l_street
     , l_str_suppl1, l_city1, l_phone.
1015         endloop.
1016
1017
1018       when 'DIBTP'.
1019
1020
1021         loop at p_ist_record into wa_record.
1022           split wa_record at '#' into  l_bankn_new l_bankl_new l_koinh_n
     ew l_span .
1023
1024 *    create new record
1025           wa_96726-ben_type = 'O'.           "Beneficiary Type * 1
1026           wa_96726-ben_act_type = 'D'.      "Beneficiary Action Type *  1
1027           wa_96726-ben_name = l_koinh_new.  "Beneficiary Name * 35
1028           wa_96726-ben_ac_no = l_bankn_new. "Beneficiary Account Number
     * 17, max :33
1029
```

```
**now prefix 0 not needed
*          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
*            EXPORTING
*              INPUT  = WA_96726-BEN_AC_NO
*            IMPORTING
*              OUTPUT = WA_96726-BEN_AC_NO.

          wa_96726-ben_code = l_span  .     "Beneficiary Code, 24
          wa_96726-ifsc     = l_bankl_new .  "IFS Code#  11

          select single street str_suppl1 city1
            from zfivms_brd
              into  (wa_96726-addr1, wa_96726-addr2, wa_96726-addr3)
                where span = l_span.
          wa_96726-addr1 = l_street .
          wa_96726-addr2 = l_str_suppl1.
          wa_96726-addr3 =  l_city1.

          if wa_96726-addr1 is initial.
            wa_96726-addr1 = 'ECPF'.
          endif.
          if wa_96726-addr2 is initial.
            wa_96726-addr2 = 'ECPF'.
          endif.
          if wa_96726-addr3 is initial.
            wa_96726-addr3 = 'ECPF'.
          endif.

          append wa_96726 to ist_96726.

          clear: wa_record, wa_96726.
          clear: l_koinh_new, l_bankn_new, l_bankl_new, l_span, l_street
, l_str_suppl1, l_city1.
        endloop.

    endcase.
*** end trust


  endif. " P_CORPID



endform.                    " PREPARE_NEW_FORMAT


*&---------------------------------------------------------------------*
*&      Form  MERGE_FILE
*&---------------------------------------------------------------------*
*       text
*----------------------------------------------------------------------*
*  -->  p1        text
*  <--  p2        text
*----------------------------------------------------------------------*

form merge_file .

** Prepare records with | separator.
  refresh: ist_94427_file . "cvp-mum
  refresh: ist_93128_file . "cep-ddn
  refresh: ist_30523_file . "övl
```

```
1090
1091
1092    data: wa_94427 type ty_new_format.
1093    data: wa_93128 type ty_new_format.
1094    data: wa_30523 type ty_new_format.
1095
1096    data: wa_record_new type ty_record_new.
1097
1098  *** start trust
1099    refresh: ist_96726_file . "övl
1100    data: wa_96726 type ty_new_format.
1101  *** end trust
1102  *    BEN_TYPE(1),      "Beneficiary Type * 1
1103  *    BEN_ACT_TYPE(1), "  Beneficiary Action Type * 1
1104  *    BEN_NAME(35),     "Beneficiary Name * 35
1105  *    BEN_AC_NO(17),    "Beneficiary Account Number *  33//17
1106  *    BEN_CODE(24),     "Beneficiary Code 20 (back to 24)
1107  *    IFSC(11),         "IFS Code#  11
1108  *    ADDR1(35),         "Address1 35
1109  *    ADDR2(35),        "Address2  35
1110  *    ADDR3(35),         "Address3 35
1111
1112
1113    if p_payctr = 'CVP' .
1114      loop at ist_94427 into wa_94427.
1115
1116        concatenate wa_94427-ben_type  wa_94427-ben_act_type  wa_94427-ben
      _name
1117                    wa_94427-ben_ac_no  wa_94427-ben_code  wa_94427-ifsc
1118                       wa_94427-addr1  wa_94427-addr2  wa_94427-addr3
1119             into wa_record_new-record separated by '|'.
1120
1121        append wa_record_new to ist_94427_file.
1122
1123      endloop.
1124    endif.
1125
1126    if p_payctr = 'CEP' .
1127      loop at ist_93128 into wa_93128.
1128
1129        concatenate wa_93128-ben_type  wa_93128-ben_act_type  wa_93128-ben
      _name
1130                    wa_93128-ben_ac_no  wa_93128-ben_code  wa_93128-ifsc
1131                       wa_93128-addr1  wa_93128-addr2  wa_93128-addr3
1132             into wa_record_new-record separated by '|'.
1133
1134        append wa_record_new to ist_93128_file.
1135
1136      endloop.
1137    endif.
1138
1139  *** start trust
1140    if p_payctr = 'ECPF' .
1141      loop at ist_96726 into wa_96726.
1142
1143        concatenate wa_96726-ben_type  wa_96726-ben_act_type  wa_96726-ben
      _name
1144                    wa_96726-ben_ac_no  wa_96726-ben_code  wa_96726-ifsc
1145                       wa_96726-addr1  wa_96726-addr2  wa_96726-addr3
1146             into wa_record_new-record separated by '|'.
1147
```

```
      append wa_record_new to ist_96726_file.

    endloop.
  endif.
** end trust
  if p_payctr = 'OVL' .
    loop at ist_30523 into wa_30523.

      concatenate wa_30523-ben_type  wa_30523-ben_act_type  wa_30523-ben_name
                  wa_30523-ben_ac_no  wa_30523-ben_code  wa_30523-ifsc
                     wa_30523-addr1  wa_30523-addr2  wa_30523-addr3
           into wa_record_new-record separated by '|'.

      append wa_record_new to ist_30523_file.

    endloop.
  endif.



endform.                    " MERGE_FILE

*&---------------------------------------------------------------------*
*&      Form  PROCESS
*&---------------------------------------------------------------------*
*       text
*----------------------------------------------------------------------*
*  -->  p1        text
*  <--  p2        text
*----------------------------------------------------------------------*
form process .

* IST_94427_FILE . "cvp-mum
* IST_93128_FILE . "cep-ddn
* IST_30523_FILE . "övl

  if p_payctr = 'CVP'.
    perform digital_sign_save_logs using ist_94427_file.

  elseif p_payctr = 'CEP' .
    perform digital_sign_save_logs using ist_93128_file.

*** start trust
  elseif p_payctr = 'ECPF' .
    perform digital_sign_save_logs using ist_96726_file.
*end trust
  elseif p_payctr = 'OVL'.
    perform digital_sign_save_logs using ist_30523_file.

  endif.


endform.                    " PROCESS


*&---------------------------------------------------------------------*
*&      Form  DIGITAL_SIGN
*&---------------------------------------------------------------------*
*       text
*----------------------------------------------------------------------*
```

```
*  ---> p1        text
*  <--- p2        text
*-----------------------------------------------------------------------*
form digital_sign_save_logs using ist_sbi_file type standard table.

**RAW DATA IST:
* IST_94427_FILE . "cvp-mum
* IST_93128_FILE . "cep-ddn
* IST_30523_FILE . "övl


** TABLE: ZFIBEN_FILE_MONI
*MANDT  MANDT CLNT  3
*VMC_APDATE DATUM DATS  8
*SENT_DATE  DATUM DATS  8
*SENT_TIME  UZEIT TIMS  6
*SENT_FILENAME  ZBENE_FILE_NAME CHAR  150
*SENT_FLAG  FLAG  CHAR  1
*SENT_USERID  UNAME CHAR  12
*RECEIVED_DATE  DATUM DATS  8
*RECEIVED_TIME  UZEIT TIMS  6
*RECEIVED_FILENAME  ZBENE_FILE_NAME CHAR  150
*RECEIVED_FLAG  FLAG  CHAR  1
*SENT_ERROR   STRING  0
*RAW_DATA   RAWSTRING 0
*DATA_SENT    RAWSTRING 0
*DATA_RECEIVED    RAWSTRING 0

  data: wa_zfiben_file_moni type zfiben_file_moni.

  data: l_vmc_apdate    type zfiben_file_moni-vmc_apdate,
        l_sent_date     type zfiben_file_moni-sent_date,
        l_sent_time     type zfiben_file_moni-sent_time,
        l_sent_filename type zfiben_file_moni-sent_filename,
        l_sent_flag     type zfiben_file_moni-sent_flag,
        l_sent_userid   type zfiben_file_moni-sent_userid,
        l_sent_error    type zfiben_file_moni-sent_error,
        l_raw_data      type xstring, "ZFIBEN_FILE_MONI-RAW_DATA,
        l_data_sent     type zfiben_file_moni-data_sent.
*==============================================
******** Monitoring
  l_vmc_apdate = p_date.
  l_sent_date = sy-datum.
  l_sent_time = sy-uzeit.
  l_sent_userid = sy-uname.

** Derive File Name: L_SENT_FILENAME
  data: curr_date(6),
        corpfilename(23),
        corpacno(17).

** CURR_DATE   19801216
  concatenate sy-datum+6(2) sy-datum+4(2) sy-datum+2(2) into curr_date.

  if p_payctr = 'CVP'.
* COMPBEN. CURR_DATE 070114.ONGC94427 VMC_APDATE SENT_TIME .00000030340574145.txt
    concatenate  'ONGC94427' l_vmc_apdate l_sent_time into corpfilename.
*    IF sy-host = 'eccdci' OR sy-host = 'eccqci'. "S4H FP3 changes
*      CONCATENATE 'COMPBEN' CURR_DATE CorpFileName '00000030003223534.t
```

```
xt' INTO L_SENT_FILENAME SEPARATED BY '.' . "changes on 30.07.14
    concatenate 'COMPBEN' curr_date corpfilename '00000030340574145' int
o l_sent_filename separated by '.' .        "changes on 30.07.14
*    ELSEIF sy-host+0(6) = 'eccpap'.        "S4H FP3 changes
*      CONCATENATE 'COMPBEN' CURR_DATE CorpFileName '00000030340574145.t
xt' INTO L_SENT_FILENAME SEPARATED BY '.' .  "changes on 30.07.14
*      CONCATENATE 'COMPBEN' curr_date corpfilename '00000030340574145'
INTO l_sent_filename SEPARATED BY '.' .      "changes on 30.07.14 "S4H F
P3 changes
*    ENDIF.          "S4H FP3 changes

  endif.

  if p_payctr = 'CEP'.
*COMPBEN. CURR_DATE 070114.ONGC93128 VMC_APDATE SENT_TIME .0000003071731
4079.txt for
    concatenate  'ONGC93128' l_vmc_apdate l_sent_time into corpfilename
.

*    if sy-host = 'eccdci' or sy-host = 'eccqci'. "S4H FP3 changes
*        CONCATENATE 'COMPBEN' CURR_DATE CorpFileName '00000030003079576
.txt' INTO L_SENT_FILENAME SEPARATED BY '.' .  "changes on 30.07.14
    concatenate 'COMPBEN' curr_date corpfilename '00000030717314079' int
o l_sent_filename separated by '.' .      "changes on 30.07.14
*    elseif sy-host+0(6) = 'eccpap'. "S4H FP3 changes
*        CONCATENATE 'COMPBEN' CURR_DATE CorpFileName '00000030717314079
.txt' INTO L_SENT_FILENAME SEPARATED BY '.' . "changes on 30.07.14
*      concatenate 'COMPBEN' curr_date corpfilename '00000030717314079'
into l_sent_filename separated by '.' .     "changes on 30.07.14 "S4H FP
3 changes
*    endif. "S4H FP3 changes

  endif.

***start trust
  if p_payctr = 'ECPF'.
*COMPBEN. CURR_DATE 070114.ONGC93128 VMC_APDATE SENT_TIME .0000003071731
4079.txt for
    concatenate  'ECPF96726' l_vmc_apdate l_sent_time into corpfilename
.

*    if sy-host = 'eccdci' or sy-host = 'eccqci'. "S4H FP3 changes
*        CONCATENATE 'COMPBEN' CURR_DATE CorpFileName '00000030003079576
.txt' INTO L_SENT_FILENAME SEPARATED BY '.' .  "changes on 30.07.14
    concatenate 'COMPBEN' curr_date corpfilename '00000010392857009' int
o l_sent_filename separated by '.' .      "changes on 30.07.14
*    elseif sy-host+0(6) = 'eccpap'. "S4H FP3 changes
*        CONCATENATE 'COMPBEN' CURR_DATE CorpFileName '00000030717314079
.txt' INTO L_SENT_FILENAME SEPARATED BY '.' . "changes on 30.07.14
*      concatenate 'COMPBEN' curr_date corpfilename '00000010392857009'
into l_sent_filename separated by '.' .     "changes on 30.07.14 "S4H FP
3 changes
*    endif. "S4H FP3 changes

  endif.

***end trust
  if p_payctr = 'OVL'.
* OVL : COMPBEN.CURR_DATE 070114.OVL30523 VMC_APDATE SENT_TIME . 0000001
0277786661.txt
    concatenate  'OVL30523' l_vmc_apdate l_sent_time into corpfilename .
```

```
*    if sy-host = 'eccdci' or sy-host = 'eccqci'. "S4H FP3 changes
*      CONCATENATE 'COMPBEN' CURR_DATE CorpFileName '00000030003139979.t
xt' INTO L_SENT_FILENAME SEPARATED BY '.' . "changes on 30.07.14
*      concatenate 'COMPBEN' curr_date corpfilename '00000030003139979'
into l_sent_filename separated by '.' .     "changes on 30.07.14 "S4H FP
3 changes
*    elseif sy-host+0(6) = 'eccpap'. "S4H FP3 changes
*        CONCATENATE 'COMPBEN' CURR_DATE CorpFileName '00000010277786661
.txt' INTO L_SENT_FILENAME SEPARATED BY '.' .   "changes on 30.07.14
     concatenate 'COMPBEN' curr_date corpfilename '00000010277786661' int
o l_sent_filename separated by '.' .         "changes on 30.07.14
*    endif. "S4H FP3 changes
  endif.

*==============================================
** Digital signing

  data: in_data_table like ssfbin occurs 0 with header line.
  data: params like ssfparms.
  data: crc      type i.
  data: doc_sig  type xstring.
  data: doc_ver  type xstring.
  data: doc_line type string.
  data: doc_tab  type ssftxttab.
  data: sig_list type ssfsignertab.
  data: go_file_verifier type ref to lcl_file_verifier,
        l_sign           type ssfsigner.
  data  it_zuser_signer type table of zuser_signer.
  data  wa_zuser_signer type zuser_signer.

  data: ev_owner           type string,
        ev_email           type string,
        ev_serial          type string,
        ev_thumbprint      type string,
        ev_validfrom       type string,
        ev_validto         type string,
        ev_issuer          type string,
        ev_bindocument_out type xstring,
        e_int              type i.

  data: lo_bnk_detail    type ref to zfi_bnk_sbi_in_encco_si_sbiweb,
        proxy_data       type zfi_bnk_sbi_in_encfile_upload2,
        lt_input         type zfi_bnk_sbi_in_encfile_upload1,
        lo_sys_exception type ref to cx_ai_system_fault.
  data: err_string       type string.
  data: wa_pa0009_bak type pa0009.

  create object lo_bnk_detail.



  call function 'SCMS_TEXT_TO_BINARY'
* EXPORTING
*   FIRST_LINE            = 0
*   LAST_LINE             = 0
*   APPEND_TO_TABLE       = ' '
*   MIMETYPE              = ' '
*   ENCODING              =
    importing
      output_length = params-indatalen
```

```
    tables
      text_tab      = ist_sbi_file
      binary_tab    = in_data_table
* EXCEPTIONS
*     FAILED        = 1
*     OTHERS        = 2
    .
  if sy-subrc <> 0.
    message e570(zfi).
  endif.

  call function 'SCMS_BINARY_TO_XSTRING'
    exporting
      input_length = params-indatalen
*     FIRST_LINE   = 0
*     LAST_LINE    = 0
    importing
      buffer       = l_raw_data
    tables
      binary_tab   = in_data_table
    exceptions
      failed       = 1
      others       = 2.
  if sy-subrc <> 0.
    message e570(zfi).
  endif.


  call function 'SSFS_CALL_CONTROL'
    exporting
*     TXTDOCUMENT      = doc_tab
      bindocument      = l_raw_data
      doc_type         = 'TXT'
*     ssf_id           = 'CN=TEST CLASS IIIB SHATWO, SP=Gujarat, postalC
ode=392015, OU=CID - 2431135, OU=Marketing, O=Gujarat Narmada Valley Fer
tilizers Company Limited, C=IN'."wa_ZFI_BATCH_SIGN-ssf_screen.
    importing
      crc              = crc
      signature        = doc_sig
    exceptions
      parameter_error  = 1
      conversion_error = 2
      control_error    = 3
      frontend_error   = 4
      others           = 5.


**verify signature wrt userID
  if crc = 0.  " 'SSFS_CALL_CONTROL'
    refresh sig_list.
    call function 'SSFS_SERVER_VERIFY'
      exporting
*       SSFAPPLIC       =
        signature       = doc_sig
      importing
        crc             = crc
        signerlist      = sig_list
        txtdocument_out = doc_tab
        bindocument_out = doc_ver
      exceptions
        kernel_error    = 1
```

```
1423          parameter_error = 2
1424          others          = 3.
1425
1426      if sy-subrc <> 0.
1427        write: / 'Error while verifying signture:'(erv), sy-subrc.
1428        exit.
1429
1430      elseif crc = 0. " signature OK
1431        go_file_verifier = lcl_file_verifier=>get_instance( ).
1432        read table sig_list into l_sign index 1.
1433        if sy-subrc = 0.
1434          call method go_file_verifier->get_signer_info
1435            exporting
1436              is_signerlist = l_sign
1437            importing
1438              ev_owner      = ev_owner
1439              ev_email      = ev_email
1440              ev_serial     = ev_serial
1441              ev_thumbprint = ev_thumbprint
1442              ev_validfrom  = ev_validfrom
1443              ev_validto    = ev_validto
1444              ev_issuer     = ev_issuer
1445              e_int         = e_int.
1446        endif.
1447
1448        select * into table it_zuser_signer
1449          from zuser_signer where uname = sy-uname
1450                                and active = 'X'.
1451        if sy-subrc = 0.
1452          read table it_zuser_signer into wa_zuser_signer with key thumbpr
      in = ev_thumbprint.
1453          if sy-subrc = 0.
1454            l_data_sent = doc_sig.
1455
1456          else.
1457            message 'Wrong Signature used for signing' type 'I'.
1458            exit.
1459          endif.
1460
1461        else.
1462          message 'No Signature Maintained for user' type 'I'.
1463          exit.
1464        endif.
1465      endif.
1466
1467      proxy_data-parameters-arg0  = l_sent_filename.
1468      proxy_data-parameters-arg1  = l_data_sent.
1469
1470      try.
1471          call method lo_bnk_detail->si_sbiwebservice_enc
1472            exporting
1473              output = proxy_data
1474            importing
1475              input  = lt_input.
1476        catch cx_ai_system_fault into lo_sys_exception.
1477          err_string = lo_sys_exception->get_text( ).
1478
1479        catch cx_ai_application_fault .
1480      endtry.
1481
1482  ** update Moniotoring logs  in table ZFIBEN_FILE_MONI
```

```
1483
1484      wa_zfiben_file_moni-vmc_apdate = l_vmc_apdate.
1485      wa_zfiben_file_moni-sent_date = l_sent_date.
1486      wa_zfiben_file_moni-sent_time = l_sent_time .
1487      wa_zfiben_file_moni-sent_filename = l_sent_filename.
1488      wa_zfiben_file_moni-sent_userid = l_sent_userid.
1489      wa_zfiben_file_moni-raw_data = l_raw_data.
1490      wa_zfiben_file_moni-data_sent = l_data_sent.
1491      wa_zfiben_file_moni-sent_flag = 'X' .
1492
1493      if err_string is not initial.
1494
1495        wa_zfiben_file_moni-sent_error = 'X' .
1496        modify zfiben_file_moni from wa_zfiben_file_moni.
1497        message 'Error while sending data' type 'I'.
1498      else.
1499
1500        modify zfiben_file_moni from wa_zfiben_file_moni.
1501        message 'Data sent successfully' type 'I'.
1502
1503        if p_payctr = 'CVP'.
1504          " 'RELEASE BY VMC' & 'RELEASE BY CMC'.
1505          data : lit_zfivmsbank1 type table of zfivmsbank.
1506          data : lit_zsdcust_bank1 type table of zsdcust_bank.
1507          data : lwa_zfivmsbank1 type  zfivmsbank.
1508          data : lwa_zsdcust_bank1 type  zsdcust_bank.
1509          select * from zfivmsbank into table lit_zfivmsbank1 where vmc_ap
      date = p_date
1510                                  and status = 'RELEASE BY VMC'.
1511          if sy-subrc eq 0.
1512            loop at lit_zfivmsbank1 into lwa_zfivmsbank1.
1513              lwa_zfivmsbank1-status = 'SENT TO SBI'.
1514              modify lit_zfivmsbank1 from lwa_zfivmsbank1 index sy-tabix.
1515            endloop.
1516            modify zfivmsbank from table lit_zfivmsbank1 ."added by gaurav
1517
1518          endif.
1519 *         update zfivmsbank set status = 'SENT TO SBI'
1520 *                                where vmc_apdate = p_date
1521 *                                  and status = 'RELEASE BY VMC'.
1522
1523          select * from zsdcust_bank into table lit_zsdcust_bank1 where ch
      on = p_date
1524                                and status = 'RELEASE BY CMC'.
1525          if sy-subrc eq 0.
1526            loop at lit_zsdcust_bank1 into lwa_zsdcust_bank1.
1527              lwa_zsdcust_bank1-status = 'SENT TO SBI'.
1528              modify lit_zsdcust_bank1 from lwa_zsdcust_bank1 index sy-tab
      ix.
1529            endloop.
1530            modify zsdcust_bank from table lit_zsdcust_bank1."added by gau
      rav
1531          endif.
1532
1533 *         UPDATE zsdcust_bank SET status = 'SENT TO SBI'
1534 *                               WHERE chon = p_date
1535 *                                 AND status = 'RELEASE BY CMC'.
1536
1537 ******************************************************changes by gaurav o
      n 22 may 2018
1538 *         BREAK-POINT.
```

```
1539        data: it_zfi_alerts  type table of zfi_alerts,
1540              wa_zfi_alerts  type zfi_alerts,
1541              wa_zfi_alerts1 type zfi_alerts,
1542              wa_zfi_alerts2 type zfi_alerts,
1543              wa_zfi_alerts3 type zfi_alerts,
1544              wa_obj_head    type solisti1,
1545              wa_obj_cont    type solisti1,
1546              it_obj_cont    type table of solisti1,
1547              it_obj_head    type table of solisti1,
1548              mail_sub       type sodocchgi1,
1549              it_reclist     type table of somlreci1,
1550              wa_reclist     type somlreci1,
1551              lwa_zfivmsbank type zfivmsbank,
1552              lit_zfivmsbank type table of zfivmsbank,
1553              wa_new1        type zfivmsbank.
1554        data: http_client type ref to if_http_client.
1555        data: messg(160),
1556              l_enddate         type pa0009-endda value '99991231',
1557              ist_pa9205        type table of pa9205,
1558              wa_pa9205         type          pa9205,
1559              wf_string         type string,
1560              mob_no(12),
1561              result            type string,l_reason_desc(35), l_result(
      50),
1562              disp_txt          type string.
1563
1564        clear: mob_no, messg, wf_string, result.
1565        clear: l_reason_desc, l_result.
1566
1567        select * from zfivmsbank into table lit_zfivmsbank where vmc_apd
      ate = p_date
1568                                        and status = 'SENT TO SBI'.
1569        select * from zfi_alerts into table it_zfi_alerts.
1570
1571        loop at lit_zfivmsbank into lwa_zfivmsbank.
1572          clear: wa_zfi_alerts,wa_zfi_alerts1,wa_zfi_alerts2,wa_zfi_aler
      ts3.
1573          refresh:it_obj_cont,it_obj_head,it_reclist.
1574          read table it_zfi_alerts into wa_zfi_alerts with key categ = '
      SAPMAIL'
1575                                                              action =
      'SUBJECT'
1576                                                               ident =
      'SENT_2_SBI'.
1577          if sy-subrc = 0.
1578
1579            replace all occurrences of 'XXXXXXXXXX' in wa_zfi_alerts-mat
      t with lwa_zfivmsbank-reqno.
1580            mail_sub-obj_descr = wa_zfi_alerts-matt.
1581
1582            read table it_zfi_alerts into wa_zfi_alerts1 with key categ
      = 'SAPMAIL'
1583                                                                action
      = 'GESTURE'.
1584 *                        IF sy-subrc = 0.
1585            wa_obj_cont-line = wa_zfi_alerts1-matt.
1586            append wa_obj_cont to it_obj_cont.
1587            read table it_zfi_alerts into wa_zfi_alerts2 with key categ
      = 'SAPMAIL'
1588                                                                 action
       = 'MESSAGE'
```

```
                                                                ident = 'SENT_2_SBI'.
*                          REPLACE ALL OCCURRENCES OF 'XXXXXXXXXX' IN wa_zfi_alerts2-matt WITH zfivmsbank-reqno.
            replace all occurrences of 'XXXXXXXXXX' in wa_zfi_alerts2-matt with lwa_zfivmsbank-reqno.
            replace all occurrences of 'ZFIVMSBANK-LIFNR' in wa_zfi_alerts2-matt with lwa_zfivmsbank-lifnr.
            replace all occurrences of 'ZFIVMSBANK-NAME1' in wa_zfi_alerts2-matt with lwa_zfivmsbank-name1.

            wa_obj_cont-line = wa_zfi_alerts2-matt.

            append wa_obj_cont to it_obj_cont.
            wa_reclist-receiver = lwa_zfivmsbank-cpf.
            wa_reclist-rec_type = 'B'.
            append wa_reclist to it_reclist.
*                       ENDIF.


            read table it_zfi_alerts into wa_zfi_alerts3 with key categ = 'SMS'
                                                                action = 'MESSAGE'
                                                                ident = 'SENT_2_SBI'.
            shift lwa_zfivmsbank-reqno left deleting leading '0'.
            shift lwa_zfivmsbank-lifnr left deleting leading '0'.
            wa_new1-name1 = lwa_zfivmsbank-name1+0(19).

            replace all occurrences of 'XXXXXXXXXX' in wa_zfi_alerts3-matt with lwa_zfivmsbank-reqno.
            replace all occurrences of 'ZFIVMSBANK-LIFNR' in wa_zfi_alerts3-matt with lwa_zfivmsbank-lifnr.
            replace all occurrences of 'ZFIVMSBANK-NAME1' in wa_zfi_alerts3-matt with wa_new1-name1.
            replace all occurrences of '&' in wa_zfi_alerts3-matt with ' and'.
            messg = wa_zfi_alerts3-matt.

          endif.
*                     wa_obj_cont-line = 'testing'.
*                     APPEND wa_obj_cont TO it_obj_cont.
*                     wa_obj_head-line = 'heading'.
*                     APPEND wa_obj_head TO it_obj_head.


          call function 'SO_NEW_DOCUMENT_SEND_API1'
            exporting
              document_data              = mail_sub
*             DOCUMENT_TYPE              = 'RAW'
              put_in_outbox              = ' '
*             commit_work                = 'X'
*             IP_ENCRYPT                 =
*             IP_SIGN                    =
*                 IMPORTING
*             SENT_TO_ALL                =
*             NEW_OBJECT_ID              =
            tables
              object_header              = it_obj_head
              object_content             = it_obj_cont
```

```
*             CONTENTS_HEX                =
*             OBJECT_PARA                 =
*             OBJECT_PARB                 =
              receivers                   = it_reclist
            exceptions
              too_many_receivers          = 1
              document_not_sent           = 2
              document_type_not_exist     = 3
              operation_no_authorization = 4
              parameter_error             = 5
              x_error                     = 6
              enqueue_error               = 7
              others                      = 8.
          if sy-subrc = 0.
*                   COMMIT WORK.
          endif.

          select * from pa9205 into corresponding fields of table ist_pa
9205 where pernr = lwa_zfivmsbank-cpf"ZMM_VEND_UNBLOCK-ERNAM

            and subty = '01'                  "22112013 by Sudhir Sharma

          and endda = l_enddate.
          if sy-subrc = 0.
            sort ist_pa9205 by begda descending.
            read table ist_pa9205 into wa_pa9205 index 1.

            if sy-subrc = 0.

              shift wa_pa9205-zphone left deleting leading '0'.
              concatenate '91' wa_pa9205-zphone into  mob_no.

              clear wf_string .
              concatenate
                'http://10.205.48.190:13013/cgi-bin/sendsms?'
                'username=ongc&password=ongc12&from=ONGC-OL&to=' mob_no
                '&text=' messg
                '&remLen=400'  "180'  20032013
              into wf_string .

              call method cl_http_client=>create_by_url
                exporting
                  url                 = wf_string
                importing
                  client              = http_client
                exceptions
                  argument_not_found = 1
                  plugin_not_active  = 2
                  internal_error     = 3
                  others             = 4.


              call method http_client->send
                exceptions
                  http_communication_failure = 1
                  http_invalid_state         = 2.

              call method http_client->receive
                exceptions
                  http_communication_failure = 1
                  http_invalid_state         = 2
```

```
                    http_processing_failed     = 3.
                clear result .
                result = http_client->response->get_cdata( ).

                move result to l_result .
                concatenate 'Message from SMS gateway:' l_result+2 into l_result.
              endif.
            endif.

          endloop.

*********************************************************changes by gaurav on 22 may.




        elseif p_payctr = 'OVL'.
          " 'RELEASE BY VMC FOR OVL'
          update zfivmsbank set status = 'SENT TO SBI'
                                where vmc_apdate = p_date
                                  and status = 'RELEASE BY VMC FOR OVL'.

          " ZFIVMS_BRD-'RELEASE BY EMPLOYEE FOR OVL' === pa0009
          " set flag - R / D
          clear wa_pa0009_bak.
*          loop at ist_pa0009_OVL into wa_pa0009_BAK.
*          endloop.
          modify pa0009 from table ist_pa0009_ovl.



        elseif p_payctr = 'CEP'.
          " ZFIVMS_BRD-'RELEASE BY EMPLOYEE'  === pa0009
          " set flag - R / D
          clear wa_pa0009_bak.
*             loop at ist_pa0009_ONGC into wa_pa0009_BAK.
*             endloop.
          modify pa0009 from table ist_pa0009_ongc.
        endif.
      endif.

    else.  "\\ 'SSFS_CALL_CONTROL'

      case crc.
        when '2'.
          message 'Please insert E-token' type 'I'.
          exit.
        when others.
          message 'Error while signing' type 'E'.
          exit.
      endcase.


    endif.  "\\ 'SSFS_CALL_CONTROL'


    clear: wa_zfiben_file_moni.

```

```
1755
1756 endform.                          " DIGITAL_SIGN_SAVE_LOGS
1757
1758
1759 *&---------------------------------------------------------------------*
1760 *&      Form  AUTH_CHECK
1761 *&---------------------------------------------------------------------*
1762 *       text
1763 *---------------------------------------------------------------------*
1764 *  -->  p1        text
1765 *  <--  p2        text
1766 *---------------------------------------------------------------------*
1767 form auth_check .
1768 * Check auth
1769 * tcode: ZFIBENFILEGEN
1770 *roles
1771 *1. D:FI_FILEGEN_CVP
1772 *2. D:FI_FILEGEN_CEP
1773 *3. D:FI_FILEGEN_OVL
1774 *       Object   :-     ZFIBENREG
1775 *       Field  :-       ZPAY_CTR (03,16)
1776 *      Value :-         CVP / CEP / OVL
1777
1778   authority-check object 'ZFIBENREG'
1779     id 'ZPAY_CTR' field p_payctr
1780     id 'ACTVT'  field '16'.
1781   if sy-subrc <> 0.
1782     message 'No authorization' type 'E'.
1783   endif.
1784
1785 endform.                          " AUTH_CHECK
1786
1787
1788 *&---------------------------------------------------------------------*
1789 *&      Form  CLEAR_VAR
1790 *&---------------------------------------------------------------------*
1791 *       text
1792 *---------------------------------------------------------------------*
1793 *  -->  p1        text
1794 *  <--  p2        text
1795 *---------------------------------------------------------------------*
1796 form clear_var .
1797
1798   refresh: ist_94427 . "cvp-mum
1799   refresh: ist_93128 . "cep-ddn
1800   refresh: ist_30523 . "övl
1801
1802   refresh: ist_94427_file . "cvp-mum
1803   refresh: ist_93128_file . "cep-ddn
1804   refresh: ist_30523_file . "övl
1805
1806 **** START CR 6000000474
1807   refresh: ist_96726 . " ECPF
1808   refresh: ist_96726_file . "ECPF
1809 *** END
1810 endform.                          " CLEAR_VAR
1811 *&---------------------------------------------------------------------*
1812 *&      Form  SET_TRANS
1813 *&---------------------------------------------------------------------*
1814 *       text
1815 *---------------------------------------------------------------------*
```

```
*  ---> p1        text
*  <--- p2        text
*-----------------------------------------------------------------------*
form set_trans .
  concatenate ''' ~ ! ` ! @ # $ % ^ & * ( ) _ - '     '{ [ } ] \ " : ; ?
 / , . < > ' into trans_string respecting blanks.
endform.                    " SET_TRANS
```

```
1  *———————————————————————————————————————————————————————————————*
2  ***INCLUDE ZFIVMS_BRD_SEL_FILEGEN_DIGSI01.
3  *———————————————————————————————————————————————————————————————*
4  *&———————————————————————————————————————————————————————————————*
5  *&      Module  USER_POPUP_EXIT  INPUT
6  *&———————————————————————————————————————————————————————————————*
7  *       text
8  *———————————————————————————————————————————————————————————————*
9  MODULE USER_POPUP_EXIT INPUT.
10
11
12   g_cancel_pressed = ' '.
13
14   case ok_code2000.
15     when 'CANCEL'.
16       g_cancel_pressed = 'X'.
17       leave to screen 0.
18     when 'OK'.
19       leave to screen 0.
20   endcase.
21 ENDMODULE.                 " USER_POPUP_EXIT  INPUT
22 *&———————————————————————————————————————————————————————————————*
23 *&      Module  DUMMY  INPUT
24 *&———————————————————————————————————————————————————————————————*
25 *       text
26 *———————————————————————————————————————————————————————————————*
27 MODULE DUMMY INPUT.
28
29 ENDMODULE.                 " DUMMY  INPUT
```

```
1  *———————————————————————————————————————————————————————————————————*
2  ***INCLUDE ZFIVMS_BRD_SEL_FILEGEN_DIGSO01.
3  *———————————————————————————————————————————————————————————————————*
4  *&———————————————————————————————————————————————————————————————————*
5  *&      Module  STATUS_2000  OUTPUT
6  *&———————————————————————————————————————————————————————————————————*
7  *       text
8  *———————————————————————————————————————————————————————————————————*
9  MODULE STATUS_2000 OUTPUT.
10   clear G_PASSWORD.
11   set titlebar 'Enter PIN'.
12   set pf-status 'POPUP'.
13 ENDMODULE.                 " STATUS_2000  OUTPUT
```

Title:
SBI Beneficiary file Generation, Signing and Transfer

Text elements:

001 Vendor / Employee File Generation and Signing

Selection texts:

P_DATE
Run Date
P_PAYCTR
Payment Center
S_SPAN
Beneficiary Code

PAI modules:		Line	Page
DUMMY.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSI01	27	95
USER_POPUP_EXIT.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSI01	9	95

PBO modules:		Line	Page
STATUS_2000.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSO01	9	96

Subroutines:		Line	Page
ADD_7X_EMP.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	542	12
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	549	12
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	613	13
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	618	13
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	**2867**	55
ADD_7X_EMP_D.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	577	12
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	583	13
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	641	14
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	646	14
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	**2893**	55
AUTH_CHECK.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	**1767**	93
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	243	6
CHECK_REQ_VALUE.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	248	6
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	**2854**	55
CLEAR_VAR.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	**1796**	93
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	255	6
DIGITAL_SIGN_SAVE_LOGS.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1185	82
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1188	82
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1192	82
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1195	82
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	**1211**	83
EMPLOYEE_FILEGEN.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	734	16
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	**1566**	31
EXTRACT_DATA.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	249	6
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	**267**	6
GENERATE_NEW_FORMAT.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	252	6
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	**724**	16
GET_ONGC_EMLPOYEE_DETAILS.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	342	8
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	**2223**	43
GET_OVL_EMLPOYEE_DETAILS.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	338	7
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	**2555**	49
MERGE_FILE.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	**1084**	80
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	253	6
PREPARE_NEW_FORMAT.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	**278**	66
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	810	17
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	955	20
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1009	21
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1107	23
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1207	24
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1294	26
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1387	28
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1475	29
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1604	32
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1615	32
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1744	34
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1755	34
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1802	35
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1813	35

```
                                ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN 1900    37
                                ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN 1911    37
PROCESS....................... ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1178    82
                                ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN  254     6
SET_TRANS..................... ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1819    94
                                ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN  244     6
VENDOR_FILEGEN................ ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN  733    16
                                ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN  753    16
```

```
Status:                                                         Line  Page

POPUP......................... ZFIVMS_BRD_SEL_FILEGEN_DIGSO01   12    96
```

```
Messages:

                                                                Line  Page

?............................. ZBCM_CLASS_DECLARE              169    59
?............................. ZBCM_CLASS_DECLARE              173    59
?............................. ZBCM_CLASS_DECLARE              176    59
?............................. ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1457    87
?............................. ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1462    87
?............................. ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1497    88
?............................. ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1501    88
?............................. ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1742    92
?............................. ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1745    92
?............................. ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1782    93
ZFI570........................ ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1372    86
                                ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1388    86
```

External calls

Function Modules		Line	Page
SCMS_BINARY_TO_XSTRING.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1375	86
SCMS_TEXT_TO_BINARY.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1355	85
SO_NEW_DOCUMENT_SEND_API1.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1624	90
SSFS_CALL_CONTROL.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1392	86
SSFS_SERVER_VERIFY.....	ZBCM_CLASS_DECLARE	154	59
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1412	86
SX_INTERNET_ADDRESS_TO_NORMAL.	ZBCM_CLASS_DECLARE	272	61

DATABASE OPERATIONS

SELECT:		Line	Page
PA0001.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	332	7
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2253	43
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2425	47
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2587	50
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2742	53
PA0006.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2270	44
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2441	47
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2604	50
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2761	53
PA0009.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	289	6
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2388	46
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2709	52
PA9205.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1655	91
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2264	44
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2434	47
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2598	50
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2754	53
SETLEAF.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	512	11
ZFIVMSBANK.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1509	88
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1567	89
ZFIVMS_BRD.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	375	68
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	417	69
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	502	70
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	553	71
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	595	72
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	682	73
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	732	74
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	774	75
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	861	77
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	912	77
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	954	78
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1041	80
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	364	8
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	382	8
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	412	9
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2314	45
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2479	48
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2656	51
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2799	54
ZFIVMS_RESEND.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	351	8
ZFI_ALERTS.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1569	89
ZFI_PATH.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	772	16
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	927	19
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	985	20
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1080	22
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1183	24
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1269	26
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1362	27
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1450	29
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1574	31
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1580	31
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1715	34
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1720	34
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1773	35
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1778	35
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1872	36

```
                                ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN 1877    37
ZSDCUST_BANK................... ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1523    88
ZSDCUST_BANKUPD................ ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN  359     8
                                ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN  378     8
                                ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN  397     9
ZUSER_SIGNER................... ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1449    87
```

```
UPDATE:                                                         Line  Page

ZFIVMSBANK..................... ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1715    92
ZFIVMS_RESEND.................. ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN  966    20
                                ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN 1163    24
                                ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN 1345    27
                                ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN 1527    30
```

```
MODIFY:                                                         Line  Page

LIT_ZFIVMSBANK1................ ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1514    88
LIT_ZSDCUST_BANK1.............. ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1528    88
PA0009......................... ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1724    92
                                ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1734    92
ZFIBEN_FILE_MONI............... ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1496    88
                                ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1500    88
ZFIVMSBANK..................... ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1516    88
ZFIVMS_BRD..................... ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN 2332    45
                                ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN 2349    45
                                ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN 2496    48
                                ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN 2513    48
                                ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN 2673    51
                                ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN 2677    51
                                ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN 2817    54
                                ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN 2821    54
ZSDCUST_BANK................... ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1530    88
```

INTERNAL TABLE OPERATIONS

READ TABLE:		Line	Page
IST_PA0006.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2273	44
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2284	44
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2444	47
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2455	47
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2607	50
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2626	50
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2764	53
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2775	53
IST_PA9205.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1660	91
IST_SETLEAF.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	517	11
IST_ZFIVMS_BRD1.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2321	45
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2323	45
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2486	48
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2488	48
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2663	51
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2665	51
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2806	54
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2808	54
IST_ZFIVMS_BRDTMP.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	454	10
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	456	10
IT_ZFI_ALERTS.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1574	89
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1582	89
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1587	89
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1604	90
IT_ZUSER_SIGNER.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1452	87
LT_SIGNERLIST.....	ZBCM_CLASS_DECLARE	178	59
SIG_LIST.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1432	87

DELETE:		Line	Page
IST_ZFIVMS_BRD1.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	440	10