Created on....11.07.2014 Last changed on/by..... 28.08.2014 SAB_VAIBHAV
Author.....CAB_ALOK

Title.....SBI Beneficiary file Generation, Signing and Transfer

Type.....1 Reporting
Status.....K Customer Program
Application.....
Class.....
Logical database.....
  from application....
Selection screen.....
Authorization group...
Development class.....ZFI_OTH

  Start via variants
  Deactivate editor lock
X Fixed point arithmetic active

```
*&---------------------------------------------------------------------*
*& Report  ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN
*&---------------------------------------------------------------------*
*& OLD Report  ZFIVMS_BRD_FILEGEN
*&
*&---------------------------------------------------------------------*
*& Sudhir Sharma <RD1K968710>                Date 06-10-10
*& Sudhir Sharma <RD1K976705> CR No.30005915 Date 13-06-11
*& lipsy swain   <RD1K983162>                Date 07-01-2013
*&---------------------------------------------------------------------*
*&---------------------------------------------------------------------*
*& New Report  ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN
* Author                : Alok kumar Singh
* Created on            :
* Title                 : SBI Composite Beneficiary File registration/de
reg. process
* Description           : Program handles SBI Composite Beneficiary file
 generation,
*                         digital signing and File Transfer.
*                         1. Previously used  4 formats whereby 4 type o
f files for each
*                         payment center was being generated(old Prog:ZF
IVMS_BRD_SEL_FILEGEN)
*                         , have been discarded.
*                         Now all the data is transfered in the new comp
osite format,
*                         so now only 1 file for each payment center wil
l be generated.
*                         2. Program signs the data with Digital signatu
re of the user
*                         3. Transfers data thro' PI to SBI
* CR:  30010502
* TP : RD1K991769
*&---------------------------------------------------------------------*


REPORT  ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN.

TABLES :  ZFIVMS_BRD , pa0001, pa0006 , pa0009 , pa9205 , zfi_path.

***********************************************************************
* Begin RD1K991769 CAB_ALOK     CR 30010502
 types: begin of TY_record,   " Old record
          record(200)  ,
        end of TY_record.

 types: begin of TY_record_new, "concatenated record in NEW_FORMAT, now
max length > 200
          record(210)  ,
        end of TY_record_new.

  types: begin of TY_NEW_FORMAT, "length 194 + 8 separators +EoL
    BEN_TYPE(1),      "Beneficiary Type * 1
    BEN_ACT_TYPE(1), "  Beneficiary Action Type * 1
    BEN_NAME(35),     "Beneficiary Name * 35
    BEN_AC_NO(17),    "Beneficiary Account Number *  33//17
    BEN_CODE(24),     "Beneficiary Code 20 (back to 24)
    IFSC(11),         "IFS Code#  11
    ADDR1(35),         "Address1 35
    ADDR2(35),        "Address2  35
    ADDR3(35),         "Address3 35
```

```
    end of TY_NEW_FORMAT.



  data: IST_94427 TYPE STANDARD TABLE OF TY_NEW_FORMAT. "cvp-mum
  data: IST_93128 TYPE STANDARD TABLE OF TY_NEW_FORMAT. "cep-ddn
  data: IST_30523 TYPE STANDARD TABLE OF TY_NEW_FORMAT.  "övl

  data: IST_94427_FILE TYPE STANDARD TABLE OF TY_record_new. "cvp
  data: IST_93128_FILE TYPE STANDARD TABLE OF TY_record_new. "ddn
  data: IST_30523_FILE TYPE STANDARD TABLE OF TY_record_new.  "övl

data: trans_string type string.


* End  RD1K991769 CAB_ALOK     CR 30010502
**********************************************************************

data : begin of ist_rdata_sbi occurs 0,
         span(200),
*         koinh_new  type zfivmsbank-koinh_new,
*         bankn_new  type zfivmsbank-bankn_new,
*         bankl_new  type zfivmsbank-bankl_new,
       end of ist_rdata_sbi.

data : begin of ist_rdata_nonsbi occurs 0,
         span(200),
       end of ist_rdata_nonsbi.

data : begin of ist_ddata_sbi occurs 0,
         span(200),                                          "(80),
       end of ist_ddata_sbi.
data : begin of ist_ddata_nonsbi occurs 0,
         span(200),
       end of ist_ddata_nonsbi.
* Begin of < > on 02052011
data : begin of ist_rdata_sbi_ovl occurs 0,
      span(200),
    end of ist_rdata_sbi_ovl.
data : begin of ist_rdata_nonsbi_ovl occurs 0,
         span(200),
       end of ist_rdata_nonsbi_ovl.
data : begin of ist_ddata_sbi_ovl occurs 0,
         span(200),                                          "(80),
       end of ist_ddata_sbi_ovl.
data : begin of ist_ddata_nonsbi_ovl occurs 0,
         span(200),
       end of ist_ddata_nonsbi_ovl.
* End of <> on 02052011
* Begin of < > on 16072012
data : begin of ist_rdata_sbi_s occurs 0,
         span(200),
       end of ist_rdata_sbi_s.
data : begin of ist_ddata_sbi_s occurs 0,
         span(200),
       end of ist_ddata_sbi_s.
data : begin of ist_rdata_nonsbi_s occurs 0,
         span(200),
       end of ist_rdata_nonsbi_s.
data : begin of ist_ddata_nonsbi_s occurs 0,
         span(200),
```

```
115         end of ist_ddata_nonsbi_s.
116   * End of <> on 16072012
117   * Begin of < > on 28062011
118   data : begin of ist_rdata_sbi_ovl_e occurs 0,
119           span(200),
120       end of ist_rdata_sbi_ovl_e.
121   data : begin of ist_ddata_sbi_ovl_e occurs 0,
122            span(200),
123         end of ist_ddata_sbi_ovl_e.
124
125   data : begin of ist_rdata_nonsbi_ovl_e occurs 0,
126            span(200),
127         end of ist_rdata_nonsbi_ovl_e.
128   data : begin of ist_ddata_nonsbi_ovl_e occurs 0,
129            span(200),
130         end of ist_ddata_nonsbi_ovl_e.
131   * End of <> on 28062011
132   data : begin of ist_rdata_sbi_e occurs 0,
133            span(200),
134   *         koinh_new  type zfivmsbank-koinh_new,
135   *         bankn_new  type zfivmsbank-bankn_new,
136   *         bankl_new  type zfivmsbank-bankl_new,
137         end of ist_rdata_sbi_e.
138
139   data : begin of ist_rdata_nonsbi_e occurs 0,
140            span(200),
141         end of ist_rdata_nonsbi_e.
142
143   data : begin of ist_ddata_sbi_e occurs 0,
144            span(200),                                          "(80),
145         end of ist_ddata_sbi_e.
146   data : begin of ist_ddata_nonsbi_e occurs 0,
147            span(200),
148         end of ist_ddata_nonsbi_e.
149
150
151   data : wa_ddata_sbi    like ist_ddata_sbi,
152          wa_ddata_nonsbi like ist_ddata_nonsbi,
153          g_benf.
154   * Begin of <> on 10062011
155   data : ist_zfi_path type table of zfi_path,
156          wa_path type zfi_path.
157   * End of <> on 10062011
158   * Begin of <RD1K977143> on 14072011
159   data : g_filegen.
160   * End of <RD1K977143> on 14072011
161
162   data : ist_zfivms_resend type table of zfivms_resend,
163          wa_zfivms_resend  type zfivms_resend,
164          ist_zfivms_brd    type table of zfivms_brd,
165          wa_zfivms_brd     type zfivms_brd,
166          ist_zfivms_brd1   type table of zfivms_brd,          "21062011
167          ist_zfivms_brdt   type table of zfivms_brd,          "21062011
168          ist_zfivms_brdtmp type table of zfivms_brd,          "21062011
169          ist_zfivms_brdtmp1 type table of zfivms_brd,         "21062011
170
171   "added by lipsy on 27.09.2012 for customer maintainance
172          ist_zsdcust_bankupd type table of zfivms_brd,
173   "end of addition by lipsy
174
175          wa_zfivms_brdtmp   type zfivms_brd,                  "21062011
```

```
176         wa_zfivms_brdt    type zfivms_brd,                    "21062011
177         wa_zfivms_brd1    type zfivms_brd,                    "21062011
178         ist_pa0009        type table of pa0009,
179         wa_pa0009         type  pa0009,
180         ist_pa0009as      type table of pa0009,               "29122011
181         ist_pa0009as1     type table of pa0009,               "29122011
182         wa_pa0009as       type  pa0009,                       "29122011
183         wa_pa0009t        type  pa0009,
184         ist_pa0006        type table of pa0006,
185         wa_pa0006         type  pa0006,
186         wa_pa0001         type  pa0001,
187         wa_pa9205         type  pa9205,
188         g_date_rd(10),
189         g_time_rd(06),
190         l_rsbi type i,
191         l_dsbi type i,
192         l_stat type i,
193         g_filename1 like rlgrap-filename,
194         g_filename  type string ,"type string.
195         g_fsnam     type zfi_path-fsnam,                      "10062011
196         g_corpid    type zfi_path-corpid.                     "16062011
197   * Begin of <> on 18052012
198   data : l_spanemp(17),
199          l_spanasa(24),
200          l_span(7),
201          l_strlen type n.
202   * End of <> on 18052012
203   data : valid_characters_as type string,
204          valid_input_as      type string.
205
206   **Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30
      010502
207   data g_cancel_pressed(1).
208   data: ok_code2000 TYPE sy-ucomm.
209   DATA: G_PASSWD_INPUT TYPE SSFINFO-PASSWORD. "(132).
210   DATA G_PASSWORD TYPE SSFINFO-PASSWORD..
211   data ist_pa0009_BAK type table of pa0009.
212
213   DATA: IST_pa0009_OVL type table of pa0009,
214         IST_pa0009_ONGC type table of pa0009.
215   **End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 3001
      0502
216
217
218   selection-screen begin of block rad1
219                              with frame title text-001.
220
221   PARAMETERS : p_date type zfivmsbank-VMC_APDATE.
222   * Begin of <> on 09052012
223   Select-OPTIONS : s_span for zfivms_brd-span.
224   * End of <> on 09052012
225   PARAMETERS : p_payctr type zpay_ctr OBLIGATORY.
226
227   selection-screen end of block rad1.
228
229
230   START-OF-SELECTION.
231
232   **Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30
      010502
233   PERFORM AUTH_CHECK.
```

```
PERFORM SET_TRANS.
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 3001
0502


  perform check_req_value.
  PERFORM EXTRACT_DATA.
**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30
010502
*  PERFORM GENERATE_FILE.
  PERFORM GENERATE_NEW_FORMAT.
  PERFORM MERGE_FILE.
  PERFORM PROCESS.
  PERFORM CLEAR_VAR.
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 3001
0502


*&———————————————————————————————————————————————————————————————*
*&      Form  EXTRACT_DATA
*&———————————————————————————————————————————————————————————————*
*       text
*———————————————————————————————————————————————————————————————*
*  ——>  p1        text
*  <——  p2        text
*———————————————————————————————————————————————————————————————*
FORM EXTRACT_DATA .
  data : l_begdate   type pa0009-begda,
         l_begdateas type pa0009-begda,
         l_strlen  type n,
         l_line(2),
         l_enddate type pa0009-endda value '99991231',
         l_endda(10),
         l_begda(10),
         l_tabix type sy-tabix,                            "20062011
         l_bukrs type pa0001-bukrs.                        "16062011
  concatenate 'ABCDEFGHIJKLMNOPQRSTUVWXYZ'
              'abcdefghijklmnopqrstuvwxyz' into valid_characters_as.
* Begin of <> on 01022011

*  CONCATENATE p_date(4) p_date(4) p_date(4) into l_begda.
*  write p_date to p_date YYMMDD.


**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30
010502
*  select * from pa0009 into table ist_pa0009as where aedtm = p_date and
 endda =  l_enddate  "p_date
*                                                  and subty = '0'.

 select * from pa0009
   into table ist_pa0009as
     where  subty = '0'
       and endda =  l_enddate
         and aedtm = p_date
         and flag1 = ''.
*         and FLAG2 = ''.
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 3001
0502

*  if sy-subrc = 0.
```

```
*      append ist_pa0009as to ist_pa0009.
*      sort ist_pa0009as descending by pernr.
*      read table ist_pa0009as into wa_pa0009as with key
*      l_begdateas = wa_pa0009as-begda - 1.
*      select * from pa0009 into table ist_pa0009as1 where endda =  l_begdateas
*                                                  and subty = '0'.
*   endif.
* Begin of <> on 16072012
  ist_pa0009[] = ist_pa0009as[].
**Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging
  ist_pa0009_BAK[] = ist_pa0009as[].

**End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging


*  select * from pa0009 into table ist_pa0009 where begda = p_date and endda =  l_enddate "'31.12.9999' "p_date
*                                                  and subty = '0'." and zlsch in ('S','N','8','9'). "20062011 20062011
*
**  if sy-subrc = 0.    "16022012
** Begin of <> on 291211
*
*  loop at ist_pa0009as into wa_pa0009as.
*    append wa_pa0009as to ist_pa0009 ." from  . "index sy-tabix.
*  endloop.
* End of <> on 16072012
* End of <> on 291211
* Begin of <> on 16062011 To take OVL employee data also

**Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging
  clear wa_pa0009  .
**End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging
  loop at ist_pa0009 into wa_pa0009.
    l_tabix = sy-tabix.
    select single bukrs into l_bukrs from pa0001 where pernr = wa_pa0009-pernr
                                                     and begda <= p_date and endda >= p_date .  "p_date
    if sy-subrc = 0.
*     loop at ist_pa0009 into wa_pa0009.
* End of <> on 16062011
      if l_bukrs = 'OVL'.
        perform get_ovl_emlpoyee_details.
      else.
        perform get_ongc_emlpoyee_details.
      endif.
    endif.
    clear wa_pa0009.                                        "21062011
  endloop.
*  endif.
* End of <>

* Begin of <> on 231110
  select * from zfivms_resend into table ist_zfivms_resend where status = 'DEREGISTRATION FAILURE'.
```

```
* End of <>
*  select * from zfivms_brd into table ist_zfivms_brd where vmc_apdate = p_date and status = 'APPROVED BY VMC'.
* Begin of <> on 09052012
  if not p_date is initial and not s_span is initial.

    """""""""
    "added by lipsy  on 04.01.2013 for file generation even if customer bank data is not there  RD1K983162
     select * from zsdcust_bankupd into table ist_zsdcust_bankupd where ( vmc_apdate EQ p_date and span in s_span )
    and status in ('RELEASE BY CMC').
    "end of addition by lipsy  on 04.01.2013 for file generation even if customer  bank data is not there  RD1K983162
    """""""""""

    select * from zfivms_brd into table ist_zfivms_brd where  ( vmc_apdate EQ p_date and span in s_span )
    and status in ('RELEASE BY VMC' , 'RELEASE BY EMPLOYEE' , 'RELEASE BY VMC FOR OVL', 'RELEASE BY EMPLOYEE FOR OVL').

      "commented by lipsy  on 04.01.2013 for file generation even if customer  bank data is not there  RD1K983162
      "added by lipsy on 27.09.2012
*     select * from zsdcust_bankupd into table ist_zsdcust_bankupd where ( vmc_apdate = p_date and span in s_span )
*    and status in ('RELEASE BY CMC').
      "end of addition by lipsy on 27.09.2012
     "end of comment by lipsy  on 04.01.2013 for file generation even if customer  bank data is not there  RD1K983162

  elseif not p_date is initial.

    """""""""
    "added by lipsy  on 04.01.2013 for file generation even if customer bank data is not there  RD1K983162
     select * from zsdcust_bankupd into table ist_zsdcust_bankupd where vmc_apdate = p_date
    and status in ('RELEASE BY CMC').
    "end of addition  by lipsy  on 04.01.2013 for file generation even if customer  bank data is not there  RD1K983162
    """""""""
    select * from zfivms_brd into table ist_zfivms_brd where vmc_apdate = p_date
   and status in ('RELEASE BY VMC' , 'RELEASE BY EMPLOYEE' , 'RELEASE BY VMC FOR OVL', 'RELEASE BY EMPLOYEE FOR OVL').

"commented by lipsy  on 04.01.2013 for file generation even if customer bank data is not there  RD1K983162
"added by lipsy on 27.09.2012
*     select * from zsdcust_bankupd into table ist_zsdcust_bankupd where ( vmc_apdate = p_date and span in s_span )
*    and status in ('RELEASE BY CMC').
"end of addition by lipsy on 27.09.2012
"commented by lipsy  on 04.01.2013 for file generation even if customer bank data is not there  RD1K983162

  elseif not s_span is initial.


"""""""""""
```

```
"added by lipsy  on 04.01.2013 for file generation even if customer  bank data is not there  RD1K983162
  select * from zsdcust_bankupd into table ist_zsdcust_bankupd where   span in s_span
  and status in ('RELEASE BY CMC').
"end of addition by lipsy  on 04.01.2013 for file generation even if customer  bank data is not there  RD1K983162
"""""""""
"
"commented by lipsy  on 04.01.2013 for file generation even if customer  bank data is not there  RD1K983162

    """"added by lipsy on 28.12.2012 RD1K983099
    "added by lipsy on 27.09.2012
*    select * from zsdcust_bankupd into table ist_zsdcust_bankupd where  ( vmc_apdate = p_date and span in s_span )
*    and status in ('RELEASE BY CMC').
"end of addition by lipsy on 27.09.2012
    """"end of addition by lipsy on 28.12.2012 RD1K983099
"commented by lipsy  on 04.01.2013 for file generation even if customer  bank data is not there  RD1K983162
      """""""""""
    select * from zfivms_brd into table ist_zfivms_brd where  span in s_span
   and status in ('RELEASE BY VMC' , 'RELEASE BY EMPLOYEE' , 'RELEASE BY VMC FOR OVL', 'RELEASE BY EMPLOYEE FOR OVL').
      "commented by lipsy on 28.12.2012 RD1K983099
*"added by lipsy on 27.09.2012
*    select * from zsdcust_bankupd into table ist_zsdcust_bankupd where  ( vmc_apdate = p_date and span in s_span )
*    and status in ('RELEASE BY CMC').
*"end of addition by lipsy on 27.09.2012
      "commented by lipsy on 28.12.2012 RD1K983099
  endif.
* End of <> on 09052012
*
    status in ('APPROVED BY VMC' , 'APPROVED BY EMPLOYEE' , 'APPROVED BY VMC FOR OVL', 'APPROVED BY EMPLOYEE FOR OVL'). 290911

"commented by lipsy  on 04.01.2013 for file generation even if customer  bank data is not there  RD1K983162
*  if sy-subrc = 0.

"commented by lipsy  on 04.01.2013 for file generation even if customer  bank data is not there  RD1K983162
    """""""""""
   "added by lipsy  on 04.01.2013 for file generation even if customer  bank data is not there  RD1K983162
    if ist_zfivms_brd is not INITIAL or ist_zsdcust_bankupd is NOT INITIAL.
   "end of  addition  by lipsy  on 04.01.2013 for file generation even if customer  bank data is not there  RD1K983162
    """""""""

* Begin of <> on 21062011
    sort ist_zfivms_brd DESCENDING by span .
    ist_zfivms_brd1[] = ist_zfivms_brd[].
    Delete ADJACENT DUPLICATES FROM ist_zfivms_brd1 comparing span.

    loop at ist_zfivms_brd1 into wa_zfivms_brd1.
      ist_zfivms_brdt[] = ist_zfivms_brd[].
```

```
      loop at ist_zfivms_brdt into wa_zfivms_brdt where span =  wa_zfivms_brd1-span.
        append wa_zfivms_brdt to ist_zfivms_brdtmp .
      endloop.
*      delete ist_zfivms_brdt where span <>  wa_zfivms_brd1-span.
      if sy-subrc = 0.

        clear l_line.
        describe table ist_zfivms_brdtmp lines l_line.
        shift l_line left deleting leading '0'.             "16072012
        if l_line > 0.
          read table ist_zfivms_brdtmp into wa_zfivms_brdtmp with key seqno = l_line.
          if sy-subrc <> 0.
            read table ist_zfivms_brdtmp into wa_zfivms_brdtmp index 1.
          endif.
        endif.
*         sort ist_zfivms_brdtmp ascending by seqno span.
*         read table ist_zfivms_brdtmp into wa_zfivms_brdtmp index 1.
        append wa_zfivms_brdtmp to ist_zfivms_brdtmp1.
*          modify ist_zfivms_brdtmp1 from wa_zfivms_brdtmp.
        refresh ist_zfivms_brdtmp.
      endif.

    endloop.
    refresh ist_zfivms_brd.
    ist_zfivms_brd[] = ist_zfivms_brdtmp1[].
* End of <> on 21062011

* Begin of <> on 16072012
    loop at ist_zfivms_resend into wa_zfivms_resend.
      move-corresponding wa_zfivms_resend to wa_zfivms_brd.
      append wa_zfivms_brd to ist_zfivms_brd..
*      append lines of ist_zfivms_resend to ist_zfivms_brd.
    endloop.
* End of <> on 16072012

    "added by lipsy  on 27.09.2012
    APPEND LINES OF ist_zsdcust_bankupd TO ist_zfivms_brd.
    "end of addition by lipsy on 27.09.2012
* Vendor Registration - D
    loop at ist_zfivms_brd into wa_zfivms_brd . "where status <> 'APPROVED BY EMPLOYEE'.
* Begin of <> on 03122010


**Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging
*      if wa_zfivms_brd-bankl_new(4) = 'SBIN'.
*        valid_input_as = wa_zfivms_brd-bankl_new+6(5).
*      else.
*        valid_input_as = wa_zfivms_brd-bankl_new.
*      endif.
    clear  valid_input_as.
    valid_input_as = wa_zfivms_brd-bankl_new.

**End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging


* End of <> on 03122010
```

```
  check valid_input_as is not INITIAL.               "28.08.2014
      condense valid_input_as.
* NON SBI

**Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging
*      if  valid_input_as ca valid_characters_as.
     if  valid_input_as+0(4) <> 'SBIN'.
**End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging
        if wa_zfivms_brd-span ca 'R'.
* Begin of <> on 18052012
*          concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn_new '*' valid_input_as '*'
*          wa_zfivms_brd-street '*' wa_zfivms_brd-str_suppl1  '*' wa_zfivms_brd-city1 '*' wa_zfivms_brd-tel_number '*' wa_zfivms_brd-span '*'  into ist_rdata_nonsbi-span.
* End of <> on 18052012
          if wa_zfivms_brd-status = 'RELEASE BY VMC FOR OVL'.
            concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn_new '*' valid_input_as '*'
            wa_zfivms_brd-street '*' wa_zfivms_brd-str_suppl1  '*' wa_zfivms_brd-city1 '*' wa_zfivms_brd-tel_number '*' wa_zfivms_brd-span '*' into ist_rdata_nonsbi-span.
            MOVE-CORRESPONDING ist_rdata_nonsbi to ist_rdata_nonsbi_ovl. "05052011
            append ist_rdata_nonsbi_ovl.
          elseif wa_zfivms_brd-status = 'RELEASE BY EMPLOYEE FOR OVL'. "28062011

            perform add_7x_emp.

            concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn_new '*' valid_input_as '*'
            wa_zfivms_brd-street '*' wa_zfivms_brd-str_suppl1  '*' wa_zfivms_brd-city1 '*' wa_zfivms_brd-tel_number '*' l_spanasa '*'  into ist_rdata_nonsbi-span.
            MOVE-CORRESPONDING ist_rdata_nonsbi to ist_rdata_nonsbi_ovl_e. "28062011
            append ist_rdata_nonsbi_ovl_e.
          elseif wa_zfivms_brd-status = 'RELEASE BY EMPLOYEE'.
            perform add_7x_emp.
            concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn_new '*' valid_input_as '*'
            wa_zfivms_brd-street '*' wa_zfivms_brd-str_suppl1  '*' wa_zfivms_brd-city1 '*' wa_zfivms_brd-tel_number '*' l_spanasa '*'  into ist_rdata_nonsbi_s-span.
            append ist_rdata_nonsbi_s.
          elseif wa_zfivms_brd-status = 'RELEASE BY VMC'.
           concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn_new '*' valid_input_as '*'
            wa_zfivms_brd-street '*' wa_zfivms_brd-str_suppl1  '*' wa_zfivms_brd-city1 '*' wa_zfivms_brd-tel_number '*' wa_zfivms_brd-span '*' into ist_rdata_nonsbi-span.
            append ist_rdata_nonsbi.

            "added by lipsy on 27.09.2012
             elseif wa_zfivms_brd-status = 'RELEASE BY CMC'.
            if wa_zfivms_brd-span+13(1) = 'R'."r is registration
           concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn_new '*' valid_input_as '*'
```

```
525             wa_zfivms_brd-street '*' wa_zfivms_brd-str_suppl1  '*' wa_zf
    ivms_brd-city1 '*' wa_zfivms_brd-tel_number '*' wa_zfivms_brd-span '*'
    into ist_rdata_nonsbi-span.
526             append ist_rdata_nonsbi.
527             endif.
528             "end of addition by lipsy on 27.09.2012
529           endif.
530
531         elseif wa_zfivms_brd-span ca 'D'.
532   * 18052012
533
534           if wa_zfivms_brd-status = 'RELEASE BY VMC FOR OVL'.
535             concatenate  wa_zfivms_brd-bankn_new '#' valid_input_as '#'
    wa_zfivms_brd-koinh_new  '#' wa_zfivms_brd-span '#'  into ist_ddata_nons
    bi-span.
536             MOVE-CORRESPONDING ist_ddata_nonsbi to ist_ddata_nonsbi_ovl.
     "05052011
537             append  ist_ddata_nonsbi_ovl.
538
539           elseif wa_zfivms_brd-status = 'RELEASE BY EMPLOYEE FOR OVL'. "
    28062011
540             perform add_7x_emp_D.
541             concatenate  wa_zfivms_brd-bankn_new '#' valid_input_as '#'
    wa_zfivms_brd-koinh_new  '#' l_spanasa '#'  into ist_ddata_nonsbi-span.
542             MOVE-CORRESPONDING ist_ddata_nonsbi to ist_ddata_nonsbi_ovl_
    e. "28062011
543             append ist_ddata_nonsbi_ovl_e.
544
545           elseif wa_zfivms_brd-status = 'RELEASE BY EMPLOYEE'.
546             perform add_7x_emp_D.
547             concatenate  wa_zfivms_brd-bankn_new '#' valid_input_as '#'
    wa_zfivms_brd-koinh_new  '#' l_spanasa '#'  into ist_ddata_nonsbi_s-span
    .
548             append ist_ddata_nonsbi_s.
549
550           elseif wa_zfivms_brd-status = 'RELEASE BY VMC'.
551             concatenate  wa_zfivms_brd-bankn_new '#' valid_input_as '#'
    wa_zfivms_brd-koinh_new  '#' wa_zfivms_brd-span '#'  into ist_ddata_nons
    bi-span.
552             append ist_ddata_nonsbi.
553
554             "addition by lipsy on 27.09.2012
555             elseif wa_zfivms_brd-status = 'RELEASE BY CMC'.
556              if wa_zfivms_brd-span+13(1) = 'D'."d is for deregistration
557             concatenate  wa_zfivms_brd-bankn_new '#' valid_input_as '#'
    wa_zfivms_brd-koinh_new  '#' wa_zfivms_brd-span '#'  into ist_ddata_nons
    bi-span.
558             append ist_ddata_nonsbi.
559             endif.
560             "end of addition  by lipsy on 27.09.2012
561           endif.
562         endif.
563       else.
564   * SBI
565         if wa_zfivms_brd-span ca 'R'.
566   * 18052012
567
568   * move-corresponding wa_zfivms_brd to ist_rdata_sbi.
569
570
571           if wa_zfivms_brd-status = 'RELEASE BY VMC FOR OVL'.
```

```
572             concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn
    _new '*' valid_input_as '*'  wa_zfivms_brd-span '*'  into ist_rdata_sbi-
    span.
573             MOVE-CORRESPONDING ist_rdata_sbi to ist_rdata_sbi_ovl. "0505
    2011
574             append ist_rdata_sbi_ovl.
575           elseif wa_zfivms_brd-status = 'RELEASE BY EMPLOYEE FOR OVL'. "
    28062011
576             perform add_7x_emp.
577             concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn
    _new '*' valid_input_as '*'  l_spanasa '*'  into ist_rdata_sbi-span.
578             MOVE-CORRESPONDING ist_rdata_sbi to ist_rdata_sbi_ovl_e.
579             append ist_rdata_sbi_ovl_e.
580           elseif wa_zfivms_brd-status = 'RELEASE BY EMPLOYEE'.
581             perform add_7x_emp.
582             concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn
    _new '*' valid_input_as '*'  l_spanasa  '*'  into ist_rdata_sbi_s-span.
583             append ist_rdata_sbi_s.
584           elseif wa_zfivms_brd-status = 'RELEASE BY VMC'.
585             concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn
    _new '*' valid_input_as '*'  wa_zfivms_brd-span '*'  into ist_rdata_sbi-
    span.
586             append ist_rdata_sbi.
587
588             "added by lipsy on 27.09.2012
589            elseif wa_zfivms_brd-status = 'RELEASE BY CMC'.
590              if wa_zfivms_brd-span+13(1) = 'R'."r is for registration
591             concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn
    _new '*' valid_input_as '*'  wa_zfivms_brd-span '*'  into ist_rdata_sbi-
    span.
592             append ist_rdata_sbi.
593             endif.
594             "end of addition by lipsy on 27.09.2012
595           endif.
596         elseif wa_zfivms_brd-span ca 'D'.
597  * 18052012
598
599           if wa_zfivms_brd-status = 'RELEASE BY VMC FOR OVL'.
600             concatenate wa_zfivms_brd-koinh_new  '#' '#' wa_zfivms_brd-b
    ankn_new '#' valid_input_as '#' wa_zfivms_brd-span '#'  into ist_ddata_s
    bi-span.
601             MOVE-CORRESPONDING ist_ddata_sbi to ist_ddata_sbi_ovl. "0505
    2011
602             append ist_ddata_sbi_ovl.
603           elseif wa_zfivms_brd-status = 'RELEASE BY EMPLOYEE FOR OVL'. "
    28062011
604             perform add_7x_emp_D.
605             concatenate wa_zfivms_brd-koinh_new  '#' '#' wa_zfivms_brd-b
    ankn_new '#' valid_input_as '#'  l_spanasa '#'  into ist_ddata_sbi-span.
606             MOVE-CORRESPONDING ist_ddata_sbi to ist_ddata_sbi_ovl_e.
607             append ist_ddata_sbi_ovl_e.
608           elseif wa_zfivms_brd-status = 'RELEASE BY EMPLOYEE'.
609             perform add_7x_emp_D.
610             concatenate wa_zfivms_brd-koinh_new  '#' '#' wa_zfivms_brd-b
    ankn_new '#' valid_input_as '#'  l_spanasa '#'  into ist_ddata_sbi_s-spa
    n.
611             append ist_ddata_sbi_s.
612           elseif wa_zfivms_brd-status = 'RELEASE BY VMC'.
613             concatenate wa_zfivms_brd-koinh_new  '#' '#' wa_zfivms_brd-b
    ankn_new '#' valid_input_as '#' wa_zfivms_brd-span '#'  into ist_ddata_s
    bi-span.
```

```
            append ist_ddata_sbi.

            "added by lipsy  on 27.09.2012
             elseif wa_zfivms_brd-status = 'RELEASE BY CMC'.
               if wa_zfivms_brd-span+13(1) = 'D'."D is for Deregistratio
n
            concatenate wa_zfivms_brd-koinh_new  '#' '#' wa_zfivms_brd-b
ankn_new '#' valid_input_as '#' wa_zfivms_brd-span '#'  into ist_ddata_s
bi-span.
            append ist_ddata_sbi.
            endif.

            "end of addition by lipsy on 27.09.2012
          endif.
        endif.
      endif.
    endloop.
* Employee Registration - D

    loop at ist_zfivms_brd into wa_zfivms_brd where status = 'RELEASE BY
 EMPLOYEE' .


**Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital sig
ning, Logging
*      if wa_zfivms_brd-bankl_new(4) = 'SBIN'.
*        valid_input_as = wa_zfivms_brd-bankl_new+6(5).
*      else.
*        valid_input_as = wa_zfivms_brd-bankl_new.
*      endif.
         clear  valid_input_as.
        valid_input_as = wa_zfivms_brd-bankl_new.
**End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signi
ng, Logging
     check valid_input_as is not INITIAL.
     "28.08.2014
      condense valid_input_as.
* NON SBI
**Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital sig
ning, Logging
*     if  valid_input_as ca valid_characters_as.
     if  valid_input_as+0(4) <> 'SBIN'.
**End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signi
ng, Logging

        if wa_zfivms_brd-span ca 'R'.
*          perform add_7x_emp.
          concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn_n
ew '*' valid_input_as '*'
          wa_zfivms_brd-street '*' wa_zfivms_brd-str_suppl1  '*' wa_zfiv
ms_brd-city1 '*' wa_zfivms_brd-tel_number '*' wa_zfivms_brd-span  '*'  i
nto ist_rdata_nonsbi_e-span.

          append ist_rdata_nonsbi_e.
        elseif wa_zfivms_brd-span ca 'D'.
*          perform add_7x_emp_D.
          concatenate  wa_zfivms_brd-bankn_new '#' valid_input_as '#' wa
_zfivms_brd-koinh_new  '#' wa_zfivms_brd-span '#'  into ist_ddata_nonsbi
_e-span.
          append ist_ddata_nonsbi_e.
        endif.
```

```
      else.
* SBI
        if wa_zfivms_brd-span ca 'R'.
*          perform add_7x_emp.
          concatenate wa_zfivms_brd-koinh_new  '*' wa_zfivms_brd-bankn_new '*' valid_input_as '*' wa_zfivms_brd-span '*'  into ist_rdata_sbi_e-span.
*         move-corresponding wa_zfivms_brd to ist_rdata_sbi.
          append ist_rdata_sbi_e.
        elseif wa_zfivms_brd-span ca 'D'.
*          perform add_7x_emp_D.
          concatenate wa_zfivms_brd-koinh_new  '#' '#' wa_zfivms_brd-bankn_new '#' valid_input_as '#' wa_zfivms_brd-span  '#' into ist_ddata_sbi_e-span.
          append ist_ddata_sbi_e.
        endif.
      endif.
    endloop.

  endif.
ENDFORM.                    " EXTRACT_DATA
*&---------------------------------------------------------------------*
*&      Form  GENERATE_FILE
*&---------------------------------------------------------------------*
*       text
*----------------------------------------------------------------------*
*  ---->  p1        text
*  <----  p2        text
*----------------------------------------------------------------------*
*FORM GENERATE_FILE .
FORM GENERATE_NEW_FORMAT .

 refresh: IST_94427 . "cvp-mum
 refresh: IST_93128 . "cep-ddn
 refresh:IST_30523  . "övl

  PERFORM vendor_filegen.
  PERFORM employee_filegen.

*  if g_filegen = 'X'.
*    message s411(zfi).
*  endif.

  refresh : ist_zfivms_brdtmp,ist_ddata_sbi_e,ist_rdata_sbi_e,ist_ddata_nonsbi_e,ist_rdata_nonsbi_e,ist_zfivms_brd,ist_zfivms_resend.



ENDFORM.                    " GENERATE_FILE
*&---------------------------------------------------------------------*
*&      Form  VENDOR_FILEGEN
*&---------------------------------------------------------------------*
*       text
*----------------------------------------------------------------------*
*  ---->  p1        text
*  <----  p2        text
*----------------------------------------------------------------------*
FORM VENDOR_FILEGEN .
* Data Declaration
  DATA : D_MSG_TEXT(50).

```

```
717
718
719  * SBI
720  * Begin of <> on 16072012
721    if not ist_rdata_sbi_s[] is initial.
722       append lines of ist_rdata_sbi_s to ist_rdata_sbi.
723    endif.
724  * End of <> on 16072012
725    describe table ist_rdata_sbi lines l_rsbi.
726    if l_rsbi > 0.
727  *    write sy-datum to g_date_rd DDMMYY.      "14022011
728      CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
729      g_time_rd = sy-uzeit.
730  * Begin of <RD1K976705> on 10062011 15062011
731  * Begin of <> on 24122010
732      select single fsnam corpid into (g_fsnam, g_corpid) from zfi_path wh
     ere sysid = syst-sysid
733                                                          and zbukr = 'MUM'.
734      if sy-subrc = 0.
735        concatenate g_fsnam '3P.'  g_date_rd '.' g_corpid '.txt' into g_fi
     lename1.
736      endif.
737  *    concatenate g_fsnam '3P.'  g_date_rd '.94427' '.txt' into g_filenam
     e1.   "16062011
738  *   concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/m
     um/' '3P.'  g_date_rd '.94427' '.txt' into g_filename1. "04052011
739  * End of <RD1K976705> on 10062011
740  *    concatenate '/usr/sap/syst-sysid/DigSignApp/data/output/signed/mum/
     ' '3P.'  g_date_rd '.94427' '.txt' into g_filename1. "11042011
741  *    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/mum/' '3P.'
       g_date_rd '.94427' '.txt' into g_filename1. "11042011
742  *    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/mum/' '3P'
      g_date_rd g_time_rd '.txt' into g_filename1.
743  * End of <> on 24122010
744
745
746  **Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30
     010502
747
748  *  ZVMSFILEGEN_CVP, MUM, 3P (SBI - Regis. )
749  *1==============================================================
750    IF p_payctr = 'CVP' .
751
752
753  ** Opening the File
754  *    open dataset g_filename1 for output in text mode ENCODING DEFAULT M
     ESSAGE D_MSG_TEXT.
755  ** Begin of <> on 04052011
756  *    IF SY-SUBRC NE 0.
757  *      WRITE: 'File cannot be opened. Reason:', D_MSG_TEXT.
758  *      EXIT.
759  *    ENDIF.
760  ** Transferring Data
761  ** End of <>
762  *    LOOP AT ist_rdata_sbi.
763  *      transfer ist_rdata_sbi to g_filename1.
764  *      g_filegen = 'X'.
765  *    ENDLOOP.
766  ** Closing the File
767  *    close dataset g_filename1.
768
```

```
    if ist_rdata_sbi[] is not INITIAL.
      perform PREPARE_NEW_FORMAT USING '3P' '94427' ist_rdata_sbi[] .
*      PERFORM DO_DS tables ist_rdata_sbi using sbi_filename .
    endif.

  ENDIF. " p_payctr = 'CVP' .


**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 3001 0502


    """""""""opened and commented by lipsy on 7.01.2013
    "commented by lipsy on 28.12.2012 <RD1K983099>
    "opened commented part on 27.09.2012
* Begin of Comment on 07082012
*    concatenate 'C:\SPAN\' 'R_SBI'  g_date_rd g_time_rd '.txt' into g_filename. "21122010 11042011 21062011 05072011
*
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                        = g_filename
*       FILETYPE                        = 'ASC'
**     WRITE_FIELD_SEPARATOR           = '*'
*     TABLES
*       DATA_TAB                        = ist_rdata_sbi
*    EXCEPTIONS
*      FILE_WRITE_ERROR                = 1
*      NO_BATCH                        = 2
*      GUI_REFUSE_FILETRANSFER         = 3
*      INVALID_TYPE                    = 4
*      NO_AUTHORITY                    = 5
*      UNKNOWN_ERROR                   = 6
*      HEADER_NOT_ALLOWED              = 7
*      SEPARATOR_NOT_ALLOWED           = 8
*      FILESIZE_NOT_ALLOWED            = 9
*      HEADER_TOO_LONG                 = 10
*      DP_ERROR_CREATE                 = 11
*      DP_ERROR_SEND                   = 12
*      DP_ERROR_WRITE                  = 13
*      UNKNOWN_DP_ERROR                = 14
*      ACCESS_DENIED                   = 15
*      DP_OUT_OF_MEMORY                = 16
*      DISK_FULL                       = 17
*      DP_TIMEOUT                      = 18
*      FILE_NOT_FOUND                  = 19
*      DATAPROVIDER_EXCEPTION          = 20
*      CONTROL_FLUSH_ERROR             = 21
*      OTHERS                          = 22.
*
*    IF SY-SUBRC <> 0.
*      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
*                 WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
*    ENDIF.

    "commented by lipsy on 28.12.2012 <RD1K983099>
    "opened and commented by lipsy on 7.01.2013
    "end of open 27.09.2012
* End of <> on 07082012
  endif.

```

```
* Begin of <> on 16072012
  if not ist_ddata_sbi_s[] is initial.
     append lines of ist_ddata_sbi_s to ist_ddata_sbi.
  endif.
* End of <> on 16072012
  describe table ist_ddata_sbi lines l_dsbi.
  if l_dsbi > 0.
*    write sy-datum to g_date_rd DDMMYY.         "14022011
    CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
    g_time_rd = sy-uzeit.

"opened  and commented by lipsy on 7.01.2013
    "commented by lipsy on 28.12.2012 <RD1K983099>
    "opened comment on 3.10.2012 for testing by lipsy
* Begin of Comment on 07082012
*     concatenate '/usr/sap/RP1/FIN/epay/send/mum/' 'D3P'  g_date_rd g_time_rd '.txt' into g_filename.
*    concatenate 'C:\SPAN\' 'D_SBI'  g_date_rd g_time_rd '.txt' into g_filename. "21122010   "11042011 21062011 05072011
*
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                        = g_filename
*       FILETYPE                        = 'ASC'
**     WRITE_FIELD_SEPARATOR           = ''
*     TABLES
*       DATA_TAB                        = ist_ddata_sbi
*    EXCEPTIONS
*      FILE_WRITE_ERROR                = 1
*      NO_BATCH                        = 2
*      GUI_REFUSE_FILETRANSFER         = 3
*      INVALID_TYPE                    = 4
*      NO_AUTHORITY                    = 5
*      UNKNOWN_ERROR                   = 6
*      HEADER_NOT_ALLOWED              = 7
*      SEPARATOR_NOT_ALLOWED           = 8
*      FILESIZE_NOT_ALLOWED            = 9
*      HEADER_TOO_LONG                 = 10
*      DP_ERROR_CREATE                 = 11
*      DP_ERROR_SEND                   = 12
*      DP_ERROR_WRITE                  = 13
*      UNKNOWN_DP_ERROR                = 14
*      ACCESS_DENIED                   = 15
*      DP_OUT_OF_MEMORY                = 16
*      DISK_FULL                       = 17
*      DP_TIMEOUT                      = 18
*      FILE_NOT_FOUND                  = 19
*      DATAPROVIDER_EXCEPTION          = 20
*      CONTROL_FLUSH_ERROR             = 21
*      OTHERS                          = 22.
*
*    IF SY-SUBRC <> 0.
*      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
*                 WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
*    ENDIF.
"opened and commented by lipsy on 7.01.2013
    "commented by lipsy on 28.12.2012 <RD1K983099>
    "end of open of comment by lipsy  on 3.10.2012
* End of <> on 07082012
* Begin of <> on 10062011
* Begin of <> on 24122010
```

```
    select single fsnam corpid into (g_fsnam, g_corpid) from zfi_path where sysid = syst-sysid
                                                                  and zbukr = 'MUM'.
    if sy-subrc = 0.
      concatenate g_fsnam  'D3P.'  g_date_rd '.' g_corpid '.txt' into g_filename1.
    endif.
*    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/mum/' 'D3P.'  g_date_rd '.94427' '.txt' into g_filename1. "11042011
* End of <> on 10062011
*    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/mum/' 'D3P.'  g_date_rd '.94427' '.txt' into g_filename1. "11042011
*    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/mum/' 'D3P'  g_date_rd g_time_rd '.txt' into g_filename1.
* End of <> on 24212010


**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502

** ZVMSFILEGEN_CVP, MUM, D3P (SBI - DeRegis. )
*2==============================================================

  IF p_payctr = 'CVP' .

**    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
**    lOOP AT ist_ddata_sbi.
**      transfer ist_ddata_sbi to g_filename1.
**      g_filegen = 'X'.
**    ENDLOOP.
**    close dataset g_filename1.

    if ist_ddata_sbi[] is not INITIAL.

      perform PREPARE_NEW_FORMAT USING 'D3P' '94427' ist_ddata_sbi[] .
*      PERFORM DO_DS tables ist_ddata_sbi using sbi_filename .

    endif.
  ENDIF. "  p_payctr = 'CVP' .
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502


    loop at ist_ddata_sbi into wa_ddata_sbi.
      split wa_ddata_sbi at  '#' into : wa_zfivms_brd-koinh_new  g_benf wa_zfivms_brd-bankn_new wa_zfivms_brd-bankl_new wa_zfivms_brd-span.
*       split wa_ddata_sbi at '#' into :  g_koinh g_benf g_bankn g_bankl g_status g_remarks g_span.
      update zfivms_resend set status = 'SENT TO SBI'
                              where span = wa_zfivms_brd-span.
    endloop.
  endif.

* NON SBI
  clear : l_rsbi , l_dsbi.
* Begin of <> on 16072012
  if not ist_rdata_nonsbi_s[] is initial.
     append lines of ist_rdata_nonsbi_s to ist_rdata_nonsbi.
  endif.
* End of <> on 16072012
  describe table ist_rdata_nonsbi lines l_rsbi.
```

```
  if l_rsbi > 0.
*    write sy-datum to g_date_rd DDMMYY.
     CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
     g_time_rd = sy-uzeit.
* Begin of <> on 10062011
* Begin of <> on 24122010
     select single fsnam corpid into (g_fsnam, g_corpid) from zfi_path where sysid = syst-sysid
                                                                  and zbukr = 'MUM'.
     concatenate g_fsnam  'IBTP.'  g_date_rd '.' g_corpid '.txt' into g_filename1.
*    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/mum/' 'IBTP.'  g_date_rd '.94427' '.txt' into g_filename1. "11042011
* End of <> 10062011
*    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/mum/' 'IBTP.'  g_date_rd '.94427' '.txt' into g_filename1."11042011 04052011
*    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/mum/' 'IBTP'  g_date_rd g_time_rd '.txt' into g_filename1.
* End of <> on 24212010


**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502
* ZVMSFILEGEN_CVP, MUM, IBTP (Non-SBI - Regis. )
*3==============================================================

  IF p_payctr = 'CVP' .

***    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
***    lOOP AT ist_rdata_nonsbi.
***      transfer ist_rdata_nonsbi to g_filename1.
***      g_filegen = 'X'.
***    ENDLOOP.
***    close dataset g_filename1.

     if ist_rdata_nonsbi[] is not INITIAL.
       perform PREPARE_NEW_FORMAT USING 'IBTP' '94427' ist_rdata_nonsbi[].
*      PERFORM DO_DS tables ist_rdata_nonsbi using sbi_filename .
     endif.

  ENDIF. " IF p_payctr = 'CVP'
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502


* 14102011 17102011 09052012

"opened and commented by lipsy on 7.01.2013
"commented by lipsy on 28.12.2012 <RD1K983099>
     "opened commented part 27.09.2012
* Begin of Comment on 07082012
*    concatenate '/usr/sap/RP1/FIN/epay/send/mum/' 'IBTP'  g_date_rd g_time_rd '.txt' into g_filename.
*    concatenate 'C:\SPAN\' 'R_NONSBI'  g_date_rd g_time_rd '.txt' into g_filename.                    "11042011 21062011 05072011
*
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                        = g_filename
```

```
*       FILETYPE                          = 'ASC'
**     WRITE_FIELD_SEPARATOR             = '*'
*     TABLES
*       DATA_TAB                          = ist_rdata_nonsbi
*    EXCEPTIONS
*      FILE_WRITE_ERROR                  = 1
*      NO_BATCH                          = 2
*      GUI_REFUSE_FILETRANSFER           = 3
*      INVALID_TYPE                      = 4
*      NO_AUTHORITY                      = 5
*      UNKNOWN_ERROR                     = 6
*      HEADER_NOT_ALLOWED                = 7
*      SEPARATOR_NOT_ALLOWED             = 8
*      FILESIZE_NOT_ALLOWED              = 9
*      HEADER_TOO_LONG                   = 10
*      DP_ERROR_CREATE                   = 11
*      DP_ERROR_SEND                     = 12
*      DP_ERROR_WRITE                    = 13
*      UNKNOWN_DP_ERROR                  = 14
*      ACCESS_DENIED                     = 15
*      DP_OUT_OF_MEMORY                  = 16
*      DISK_FULL                         = 17
*      DP_TIMEOUT                        = 18
*      FILE_NOT_FOUND                    = 19
*      DATAPROVIDER_EXCEPTION            = 20
*      CONTROL_FLUSH_ERROR               = 21
*      OTHERS                            = 22.
*
*    IF SY-SUBRC <> 0.
*      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
*                     WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
*    ENDIF.
"opened and commented by lipsy on 7.01.2013
"commented by lipsy on 28.12.2012 <RD1K983099>
  "end of open 27.09.2012
* End of <> on 07082012

* 14102011 17102011 090502012
  endif.
* Begin of <> on 16072012
  if not ist_ddata_nonsbi_s[] is initial.
     append lines of ist_ddata_nonsbi_s to ist_ddata_nonsbi.
  endif.
* End of <> on 16072012
  describe table ist_ddata_nonsbi lines l_dsbi.
  if l_dsbi > 0.
*    write sy-datum to g_date_rd DDMMYY.
     CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
     g_time_rd = sy-uzeit.
* Begin of <> on 10062011
* Begin of <> on 24122010
     select single fsnam corpid into (g_fsnam, g_corpid) from zfi_path where sysid = syst-sysid
                                                                  and zbukr = 'MUM'.
     if sy-subrc = 0.
       concatenate g_fsnam  'DIBTP.'  g_date_rd '.' g_corpid '.txt' into g_filename1.
     endif.
*    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/mum/' 'DIBTP.'  g_date_rd '.94427' '.txt' into g_filename1. "11042011
* End of <> 10062011
```

```
*    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/mum/' 'DIBTP.'  g_date_rd '.94427' '.txt' into g_filename1.        "11042011
*    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/mum/' 'DIBTP'  g_date_rd g_time_rd '.txt' into g_filename1.
* End of <> on 24122010


**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502

* ZVMSFILEGEN_CVP, MUM, DIBTP (Non-SBI - DeRegis. )
*4=================================================================

  IF p_payctr = 'CVP' .

***    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
***    lOOP AT ist_ddata_nonsbi.
***      transfer ist_ddata_nonsbi to g_filename1.
***      g_filegen = 'X'.
***    ENDLOOP.
***    close dataset g_filename1.

    if ist_ddata_nonsbi[] is not INITIAL.
      perform PREPARE_NEW_FORMAT USING 'DIBTP' '94427' ist_ddata_nonsbi[] .
*      PERFORM DO_DS tables ist_ddata_nonsbi using sbi_filename .
    endif.

  ENDIF. " IF p_payctr = 'CVP' .
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502

"opened and commented by lipsy on 7.01.2013
    "commented by lipsy on 28.12.2012 <RD1K983099>
    "opened comment for testing by lipsy on 3.10.2012
* Begin of Comment on 07082012
*     concatenate '/usr/sap/RP1/FIN/epay/send/mum/' 'DIBTP'  g_date_rd g_time_rd '.txt' into g_filename.
* Begin of <> on 21122010
*    concatenate 'C:\SPAN\' 'D_NONSBI'  g_date_rd g_time_rd '.txt' into g_filename. "21122010  "11042011 21062011 05072011
*
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                        = g_filename
*       FILETYPE                        = 'ASC'
*     WRITE_FIELD_SEPARATOR           = ''
*     TABLES
*       DATA_TAB                        = ist_ddata_nonsbi
*    EXCEPTIONS
*      FILE_WRITE_ERROR                = 1
*      NO_BATCH                        = 2
*      GUI_REFUSE_FILETRANSFER         = 3
*      INVALID_TYPE                    = 4
*      NO_AUTHORITY                    = 5
*      UNKNOWN_ERROR                   = 6
*      HEADER_NOT_ALLOWED              = 7
*      SEPARATOR_NOT_ALLOWED           = 8
*      FILESIZE_NOT_ALLOWED            = 9
*      HEADER_TOO_LONG                 = 10
```

```
*      DP_ERROR_CREATE                  = 11
*      DP_ERROR_SEND                    = 12
*      DP_ERROR_WRITE                   = 13
*      UNKNOWN_DP_ERROR                 = 14
*      ACCESS_DENIED                    = 15
*      DP_OUT_OF_MEMORY                 = 16
*      DISK_FULL                        = 17
*      DP_TIMEOUT                       = 18
*      FILE_NOT_FOUND                   = 19
*      DATAPROVIDER_EXCEPTION           = 20
*      CONTROL_FLUSH_ERROR              = 21
*      OTHERS                           = 22.
*
*    IF SY-SUBRC <> 0.
*      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
*                 WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
*    ENDIF.
   "opened and commented by lipsy on 7.01.2013
    "commented by lipsy on 28.12.2012 <RD1K983099>
    "end of open of comment by lipsy on 03.10.2012
    loop at ist_ddata_nonsbi into wa_ddata_nonsbi.
      split wa_ddata_nonsbi at  '#' into : wa_zfivms_brd-bankn_new wa_zfivms_brd-bankl_new wa_zfivms_brd-koinh_new  wa_zfivms_brd-span.

      update zfivms_resend set status = 'SENT TO SBI'
                          where span = wa_zfivms_brd-span.
*                             where span = wa_zfivms_brd-span.
    endloop.


  endif.
* Code Written for OVL Bank registration Date 02-05-2011
  clear : l_rsbi, l_dsbi.
* OVL SBI - R
* Begin of <RD1K977143> on 14072011
  if not ist_rdata_sbi_ovl_e[] is initial.
* End of <RD1K977143> on 14072011
    append lines of ist_rdata_sbi_ovl_e to ist_rdata_sbi_ovl.        "06072011
  endif.
  describe table ist_rdata_sbi_ovl lines l_rsbi.
  if l_rsbi > 0.
    CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
    g_time_rd = sy-uzeit.
* Begin of <> on 10062011
    select single fsnam corpid into (g_fsnam, g_corpid) from zfi_path where sysid = syst-sysid
                                                  and zbukr = 'OVL'.
    if sy-subrc = 0.
      concatenate g_fsnam  '3P.'  g_date_rd '.' g_corpid '.txt' into g_filename1. "16062011
*    concatenate g_fsnam  '3P.'  g_date_rd '.30523' '.txt' into g_filename1.  "16062011
    endif.
*    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/ovl/' '3P.'  g_date_rd '.30523' '.txt' into g_filename1.
* End of <> on 10062011

**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502

```

```
* ZVMSFILEGEN_OVL, OVL, 3P (SBI - Regis. )
*5==============================================================

  IF p_payctr = 'OVL' .

***    open dataset g_filename1 for output in text mode ENCODING DEFAULT .
***    lOOP AT ist_rdata_sbi_ovl.
***      transfer ist_rdata_sbi_ovl to g_filename1.
***      g_filegen = 'X'.
***    ENDLOOP.
***    close dataset g_filename1.

    if ist_rdata_sbi_ovl[] is not INITIAL.
      perform PREPARE_NEW_FORMAT USING '3P' '30523' ist_rdata_sbi_ovl[] .
    endif.

  ENDIF. " p_payctr = 'OVL' .
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502

    "opened and commented by lipsy on 7.01.2013
* Begin of Comment on 07082012
*    Concatenate 'C:\SPAN\' 'R_SBI_OVL'  g_date_rd g_time_rd '.txt' into g_filename. "05052011 "10062011 21062011 05072011 110711
*
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                        = g_filename
*       FILETYPE                        = 'ASC'
**      WRITE_FIELD_SEPARATOR           = '*'
*     TABLES
*       DATA_TAB                        = ist_rdata_sbi_ovl
*    EXCEPTIONS
*      FILE_WRITE_ERROR                = 1
*      NO_BATCH                        = 2
*      GUI_REFUSE_FILETRANSFER         = 3
*      INVALID_TYPE                    = 4
*      NO_AUTHORITY                    = 5
*      UNKNOWN_ERROR                   = 6
*      HEADER_NOT_ALLOWED              = 7
*      SEPARATOR_NOT_ALLOWED           = 8
*      FILESIZE_NOT_ALLOWED            = 9
*      HEADER_TOO_LONG                 = 10
*      DP_ERROR_CREATE                 = 11
*      DP_ERROR_SEND                   = 12
*      DP_ERROR_WRITE                  = 13
*      UNKNOWN_DP_ERROR                = 14
*      ACCESS_DENIED                   = 15
*      DP_OUT_OF_MEMORY                = 16
*      DISK_FULL                       = 17
*      DP_TIMEOUT                      = 18
*      FILE_NOT_FOUND                  = 19
*      DATAPROVIDER_EXCEPTION          = 20
*      CONTROL_FLUSH_ERROR             = 21
*      OTHERS                          = 22.
*
*    IF SY-SUBRC <> 0.
*      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
*                 WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
```

```
*    ENDIF.
* End of <> on 07082012
    "opened and commented by lipsy on 7.01.2013
  endif.


* SBI - D
  clear : l_rsbi, l_dsbi.                                "14072011 RD1K977143
* Begin of <RD1K977143> on 14072011
  if not ist_ddata_sbi_ovl_e[] is initial.
* End of <RD1K977143> on 14072011
    append lines of ist_ddata_sbi_ovl_e to ist_ddata_sbi_ovl.        "06072011
  endif.
  describe table ist_ddata_sbi_ovl lines l_dsbi.
  if l_dsbi > 0.
    CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
    g_time_rd = sy-uzeit.
* Begin of <> on 10062011
    select single fsnam corpid into (g_fsnam, g_corpid) from zfi_path where sysid = syst-sysid
                                                          and zbukr = 'OVL'.
    if sy-subrc = 0.
      concatenate g_fsnam  'D3P.'  g_date_rd '.' g_corpid '.txt' into g_filename1.
    endif.
*    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/ovl/' 'D3P.'  g_date_rd '.30523' '.txt' into g_filename1.
* End of <> on 10062011


**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502

* ZVMSFILEGEN_OVL, OVL, D3P (SBI - DeRegis. )
*6==============================================================

  IF p_payctr = 'OVL' .

***    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
***    lOOP AT ist_ddata_sbi_ovl.
***      transfer ist_ddata_sbi_ovl to g_filename1.
***      g_filegen = 'X'.
***    ENDLOOP.
***    close dataset g_filename1.

    if ist_ddata_sbi_ovl[] is not INITIAL.

      perform PREPARE_NEW_FORMAT USING 'D3P' '30523' ist_ddata_sbi_ovl[].

    endif.

  ENDIF. " p_payctr = 'OVL' .
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502


** Begin of Comment on 07082012
```

```
*
*    Concatenate 'C:\SPAN\' 'D_SBI_OVL'  g_date_rd g_time_rd '.txt' into g_filename. "05052011 21062011 05072011 11072011
*
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                        = g_filename
*       FILETYPE                        = 'ASC'
**      WRITE_FIELD_SEPARATOR           = '*'
*     TABLES
*       DATA_TAB                        = ist_ddata_sbi_ovl
*    EXCEPTIONS
*      FILE_WRITE_ERROR                = 1
*      NO_BATCH                        = 2
*      GUI_REFUSE_FILETRANSFER         = 3
*      INVALID_TYPE                    = 4
*      NO_AUTHORITY                    = 5
*      UNKNOWN_ERROR                   = 6
*      HEADER_NOT_ALLOWED              = 7
*      SEPARATOR_NOT_ALLOWED           = 8
*      FILESIZE_NOT_ALLOWED            = 9
*      HEADER_TOO_LONG                 = 10
*      DP_ERROR_CREATE                 = 11
*      DP_ERROR_SEND                   = 12
*      DP_ERROR_WRITE                  = 13
*      UNKNOWN_DP_ERROR                = 14
*      ACCESS_DENIED                   = 15
*      DP_OUT_OF_MEMORY                = 16
*      DISK_FULL                       = 17
*      DP_TIMEOUT                      = 18
*      FILE_NOT_FOUND                  = 19
*      DATAPROVIDER_EXCEPTION          = 20
*      CONTROL_FLUSH_ERROR             = 21
*      OTHERS                          = 22.
*
*    IF SY-SUBRC <> 0.
*      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
*                     WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
*    ENDIF.
* End of <> on 07082012

    loop at ist_ddata_sbi_ovl into wa_ddata_sbi.
      split wa_ddata_sbi at  '#' into : wa_zfivms_brd-koinh_new  g_benf wa_zfivms_brd-bankn_new wa_zfivms_brd-bankl_new wa_zfivms_brd-span.
      update zfivms_resend set status = 'SENT TO SBI'
                              where span = wa_zfivms_brd-span.
    endloop.
  endif.

* NON SBI - R
  clear : l_rsbi , l_dsbi.
* Begin of <RD1K977143> on 14072011
  if not ist_rdata_nonsbi_ovl_e[] is initial.
* End of <RD1K977143> on 14072011
    append lines of ist_rdata_nonsbi_ovl_e to ist_rdata_nonsbi_ovl.  "06072011
  endif.
  describe table ist_rdata_nonsbi_ovl lines l_rsbi.
  if l_rsbi > 0.
    CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
    g_time_rd = sy-uzeit.
```

```
* Begin of <> on 10062011
    select single fsnam corpid into (g_fsnam, g_corpid) from zfi_path where sysid = syst-sysid
                                                                  and zbukr = 'OVL'.
    if sy-subrc = 0.
      concatenate g_fsnam  'IBTP.'  g_date_rd '.' g_corpid '.txt' into g_filename1.
    endif.
*    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/ovl/' 'IBTP.'  g_date_rd '.30523' '.txt' into g_filename1.
* End of <> on 10062011



**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502

* ZVMSFILEGEN_OVL, OVL, IBTP (nonSBI - Regis. )
*7==============================================================

  IF p_payctr = 'OVL' .

***    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
***    lOOP AT ist_rdata_nonsbi_ovl. "ist_rdata_nonsbi. "19052011
***      transfer ist_rdata_nonsbi_ovl to g_filename1.
***      g_filegen = 'X'.
***    ENDLOOP.
***    close dataset g_filename1.

    if ist_rdata_nonsbi_ovl[] is not INITIAL.
      perform PREPARE_NEW_FORMAT USING 'IBTP' '30523' ist_rdata_nonsbi_ovl[] .
    endif.

  ENDIF. " p_payctr = 'OVL' .
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502


    "opened and commented by lipsy on 7.01.2013

* Begin of Comment on 07082012

*    Concatenate 'C:\SPAN\' 'R_NONSBI_OVL'  g_date_rd g_time_rd '.txt' into g_filename. "04052011 21062011 05072011 11072011
**
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                        = g_filename
*       FILETYPE                        = 'ASC'
**     WRITE_FIELD_SEPARATOR           = '*'
*     TABLES
*       DATA_TAB                        = ist_rdata_nonsbi_ovl
*    EXCEPTIONS
*      FILE_WRITE_ERROR                = 1
*      NO_BATCH                        = 2
*      GUI_REFUSE_FILETRANSFER         = 3
*      INVALID_TYPE                    = 4
*      NO_AUTHORITY                    = 5
*      UNKNOWN_ERROR                   = 6
```

```
1374  *      HEADER_NOT_ALLOWED                = 7
1375  *      SEPARATOR_NOT_ALLOWED             = 8
1376  *      FILESIZE_NOT_ALLOWED              = 9
1377  *      HEADER_TOO_LONG                   = 10
1378  *      DP_ERROR_CREATE                   = 11
1379  *      DP_ERROR_SEND                     = 12
1380  *      DP_ERROR_WRITE                    = 13
1381  *      UNKNOWN_DP_ERROR                  = 14
1382  *      ACCESS_DENIED                     = 15
1383  *      DP_OUT_OF_MEMORY                  = 16
1384  *      DISK_FULL                         = 17
1385  *      DP_TIMEOUT                        = 18
1386  *      FILE_NOT_FOUND                    = 19
1387  *      DATAPROVIDER_EXCEPTION            = 20
1388  *      CONTROL_FLUSH_ERROR               = 21
1389  *      OTHERS                            = 22.
1390  *
1391  *    IF SY-SUBRC <> 0.
1392  *      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
1393  *                 WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
1394  *    ENDIF.
1395  * End of <> on 07082012
1396  "opened and commented by lipsy on 7.01.2013
1397    endif.
1398  * NON SBI - D
1399    clear : l_rsbi, l_dsbi.                          "14072011 RD1K9771
      43
1400  * Begin of <RD1K977143> on 14072011
1401    if not ist_ddata_nonsbi_ovl_e[] is initial.
1402  * End of <RD1K977143> on 14072011
1403      append lines of ist_ddata_nonsbi_ovl_e to ist_ddata_nonsbi_ovl.  "06
      072011
1404    endif.
1405    describe table ist_ddata_nonsbi_ovl lines l_dsbi.
1406    if l_dsbi > 0.
1407      CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
1408      g_time_rd = sy-uzeit.
1409  * Begin of <> on 10062011
1410      select single fsnam corpid into (g_fsnam, g_corpid) from zfi_path wh
      ere sysid = syst-sysid
1411                                                     and zbukr = 'OVL'.
1412      if sy-subrc = 0.
1413        concatenate g_fsnam  'DIBTP.'  g_date_rd '.' g_corpid '.txt' into
      g_filename1.
1414      endif.
1415  *    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/
      ovl/' 'DIBTP.'  g_date_rd '.30523' '.txt' into g_filename1.
1416  * End of <> on 10062011
1417
1418  **Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30
      010502
1419
1420  * ZVMSFILEGEN_OVL, OVL, DIBTP (nonSBI - DeRegis. )
1421  *8==============================================================
1422
1423    IF p_payctr = 'OVL' .
1424
1425  ***    open dataset g_filename1 for output in text mode ENCODING DEFAULT
      .
1426  ***    lOOP AT ist_ddata_nonsbi_ovl. "ist_ddata_nonsbi. 19052011
1427  ****      transfer ist_ddata_nonsbi to g_filename1.     19052011
```

```
1428  ***      transfer ist_ddata_nonsbi_ovl  to g_filename1.
1429  ***      g_filegen = 'X'.
1430  ***    ENDLOOP.
1431  ***    close dataset g_filename1.
1432
1433      if ist_ddata_nonsbi_ovl[] is not INITIAL.
1434
1435        perform PREPARE_NEW_FORMAT USING 'DIBTP' '30523' ist_ddata_nonsbi_
      ovl[] .
1436
1437      endif.
1438
1439    ENDIF. " p_payctr = 'OVL' .
1440  **End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 3001
      0502
1441
1442
1443  * Begin of Comment on 07082012
1444
1445  *    Concatenate 'C:\SPAN\' 'D_NONSBI_OVL'  g_date_rd g_time_rd '.txt' i
      nto g_filename. "05052011 21062011 11072011
1446  **
1447  *    CALL FUNCTION 'GUI_DOWNLOAD'
1448  *     EXPORTING
1449  *       FILENAME                        = g_filename
1450  *       FILETYPE                        = 'ASC'
1451  **     WRITE_FIELD_SEPARATOR           = '*'
1452  *     TABLES
1453  *       DATA_TAB                        = ist_ddata_nonsbi_ovl
1454  *    EXCEPTIONS
1455  *      FILE_WRITE_ERROR                = 1
1456  *      NO_BATCH                        = 2
1457  *      GUI_REFUSE_FILETRANSFER         = 3
1458  *      INVALID_TYPE                    = 4
1459  *      NO_AUTHORITY                    = 5
1460  *      UNKNOWN_ERROR                   = 6
1461  *      HEADER_NOT_ALLOWED              = 7
1462  *      SEPARATOR_NOT_ALLOWED           = 8
1463  *      FILESIZE_NOT_ALLOWED            = 9
1464  *      HEADER_TOO_LONG                 = 10
1465  *      DP_ERROR_CREATE                 = 11
1466  *      DP_ERROR_SEND                   = 12
1467  *      DP_ERROR_WRITE                  = 13
1468  *      UNKNOWN_DP_ERROR                = 14
1469  *      ACCESS_DENIED                   = 15
1470  *      DP_OUT_OF_MEMORY                = 16
1471  *      DISK_FULL                       = 17
1472  *      DP_TIMEOUT                      = 18
1473  *      FILE_NOT_FOUND                  = 19
1474  *      DATAPROVIDER_EXCEPTION          = 20
1475  *      CONTROL_FLUSH_ERROR             = 21
1476  *      OTHERS                          = 22.
1477  *
1478  *    IF SY-SUBRC <> 0.
1479  *      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
1480  *                    WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
1481  *    ENDIF.
1482  * End of <> on 07082012
1483
1484      loop at ist_ddata_nonsbi_ovl into wa_ddata_nonsbi.
1485        split wa_ddata_nonsbi at  '#' into : wa_zfivms_brd-bankn_new wa_zf
```

```
ivms_brd-bankl_new wa_zfivms_brd-koinh_new  wa_zfivms_brd-span.

      update zfivms_resend set status = 'SENT TO SBI'
                            where span = wa_zfivms_brd-span.
    endloop.

  endif.

* End of Logic for OVL

**Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging
*  describe table ist_zfivms_brd lines l_stat.
*  if l_stat > 0.
** Begin of <> on 26082011
*    update zfivmsbank set status = 'SENT TO SBI'
*                            where vmc_apdate = p_date
*                              and status in ('RELEASE BY VMC' , 'RELEASE BY EMPLOYEE' , 'RELEASE BY VMC FOR OVL', 'RELEASE BY EMPLOYEE FOR OVL').
**    update zfivmsbank set status = 'SENT TO SBI'
**                              where vmc_apdate = p_date.
** End of <> on 26082011
*
*    "added by lipsy on 27.09.2012
*     update zsdcust_bank set status = 'SENT TO SBI'
*                            where chon = p_date
*                              and status = 'RELEASE BY CMC'.
*    "end of addition by lipsy on 27.09.2012
*  endif.

**End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging


* End of <> on 21122010
ENDFORM.                      " VENDOR_FILEGEN
*&---------------------------------------------------------------------*
*&      Form  EMPLOYEE_FILEGEN
*&---------------------------------------------------------------------*
*       text
*----------------------------------------------------------------------*
*  -->  p1        text
*  <--  p2        text
*----------------------------------------------------------------------*
FORM EMPLOYEE_FILEGEN .
* SBI
  describe table ist_rdata_sbi_e lines l_rsbi.
  if l_rsbi > 0.
*    write sy-datum to g_date_rd DDMMYY.           "14022011
    CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
    g_time_rd = sy-uzeit.
* Begin of <> on 10062011
    select single fsnam into g_fsnam from zfi_path where sysid = syst-sysid
                                                      and zbukr = 'DDN'.
    concatenate g_fsnam  '3P.'  g_date_rd '.93128' '.txt' into g_filename1.

*    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/ddn/' '3P.'  g_date_rd '.93128' '.txt' into g_filename1. "11042011
* End of <> 10062011
```

```
*    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/ddn/' '3P.' g_date_rd '.93128' '.txt' into g_filename1. "11042011


**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502

* ZVMSFILEGEN_CEP, CEP, 3P (SBI - Regis. )
*9==============================================================
  IF p_payctr = 'CEP' .

***    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
***    lOOP AT ist_rdata_sbi_e.
***      transfer ist_rdata_sbi_e to g_filename1.
***      g_filegen = 'X'.
***    ENDLOOP.
***    close dataset g_filename1.

    if ist_rdata_sbi_e[] is not INITIAL.

      perform PREPARE_NEW_FORMAT USING '3P' '93128' ist_rdata_sbi_e[] .

    endif.

  ENDIF. " p_payctr = 'CEP .
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502


    "opened and commented by lipsy on 7.01.2013
* Begin of Comment on 07082012

*    concatenate 'C:\SPAN\' 'R_SBI_E'  g_date_rd g_time_rd '.txt' into g_filename.   "11042011 "21062011 291211 27012012
*
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                        = g_filename
*       FILETYPE                        = 'ASC'
**      WRITE_FIELD_SEPARATOR           = '*'
*     TABLES
*       DATA_TAB                        = ist_rdata_sbi_e
*    EXCEPTIONS
*      FILE_WRITE_ERROR                = 1
*      NO_BATCH                        = 2
*      GUI_REFUSE_FILETRANSFER         = 3
*      INVALID_TYPE                    = 4
*      NO_AUTHORITY                    = 5
*      UNKNOWN_ERROR                   = 6
*      HEADER_NOT_ALLOWED              = 7
*      SEPARATOR_NOT_ALLOWED           = 8
*      FILESIZE_NOT_ALLOWED            = 9
*      HEADER_TOO_LONG                 = 10
*      DP_ERROR_CREATE                 = 11
*      DP_ERROR_SEND                   = 12
*      DP_ERROR_WRITE                  = 13
*      UNKNOWN_DP_ERROR                = 14
*      ACCESS_DENIED                   = 15
*      DP_OUT_OF_MEMORY                = 16
*      DISK_FULL                       = 17
```

```
*      DP_TIMEOUT                        = 18
*      FILE_NOT_FOUND                    = 19
*      DATAPROVIDER_EXCEPTION            = 20
*      CONTROL_FLUSH_ERROR               = 21
*      OTHERS                            = 22.
*
*    IF SY-SUBRC <> 0.
*      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
*                    WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
*    ENDIF.
* End of <> on 07082012
"opened and commented by lipsy on 7.01.2013
  endif.

  describe table ist_ddata_sbi_e lines l_dsbi.
  if l_dsbi > 0.
*    write sy-datum to g_date_rd DDMMYY.         "14022011
    CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
    g_time_rd = sy-uzeit.

* Begin of Comment on 07082012

*    concatenate 'C:\SPAN\' 'D_SBI_E'  g_date_rd g_time_rd '.txt' into g
_filename. "21122010  "11042011 21060211 291211 27012012
*
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                         = g_filename
*       FILETYPE                         = 'ASC'
**      WRITE_FIELD_SEPARATOR            = ''
*     TABLES
*       DATA_TAB                         = ist_ddata_sbi_e
*    EXCEPTIONS
*      FILE_WRITE_ERROR                  = 1
*      NO_BATCH                          = 2
*      GUI_REFUSE_FILETRANSFER           = 3
*      INVALID_TYPE                      = 4
*      NO_AUTHORITY                      = 5
*      UNKNOWN_ERROR                     = 6
*      HEADER_NOT_ALLOWED                = 7
*      SEPARATOR_NOT_ALLOWED             = 8
*      FILESIZE_NOT_ALLOWED              = 9
*      HEADER_TOO_LONG                   = 10
*      DP_ERROR_CREATE                   = 11
*      DP_ERROR_SEND                     = 12
*      DP_ERROR_WRITE                    = 13
*      UNKNOWN_DP_ERROR                  = 14
*      ACCESS_DENIED                     = 15
*      DP_OUT_OF_MEMORY                  = 16
*      DISK_FULL                         = 17
*      DP_TIMEOUT                        = 18
*      FILE_NOT_FOUND                    = 19
*      DATAPROVIDER_EXCEPTION            = 20
*      CONTROL_FLUSH_ERROR               = 21
*      OTHERS                            = 22.
*
*    IF SY-SUBRC <> 0.
*      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
*                    WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
*    ENDIF.
* End of <> on 07082012
```

```
* Begin of <> on 10062011
    select single fsnam into g_fsnam from zfi_path where sysid = syst-sysid
                                                        and zbukr = 'DDN'.
    concatenate g_fsnam  'D3P.'  g_date_rd '.93128' '.txt' into g_filename1.
*    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/ddn/' 'D3P.'  g_date_rd '.93128' '.txt' into g_filename1.
* End of <> on 10062011
*    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/ddn/' 'D3P.'  g_date_rd '.93128' '.txt' into g_filename1. "11042011


**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502

* ZVMSFILEGEN_CEP, CEP, D3P (SBI - DeRegis. )
*10==============================================================
  IF p_payctr = 'CEP' .

***    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
***    lOOP AT ist_ddata_sbi_e.
***      transfer ist_ddata_sbi_e to g_filename1.
***      g_filegen = 'X'.
***    ENDLOOP.
***    close dataset g_filename1.

    if ist_ddata_sbi_e[] is not INITIAL.

      perform PREPARE_NEW_FORMAT USING 'D3P' '93128' ist_ddata_sbi_e[] .

    endif.

  ENDIF. " p_payctr = 'CEP' .
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502


  endif.

* NON SBI
  clear : l_rsbi , l_dsbi.
  describe table ist_rdata_nonsbi_e lines l_rsbi.
  if l_rsbi > 0.
*    write sy-datum to g_date_rd DDMMYY.    "14022011
    CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
    g_time_rd = sy-uzeit.
* Begin of <> on 10062011
    select single fsnam into g_fsnam from zfi_path where sysid = syst-sysid
                                                        and zbukr = 'DDN'.
    concatenate g_fsnam  'IBTP.'  g_date_rd '.93128' '.txt' into g_filename1.
*    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/ddn/' 'IBTP.'  g_date_rd '.93128' '.txt' into g_filename1. "11042011
* End of <> 10062011
*    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/ddn/' 'IBTP.'  g_date_rd '.93128' '.txt' into g_filename1. "11042011


```

```
**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502

* ZVMSFILEGEN_CEP, CEP, IBTP (nonSBI - Regis. )
*11==============================================================
  IF p_payctr = 'CEP' .

***    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
***    lOOP AT ist_rdata_nonsbi_e.
***      transfer ist_rdata_nonsbi_e to g_filename1.
***      g_filegen = 'X'.
***    ENDLOOP.
***    close dataset g_filename1.

    if ist_rdata_nonsbi_e[] is not INITIAL.

      perform PREPARE_NEW_FORMAT USING 'IBTP' '93128' ist_rdata_nonsbi_e[] .

    endif.

  ENDIF. " p_payctr = 'CEP' .
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502


    "opened and commented by lipsy on 7.01.2013

* Begin of Comment on 07082012

*    concatenate 'C:\SPAN\' 'R_NONSBI_E'  g_date_rd g_time_rd '.txt' into g_filename.  "11042011 21062011
*
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                        = g_filename
*       FILETYPE                        = 'ASC'
**     WRITE_FIELD_SEPARATOR           = '*'
*     TABLES
*       DATA_TAB                        = ist_rdata_nonsbi_e
*    EXCEPTIONS
*      FILE_WRITE_ERROR                = 1
*      NO_BATCH                        = 2
*      GUI_REFUSE_FILETRANSFER         = 3
*      INVALID_TYPE                    = 4
*      NO_AUTHORITY                    = 5
*      UNKNOWN_ERROR                   = 6
*      HEADER_NOT_ALLOWED              = 7
*      SEPARATOR_NOT_ALLOWED           = 8
*      FILESIZE_NOT_ALLOWED            = 9
*      HEADER_TOO_LONG                 = 10
*      DP_ERROR_CREATE                 = 11
*      DP_ERROR_SEND                   = 12
*      DP_ERROR_WRITE                  = 13
*      UNKNOWN_DP_ERROR                = 14
*      ACCESS_DENIED                   = 15
*      DP_OUT_OF_MEMORY                = 16
*      DISK_FULL                       = 17
*      DP_TIMEOUT                      = 18
*      FILE_NOT_FOUND                  = 19
```

```
*      DATAPROVIDER_EXCEPTION          = 20
*      CONTROL_FLUSH_ERROR             = 21
*      OTHERS                          = 22.
*
*    IF SY-SUBRC <> 0.
*      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
*                     WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
*    ENDIF.
* End of <> on 07082012

"opened and commented by lipsy on 7.01.2013
  endif.

  describe table ist_ddata_nonsbi_e lines l_dsbi.
  if l_dsbi > 0.
*    write sy-datum to g_date_rd DDMMYY.           "14022011
    CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
    g_time_rd = sy-uzeit.
* Begin of <> on 10062011
    select single fsnam into g_fsnam from zfi_path where sysid = syst-sysid
                                                        and zbukr = 'DDN'.
    concatenate g_fsnam  'DIBTP.'  g_date_rd '.93128' '.txt' into g_filename1.
*    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/ddn/' 'DIBTP.'  g_date_rd '.93128' '.txt' into g_filename1. "11042011
* End of <> on 10062011
*    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/ddn/' 'DIBTP.'  g_date_rd '.93128' '.txt' into g_filename1.        "11042011

**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502

* ZVMSFILEGEN_CEP, CEP, DIBTP (nonSBI - DeRegis. )
*12==============================================================
  IF p_payctr = 'CEP' .

***    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
***    lOOP AT ist_ddata_nonsbi_e.
***      transfer ist_ddata_nonsbi_e to g_filename1.
***      g_filegen = 'X'.
***    ENDLOOP.
***    close dataset g_filename1.

    if ist_ddata_nonsbi_e[] is not INITIAL.

      perform PREPARE_NEW_FORMAT USING 'DIBTP' '93128' ist_ddata_nonsbi_e[] .

    endif.

  ENDIF. " p_payctr = 'CEP' .
**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502


* Begin of Comment on 07082012

*    concatenate 'C:\SPAN\' 'D_NONSBI_E'  g_date_rd g_time_rd '.txt' into g_filename.   "11042011 21062011
```

```
*
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                        = g_filename
*       FILETYPE                        = 'ASC'
**     WRITE_FIELD_SEPARATOR           = ''
*     TABLES
*       DATA_TAB                        = ist_ddata_nonsbi_e
*    EXCEPTIONS
*      FILE_WRITE_ERROR                = 1
*      NO_BATCH                        = 2
*      GUI_REFUSE_FILETRANSFER         = 3
*      INVALID_TYPE                    = 4
*      NO_AUTHORITY                    = 5
*      UNKNOWN_ERROR                   = 6
*      HEADER_NOT_ALLOWED              = 7
*      SEPARATOR_NOT_ALLOWED           = 8
*      FILESIZE_NOT_ALLOWED            = 9
*      HEADER_TOO_LONG                 = 10
*      DP_ERROR_CREATE                 = 11
*      DP_ERROR_SEND                   = 12
*      DP_ERROR_WRITE                  = 13
*      UNKNOWN_DP_ERROR                = 14
*      ACCESS_DENIED                   = 15
*      DP_OUT_OF_MEMORY                = 16
*      DISK_FULL                       = 17
*      DP_TIMEOUT                      = 18
*      FILE_NOT_FOUND                  = 19
*      DATAPROVIDER_EXCEPTION          = 20
*      CONTROL_FLUSH_ERROR             = 21
*      OTHERS                          = 22.
*
*    IF SY-SUBRC <> 0.
*      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
*                  WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
*    ENDIF.
* End of <> on 07082012
  endif.

* OVL Employee
  clear :  l_rsbi , l_dsbi.
* Begin of <> on 06072011
* SBI
*  describe table ist_rdata_sbi_ovl_e lines l_rsbi.
*  if l_rsbi > 0.
**    write sy-datum to g_date_rd DDMMYY.           "14022011
*    CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
*    g_time_rd = sy-uzeit.
** Begin of <> on 10062011
*     select single fsnam corpid into (g_fsnam, g_corpid) from zfi_path where sysid = syst-sysid
*                                                  and zbukr = 'OVL'.
*    if sy-subrc = 0.
*      concatenate g_fsnam  '3P.' g_date_rd '.' g_corpid '.txt' into g_filename1.
*    endif.
**    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/ddn/' '3P.'  g_date_rd '.93128' '.txt' into g_filename1. "11042011
** End of <> 10062011
**    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/ddn/' '3P.'  g_date_rd '.93128' '.txt' into g_filename1. "11042011
```

```
*
*
*    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
*    lOOP AT ist_rdata_sbi_ovl_e.
*      transfer ist_rdata_sbi_ovl_e to g_filename1.
*    ENDLOOP.
*    close dataset g_filename1.
*
*    concatenate 'C:\SPAN\' 'R_SBI_OVL_E'  g_date_rd g_time_rd '.txt' in to g_filename.
*
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                        = g_filename
*       FILETYPE                        = 'ASC'
**     WRITE_FIELD_SEPARATOR           = '*'
*     TABLES
*       DATA_TAB                        = ist_rdata_sbi_ovl_e
*    EXCEPTIONS
*      FILE_WRITE_ERROR                = 1
*      NO_BATCH                        = 2
*      GUI_REFUSE_FILETRANSFER         = 3
*      INVALID_TYPE                    = 4
*      NO_AUTHORITY                    = 5
*      UNKNOWN_ERROR                   = 6
*      HEADER_NOT_ALLOWED              = 7
*      SEPARATOR_NOT_ALLOWED           = 8
*      FILESIZE_NOT_ALLOWED            = 9
*      HEADER_TOO_LONG                 = 10
*      DP_ERROR_CREATE                 = 11
*      DP_ERROR_SEND                   = 12
*      DP_ERROR_WRITE                  = 13
*      UNKNOWN_DP_ERROR                = 14
*      ACCESS_DENIED                   = 15
*      DP_OUT_OF_MEMORY                = 16
*      DISK_FULL                       = 17
*      DP_TIMEOUT                      = 18
*      FILE_NOT_FOUND                  = 19
*      DATAPROVIDER_EXCEPTION          = 20
*      CONTROL_FLUSH_ERROR             = 21
*      OTHERS                          = 22.
*
*    IF SY-SUBRC <> 0.
*      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
*                 WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
*    ENDIF.
*  endif.

*  describe table ist_ddata_sbi_ovl_e lines l_dsbi.
*  if l_dsbi > 0.

**    write sy-datum to g_date_rd DDMMYY.         "14022011
*    CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
*    g_time_rd = sy-uzeit.
*
*    concatenate 'C:\SPAN\' 'D_SBI_OVL_E'  g_date_rd g_time_rd '.txt' in to g_filename. "21122010  "11042011 21060211
*
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                        = g_filename
```

```
1930  *       FILETYPE                          = 'ASC'
1931  **     WRITE_FIELD_SEPARATOR             = ''
1932  *     TABLES
1933  *       DATA_TAB                          = ist_ddata_sbi_ovl_e
1934  *    EXCEPTIONS
1935  *      FILE_WRITE_ERROR                  = 1
1936  *      NO_BATCH                          = 2
1937  *      GUI_REFUSE_FILETRANSFER           = 3
1938  *      INVALID_TYPE                      = 4
1939  *      NO_AUTHORITY                      = 5
1940  *      UNKNOWN_ERROR                     = 6
1941  *      HEADER_NOT_ALLOWED                = 7
1942  *      SEPARATOR_NOT_ALLOWED             = 8
1943  *      FILESIZE_NOT_ALLOWED              = 9
1944  *      HEADER_TOO_LONG                   = 10
1945  *      DP_ERROR_CREATE                   = 11
1946  *      DP_ERROR_SEND                     = 12
1947  *      DP_ERROR_WRITE                    = 13
1948  *      UNKNOWN_DP_ERROR                  = 14
1949  *      ACCESS_DENIED                     = 15
1950  *      DP_OUT_OF_MEMORY                  = 16
1951  *      DISK_FULL                         = 17
1952  *      DP_TIMEOUT                        = 18
1953  *      FILE_NOT_FOUND                    = 19
1954  *      DATAPROVIDER_EXCEPTION            = 20
1955  *      CONTROL_FLUSH_ERROR               = 21
1956  *      OTHERS                            = 22.
1957  *
1958  *    IF SY-SUBRC <> 0.
1959  *      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
1960  *                 WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
1961  *    ENDIF.
1962  ** Begin of <> on 10062011
1963  *     select single fsnam corpid into (g_fsnam, g_corpid) from zfi_path
      where sysid = syst-sysid
1964  *                                                  and zbukr = 'OVL'.
1965  *    if sy-subrc = 0.
1966  *      concatenate g_fsnam  'D3P.' g_date_rd '.' g_corpid '.txt' into g_
      filename1.
1967  *    endif.
1968  *
1969  **    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed
      /ddn/' 'D3P.'  g_date_rd '.93128' '.txt' into g_filename1.
1970  ** End of <> on 10062011
1971  **    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/ddn/' 'D3P
      .'  g_date_rd '.93128' '.txt' into g_filename1. "11042011
1972  *
1973  *
1974  *    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
1975  *    lOOP AT ist_ddata_sbi_ovl_e.
1976  *      transfer ist_ddata_sbi_ovl_e to g_filename1.
1977  *    ENDLOOP.
1978  *    close dataset g_filename1.
1979  *
1980  *  endif.
1981
1982  * NON SBI
1983  *  clear : l_rsbi , l_dsbi.
1984  *  describe table ist_rdata_nonsbi_ovl_e lines l_rsbi.
1985  *  if l_rsbi > 0.
1986  **    write sy-datum to g_date_rd DDMMYY.    "14022011
```

```
*    CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
*    g_time_rd = sy-uzeit.
** Begin of <> on 10062011
*   select single fsnam corpid into (g_fsnam, g_corpid) from zfi_path where sysid = syst-sysid
*                                                          and zbukr = 'OVL'.
*    if sy-subrc = 0.
*      concatenate g_fsnam  'IBTP.' g_date_rd '.' g_corpid '.txt' into g_filename1.
*    endif.
*
**    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/ddn/' 'IBTP.'  g_date_rd '.93128' '.txt' into g_filename1. "11042011
** End of <> 10062011
**    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/ddn/' 'IBTP.'  g_date_rd '.93128' '.txt' into g_filename1. "11042011
*
*    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
*    lOOP AT ist_rdata_nonsbi_ovl_e.
*      transfer ist_rdata_nonsbi_ovl_e to g_filename1.
*    ENDLOOP.
*    close dataset g_filename1.

*    concatenate 'C:\SPAN\' 'R_NONSBI_OVL_E'  g_date_rd g_time_rd '.txt' into g_filename.  "11042011 21062011
*
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                        = g_filename
*       FILETYPE                        = 'ASC'
**     WRITE_FIELD_SEPARATOR           = '*'
*     TABLES
*       DATA_TAB                        = ist_rdata_nonsbi_ovl_e
*    EXCEPTIONS
*      FILE_WRITE_ERROR                = 1
*      NO_BATCH                        = 2
*      GUI_REFUSE_FILETRANSFER         = 3
*      INVALID_TYPE                    = 4
*      NO_AUTHORITY                    = 5
*      UNKNOWN_ERROR                   = 6
*      HEADER_NOT_ALLOWED              = 7
*      SEPARATOR_NOT_ALLOWED           = 8
*      FILESIZE_NOT_ALLOWED            = 9
*      HEADER_TOO_LONG                 = 10
*      DP_ERROR_CREATE                 = 11
*      DP_ERROR_SEND                   = 12
*      DP_ERROR_WRITE                  = 13
*      UNKNOWN_DP_ERROR                = 14
*      ACCESS_DENIED                   = 15
*      DP_OUT_OF_MEMORY                = 16
*      DISK_FULL                       = 17
*      DP_TIMEOUT                      = 18
*      FILE_NOT_FOUND                  = 19
*      DATAPROVIDER_EXCEPTION          = 20
*      CONTROL_FLUSH_ERROR             = 21
*      OTHERS                          = 22.
*
*    IF SY-SUBRC <> 0.
*      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
*                 WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
*    ENDIF.
```

```
*  endif.
*
*  describe table ist_ddata_nonsbi_ovl_e lines l_dsbi.
*  if l_dsbi > 0.
**    write sy-datum to g_date_rd DDMMYY.           "14022011
*    CONCATENATE SY-DATUM+6(2) SY-DATUM+4(2) SY-DATUM(4) into g_date_rd.
*    g_time_rd = sy-uzeit.
** Begin of <> on 10062011
*    select single fsnam corpid into (g_fsnam, g_corpid) from zfi_path where sysid = syst-sysid
*                                                          and zbukr = 'OVL'.
*    if sy-subrc = 0.
*      concatenate g_fsnam  'DIBTP.' g_date_rd '.' g_corpid '.txt' into g_filename1.
*    endif.
*
**    concatenate '/usr/sap/' syst-sysid '/DigSignApp/data/output/signed/ddn/' 'DIBTP.'  g_date_rd '.93128' '.txt' into g_filename1. "11042011
** End of <> on 10062011
**    concatenate '/usr/sap/RD1/DigSignApp/data/output/signed/ddn/' 'DIBTP.'  g_date_rd '.93128' '.txt' into g_filename1.        "11042011
*
*    open dataset g_filename1 for output in text mode ENCODING DEFAULT.
*    lOOP AT ist_ddata_nonsbi_ovl_e.
*      transfer ist_ddata_nonsbi_ovl_e to g_filename1.
*    ENDLOOP.
*    close dataset g_filename1.
*
*
*    concatenate 'C:\SPAN\' 'D_NONSBI_OVL_E'  g_date_rd g_time_rd '.txt' into g_filename.   "11042011 21062011
*
*    CALL FUNCTION 'GUI_DOWNLOAD'
*     EXPORTING
*       FILENAME                        = g_filename
*       FILETYPE                        = 'ASC'
**      WRITE_FIELD_SEPARATOR           = ''
*     TABLES
*       DATA_TAB                        = ist_ddata_nonsbi_ovl_e
*    EXCEPTIONS
*      FILE_WRITE_ERROR                = 1
*      NO_BATCH                        = 2
*      GUI_REFUSE_FILETRANSFER         = 3
*      INVALID_TYPE                    = 4
*      NO_AUTHORITY                    = 5
*      UNKNOWN_ERROR                   = 6
*      HEADER_NOT_ALLOWED              = 7
*      SEPARATOR_NOT_ALLOWED           = 8
*      FILESIZE_NOT_ALLOWED            = 9
*      HEADER_TOO_LONG                 = 10
*      DP_ERROR_CREATE                 = 11
*      DP_ERROR_SEND                   = 12
*      DP_ERROR_WRITE                  = 13
*      UNKNOWN_DP_ERROR                = 14
*      ACCESS_DENIED                   = 15
*      DP_OUT_OF_MEMORY                = 16
*      DISK_FULL                       = 17
*      DP_TIMEOUT                      = 18
*      FILE_NOT_FOUND                  = 19
*      DATAPROVIDER_EXCEPTION          = 20
*      CONTROL_FLUSH_ERROR             = 21
```

```
*      OTHERS                          = 22.
*
*    IF SY-SUBRC <> 0.
*      MESSAGE ID SY-MSGID TYPE SY-MSGTY NUMBER SY-MSGNO
*                    WITH SY-MSGV1 SY-MSGV2 SY-MSGV3 SY-MSGV4.
*    ENDIF.
*  endif.
* End of <> 06072011
ENDFORM.                    " EMPLOYEE_FILEGEN
*&---------------------------------------------------------------------*
*&      Form  GET_ONGC_EMLPOYEE_DETAILS
*&---------------------------------------------------------------------*
*       text
*----------------------------------------------------------------------*
*  -->  p1        text
*  <--  p2        text
*----------------------------------------------------------------------*
FORM GET_ONGC_EMLPOYEE_DETAILS .
  data : l_begdate type pa0009-begda,
         l_strlen  type n,
         l_line(2) type n,
         l_enddate type pa0009-endda value '99991231',
         l_endda(10),
         l_begda(10).
* Begin of <> on 15022012
  CONCATENATE 'EMP0000000000R00' wa_pa0009-pernr into wa_zfivms_brd-span.
*  CONCATENATE '0000000000000R00' wa_pa0009-pernr into wa_zfivms_brd-span.
* End of <> on 15022012

**Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging
*  if wa_pa0009-bankl(4) = 'SBIN'.
*    wa_zfivms_brd-BANKL_NEW = wa_pa0009-bankl+6(5).
*  else.
*    wa_zfivms_brd-BANKL_NEW = wa_pa0009-bankl.
*  endif.
    wa_zfivms_brd-BANKL_NEW = wa_pa0009-bankl.
**End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging

  wa_zfivms_brd-bankn_new = wa_pa0009-bankn.

  if not wa_pa0009-emftx is initial.
    wa_zfivms_brd-koinh_new = wa_pa0009-emftx.
  else.
    select single ename from pa0001 into wa_zfivms_brd-koinh_new where pernr = wa_pa0009-pernr.
  endif.
**Begin 26.05.2014 RD1K991769 CAB_ALOK CR 30010502:Beneficiary file-digital signing, Logging

*REPLACE ALL OCCURRENCES OF '.' IN wa_zfivms_brd-koinh_new WITH space.
*translate
    TRANSLATE wa_zfivms_brd-koinh_new USING trans_string.

**End RD1K991769 CAB_ALOK  CR 30010502:Beneficiary file-digital signing, Logging
```

```
  select single zphone from pa9205 into wa_zfivms_brd-tel_number where pernr = wa_pa0009-pernr and subty = '01'.

  wa_zfivms_brd-vmc_apdate = wa_pa0009-aedtm . " wa_pa0009-begda. 301211

  wa_zfivms_brd-STATUS     = 'RELEASE BY EMPLOYEE'.

  select * from pa0006 into table ist_pa0006 where pernr = wa_pa0009-pernr
                                                 and anssa in ('1', '3' )
                                                 and endda = l_enddate. "' 31.12.9999'.
  read table ist_pa0006 into wa_pa0006 with key anssa = '1'.
  if sy-subrc = 0.
    if not wa_pa0006-name2 is initial.
      wa_zfivms_brd-STREET = 'ONGC'.                "wa_pa0006-name2. 290911
      wa_zfivms_brd-CITY1  = 'DEHRADUN'.            "wa_pa0006-ort01. 290911
      if not wa_pa0006-stras is initial.
        wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.    "wa_pa0006-stras. 290911
      else.
        wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
      endif.
    else.
      read table ist_pa0006 into wa_pa0006 with key anssa = '3'.
      if sy-subrc = 0.
        if not wa_pa0006-name2 is initial.
          wa_zfivms_brd-STREET = 'ONGC'.            "wa_pa0006-name2. 290911
          wa_zfivms_brd-CITY1  = 'DEHRADUN'.        "wa_pa0006-ort01. 290911
          if not wa_pa0006-stras is initial.
            wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.  "wa_pa0006-stras. 290911
          else.
            wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
          endif.
        else.
          wa_zfivms_brd-CITY1  = 'DEHRADUN'.          "wa_pa0006-ort01. 290911
          if not wa_pa0006-stras is initial.
            wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.  "wa_pa0006-stras. 290911
          else.
            wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
          endif.
          wa_zfivms_brd-STREET = 'ONGC'.
        endif.
* Begin of <> on 30052012
      else.
        wa_zfivms_brd-STREET = 'ONGC'.
        wa_zfivms_brd-CITY1  = 'DEHRADUN'.
        wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
* End of <> on 30052012
      endif.
    endif.
  endif.
* Begin of <> on 20062011 21062011
  refresh ist_zfivms_brd1.
```

```
  select * from zfivms_brd into corresponding fields of table  ist_zfivms_brd1 where span = wa_zfivms_brd-span.
  if sy-subrc = 0.
* Begin of <> on 22052012
    clear l_line.
    describe table ist_zfivms_brd1 lines l_line.
    shift l_line left deleting leading '0'.                  "16072012
    if l_line > 0.
      read table ist_zfivms_brd1 into wa_zfivms_brd1 with key seqno = l_line.
      if sy-subrc <> 0.
        read table ist_zfivms_brd1 into wa_zfivms_brd1 index 1.
      endif.
*    sort ist_zfivms_brd1 descending by seqno.
*    read table ist_zfivms_brd1 into wa_zfivms_brd1 index 1.
* End of <> on 22052012
      if sy-subrc = 0.
        wa_zfivms_brd-seqno = wa_zfivms_brd1-seqno + 1.
      endif.
    endif.
    modify zfivms_brd  from wa_zfivms_brd .
*     update zfivms_brd set seqno = wa_zfivms_brd-seqno
*                           BANKL_NEW = wa_zfivms_brd-BANKL_NEW
*                           BANKN_NEW  = wa_zfivms_brd-BANKn_NEW
*                           KOINH_NEW  = wa_zfivms_brd-KOINH_NEW
*                           STREET     = wa_zfivms_brd-STREET
*                           STR_SUPPL1 = wa_zfivms_brd-STR_SUPPL1
*                           TEL_NUMBER = wa_zfivms_brd-TEL_NUMBER
*                           CITY1      = wa_zfivms_brd-CITY1
*                           VMC_APDATE = wa_zfivms_brd-VMC_APDATE
*                           VMC_APTIME = wa_zfivms_brd-VMC_APTIME
*                           STATUS     = wa_zfivms_brd-STATUS
*                           REMARKS    = wa_zfivms_brd-REMARKS
*                       where span = wa_zfivms_brd-span .
  else.
* End of <> on 20062011
    wa_zfivms_brd-seqno = 1.
    modify zfivms_brd  from wa_zfivms_brd .
  endif.
  .     "ENDDA

**Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging
*  if sy-subrc = 0.
*    update pa0009 set flag1 = 'R' where pernr = wa_pa0009-pernr and endda =  l_enddate and subty = '0'.
*  endif.

*  update pa0009        "FLAG2
*    set flag2 = 'X'
*      where pernr = wa_pa0009-pernr
*        and endda =  l_enddate
*        and subty = '0'.
*  wa_pa0009t-FLAG2 = 'X'.

  wa_pa0009-FLAG1 = 'R'.
 APPEND wa_pa0009 TO IST_pa0009_ONGC.
**1234
* data: WA_ZPA0009 type ZPA0009.

* WA_ZPA0009 = wa_pa0009.
```

```
* WA_ZPA0009-flag_read = 'Q'.
* insert  ZPA0009 FROM  WA_ZPA0009.
**1234
**End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging

  clear : wa_zfivms_brd , wa_zfivms_brd1.
*    append wa_zfivms_brd to ist_zfivms_brd.     "ENDDA

  l_begdate = wa_pa0009-begda - 1.
**Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging
  clear wa_pa0009t.
**End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging

**Begin RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502
*  select single * from pa0009 into wa_pa0009t where  pernr = wa_pa0009-pernr and endda = l_begdate  "begda = p_date and
*                                          and subty = '0'." and zlsch in ('S','N'). 20062011
  select single *
    from pa0009
      into wa_pa0009t
        where pernr = wa_pa0009-pernr
          and subty = '0'
          and endda = l_begdate
          and ( flag1 = '' or flag1 = 'S' or flag1 = 'F').
*          and FLAG2 = ''.

**End RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502


  if sy-subrc = 0.
* Begin of <> on 15022012
    CONCATENATE 'EMP0000000000D00' wa_pa0009t-pernr into wa_zfivms_brd-span.
*    CONCATENATE '0000000000000D00' wa_pa0009t-pernr into wa_zfivms_brd-span.
* End of <> on 15022012

**Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging
*    if wa_pa0009t-bankl(4) = 'SBIN'.
*      wa_zfivms_brd-BANKL_NEW = wa_pa0009t-bankl+6(5).
*    else.
*      wa_zfivms_brd-BANKL_NEW = wa_pa0009t-bankl.
*    endif.

      wa_zfivms_brd-BANKL_NEW = wa_pa0009t-bankl.
**End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging


    wa_zfivms_brd-bankn_new = wa_pa0009t-bankn.

    if not wa_pa0009t-emftx is initial.
      wa_zfivms_brd-koinh_new = wa_pa0009t-emftx.
    else.
```

```
      select single ename from pa0001 into wa_zfivms_brd-koinh_new where pernr = wa_pa0009t-pernr.
    endif.
**Begin 26.05.2014 RD1K991769 CAB_ALOK CR 30010502:Beneficiary file-digital signing, Logging

*REPLACE ALL OCCURRENCES OF '.' IN wa_zfivms_brd-koinh_new WITH space.
*translate
    TRANSLATE wa_zfivms_brd-koinh_new USING trans_string.
**End RD1K991769 CAB_ALOK  CR 30010502:Beneficiary file-digital signing, Logging

    select single zphone from pa9205 into wa_zfivms_brd-tel_number where pernr = wa_pa0009-pernr and subty = '01'.

    wa_zfivms_brd-vmc_apdate = wa_pa0009-aedtm . " wa_pa0009-begda. 301211

    wa_zfivms_brd-STATUS = 'RELEASE BY EMPLOYEE'.

    refresh ist_pa0006.
    select * from pa0006 into table ist_pa0006 where pernr = wa_pa0009t-pernr
                                                     and anssa in ('1', '3')
                                                     and endda = l_enddate. "'31.12.9999'.
    read table ist_pa0006 into wa_pa0006 with key anssa = '1'.
    if sy-subrc = 0.
      if not wa_pa0006-name2 is initial.
        wa_zfivms_brd-STREET = 'ONGC'.              "wa_pa0006-name2.
        wa_zfivms_brd-CITY1  = 'DEHRADUN'.          "wa_pa0006-ort01.
        if not wa_pa0006-stras is initial.
          wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.  "wa_pa0006-stras.  290911
        else.
          wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
        endif.
      else.
        read table ist_pa0006 into wa_pa0006 with key anssa = '3'.
        if sy-subrc = 0.
          if not wa_pa0006-name2 is initial.
            wa_zfivms_brd-STREET = 'ONGC'.              "wa_pa0006-name2.
            wa_zfivms_brd-CITY1  = 'DEHRADUN'.          "wa_pa0006-ort01.
            if not wa_pa0006-stras is initial.
              wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.  "wa_pa0006-stras.
            else.
              wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
            endif.
          else.
            wa_zfivms_brd-CITY1  = 'DEHRADUN'.          "wa_pa0006-ort01.
            if not wa_pa0006-stras is initial.
              wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.  "wa_pa0006-stras.
            else.
              wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
            endif.
```

```
2357              wa_zfivms_brd-STREET = 'ONGC'.
2358            endif.
2359          endif.
2360        endif.
2361      endif.
2362  * Begin of <> on 20062011 21062011
2363      refresh ist_zfivms_brd1.
2364      select * from zfivms_brd into corresponding fields of table  ist_zfi
      vms_brd1 where span = wa_zfivms_brd-span.
2365      if sy-subrc = 0.
2366  * Begin of <> on 22052012
2367        clear l_line.
2368        describe table ist_zfivms_brd1 lines l_line.
2369        shift l_line left deleting leading '0'.               "16072012
2370        if l_line > 0.
2371          read table ist_zfivms_brd1 into wa_zfivms_brd1 with key seqno =
      l_line.
2372          if sy-subrc <> 0.
2373            read table ist_zfivms_brd1 into wa_zfivms_brd1 index 1.
2374          endif.
2375  *       sort ist_zfivms_brd1 descending by seqno.
2376  *       read table ist_zfivms_brd1 into wa_zfivms_brd1 index 1.
2377          if sy-subrc = 0.
2378            wa_zfivms_brd-seqno = wa_zfivms_brd1-seqno + 1.
2379          endif.
2380        endif.
2381        modify zfivms_brd  from wa_zfivms_brd .
2382  *     update zfivms_brd set seqno = wa_zfivms_brd-seqno
2383  *                           BANKL_NEW = wa_zfivms_brd-BANKL_NEW
2384  *                           BANKN_NEW  = wa_zfivms_brd-BANKn_NEW
2385  *                           KOINH_NEW  = wa_zfivms_brd-KOINH_NEW
2386  *                           STREET     = wa_zfivms_brd-STREET
2387  *                           STR_SUPPL1 = wa_zfivms_brd-STR_SUPPL1
2388  *                           TEL_NUMBER = wa_zfivms_brd-TEL_NUMBER
2389  *                           CITY1      = wa_zfivms_brd-CITY1
2390  *                           VMC_APDATE = wa_zfivms_brd-VMC_APDATE
2391  *                           VMC_APTIME = wa_zfivms_brd-VMC_APTIME
2392  *                           STATUS     = wa_zfivms_brd-STATUS
2393  *                           REMARKS    = wa_zfivms_brd-REMARKS
2394  *                       where span = wa_zfivms_brd-span .
2395      else.
2396  * End of <> on 20062011
2397        wa_zfivms_brd-seqno = 1.
2398        modify zfivms_brd from wa_zfivms_brd .     "ENDDA
2399
2400      endif.
2401
2402  **Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital sig
      ning, Logging
2403  *    if sy-subrc = 0.
2404  *      update pa0009 set flag1 = 'D' where pernr = wa_pa0009t-pernr and
      endda =  l_begdate and subty = '0'.
2405  **      clear : wa_zfivms_brd , wa_zfivms_brd1.
2406  *    endif.
2407
2408  *  update pa0009
2409  *    set flag2 = 'X'
2410  *    where pernr = wa_pa0009t-pernr
2411  *       and endda =  l_begdate
2412  *       and subty = '0'.
2413  *  wa_pa0009t-FLAG2 = 'X'.
```

```
2414
2415   wa_pa0009t-FLAG1 = 'D'.
2416   APPEND wa_pa0009t TO IST_pa0009_ONGC.
2417
2418  *1234
2419  * data: W_ZPA0009 type ZPA0009.
2420
2421  * W_ZPA0009 = wa_pa0009.
2422  * W_ZPA0009-flag_read = 'Q'.
2423  * insert  ZPA0009 FROM  W_ZPA0009.
2424  *1234
2425
2426  **End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signi
      ng, Logging
2427
2428      clear : wa_zfivms_brd , wa_zfivms_brd1.
2429    endif.
2430
2431  ENDFORM.                    " GET_ONGC_EMLPOYEE_DETAILS
2432  *&---------------------------------------------------------------------*
2433  *&      Form  GET_OVL_EMLPOYEE_DETAILS
2434  *&---------------------------------------------------------------------*
2435  *       text
2436  *---------------------------------------------------------------------*
2437  *  -->  p1        text
2438  *  <--  p2        text
2439  *---------------------------------------------------------------------*
2440  FORM GET_OVL_EMLPOYEE_DETAILS .
2441    data : l_begdate type pa0009-begda,
2442           l_strlen  type n,
2443           l_line(2) type n,
2444           l_enddate type pa0009-endda value '99991231',
2445           l_endda(10),
2446           l_begda(10).
2447  * Begin of <> on 15022012
2448    CONCATENATE 'EMP0000000000R00' wa_pa0009-pernr into wa_zfivms_brd-span
      .
2449  * CONCATENATE '0000000000000R00' wa_pa0009-pernr into wa_zfivms_brd-span
      .
2450  * End of <> on 15022012
2451
2452  **Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital sig
      ning, Logging
2453  *  if wa_pa0009-bankl(4) = 'SBIN'.
2454  *    wa_zfivms_brd-BANKL_NEW = wa_pa0009-bankl+6(5).
2455  *  else.
2456  *    wa_zfivms_brd-BANKL_NEW = wa_pa0009-bankl.
2457  *  endif.
2458
2459      wa_zfivms_brd-BANKL_NEW = wa_pa0009-bankl.
2460  **End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signi
      ng, Logging
2461
2462    wa_zfivms_brd-bankn_new = wa_pa0009-bankn.
2463
2464    if not wa_pa0009-emftx is initial.
2465      wa_zfivms_brd-koinh_new = wa_pa0009-emftx.
2466    else.
2467      select single ename from pa0001 into wa_zfivms_brd-koinh_new where p
      ernr = wa_pa0009-pernr.
2468    endif.
```

```
2469
2470  **Begin 26.05.2014 RD1K991769 CAB_ALOK CR 30010502:Beneficiary file-digi
      tal signing, Logging
2471
2472  *REPLACE ALL OCCURRENCES OF '.' IN wa_zfivms_brd-koinh_new WITH space.
2473  *translate
2474      TRANSLATE wa_zfivms_brd-koinh_new USING trans_string.
2475
2476  **End RD1K991769 CAB_ALOK  CR 30010502:Beneficiary file-digital signing,
       Logging
2477
2478    select single zphone from pa9205 into wa_zfivms_brd-tel_number where p
      ernr = wa_pa0009-pernr and subty = '01'.
2479
2480    wa_zfivms_brd-vmc_apdate = wa_pa0009-aedtm . " wa_pa0009-begda. 301211
      .
2481
2482    wa_zfivms_brd-STATUS     = 'RELEASE BY EMPLOYEE FOR OVL'.
2483
2484    select * from pa0006 into table ist_pa0006 where pernr = wa_pa0009-per
      nr
2485                                                and anssa in ('1', '3' )
2486                                                and endda = l_enddate. "'
      31.12.9999'.
2487    read table ist_pa0006 into wa_pa0006 with key anssa = '1'.
2488    if sy-subrc = 0.
2489      if not wa_pa0006-name2 is initial.
2490        wa_zfivms_brd-STREET = 'ONGC'.              "wa_pa0006-name2.
2491        wa_zfivms_brd-CITY1  = 'DEHRADUN'.          "wa_pa0006-ort01.
2492        if not wa_pa0006-stras is initial.
2493          wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.  "wa_pa0006-stras.
2494        else.
2495          wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
2496        endif.
2497      else.
2498        wa_zfivms_brd-STREET = 'ONGC'.
2499        if not wa_pa0006-stras is initial.
2500          wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.   "wa_pa0006-stras.
2501        else.
2502          wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
2503        endif.
2504      endif.
2505    else.
2506      read table ist_pa0006 into wa_pa0006 with key anssa = '3'.
2507      if sy-subrc = 0.
2508        if not wa_pa0006-name2 is initial.
2509          wa_zfivms_brd-STREET = 'ONGC'.              "wa_pa0006-name2.
2510          wa_zfivms_brd-CITY1  = 'DEHRADUN'.          "wa_pa0006-ort01.
2511          if not wa_pa0006-stras is initial.
2512            wa_zfivms_brd-STR_SUPPL1 ='TEL BHAVAN'.      " wa_pa0006-stras
      .
2513          else.
2514            wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
2515          endif.
2516        else.
2517          wa_zfivms_brd-CITY1  = 'DEHRADUN'.              "wa_pa0006-ort01
      .
2518          if not wa_pa0006-stras is initial.
2519            wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.  "wa_pa0006-stras.
2520          else.
2521            wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
```

```
2522          endif.
2523          wa_zfivms_brd-STREET = 'ONGC'.
2524        endif.
2525  * Begin of <> on 30052012
2526      else.
2527        wa_zfivms_brd-STREET = 'ONGC'.
2528        wa_zfivms_brd-CITY1  = 'DEHRADUN'.
2529        wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
2530  * End of <> on 30052012
2531      endif.
2532    endif.
2533
2534  *Begin of <> on 20062011 21062011
2535    refresh ist_zfivms_brd1.
2536    select * from zfivms_brd into corresponding fields of table  ist_zfivm
      s_brd1 where span = wa_zfivms_brd-span.
2537    if sy-subrc = 0.
2538  * Begin of <> on 22052012
2539      clear l_line.
2540      describe table ist_zfivms_brd1 lines l_line.
2541      shift l_line left deleting leading '0'.                  "16072012
2542      if l_line > 0.
2543        read table ist_zfivms_brd1 into wa_zfivms_brd1 with key seqno = l_
      line.
2544        if sy-subrc <> 0.
2545          read table ist_zfivms_brd1 into wa_zfivms_brd1 index 1.
2546        endif.
2547  *    sort ist_zfivms_brd1 descending by seqno.
2548  *    read table ist_zfivms_brd1 into wa_zfivms_brd1 index 1.
2549        if sy-subrc = 0.
2550          wa_zfivms_brd-seqno = wa_zfivms_brd1-seqno + 1.
2551        endif.
2552      endif.
2553      modify zfivms_brd  from wa_zfivms_brd .
2554    else.
2555  * End of <> on 20062011
2556      wa_zfivms_brd-seqno = 1.
2557      modify zfivms_brd  from wa_zfivms_brd .
2558    endif.
2559  *  modify zfivms_brd from wa_zfivms_brd .     "ENDDA
2560
2561  **Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital sig
      ning, Logging
2562  *  if sy-subrc = 0.
2563  *    update pa0009 set flag1 = 'R' where pernr = wa_pa0009-pernr and end
      da =  l_enddate and subty = '0'.
2564  *    clear : wa_zfivms_brd  .                                "21062011
2565  *  endif.
2566
2567  *  update pa0009
2568  *  set flag2 = 'X'
2569  *  where pernr = wa_pa0009-pernr
2570  *    and endda =  l_enddate
2571  *    and subty = '0'.
2572  *  wa_pa0009-FLAG2 = 'X'.
2573
2574    wa_pa0009-FLAG1 = 'R'.
2575   APPEND wa_pa0009 TO IST_pa0009_OVL.
2576  **End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signi
      ng, Logging
2577
```

```
  clear : wa_zfivms_brd , wa_zfivms_brd1  .
*    append wa_zfivms_brd to ist_zfivms_brd.     "ENDDA

  l_begdate = wa_pa0009-begda - 1.
**Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging
  clear wa_pa0009t.
**End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging
*  select single * from pa0009 into wa_pa0009t where  pernr = wa_pa0009-pernr "30062011
*                                                  and endda = l_begdate "begda = p_date and
*                                                  and subty = '0'. " and zlsch in ('S','N','8','9'). "('S','N'). 20062011 20062011
     select single *
     from pa0009
       into wa_pa0009t
         where pernr = wa_pa0009-pernr
           and subty = '0'
           and endda = l_begdate
           and ( flag1 = '' or flag1 = 'S' or flag1 = 'F').
*           and FLAG2 = ''.

  if sy-subrc = 0.
* Begin of <> on 15022012
     CONCATENATE 'EMP0000000000D00' wa_pa0009t-pernr into wa_zfivms_brd-span.
*    CONCATENATE '0000000000000D00' wa_pa0009t-pernr into wa_zfivms_brd-span.
* End of <> on 15022012

**Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging
*    if wa_pa0009t-bankl(4) = 'SBIN'.
*      wa_zfivms_brd-BANKL_NEW = wa_pa0009t-bankl+6(5).
*    else.
*      wa_zfivms_brd-BANKL_NEW = wa_pa0009t-bankl.
*    endif.
      wa_zfivms_brd-BANKL_NEW = wa_pa0009t-bankl.
**End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging

     wa_zfivms_brd-bankn_new = wa_pa0009t-bankn.

     if not wa_pa0009t-emftx is initial.
       wa_zfivms_brd-koinh_new = wa_pa0009t-emftx.
     else.
       select single ename from pa0001 into wa_zfivms_brd-koinh_new where pernr = wa_pa0009t-pernr.
     endif.

**Begin 26.05.2014 RD1K991769 CAB_ALOK CR 30010502:Beneficiary file-digital signing, Logging

*REPLACE ALL OCCURRENCES OF '.' IN wa_zfivms_brd-koinh_new WITH space.
*translate
     TRANSLATE wa_zfivms_brd-koinh_new USING trans_string.

**End RD1K991769 CAB_ALOK  CR 30010502:Beneficiary file-digital signing, Logging
```

```
2627
2628
2629      select single zphone from pa9205 into wa_zfivms_brd-tel_number where
       pernr = wa_pa0009-pernr and subty = '01'.
2630
2631      wa_zfivms_brd-vmc_apdate = wa_pa0009-aedtm . " wa_pa0009-begda. 3012
      11
2632
2633      wa_zfivms_brd-STATUS = 'RELEASE BY EMPLOYEE FOR OVL'.
2634
2635      refresh ist_pa0006.
2636      select * from pa0006 into table ist_pa0006 where pernr = wa_pa0009t-
      pernr
2637                                                  and anssa in ('1', '3'
       )
2638                                                  and endda = l_enddate.
      "'31.12.9999'.
2639      read table ist_pa0006 into wa_pa0006 with key anssa = '1'.
2640      if sy-subrc = 0.
2641        if not wa_pa0006-name2 is initial.
2642          wa_zfivms_brd-STREET = 'ONGC'.     "wa_pa0006-name2.
2643          wa_zfivms_brd-CITY1  = 'DEHRADUN'. "wa_pa0006-ort01.
2644          if not wa_pa0006-stras is initial.
2645            wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'. "wa_pa0006-stras.
2646          else.
2647            wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
2648          endif.
2649        else.
2650          read table ist_pa0006 into wa_pa0006 with key anssa = '3'.
2651          if sy-subrc = 0.
2652            if not wa_pa0006-name2 is initial.
2653              wa_zfivms_brd-STREET ='ONGC'. " wa_pa0006-name2.
2654              wa_zfivms_brd-CITY1  = 'DEHRADUN'. "wa_pa0006-ort01.
2655              if not wa_pa0006-stras is initial.
2656                wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'. "wa_pa0006-stras.
2657              else.
2658                wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
2659              endif.
2660            else.
2661              wa_zfivms_brd-CITY1  ='DEHRADUN'. " wa_pa0006-ort01.
2662              if not wa_pa0006-stras is initial.
2663                wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'. "wa_pa0006-stras.
2664              else.
2665                wa_zfivms_brd-STR_SUPPL1 = 'TEL BHAVAN'.
2666              endif.
2667              wa_zfivms_brd-STREET = 'ONGC'.
2668            endif.
2669          endif.
2670        endif.
2671      endif.
2672  *Begin of <> on 20062011 21062011
2673      refresh ist_zfivms_brd1.
2674      select * from zfivms_brd into corresponding fields of table  ist_zfi
      vms_brd1 where span = wa_zfivms_brd-span.
2675      if sy-subrc = 0.
2676  * Begin of <> on 22052012
2677        clear l_line.
2678        describe table ist_zfivms_brd1 lines l_line.
2679        shift l_line left deleting leading '0'.               "16072012
2680        if l_line > 0.
2681          read table ist_zfivms_brd1 into wa_zfivms_brd1 with key seqno =
```

```
l_line.
        if sy-subrc <> 0.
          read table ist_zfivms_brd1 into wa_zfivms_brd1 index 1.
        endif.
*      sort ist_zfivms_brd1 descending by seqno.
*      read table ist_zfivms_brd1 into wa_zfivms_brd1 index 1.
        if sy-subrc = 0.
          wa_zfivms_brd-seqno = wa_zfivms_brd1-seqno + 1.
        endif.
      endif.
* End of <> on 22052012
      modify zfivms_brd  from wa_zfivms_brd .
    else.
* End of <> on 20062011
      wa_zfivms_brd-seqno = 1.
      modify zfivms_brd  from wa_zfivms_brd .
    endif.
*    modify zfivms_brd from wa_zfivms_brd .     "ENDDA

**Begin RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging
*    if sy-subrc = 0.
*      update pa0009 set flag1 = 'D' where pernr = wa_pa0009t-pernr and endda =  l_begdate and subty = '0'.
*      clear : wa_zfivms_brd .                                "21062011
*    endif.

*  update pa0009
*    set flag2 = 'X'
*      where pernr = wa_pa0009t-pernr
*        and endda =  l_begdate
*        and subty = '0'.
*  wa_pa0009t-FLAG2 = 'X'.

  wa_pa0009t-FLAG1 = 'D'.

 APPEND wa_pa0009t TO IST_pa0009_OVL.
**End RD1K991769 CAB_ALOK     CR 30010502:Beneficiary file-digital signing, Logging

    clear : wa_zfivms_brd , wa_zfivms_brd1  .
  endif.
ENDFORM.                    " GET_OVL_EMLPOYEE_DETAILS
*&---------------------------------------------------------------------*
*&      Form  CHECK_REQ_VALUE
*&---------------------------------------------------------------------*
*       text
*----------------------------------------------------------------------*
*  -->  p1        text
*  <--  p2        text
*----------------------------------------------------------------------*
FORM CHECK_REQ_VALUE .
  if p_date is initial and s_span is initial.
    message e434(zfi).
  endif.
ENDFORM.                    " CHECK_REQ_VALUE
*&---------------------------------------------------------------------*
*&      Form  ADD_7X_EMP
*&---------------------------------------------------------------------*
*       text
*----------------------------------------------------------------------*
```

```
*  ——>  p1        text
*  <——  p2        text
*———————————————————————————————————————————————————————————————————*
FORM ADD_7X_EMP .
*  clear : l_spanemp,
*          l_spanasa,
*          l_span,
*          l_strlen.
*  l_spanemp = wa_zfivms_brd-span(17).
  l_spanasa = wa_zfivms_brd-span.
  replace 'R0000' in l_spanasa with 'R0007'.

*  shift l_spanasa left deleting leading '0'.
*  l_strlen = strlen( l_spanasa ).
*  if l_strlen = '5'.
*    concatenate '70' l_spanasa into l_span.
*  elseif l_strlen = '6'.
*    concatenate '7' l_spanasa into l_span.
*  endif.

ENDFORM.                    " ADD_7X_EMP
*&———————————————————————————————————————————————————————————————————*
*&      Form  ADD_7X_EMP_D
*&———————————————————————————————————————————————————————————————————*
*       text
*———————————————————————————————————————————————————————————————————*
*  ——>  p1        text
*  <——  p2        text
*———————————————————————————————————————————————————————————————————*
FORM ADD_7X_EMP_D .
  l_spanasa = wa_zfivms_brd-span.
  replace 'D0000' in l_spanasa with 'D0007'.
ENDFORM.                    " ADD_7X_EMP_D

 INCLUDE zbcm_class.
 INCLUDE zbcm_class_declare.

INCLUDE zfivms_brd_sel_filegen_digso01.

INCLUDE zfivms_brd_sel_filegen_digsi01.

INCLUDE zfivms_brd_sel_filegen_digsf01.

```

```
*&---------------------------------------------------------------------*
*&  Include           ZBCM_CLASS
*&---------------------------------------------------------------------*
CLASS lcl_file_verifier DEFINITION CREATE PRIVATE FINAL.

  PUBLIC SECTION.

    CLASS-METHODS:
      get_instance
        RETURNING
        value(ro_obj) TYPE REF TO lcl_file_verifier.

*    METHODS:
*      get_file_info " get the file data, type and other information
*        IMPORTING
*          value(iv_filename) TYPE string
*        EXPORTING
*          value(ev_signature) TYPE xstring.

    METHODS:
      verify_signature
        IMPORTING
          value(iv_signature)       TYPE xstring
        EXPORTING
          value(ev_owner)           TYPE string
          value(ev_email)           TYPE string
          value(ev_serial)          TYPE string
          value(ev_thumbprint)      TYPE string
          value(ev_validfrom)       TYPE string
          value(ev_validto)         TYPE string
          value(ev_issuer)          TYPE string
          value(ev_bindocument_out) TYPE xstring,

          get_filename
            EXPORTING
              value(ev_filename_save) TYPE string
              value(ev_file_type)     TYPE char10.

*  PRIVATE SECTION.

    CLASS-DATA: go_object TYPE REF TO lcl_file_verifier.

    METHODS:
      get_signer_info
        IMPORTING
          value(is_signerlist) TYPE ssfsigner
          EXPORTING
            value(ev_owner)       TYPE string
            value(ev_email)       TYPE string
            value(ev_serial)      TYPE string
            value(ev_thumbprint)  TYPE string
            value(ev_validfrom)   TYPE string
            value(ev_validto)     TYPE string
            value(ev_issuer)      TYPE string
            value(e_int) type i.

    DATA: mv_filename_save  TYPE string,
          mv_file_type      TYPE char10.

ENDCLASS.                    "lcl_file_verifier DEFINITION
```

```
*&---------------------------------------------------------------------*
*&  Include           ZBCM_CLASS_DECLARE
*&---------------------------------------------------------------------*


CLASS lcl_file_verifier IMPLEMENTATION.

  METHOD get_instance.
    IF lcl_file_verifier=>go_object IS INITIAL.
      CREATE OBJECT lcl_file_verifier=>go_object.
    ENDIF.

    ro_obj = lcl_file_verifier=>go_object.
  ENDMETHOD.                    "get_instance

*  METHOD get_file_info.
*
*    TYPES : BEGIN OF ty_file,
*              content TYPE sdok_sdatx,
*            END OF ty_file.
*
*    DATA: lv_filename_save  TYPE          string,
*          lv_filename       TYPE          string,
*          lv_temp           TYPE          string,
*          lv_temp1          TYPE          string,
*          lv_extn           TYPE          string,
*          lv_invalid_file   TYPE          xfeld,
*          lv_length         TYPE          i,
*          lt_data_tab       TYPE TABLE OF ty_file,
*          lv_signature      TYPE          xstring.
*
*    CLEAR lv_invalid_file.
*
*    lv_filename = iv_filename.
*    TRANSLATE lv_filename TO LOWER CASE.
*    MOVE lv_filename TO lv_temp1.
*
*    DO.
*      SPLIT lv_temp1 AT '.'
*        INTO lv_temp
*             lv_temp1.
*
*      IF lv_temp1 IS INITIAL.
*        "invalid file.
*        lv_invalid_file = abap_true.
*        EXIT.
*      ELSEIF lv_temp1 EQ 'sig'.
*        lv_extn = lv_temp.
*        EXIT.
*      ENDIF.
*    ENDDO.
*
*    IF lv_invalid_file EQ abap_true.
**       Message: Invalid file type, only signed files can be verified
*      MESSAGE text-017 TYPE 'E'.
*      RETURN.
*    ELSE.
*      " get the original filename inorder to save the data later.
*      SPLIT lv_filename AT '.sig'
*        INTO lv_filename_save lv_temp.
*
```

```
*      SPLIT lv_filename_save AT '.' INTO lv_file_down lv_dummy .
*      CONCATENATE lv_file_down '_verified.' lv_extn INTO lv_file_down.
**      MOVE lv_filename_save TO me->mv_filename_save.
*      MOVE lv_file_down TO me->mv_filename_save.
*
*      TRANSLATE lv_extn TO UPPER CASE.
*
*      CASE lv_extn.
*        WHEN 'PDF'.
*          me->mv_file_type = 'BIN'.
*        WHEN 'TXT'.
*          me->mv_file_type = 'BIN'."'ASC'.
*        WHEN OTHERS.
*          me->mv_file_type = 'BIN'.
*      ENDCASE.
*
***    Incase of signed file the GUI_UPLOAD file type would always be BIN.
*      CALL FUNCTION 'GUI_UPLOAD'
*        EXPORTING
*          filename                = lv_filename
*          filetype                = me->mv_file_type "'BIN'
*        IMPORTING
*          filelength              = lv_length
*        TABLES
*          data_tab                = lt_data_tab
*        EXCEPTIONS
*          file_open_error         = 1
*          file_read_error         = 2
*          no_batch                = 3
*          gui_refuse_filetransfer = 4
*          invalid_type            = 5
*          no_authority            = 6
*          unknown_error           = 7
*          bad_data_format         = 8
*          header_not_allowed      = 9
*          separator_not_allowed   = 10
*          header_too_long         = 11
*          unknown_dp_error        = 12
*          access_denied           = 13
*          dp_out_of_memory        = 14
*          disk_full               = 15
*          dp_timeout              = 16
*          OTHERS                  = 17.
*
*      IF sy-subrc <> 0.
**        Message: Error while uploading the file, please contact system administrator
*        MESSAGE text-014 TYPE 'E'.
*      ELSE.
*        " convert data into xstring.
*        IF me->mv_file_type EQ 'BIN'.
*          CALL FUNCTION 'SCMS_BINARY_TO_XSTRING'
*            EXPORTING
*              input_length = lv_length
*            IMPORTING
*              buffer       = lv_signature
*            TABLES
*              binary_tab   = lt_data_tab
*            EXCEPTIONS
*              failed       = 1
```

```
121  *              OTHERS       = 2.
122  *        ELSE.
123  *          CALL FUNCTION 'SCMS_TEXT_TO_XSTRING'
124  *            IMPORTING
125  *              buffer   = lv_signature
126  *            TABLES
127  *              text_tab = lt_data_tab
128  *            EXCEPTIONS
129  *              failed   = 1
130  *              OTHERS   = 2.
131  *        ENDIF.
132  *
133  *
134  *        IF sy-subrc <> 0.
135  **         Message: Data conversion error, please contact system adminis
     trator
136  *          MESSAGE text-015 TYPE 'E'.
137  *        ELSE.
138  *          ev_signature = lv_signature.
139  *        ENDIF.
140  *
141  *      ENDIF.
142  *
143  *    ENDIF.
144  *
145  *  ENDMETHOD.                    "get_file_info
146
147    METHOD verify_signature.
148
149      DATA: lv_crc                TYPE          i,
150            lv_bindocument_out    TYPE          xstring,
151            lt_signerlist         TYPE          ssfsignertab,
152            ls_signerlist         TYPE          ssfsigner.
153
154      CALL FUNCTION 'SSFS_SERVER_VERIFY'
155        EXPORTING
156          signature        = iv_signature
157        IMPORTING
158          crc              = lv_crc
159          signerlist       = lt_signerlist
160          bindocument_out  = lv_bindocument_out
161        EXCEPTIONS
162          kernel_error     = 1
163          parameter_error  = 2
164          conversion_error = 3
165          OTHERS           = 4.
166
167      IF sy-subrc <> 0.
168  *     Message: Verification failed.
169        MESSAGE text-016 TYPE 'E'.
170      ELSE.
171        IF lv_crc <> 0 AND lv_crc <> 5.
172  *       Message: Verification failed.
173          MESSAGE text-016 TYPE 'E'.
174        ELSE.
175  *       Message: Verification Successful.
176          MESSAGE text-004 TYPE 'S'.
177          " get signer info.
178          READ TABLE lt_signerlist INTO ls_signerlist INDEX 1.
179
180          CALL METHOD get_signer_info
```

```
181            EXPORTING
182              is_signerlist = ls_signerlist
183            IMPORTING
184              ev_owner      = ev_owner
185              ev_email      = ev_email
186              ev_serial     = ev_serial
187              ev_thumbprint = ev_thumbprint
188              ev_validfrom  = ev_validfrom
189              ev_validto    = ev_validto
190              ev_issuer     = ev_issuer.
191
192          ev_bindocument_out = lv_bindocument_out.
193
194        ENDIF.
195      ENDIF.
196
197    ENDMETHOD.                    "verify_signature
198
199    METHOD get_signer_info.
200
201      DATA: lo_pdo_dig_sig  TYPE REF TO cl_abap_x509_certificate,
202            lv_text         TYPE c LENGTH 200,
203            ls_email        TYPE sx_address.
204
205      lo_pdo_dig_sig = cl_abap_x509_certificate=>get_instance( is_signerli
     st-cert ).
206
207      TRY.
208          CALL METHOD lo_pdo_dig_sig->get_subject_issuer
209            IMPORTING
210              ef_subject = ev_owner
211              ef_issuer  = ev_issuer.
212        CATCH cx_abap_x509_certificate .
213      ENDTRY.
214
215      TRY.
216          CALL METHOD lo_pdo_dig_sig->get_serial_hex
217            RECEIVING
218              rf_value = ev_serial.
219        CATCH cx_abap_x509_certificate .
220      ENDTRY.
221
222      TRY.
223          CALL METHOD lo_pdo_dig_sig->get_pk_finger_print
224            RECEIVING
225              rf_value = ev_thumbprint.
226        CATCH cx_abap_x509_certificate .
227      ENDTRY.
228
229      TRY.
230          CALL METHOD lo_pdo_dig_sig->get_valid_from
231            IMPORTING
232              ef_gmt_string = ev_validfrom.
233        CATCH cx_abap_x509_certificate .
234      ENDTRY.
235
236      TRY.
237          CALL METHOD lo_pdo_dig_sig->get_valid_to
238            IMPORTING
239              ef_gmt_string = ev_validto.
240        CATCH cx_abap_x509_certificate .
```

```
    ENDTRY.


try.

*  TRY.
  CALL METHOD lo_pdo_dig_sig->get_version
    RECEIVING
      rf_int = e_int
      .
*   CATCH cx_abap_x509_certificate .
  ENDTRY.


*CALL METHOD lo_pdo_dig_sig->GET_VERSION
*returning
*  rf_int = e_int.
*endtry.

    TRY.
        CALL METHOD lo_pdo_dig_sig->get_subject_alt_string
          RECEIVING
            rf_string = ev_email.

        IF ev_email IS NOT INITIAL.
          CLEAR lv_text.
          SPLIT ev_email AT '=' INTO ev_email lv_text.

          ls_email-type = 'INT'.
          ls_email-address = lv_text.

          CALL FUNCTION 'SX_INTERNET_ADDRESS_TO_NORMAL'
            EXPORTING
              address_unstruct    = ls_email
            EXCEPTIONS
              error_address_type  = 1
              error_address       = 2
              error_group_address = 3
              OTHERS              = 4.
          IF sy-subrc = 0.
            ev_email = lv_text.
          ELSE.
            CLEAR ev_email.
          ENDIF.
        ENDIF.

      CATCH cx_abap_x509_certificate .
    ENDTRY.


  ENDMETHOD.                    "get_signer_info


  METHOD get_filename.

    ev_filename_save = mv_filename_save.
    ev_file_type = mv_file_type.

  ENDMETHOD.                    "get_filename

ENDCLASS.                    "lcl_utility IMPLEMENTATION
```

302

```
*————————————————————————————————————————————————————————————————————*
***INCLUDE ZFIVMS_BRD_SEL_FILEGEN_DIGSF01.
*————————————————————————————————————————————————————————————————————*
**RD1K991769 CAB_ALOK     Beneficiary file-digital signing - CR 30010502


*&————————————————————————————————————————————————————————————————————*
*&      Form  DO_DS
*&————————————————————————————————————————————————————————————————————*
*       text
*————————————————————————————————————————————————————————————————————*
*      ——>P_SBI_FILENAME  text
*      ——>P_IST_RDATA_SBI  text
*————————————————————————————————————————————————————————————————————*
**Digital sign using a certificate on the user PC. Later changed to e-to
ken, hence commented.
***FORM DO_DS  TABLES   P_IST_DATA_SBI STRUCTURE IST_RDATA_SBI
***            USING    P_SBI_FILENAME
***             .
****data : begin of ist_rdata_nonsbi occurs 0,
****         span(200),
****       end of ist_rdata_nonsbi.
***data: WA_DATA_SBI LIKE LINE OF IST_RDATA_SBI.
***
***DATA: IN_DATA_TABLE LIKE SSFBIN OCCURS 0 WITH HEADER LINE,
***      WA_DATA_TABLE LIKE LINE OF IN_DATA_TABLE.
***
***data: l_userdata type USADDRESS.
***data: MYADSSF LIKE ADSSF OCCURS 0 WITH HEADER LINE.
***data: signer type TABLE OF SSFINFO with HEADER LINE.
***
***DATA: PARAMS LIKE SSFPARMS, "OCCURS 0 WITH HEADER LINE,
***      SSFRC LIKE SSFPARMS-SSFCRC,
***      OUT_DATA_TABLE LIKE SSFBIN OCCURS 0 WITH HEADER LINE.
***
***
*****LOOP at P_IST_DATA_SBI INTO WA_DATA_SBI.
*****  WA_DATA_TABLE-BINDATA = WA_DATA_SBI-SPAN.
*****  APPEND WA_DATA_TABLE to IN_DATA_TABLE.
*****
*****  CLEAR: WA_DATA_TABLE, WA_DATA_SBI.
*****ENDLOOP.
***

***CALL FUNCTION 'SCMS_TEXT_TO_BINARY'
**** EXPORTING
****   FIRST_LINE            = 0
****   LAST_LINE             = 0
****   APPEND_TO_TABLE       = ' '
****   MIMETYPE              = ' '
****   ENCODING              =
*** IMPORTING
***   OUTPUT_LENGTH         =  PARAMS-INDATALEN
***  TABLES
***    TEXT_TAB              = P_IST_DATA_SBI
***    BINARY_TAB            = IN_DATA_TABLE
**** EXCEPTIONS
****   FAILED                = 1
****   OTHERS                = 2
***          .
***IF SY-SUBRC <> 0.
```

```
**** Implement suitable error handling here
***ENDIF.
***
***
***
***
***CALL FUNCTION 'SUSR_USER_READ'
***  EXPORTING
***    USER_NAME                  = sy-uname
****   WITH_TEXT                  = ' '
****   READ_UCLASS                = ' '
*** IMPORTING
****   USER_LOGONDATA             =
****   USER_DEFAULTS              =
***   USER_ADDRESS               = l_userdata
****   REF_USER                   =
****   ALIAS                      =
****   UCLASS                     =
**** TABLES
****   USER_PARAMETERS            =
****   UCLASSSYS                  =
**** EXCEPTIONS
****   USER_NAME_NOT_EXISTS       = 1
****   INTERNAL_ERROR             = 2
****   OTHERS                     = 3
***          .
***IF SY-SUBRC = 0.
***
***  CALL FUNCTION 'ADDR_PERS_COMP_COMM_GET'
***    EXPORTING
****     ADDRESS_HANDLE              = l_userdata-addrnumber
***     ADDRESS_NUMBER              = l_userdata-addrnumber
****     DATE_FROM                   = '00010101'
****     LANGUAGE                    = SY-LANGU
****     PERSON_HANDLE               = ' '
***     PERSON_NUMBER               = l_userdata-persnumber
***      TABLE_TYPE                  = 'ADSSF'
****     IV_CURRENT_STATE            = 'X'
****     IV_FILL_EMPTY_COUNTRY       = 'X'
****   IMPORTING
****     RETURNCODE                  =
***    TABLES
***      COMM_TABLE                  = myadssf
****     ERROR_TABLE                 =
****     ET_USAGE                    =
****     ET_USAGE_UUID               =
****   EXCEPTIONS
****     PARAMETER_ERROR             = 1
****     ADDRESS_NOT_EXIST           = 2
****     PERSON_NOT_EXIST            = 3
****     INTERNAL_ERROR              = 4
****     OTHERS                      = 5
***             .
***  IF SY-SUBRC = 0.
***    read TABLE myadssf with key flgdefault = 'X'.
**** Implement suitable error handling here
***  ENDIF.
***
**** Implement suitable error handling here
***ENDIF.
***
```

```
***
***signer-id = myadssf-SSFID. " 'CN=TEST CLASS IIIB SHATWO, SP=Gujarat, postalCode=392015, OU=CID - 2431135, OU=Marketing, O=Gujarat Narmada Valley Fertilizers Company Limited, C=IN'."wa_ZFI_BATCH_SIGN-ssf_screen.
***signer-profile = myadssf-SSFPROF. "'C:\A_PSE_Cert_ALOK\alok.pse'. " '/usr/sap/RD1/DVEBMGS00/sec/FINBRM.pse'.

***
***** FM: Popup_get_user_password
*** CALL SCREEN 2000 STARTING AT 5 10.
***

***if g_cancel_pressed = ' '.  " OK
***  signer-password = G_PASSWORD.
****signer-password = 'alok'.
***else.
***  exit.
***endif.
***
***
****signer-result = 28.
***append signer.
***
***CALL FUNCTION 'SSF_SIGN'
***  EXPORTING
***    SSF_DEST                          = 'SAP_SSFATGUI'
****   STR_FORMAT                        = 'PKCS7'
****   B_INC_CERTS                       = 'X'
****   B_DETACHED                        = ' '
****   B_INENC                           = 'X'
****   IO_SPEC                           = 'T'
***    OSTR_INPUT_DATA_L                 = PARAMS-INDATALEN
****   STR_HASHALG                       =
*** IMPORTING
***   OSTR_SIGNED_DATA_L                = PARAMS-OUTDATALEN
***   CRC                               = ssfrc
***  TABLES
***    OSTR_INPUT_DATA                   = IN_DATA_TABLE
***    SIGNER                            = signer
***    OSTR_SIGNED_DATA                  = OUT_DATA_TABLE
**** EXCEPTIONS
****   SSF_RFC_ERROR                     = 1
****   SSF_RFC_NO_MEMORY                 = 2
****   SSF_RFC_GET_DATA_ERROR            = 3
****   SSF_RFC_SEND_DATA_ERROR           = 4
****   SSF_RFC_SIGNER_LIST_ERROR         = 5
****   SSF_RFC_INPUT_DATA_ERROR          = 6
****   SSF_FB_INPUT_PARAMETER_ERROR      = 7
****   SSF_RFC_DESTINATION_ERROR         = 8
****   OTHERS                            = 9
***          .
***IF SY-SUBRC <> 0.
**** Implement suitable error handling here
***ENDIF.
***
******************
***
***
***DATA: lo_bnk_detail TYPE REF TO ZFI_BNK_SBI_IN_ENCCO_SI_SBIWEB, "ZFI_BNK_SBI_OUT_TESTINGCO_SBIW,"zco_corp_file_upload_ongc_out,"zfi_bnk_sbico_file_upload_serv,""zfi_bnk_sbico_file_upload_serv,
```

```
178  ***      proxy_data TYPE ZFI_BNK_SBI_IN_ENCFILE_UPLOAD2."ZFI_BNK_SBI_OUT
     _TESTINGREQ_FIL,"zfileuploadrequest,"zfi_bnk_sbifileuploadrequest,
179  ***
180  ***DATA: lo_attachment_protocol  TYPE REF TO if_wsprotocol_attachments,
181  ***      l_attachment            TYPE REF TO if_ai_attachment,
182  ***      lt_attach               TYPE prx_attach,
183  ***      l_xstring               TYPE xstring,
184  ***      l_xstring_line               TYPE xstring,
185  ***      l_string                TYPE string,
186  ***      l_type                  TYPE string,
187  ***      l_name                  TYPE string,
188  ****  Exception variables
189  ****  lo_oref                 TYPE REF TO cx_root,
190  ***    lo_text                  TYPE string,
191  ***    lo_sys_exception         TYPE REF TO cx_ai_system_fault,
192  ***    lo_app_exception         TYPE REF TO cx_ai_application_fault.
193  ***
194  ***DATA: lt_input   TYPE ZFI_BNK_SBI_IN_ENCFILE_UPLOAD1."ZFI_BNK_SBI_OUT
     _TESTINGRES_FIL,"zfileuploadresponse,"zfi_bnk_sbifileuploadresponse,
195  ***DATA: err_string TYPE string.
196  ***
197  ***
198  *** TRY.
199  ***   CREATE OBJECT lo_bnk_detail.
200  ***
201  ***  TRY.
202  ***     proxy_data-parameters-arg0    = P_SBI_FILENAME. " 'BeneFILE.TXT'
     . " file name to be sent to SBI using webservice.
203  ****    PROXY_DATA-PARAMETERS-ARG1     "actual data
204  ***
205  ****loop at OUT_DATA_TABLE into BINDATE..
206  ****ls_data = BINDATE-bindata.
207  ****append ls_data to lt_data_conv.
208  ****  endloop.
209
210  ***CALL FUNCTION 'SCMS_BINARY_TO_XSTRING'
211  ***  EXPORTING
212  ***    input_length       = PARAMS-OUTDATALEN
213  ****   FIRST_LINE         = 0
214  ****   LAST_LINE          = 0
215  *** IMPORTING
216  ***   BUFFER             = PROXY_DATA-PARAMETERS-ARG1     "actual data
217  ***  tables
218  ***    binary_tab         = OUT_DATA_TABLE
219  **** EXCEPTIONS
220  ****   FAILED             = 1
221  ****   OTHERS             = 2
222  ***           .
223  ***IF sy-subrc <> 0.
224  **** Implement suitable error handling here
225  ***ENDIF.
226  ***
227  ***
228  ****       CALL FUNCTION 'ENH_TAB_TO_XSTRING'
229  ****          EXPORTING
230  ****            im_data    = lt_data_conv""in_data_table
231  *****           IM_LENG    =
232  ****          IMPORTING
233  ****            ex_xstring = PROXY_DATA-PARAMETERS-ARG1."FILE_UPLOAD_MTO
     MATTACHMENTS.
234  ***
```

```
***
***CATCH cx_ai_system_fault INTO lo_sys_exception.
****   lo_text = lo_sys_exception->errortext.
***        lo_text = lo_sys_exception->get_text( ).
***        MESSAGE lo_text TYPE 'A'.
***        LEAVE PROGRAM.
***
***    ENDTRY.
***
***  CATCH cx_ai_system_fault .
***ENDTRY.
***
***
***TRY.
***    CALL METHOD lo_bnk_detail->SI_SBIWEBSERVICE_ENC"SBIWEB_SERVICE_TESTING_OUT"corp_file_upload_ongc_in"file_upload_service_out ""
***      EXPORTING
***        output = proxy_data
***      IMPORTING
***        input  = lt_input.
***  CATCH cx_ai_system_fault INTO lo_sys_exception.
***    err_string = lo_sys_exception->get_text( ).
***
***  CATCH cx_ai_application_fault .
***ENDTRY.
***
***
***
***
***ENDFORM.                    " DO_DS



*&---------------------------------------------------------------------*
*&      Form  PREPARE_NEW_FORMAT
*&---------------------------------------------------------------------*
*       text
*----------------------------------------------------------------------*
*      -->P_1610   text
*      -->P_1611   text
*      -->P_IST_RDATA_SBI  text
*----------------------------------------------------------------------*


FORM PREPARE_NEW_FORMAT  USING P_TYPE TYPE zchar05   "3P, D3P, IBTP, DIBTP
                               P_CORPID TYPE zchar05  " cvp MUM 94427, cep DDN 93128 and OVL 30523
                               P_IST_RECORD TYPE STANDARD TABLE.

** final data in IST_94427 MUM
*             IST_93128 "ddn
*             IST_30523 cvp


*-----------------------------------------------------------------------
```

```
292
293  ** New Format
294  ***Beneficiary Type | Beneficiary Action Type | Beneficiary Name
295  **      |Beneficiary Account Number | Beneficiary Code| IFS Code#
296  *                                                |Address1|Address2|Add
     ress3
297  ***S                |A                        |KOINH_NEW
298  **      |BANKN_NEW                 | SPAN            |BANKL_NEW
299  *                                                | STREET| STR_SUPPL1|
     CITY1
300
301  ***2. D3P ( SBI, De-registration)
302  *=============================================
303  **ORIENT ENTERPRISE GUJ PVT LTD#   ____#00000030043632391#03993#00000024
     00001R0000807379#
304  **KOINH_NEW #    #  BANKN_NEW #  BANKL_NEW # SPAN #
305
306  ** New Format
307  **S|D|ComBenNSRegSBAdd1|00000037773091731|EDYWYE35|ICIC0000001|MIN NAGAR
      WEST  NETHAJI AV|TAMILNADU|INDIA
308  **
309  **S|D|KOINH_NEW|BANKN_NEW | SPAN|BANKL_NEW| STREET| STR_SUPPL1| CITY1
310
311
312  ***3.0 IBTP ( Non-SBI, registration)
313  *=============================================
314  **AS & Sons*361101010036053*UBIN0536113*ONGC*ONGC*ONGC**0000000001948R00
     00100032*
315  **KOINH_NEW* BANKN_NEW *  BANKL_NEW *STREET* STR_SUPPL1*CITY1*SPAN *
316
317  ** New Format
318  **O|A|ComBenNSRegOBAdd1|111222333777|STSNS64636|ICIC0000001|MIN NAGAR WE
     ST  NETHAJI AV|TAMILNADU|INDIA
319  **O|A|KOINH_NEW|BANKN_NEW | SPAN|BANKL_NEW| STREET| STR_SUPPL1| CITY1
320
321
322  ***4.0 DIBTP ( Non-SBI, De-registration)
323  *=============================================
324  **AS & Sons*361101010036053*UBIN0536113*ONGC*ONGC*ONGC**0000000001948R00
     00100032*
325  **KOINH_NEW* BANKN_NEW *  BANKL_NEW *STREET* STR_SUPPL1*CITY1*SPAN *
326
327  ** New Format
328  **O|A|ComBenNSRegOBAdd1|111222333777|STSNS64636|ICIC0000001|MIN NAGAR WE
     ST  NETHAJI AV|TAMILNADU|INDIA
329  **O|A|KOINH_NEW|BANKN_NEW | SPAN|BANKL_NEW| STREET| STR_SUPPL1| CITY1
330
331    data: L_KOINH_NEW type ZFIVMS_BRD-KOINH_NEW,  " KOINH_FI,
332          L_BANKN_NEW TYPE ZFIVMS_BRD-BANKN_NEW, " BANKN,
333          L_BANKL_NEW TYPE ZFIVMS_BRD-BANKL_NEW, " BANKK,
334          L_DUMMY(10),
335          L_SPAN type  ZFIVMS_BRD-SPAN, "  ZSPAN,
336          L_STREET TYPE ZFIVMS_BRD-STREET,
337          L_STR_SUPPL1 TYPE ZFIVMS_BRD-STR_SUPPL1,
338          L_CITY1 TYPE ZFIVMS_BRD-CITY1,
339          L_PHONE(30).
340
341    data: wa_record type TY_record.
342    data: WA_94427 type TY_NEW_FORMAT.
343    data: WA_30523 type TY_NEW_FORMAT.
344    data: WA_93128 type TY_NEW_FORMAT.
```

```
  IF P_CORPID = '94427'.  " 94427 - MUM " create IST_94427[]

    CASE P_TYPE.
      when '3P'.

        LOOP at P_IST_RECORD into wa_record.
          Split wa_record AT '*' INTO L_KOINH_NEW  L_BANKN_NEW L_BANKL_NEW L_SPAN .

*    create new record
          WA_94427-BEN_TYPE = 'S'.          "Beneficiary Type * 1
          WA_94427-BEN_ACT_TYPE = 'A'.     "Beneficiary Action Type *  1
          WA_94427-BEN_NAME = L_KOINH_NEW.  "Beneficiary Name * 35
          WA_94427-BEN_AC_NO = L_BANKN_NEW. "Beneficiary Account Number * 17, max :33

*now prefix 0 not needed
*          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
*            EXPORTING
*              INPUT  = WA_94427-BEN_AC_NO
*            IMPORTING
*              OUTPUT = WA_94427-BEN_AC_NO.

          WA_94427-BEN_CODE = L_SPAN  .     "Beneficiary Code, 24
          WA_94427-IFSC     = L_BANKL_NEW .  "IFS Code#  11

          SELECT SINGLE STREET STR_SUPPL1 CITY1
            FROM ZFIVMS_BRD
              INTO  (WA_94427-ADDR1, WA_94427-ADDR2, WA_94427-ADDR3)
                WHERE SPAN = L_SPAN.

          if WA_94427-ADDR1 is INITIAL.
            WA_94427-ADDR1 = 'ONGC'.
          endif.
          if WA_94427-ADDR2 is INITIAL.
            WA_94427-ADDR2 = 'ONGC'.
          endif.
          if WA_94427-ADDR3 is INITIAL.
            WA_94427-ADDR3 = 'ONGC'.
          endif.

          APPEND WA_94427 to IST_94427.

          clear: wa_record, WA_94427.
          clear: L_KOINH_NEW, L_BANKN_NEW, L_BANKL_NEW, L_SPAN, L_STREET, L_STR_SUPPL1, L_CITY1.
        ENDLOOP.

      when 'D3P'.

        LOOP at P_IST_RECORD into wa_record.
          Split wa_record AT '#' INTO L_KOINH_NEW L_DUMMY L_BANKN_NEW L_BANKL_NEW L_SPAN .

*    create new record
          WA_94427-BEN_TYPE = 'S'.          "Beneficiary Type * 1
          WA_94427-BEN_ACT_TYPE = 'D'.     "Beneficiary Action Type *  1
          WA_94427-BEN_NAME = L_KOINH_NEW.  "Beneficiary Name * 35
          WA_94427-BEN_AC_NO = L_BANKN_NEW. "Beneficiary Account Number
```

```
     * 17, max :33

     **now prefix 0 not needed
     *          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
     *            EXPORTING
     *              INPUT  = WA_94427-BEN_AC_NO
     *            IMPORTING
     *              OUTPUT = WA_94427-BEN_AC_NO.

               WA_94427-BEN_CODE = L_SPAN  .     "Beneficiary Code, 24
               WA_94427-IFSC     = L_BANKL_NEW .  "IFS Code#  11

               SELECT SINGLE STREET STR_SUPPL1 CITY1
                 FROM ZFIVMS_BRD
                   INTO  (WA_94427-ADDR1, WA_94427-ADDR2, WA_94427-ADDR3)
                     WHERE SPAN = L_SPAN.
               if WA_94427-ADDR1 is INITIAL.
                 WA_94427-ADDR1 = 'ONGC'.
               endif.
               if WA_94427-ADDR2 is INITIAL.
                 WA_94427-ADDR2 = 'ONGC'.
               endif.
               if WA_94427-ADDR3 is INITIAL.
                 WA_94427-ADDR3 = 'ONGC'.
               endif.

               APPEND WA_94427 to IST_94427.

               clear: wa_record, WA_94427.
               clear: L_KOINH_NEW, L_BANKN_NEW, L_BANKL_NEW, L_SPAN, L_STREET
     , L_STR_SUPPL1, L_CITY1.
             ENDLOOP.

           when 'IBTP'.

             LOOP at P_IST_RECORD into wa_record.
               Split wa_record AT '*' INTO L_KOINH_NEW  L_BANKN_NEW L_BANKL_N
     EW L_STREET L_STR_SUPPL1 L_CITY1 L_PHONE L_SPAN .

     *    create new record
               WA_94427-BEN_TYPE = 'O'.          "Beneficiary Type * 1
               WA_94427-BEN_ACT_TYPE = 'A'.     "Beneficiary Action Type *  1
               WA_94427-BEN_NAME = L_KOINH_NEW.  "Beneficiary Name * 35
               WA_94427-BEN_AC_NO = L_BANKN_NEW. "Beneficiary Account Number
     * 17, max :33

     *Change Requirement: prefix 0 not needed
     *          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
     *            EXPORTING
     *              INPUT  = WA_94427-BEN_AC_NO
     *            IMPORTING
     *              OUTPUT = WA_94427-BEN_AC_NO.

               WA_94427-BEN_CODE = L_SPAN  .     "Beneficiary Code, 24
               WA_94427-IFSC     = L_BANKL_NEW .  "IFS Code#  11

     ***          SELECT SINGLE STREET STR_SUPPL1 CITY1
     ***            FROM ZFIVMS_BRD
     ***              INTO  (WA_94427-ADDR1, WA_94427-ADDR2, WA_94427-ADDR3)
     ***                WHERE SPAN = L_SPAN.
               WA_94427-ADDR1 = L_STREET .
```

```
459            WA_94427-ADDR2 = L_STR_SUPPL1.
460            WA_94427-ADDR3 =  L_CITY1.
461
462            if WA_94427-ADDR1 is INITIAL.
463              WA_94427-ADDR1 = 'ONGC'.
464            endif.
465            if WA_94427-ADDR2 is INITIAL.
466              WA_94427-ADDR2 = 'ONGC'.
467            endif.
468            if WA_94427-ADDR3 is INITIAL.
469              WA_94427-ADDR3 = 'ONGC'.
470            endif.
471
472            APPEND WA_94427 to IST_94427.
473            clear: wa_record, WA_94427.
474            clear: L_KOINH_NEW, L_BANKN_NEW, L_BANKL_NEW, L_SPAN, L_STREET
     , L_STR_SUPPL1, L_CITY1, L_PHONE.
475          ENDLOOP.
476
477        when 'DIBTP'.
478
479          LOOP at P_IST_RECORD into wa_record.
480            Split wa_record AT '#' INTO  L_BANKN_NEW L_BANKL_NEW L_KOINH_N
     EW L_SPAN .
481
482  *    create new record
483            WA_94427-BEN_TYPE = 'O'.           "Beneficiary Type * 1
484            WA_94427-BEN_ACT_TYPE = 'D'.     "Beneficiary Action Type *  1
485            WA_94427-BEN_NAME = L_KOINH_NEW.  "Beneficiary Name * 35
486            WA_94427-BEN_AC_NO = L_BANKN_NEW. "Beneficiary Account Number
     * 17, max :33
487
488  *now prefix 0 not needed
489  *          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
490  *            EXPORTING
491  *              INPUT  = WA_94427-BEN_AC_NO
492  *            IMPORTING
493  *              OUTPUT = WA_94427-BEN_AC_NO.
494
495            WA_94427-BEN_CODE = L_SPAN  .     "Beneficiary Code, 24
496            WA_94427-IFSC     = L_BANKL_NEW .  "IFS Code#  11
497
498            SELECT SINGLE STREET STR_SUPPL1 CITY1
499              FROM ZFIVMS_BRD
500                INTO  (WA_94427-ADDR1, WA_94427-ADDR2, WA_94427-ADDR3)
501                  WHERE SPAN = L_SPAN.
502            WA_94427-ADDR1 = L_STREET .
503            WA_94427-ADDR2 = L_STR_SUPPL1.
504            WA_94427-ADDR3 =  L_CITY1.
505
506            if WA_94427-ADDR1 is INITIAL.
507              WA_94427-ADDR1 = 'ONGC'.
508            endif.
509            if WA_94427-ADDR2 is INITIAL.
510              WA_94427-ADDR2 = 'ONGC'.
511            endif.
512            if WA_94427-ADDR3 is INITIAL.
513              WA_94427-ADDR3 = 'ONGC'.
514            endif.
515
516            APPEND WA_94427 to IST_94427.
```

```
517
518             clear: wa_record, WA_94427.
519             clear: L_KOINH_NEW, L_BANKN_NEW, L_BANKL_NEW, L_SPAN, L_STREET
    , L_STR_SUPPL1, L_CITY1.
520           ENDLOOP.
521
522       ENDCASE.
523
524
525     ELSEIF P_CORPID = '30523'.  " 30523 - ovl " prepare IST_30523[]
526
527       CASE P_TYPE.
528         when '3P'.
529
530           LOOP at P_IST_RECORD into wa_record.
531             Split wa_record AT '*' INTO L_KOINH_NEW  L_BANKN_NEW L_BANKL_N
    EW L_SPAN .
532
533   *    create new record
534             WA_30523-BEN_TYPE = 'S'.          "Beneficiary Type * 1
535             WA_30523-BEN_ACT_TYPE = 'A'.     "Beneficiary Action Type *  1
536             WA_30523-BEN_NAME = L_KOINH_NEW.  "Beneficiary Name * 35
537             WA_30523-BEN_AC_NO = L_BANKN_NEW. "Beneficiary Account Number
    * 17, max :33
538
539   **now prefix 0 not needed
540   *          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
541   *            EXPORTING
542   *              INPUT  = WA_30523-BEN_AC_NO
543   *            IMPORTING
544   *              OUTPUT = WA_30523-BEN_AC_NO.
545
546             WA_30523-BEN_CODE = L_SPAN  .     "Beneficiary Code, 24
547             WA_30523-IFSC     = L_BANKL_NEW .  "IFS Code#  11
548
549             SELECT SINGLE STREET STR_SUPPL1 CITY1
550               FROM ZFIVMS_BRD
551                 INTO  (WA_30523-ADDR1, WA_30523-ADDR2, WA_30523-ADDR3)
552                   WHERE SPAN = L_SPAN.
553
554             if WA_30523-ADDR1 is INITIAL.
555               WA_30523-ADDR1 = 'ONGC'.
556             endif.
557             if WA_30523-ADDR2 is INITIAL.
558               WA_30523-ADDR2 = 'ONGC'.
559             endif.
560             if WA_30523-ADDR3 is INITIAL.
561               WA_30523-ADDR3 = 'ONGC'.
562             endif.
563
564             APPEND WA_30523 to IST_30523.
565
566             clear: wa_record, WA_30523.
567             clear: L_KOINH_NEW, L_BANKN_NEW, L_BANKL_NEW, L_SPAN, L_STREET
    , L_STR_SUPPL1, L_CITY1.
568           ENDLOOP.
569
570         when 'D3P'.
571
572           LOOP at P_IST_RECORD into wa_record.
573             Split wa_record AT '#' INTO L_KOINH_NEW L_DUMMY L_BANKN_NEW L_
```

```
     BANKL_NEW L_SPAN .

*    create new record
          WA_30523-BEN_TYPE = 'S'.           "Beneficiary Type * 1
          WA_30523-BEN_ACT_TYPE = 'D'.     "Beneficiary Action Type *  1
          WA_30523-BEN_NAME = L_KOINH_NEW.  "Beneficiary Name * 35
          WA_30523-BEN_AC_NO = L_BANKN_NEW. "Beneficiary Account Number
* 17, max :33

**now prefix 0 not needed
*          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
*            EXPORTING
*              INPUT  = WA_30523-BEN_AC_NO
*            IMPORTING
*              OUTPUT = WA_30523-BEN_AC_NO.

          WA_30523-BEN_CODE = L_SPAN  .     "Beneficiary Code, 24
          WA_30523-IFSC     = L_BANKL_NEW .  "IFS Code#  11

          SELECT SINGLE STREET STR_SUPPL1 CITY1
            FROM ZFIVMS_BRD
              INTO  (WA_30523-ADDR1, WA_30523-ADDR2, WA_30523-ADDR3)
                WHERE SPAN = L_SPAN.
          if WA_30523-ADDR1 is INITIAL.
            WA_30523-ADDR1 = 'ONGC'.
          endif.
          if WA_30523-ADDR2 is INITIAL.
            WA_30523-ADDR2 = 'ONGC'.
          endif.
          if WA_30523-ADDR3 is INITIAL.
            WA_30523-ADDR3 = 'ONGC'.
          endif.

          APPEND WA_30523 to IST_30523.

          clear: wa_record, WA_30523.
          clear: L_KOINH_NEW, L_BANKN_NEW, L_BANKL_NEW, L_SPAN, L_STREET
, L_STR_SUPPL1, L_CITY1.
        ENDLOOP.

      when 'IBTP'.

        LOOP at P_IST_RECORD into wa_record.
          Split wa_record AT '*' INTO L_KOINH_NEW  L_BANKN_NEW L_BANKL_N
EW L_STREET L_STR_SUPPL1 L_CITY1 L_PHONE L_SPAN .

*    create new record
          WA_30523-BEN_TYPE = 'O'.           "Beneficiary Type * 1
          WA_30523-BEN_ACT_TYPE = 'A'.     "Beneficiary Action Type *  1
          WA_30523-BEN_NAME = L_KOINH_NEW.  "Beneficiary Name * 35
          WA_30523-BEN_AC_NO = L_BANKN_NEW. "Beneficiary Account Number
* 17, max :33

**now prefix 0 not needed
*          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
*            EXPORTING
*              INPUT  = WA_30523-BEN_AC_NO
*            IMPORTING
*              OUTPUT = WA_30523-BEN_AC_NO.

          WA_30523-BEN_CODE = L_SPAN  .     "Beneficiary Code, 24
```

```
630            WA_30523-IFSC     = L_BANKL_NEW .  "IFS Code#  11
631
632   ***          SELECT SINGLE STREET STR_SUPPL1 CITY1
633   ***            FROM ZFIVMS_BRD
634   ***              INTO  (WA_30523-ADDR1, WA_30523-ADDR2, WA_30523-ADDR3)
635   ***                WHERE SPAN = L_SPAN.
636            WA_30523-ADDR1 = L_STREET .
637            WA_30523-ADDR2 = L_STR_SUPPL1.
638            WA_30523-ADDR3 =  L_CITY1.
639
640            if WA_30523-ADDR1 is INITIAL.
641              WA_30523-ADDR1 = 'ONGC'.
642            endif.
643            if WA_30523-ADDR2 is INITIAL.
644              WA_30523-ADDR2 = 'ONGC'.
645            endif.
646            if WA_30523-ADDR3 is INITIAL.
647              WA_30523-ADDR3 = 'ONGC'.
648            endif.
649
650            APPEND WA_30523 to IST_30523.
651            clear: wa_record, WA_30523.
652            clear: L_KOINH_NEW, L_BANKN_NEW, L_BANKL_NEW, L_SPAN, L_STREET
     , L_STR_SUPPL1, L_CITY1, L_PHONE.
653          ENDLOOP.
654
655
656        when 'DIBTP'.
657
658
659          LOOP at P_IST_RECORD into wa_record.
660            Split wa_record AT '#' INTO  L_BANKN_NEW L_BANKL_NEW L_KOINH_N
     EW L_SPAN .
661
662   *    create new record
663            WA_30523-BEN_TYPE = 'O'.           "Beneficiary Type * 1
664            WA_30523-BEN_ACT_TYPE = 'D'.      "Beneficiary Action Type *  1
665            WA_30523-BEN_NAME = L_KOINH_NEW.  "Beneficiary Name * 35
666            WA_30523-BEN_AC_NO = L_BANKN_NEW. "Beneficiary Account Number
     * 17, max :33
667
668   **now prefix 0 not needed
669   *           CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
670   *             EXPORTING
671   *               INPUT  = WA_30523-BEN_AC_NO
672   *             IMPORTING
673   *               OUTPUT = WA_30523-BEN_AC_NO.
674
675            WA_30523-BEN_CODE = L_SPAN  .     "Beneficiary Code, 24
676            WA_30523-IFSC     = L_BANKL_NEW .  "IFS Code#  11
677
678            SELECT SINGLE STREET STR_SUPPL1 CITY1
679              FROM ZFIVMS_BRD
680                INTO  (WA_30523-ADDR1, WA_30523-ADDR2, WA_30523-ADDR3)
681                  WHERE SPAN = L_SPAN.
682            WA_30523-ADDR1 = L_STREET .
683            WA_30523-ADDR2 = L_STR_SUPPL1.
684            WA_30523-ADDR3 =  L_CITY1.
685
686            if WA_30523-ADDR1 is INITIAL.
687              WA_30523-ADDR1 = 'ONGC'.
```

```
688             endif.
689             if WA_30523-ADDR2 is INITIAL.
690               WA_30523-ADDR2 = 'ONGC'.
691             endif.
692             if WA_30523-ADDR3 is INITIAL.
693               WA_30523-ADDR3 = 'ONGC'.
694             endif.
695
696             APPEND WA_30523 to IST_30523.
697
698             clear: wa_record, WA_30523.
699             clear: L_KOINH_NEW, L_BANKN_NEW, L_BANKL_NEW, L_SPAN, L_STREET
    , L_STR_SUPPL1, L_CITY1.
700           ENDLOOP.
701
702       ENDCASE.
703
704     ELSEIF P_CORPID = '93128'.  " 93128 - CEP " prepare IST_93128[]
705
706       CASE P_TYPE.
707         when '3P'.
708
709           LOOP at P_IST_RECORD into wa_record.
710             Split wa_record AT '*' INTO L_KOINH_NEW  L_BANKN_NEW L_BANKL_N
    EW L_SPAN .
711
712   *    create new record
713             WA_93128-BEN_TYPE = 'S'.          "Beneficiary Type * 1
714             WA_93128-BEN_ACT_TYPE = 'A'.     "Beneficiary Action Type *  1
715             WA_93128-BEN_NAME = L_KOINH_NEW.  "Beneficiary Name * 35
716             WA_93128-BEN_AC_NO = L_BANKN_NEW. "Beneficiary Account Number
    * 17, max :33
717
718   **now prefix 0 not needed
719   *          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
720   *            EXPORTING
721   *              INPUT  = WA_93128-BEN_AC_NO
722   *            IMPORTING
723   *              OUTPUT = WA_93128-BEN_AC_NO.
724
725             WA_93128-BEN_CODE = L_SPAN  .     "Beneficiary Code, 24
726             WA_93128-IFSC     = L_BANKL_NEW .  "IFS Code#  11
727
728             SELECT SINGLE STREET STR_SUPPL1 CITY1
729               FROM ZFIVMS_BRD
730                 INTO  (WA_93128-ADDR1, WA_93128-ADDR2, WA_93128-ADDR3)
731                   WHERE SPAN = L_SPAN.
732
733             if WA_93128-ADDR1 is INITIAL.
734               WA_93128-ADDR1 = 'ONGC'.
735             endif.
736             if WA_93128-ADDR2 is INITIAL.
737               WA_93128-ADDR2 = 'ONGC'.
738             endif.
739             if WA_93128-ADDR3 is INITIAL.
740               WA_93128-ADDR3 = 'ONGC'.
741             endif.
742
743             APPEND WA_93128 to IST_93128.
744
745             clear: wa_record, WA_93128.
```

```
          clear: L_KOINH_NEW, L_BANKN_NEW, L_BANKL_NEW, L_SPAN, L_STREET, L_STR_SUPPL1, L_CITY1.
        ENDLOOP.

      when 'D3P'.

        LOOP at P_IST_RECORD into wa_record.
          Split wa_record AT '#' INTO L_KOINH_NEW L_DUMMY L_BANKN_NEW L_BANKL_NEW L_SPAN .

*    create new record
          WA_93128-BEN_TYPE = 'S'.          "Beneficiary Type * 1
          WA_93128-BEN_ACT_TYPE = 'D'.     "Beneficiary Action Type *  1
          WA_93128-BEN_NAME = L_KOINH_NEW.  "Beneficiary Name * 35
          WA_93128-BEN_AC_NO = L_BANKN_NEW. "Beneficiary Account Number * 17, max :33

**now prefix 0 not needed
*          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
*            EXPORTING
*              INPUT  = WA_93128-BEN_AC_NO
*            IMPORTING
*              OUTPUT = WA_93128-BEN_AC_NO.

          WA_93128-BEN_CODE = L_SPAN  .     "Beneficiary Code, 24
          WA_93128-IFSC     = L_BANKL_NEW .  "IFS Code#  11

          SELECT SINGLE STREET STR_SUPPL1 CITY1
            FROM ZFIVMS_BRD
              INTO  (WA_93128-ADDR1, WA_93128-ADDR2, WA_93128-ADDR3)
                WHERE SPAN = L_SPAN.
          if WA_93128-ADDR1 is INITIAL.
            WA_93128-ADDR1 = 'ONGC'.
          endif.
          if WA_93128-ADDR2 is INITIAL.
            WA_93128-ADDR2 = 'ONGC'.
          endif.
          if WA_93128-ADDR3 is INITIAL.
            WA_93128-ADDR3 = 'ONGC'.
          endif.

          APPEND WA_93128 to IST_93128.

          clear: wa_record, WA_93128.
          clear: L_KOINH_NEW, L_BANKN_NEW, L_BANKL_NEW, L_SPAN, L_STREET, L_STR_SUPPL1, L_CITY1.
        ENDLOOP.

      when 'IBTP'.

        LOOP at P_IST_RECORD into wa_record.
          Split wa_record AT '*' INTO L_KOINH_NEW  L_BANKN_NEW L_BANKL_NEW L_STREET L_STR_SUPPL1 L_CITY1 L_PHONE L_SPAN .

*    create new record
          WA_93128-BEN_TYPE = 'O'.          "Beneficiary Type * 1
          WA_93128-BEN_ACT_TYPE = 'A'.     "Beneficiary Action Type *  1
          WA_93128-BEN_NAME = L_KOINH_NEW.  "Beneficiary Name * 35
          WA_93128-BEN_AC_NO = L_BANKN_NEW. "Beneficiary Account Number * 17, max :33

```

```
**now prefix 0 not needed
*          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
*            EXPORTING
*              INPUT  = WA_93128-BEN_AC_NO
*            IMPORTING
*              OUTPUT = WA_93128-BEN_AC_NO.

          WA_93128-BEN_CODE = L_SPAN  .     "Beneficiary Code, 24
          WA_93128-IFSC     = L_BANKL_NEW .  "IFS Code#  11

***          SELECT SINGLE STREET STR_SUPPL1 CITY1
***            FROM ZFIVMS_BRD
***              INTO  (WA_93128-ADDR1, WA_93128-ADDR2, WA_93128-ADDR3)
***                WHERE SPAN = L_SPAN.
          WA_93128-ADDR1 = L_STREET .
          WA_93128-ADDR2 = L_STR_SUPPL1.
          WA_93128-ADDR3 =  L_CITY1.

          if WA_93128-ADDR1 is INITIAL.
            WA_93128-ADDR1 = 'ONGC'.
          endif.
          if WA_93128-ADDR2 is INITIAL.
            WA_93128-ADDR2 = 'ONGC'.
          endif.
          if WA_93128-ADDR3 is INITIAL.
            WA_93128-ADDR3 = 'ONGC'.
          endif.

          APPEND WA_93128 to IST_93128.
          clear: wa_record, WA_93128.
          clear: L_KOINH_NEW, L_BANKN_NEW, L_BANKL_NEW, L_SPAN, L_STREET, L_STR_SUPPL1, L_CITY1, L_PHONE.
        ENDLOOP.


      when 'DIBTP'.


        LOOP at P_IST_RECORD into wa_record.
          Split wa_record AT '#' INTO  L_BANKN_NEW L_BANKL_NEW L_KOINH_NEW L_SPAN .

*    create new record
          WA_93128-BEN_TYPE = 'O'.          "Beneficiary Type * 1
          WA_93128-BEN_ACT_TYPE = 'D'.     "Beneficiary Action Type *  1
          WA_93128-BEN_NAME = L_KOINH_NEW.  "Beneficiary Name * 35
          WA_93128-BEN_AC_NO = L_BANKN_NEW. "Beneficiary Account Number * 17, max :33

**now prefix 0 not needed
*          CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
*            EXPORTING
*              INPUT  = WA_93128-BEN_AC_NO
*            IMPORTING
*              OUTPUT = WA_93128-BEN_AC_NO.

          WA_93128-BEN_CODE = L_SPAN  .     "Beneficiary Code, 24
          WA_93128-IFSC     = L_BANKL_NEW .  "IFS Code#  11

          SELECT SINGLE STREET STR_SUPPL1 CITY1
            FROM ZFIVMS_BRD
```

```
859                 INTO  (WA_93128-ADDR1, WA_93128-ADDR2, WA_93128-ADDR3)
860                   WHERE SPAN = L_SPAN.
861             WA_93128-ADDR1 = L_STREET .
862             WA_93128-ADDR2 = L_STR_SUPPL1.
863             WA_93128-ADDR3 =  L_CITY1.
864
865             if WA_93128-ADDR1 is INITIAL.
866               WA_93128-ADDR1 = 'ONGC'.
867             endif.
868             if WA_93128-ADDR2 is INITIAL.
869               WA_93128-ADDR2 = 'ONGC'.
870             endif.
871             if WA_93128-ADDR3 is INITIAL.
872               WA_93128-ADDR3 = 'ONGC'.
873             endif.
874
875             APPEND WA_93128 to IST_93128.
876
877             clear: wa_record, WA_93128.
878             clear: L_KOINH_NEW, L_BANKN_NEW, L_BANKL_NEW, L_SPAN, L_STREET
    , L_STR_SUPPL1, L_CITY1.
879           ENDLOOP.
880
881       ENDCASE.
882
883
884     ENDIF. " P_CORPID
885
886
887
888   ENDFORM.                    " PREPARE_NEW_FORMAT
889
890
891   *&———————————————————————————————————————————————————————————*
892   *&      Form  MERGE_FILE
893   *&———————————————————————————————————————————————————————————*
894   *       text
895   *———————————————————————————————————————————————————————————*
896   *  —>  p1        text
897   *  <—  p2        text
898   *———————————————————————————————————————————————————————————*
899
900   FORM MERGE_FILE .
901
902   ** Prepare records with | separator.
903     refresh: IST_94427_FILE . "cvp-mum
904     refresh: IST_93128_FILE . "cep-ddn
905     refresh: IST_30523_FILE . "övl
906
907
908     data: WA_94427 type TY_NEW_FORMAT.
909     data: WA_93128 type TY_NEW_FORMAT.
910     data: WA_30523 type TY_NEW_FORMAT.
911
912     data: wa_record_new type TY_record_new.
913
914   *    BEN_TYPE(1),      "Beneficiary Type * 1
915   *    BEN_ACT_TYPE(1), "  Beneficiary Action Type * 1
916   *    BEN_NAME(35),     "Beneficiary Name * 35
917   *    BEN_AC_NO(17),    "Beneficiary Account Number *  33//17
918   *    BEN_CODE(24),     "Beneficiary Code 20 (back to 24)
```

```
919  *    IFSC(11),        "IFS Code#  11
920  *    ADDR1(35),        "Address1 35
921  *    ADDR2(35),       "Address2  35
922  *    ADDR3(35),        "Address3 35
923
924
925    IF p_payctr = 'CVP' .
926      LOOP at IST_94427 into WA_94427.
927
928        CONCATENATE WA_94427-BEN_TYPE  WA_94427-BEN_ACT_TYPE  WA_94427-BEN
     _NAME
929                    WA_94427-BEN_AC_NO  WA_94427-BEN_CODE  WA_94427-IFSC
930                       WA_94427-ADDR1  WA_94427-ADDR2  WA_94427-ADDR3
931              INTO wa_record_new-record SEPARATED BY '|'.
932
933        APPEND wa_record_new to IST_94427_FILE.
934
935      ENDLOOP.
936    ENDIF.
937
938    IF p_payctr = 'CEP' .
939      LOOP at IST_93128 into WA_93128.
940
941        CONCATENATE WA_93128-BEN_TYPE  WA_93128-BEN_ACT_TYPE  WA_93128-BEN
     _NAME
942                    WA_93128-BEN_AC_NO  WA_93128-BEN_CODE  WA_93128-IFSC
943                       WA_93128-ADDR1  WA_93128-ADDR2  WA_93128-ADDR3
944              INTO wa_record_new-record SEPARATED BY '|'.
945
946        APPEND wa_record_new to IST_93128_FILE.
947
948      ENDLOOP.
949    ENDIF.
950
951    IF p_payctr = 'OVL' .
952      LOOP at IST_30523 into WA_30523.
953
954        CONCATENATE WA_30523-BEN_TYPE  WA_30523-BEN_ACT_TYPE  WA_30523-BEN
     _NAME
955                    WA_30523-BEN_AC_NO  WA_30523-BEN_CODE  WA_30523-IFSC
956                       WA_30523-ADDR1  WA_30523-ADDR2  WA_30523-ADDR3
957              INTO wa_record_new-record SEPARATED BY '|'.
958
959        APPEND wa_record_new to IST_30523_FILE.
960
961      ENDLOOP.
962    ENDIF.
963
964
965
966  ENDFORM.                    " MERGE_FILE
967
968  *&———————————————————————————————————————————————————————————*
969  *&      Form  PROCESS
970  *&———————————————————————————————————————————————————————————*
971  *       text
972  *———————————————————————————————————————————————————————————*
973  *  —>  p1        text
974  *  <—  p2        text
975  *———————————————————————————————————————————————————————————*
976  FORM PROCESS .
```

```
 977
 978  * IST_94427_FILE . "cvp-mum
 979  * IST_93128_FILE . "cep-ddn
 980  * IST_30523_FILE . "övl
 981
 982    IF p_payctr = 'CVP'.
 983      PERFORM DIGITAL_SIGN_SAVE_LOGS USING IST_94427_FILE.
 984
 985    ELSEIF p_payctr = 'CEP' .
 986      PERFORM DIGITAL_SIGN_SAVE_LOGS USING IST_93128_FILE.
 987
 988    ELSEIF p_payctr = 'OVL'.
 989      PERFORM DIGITAL_SIGN_SAVE_LOGS USING IST_30523_FILE.
 990
 991    ENDIF.
 992
 993
 994  ENDFORM.                    " PROCESS
 995
 996
 997  *&---------------------------------------------------------------------*
 998  *&      Form  DIGITAL_SIGN
 999  *&---------------------------------------------------------------------*
1000  *       text
1001  *----------------------------------------------------------------------*
1002  *  -->  p1        text
1003  *  <--  p2        text
1004  *----------------------------------------------------------------------*
1005  FORM DIGITAL_SIGN_SAVE_LOGS USING IST_SBI_FILE TYPE STANDARD TABLE.
1006
1007  **RAW DATA IST:
1008  * IST_94427_FILE . "cvp-mum
1009  * IST_93128_FILE . "cep-ddn
1010  * IST_30523_FILE . "övl
1011
1012
1013  ** TABLE: ZFIBEN_FILE_MONI
1014  *MANDT  MANDT CLNT  3
1015  *VMC_APDATE DATUM DATS  8
1016  *SENT_DATE  DATUM DATS  8
1017  *SENT_TIME  UZEIT TIMS  6
1018  *SENT_FILENAME  ZBENE_FILE_NAME CHAR  150
1019  *SENT_FLAG  FLAG  CHAR  1
1020  *SENT_USERID  UNAME CHAR  12
1021  *RECEIVED_DATE  DATUM DATS  8
1022  *RECEIVED_TIME  UZEIT TIMS  6
1023  *RECEIVED_FILENAME  ZBENE_FILE_NAME CHAR  150
1024  *RECEIVED_FLAG  FLAG  CHAR  1
1025  *SENT_ERROR   STRING  0
1026  *RAW_DATA   RAWSTRING 0
1027  *DATA_SENT    RAWSTRING 0
1028  *DATA_RECEIVED    RAWSTRING 0
1029
1030    data: WA_ZFIBEN_FILE_MONI type ZFIBEN_FILE_MONI.
1031
1032    data: L_VMC_APDATE type ZFIBEN_FILE_MONI-VMC_APDATE,
1033          L_SENT_DATE TYPE ZFIBEN_FILE_MONI-SENT_DATE,
1034          L_SENT_TIME TYPE ZFIBEN_FILE_MONI-SENT_TIME,
1035          L_SENT_FILENAME type ZFIBEN_FILE_MONI-SENT_FILENAME,
1036          L_SENT_FLAG    type ZFIBEN_FILE_MONI-SENT_FLAG,
1037          L_SENT_USERID type ZFIBEN_FILE_MONI-SENT_USERID,
```

```
        L_SENT_ERROR type ZFIBEN_FILE_MONI-SENT_ERROR,
        L_RAW_DATA type xstring, "ZFIBEN_FILE_MONI-RAW_DATA,
        L_DATA_SENT type ZFIBEN_FILE_MONI-DATA_SENT.
*==============================================
******** Monitoring
  L_VMC_APDATE = P_DATE.
  L_SENT_DATE = sy-datum.
  L_SENT_TIME = sy-uzeit.
  L_SENT_USERID = sy-uname.

** Derive File Name: L_SENT_FILENAME
  Data: CURR_DATE(6),
        CorpFileName(23),
        CorpACNo(17).

** CURR_DATE   19801216
  concatenate sy-datum+6(2) sy-datum+4(2) sy-datum+2(2) INTO CURR_DATE.

  IF p_payctr = 'CVP'.
* COMPBEN. CURR_DATE 070114.ONGC94427 VMC_APDATE SENT_TIME .00000030340574145.txt
    CONCATENATE  'ONGC94427' L_VMC_APDATE L_SENT_TIME into CorpFileName.
    if sy-host = 'neweccdev' or sy-host = 'eccqas'.
*      CONCATENATE 'COMPBEN' CURR_DATE CorpFileName '00000030003223534.txt' INTO L_SENT_FILENAME SEPARATED BY '.' . "changes on 30.07.14
    CONCATENATE 'COMPBEN' CURR_DATE CorpFileName '00000030003223534' INTO L_SENT_FILENAME SEPARATED BY '.' .        "changes on 30.07.14
    elseif sy-host+0(6) = 'eccapp'.
*      CONCATENATE 'COMPBEN' CURR_DATE CorpFileName '00000030340574145.txt' INTO L_SENT_FILENAME SEPARATED BY '.' .  "changes on 30.07.14
       CONCATENATE 'COMPBEN' CURR_DATE CorpFileName '00000030340574145' INTO L_SENT_FILENAME SEPARATED BY '.' .      "changes on 30.07.14
    endif.

  ENDIF.

  IF p_payctr = 'CEP'.
*COMPBEN. CURR_DATE 070114.ONGC93128 VMC_APDATE SENT_TIME .00000030717314079.txt for
    CONCATENATE  'ONGC93128' L_VMC_APDATE L_SENT_TIME into CorpFileName.

    if sy-host = 'neweccdev' or sy-host = 'eccqas'.
*        CONCATENATE 'COMPBEN' CURR_DATE CorpFileName '00000030003079576.txt' INTO L_SENT_FILENAME SEPARATED BY '.' .  "changes on 30.07.14
         CONCATENATE 'COMPBEN' CURR_DATE CorpFileName '00000030003079576' INTO L_SENT_FILENAME SEPARATED BY '.' .      "changes on 30.07.14
      elseif sy-host+0(6) = 'eccapp'.
*        CONCATENATE 'COMPBEN' CURR_DATE CorpFileName '00000030717314079.txt' INTO L_SENT_FILENAME SEPARATED BY '.' . "changes on 30.07.14
         CONCATENATE 'COMPBEN' CURR_DATE CorpFileName '00000030717314079' INTO L_SENT_FILENAME SEPARATED BY '.' .     "changes on 30.07.14
    endif.

  ENDIF.

  IF p_payctr = 'OVL'.
* OVL : COMPBEN.CURR_DATE 070114.OVL30523 VMC_APDATE SENT_TIME . 00000010277786661.txt
    CONCATENATE  'OVL30523' L_VMC_APDATE L_SENT_TIME into CorpFileName .
```

```
*commented by JYOTHIG
**    if sy-host = 'neweccdev'  or sy-host = 'eccqas'.
*commented by JYOTHIG
*changed by JYOTHIG
*     if sy-host = 'neweccdev'  or sy-host = 'eccqas' or sy-host = 'ovleccdev'  or sy-host = 'ovleccqas'. commented by hiren
      if sy-sysid = 'OCD' or sy-sysid = 'OCQ'.
*changed by JYOTHIG
*      CONCATENATE 'COMPBEN' CURR_DATE CorpFileName '00000030003139979.txt' INTO L_SENT_FILENAME SEPARATED BY '.' . "changes on 30.07.14
       CONCATENATE 'COMPBEN' CURR_DATE CorpFileName '00000030003139979.txt' INTO L_SENT_FILENAME SEPARATED BY '.' .     "changes on 30.07.14
*      elseif sy-host+0(6) = 'eccapp'. commented by hiren.
       ELSEIF sy-sysid = 'OCP'.
*        CONCATENATE 'COMPBEN' CURR_DATE CorpFileName '00000010277786661.txt' INTO L_SENT_FILENAME SEPARATED BY '.' .   "changes on 30.07.14
         CONCATENATE 'COMPBEN' CURR_DATE CorpFileName '00000010277786661.txt' INTO L_SENT_FILENAME SEPARATED BY '.' .        "changes on 30.07.14
     endif.
  ENDIF.

*==============================================
** Digital signing

  DATA: IN_DATA_TABLE LIKE SSFBIN OCCURS 0 WITH HEADER LINE.
  DATA: PARAMS LIKE SSFPARMS.
  DATA: crc      TYPE i.
  DATA: doc_sig  TYPE xstring.
  DATA: doc_ver  TYPE xstring.
  DATA: doc_line TYPE string.
  DATA: doc_tab  TYPE ssftxttab.
  DATA: sig_list TYPE ssfsignertab.
  DATA: go_file_verifier        TYPE REF TO lcl_file_verifier,
        l_sign type SSFSIGNER.
  DATA  it_zuser_signer TYPE TABLE OF zuser_signer.
  DATA  wa_zuser_signer TYPE zuser_signer.

  DATA: ev_owner           TYPE string,
        ev_email           TYPE string,
        ev_serial          TYPE string,
        ev_thumbprint      TYPE string,
        ev_validfrom       TYPE string,
        ev_validto         TYPE string,
        ev_issuer          TYPE string,
        ev_bindocument_out TYPE xstring,
        e_int TYPE i.

DATA: lo_bnk_detail    TYPE REF TO zco_sios_bank_interface_encryp,
**  DATA: lo_bnk_detail    TYPE REF TO zfi_bnk_sbi_in_encco_si_sbiweb,
        proxy_data       TYPE zfile_upload2,
        lt_input         TYPE zfile_upload_response2,
        lo_sys_exception TYPE REF TO cx_ai_system_fault.
  DATA: err_string       TYPE string.
  data: wa_pa0009_BAK type pa0009.

  CREATE OBJECT lo_bnk_detail.



  CALL FUNCTION 'SCMS_TEXT_TO_BINARY'
* EXPORTING
```

```
*   FIRST_LINE            = 0
*   LAST_LINE             = 0
*   APPEND_TO_TABLE       = ' '
*   MIMETYPE              = ' '
*   ENCODING              =
    IMPORTING
      OUTPUT_LENGTH         =  PARAMS-INDATALEN
    TABLES
      TEXT_TAB              = IST_SBI_FILE
      BINARY_TAB            = IN_DATA_TABLE
* EXCEPTIONS
*   FAILED                = 1
*   OTHERS                = 2
              .
  IF SY-SUBRC <> 0.
    MESSAGE e570(zfi).
  ENDIF.

  CALL FUNCTION 'SCMS_BINARY_TO_XSTRING'
    EXPORTING
      input_length = PARAMS-INDATALEN
*     FIRST_LINE   = 0
*     LAST_LINE    = 0
    IMPORTING
      BUFFER       = L_RAW_DATA
    TABLES
      binary_tab   = IN_DATA_TABLE
    EXCEPTIONS
      FAILED       = 1
      OTHERS       = 2.
  IF sy-subrc <> 0.
    MESSAGE e570(zfi).
  ENDIF.


  CALL FUNCTION 'SSFS_CALL_CONTROL'
    EXPORTING
*     TXTDOCUMENT      = doc_tab
      BINDOCUMENT      = L_RAW_DATA
      DOC_TYPE         = 'TXT'
*     ssf_id           = 'CN=TEST CLASS IIIB SHATWO, SP=Gujarat, postalC
ode=392015, OU=CID - 2431135, OU=Marketing, O=Gujarat Narmada Valley Fer
tilizers Company Limited, C=IN'."wa_ZFI_BATCH_SIGN-ssf_screen.
    IMPORTING
      CRC              = crc
      SIGNATURE        = doc_sig
    EXCEPTIONS
      PARAMETER_ERROR  = 1
      CONVERSION_ERROR = 2
      CONTROL_ERROR    = 3
      FRONTEND_ERROR   = 4
      OTHERS           = 5.


**verify signature wrt userID
  IF crc = 0.  " 'SSFS_CALL_CONTROL'
    REFRESH sig_list.
    CALL FUNCTION 'SSFS_SERVER_VERIFY'
      EXPORTING
*       SSFAPPLIC       =
        signature       = doc_sig
```

```
      IMPORTING
        crc             = crc
        signerlist      = sig_list
        txtdocument_out = doc_tab
        bindocument_out = doc_ver
      EXCEPTIONS
        kernel_error    = 1
        parameter_error = 2
        OTHERS          = 3.

    IF SY-SUBRC <> 0.
      write: / 'Error while verifying signture:'(ERV), sy-subrc.
      exit.

    ELSEIF crc = 0. " signature OK
      go_file_verifier = lcl_file_verifier=>get_instance( ).
      READ TABLE sig_list INTO l_sign INDEX 1.
      IF sy-subrc = 0.
        CALL METHOD go_file_verifier->get_signer_info
          EXPORTING
            is_signerlist = l_sign
          IMPORTING
            ev_owner      = ev_owner
            ev_email      = ev_email
            ev_serial     = ev_serial
            ev_thumbprint = ev_thumbprint
            ev_validfrom  = ev_validfrom
            ev_validto    = ev_validto
            ev_issuer     = ev_issuer
            e_int         = e_int.
      ENDIF.

      SELECT * INTO TABLE it_zuser_signer
        FROM zuser_signer WHERE uname = sy-uname
                             AND active = 'X'.
      IF sy-subrc = 0.
        READ TABLE it_zuser_signer INTO wa_zuser_signer WITH KEY thumbpr
    in = ev_thumbprint.
        IF sy-subrc = 0.
          L_DATA_SENT = doc_sig.

        else.
          MESSAGE 'Wrong Signature used for signing' TYPE 'I'.
          EXIT.
        ENDIF.

      ELSE.
        MESSAGE 'No Signature Maintained for user' TYPE 'I'.
        EXIT.
      ENDIF.
    ENDIF.

    proxy_data-parameters-arg0  = L_SENT_FILENAME.
    proxy_data-parameters-arg1  = L_DATA_SENT.
******changed by JYOTHI GUBBALA*************
  TRY.
        CALL METHOD lo_bnk_detail->SIOS_BANK_INTERFACE_ENCRYPTION
          EXPORTING
            output = proxy_data
          IMPORTING
            input  = lt_input.
```

```
      CATCH cx_ai_system_fault INTO lo_sys_exception.
        err_string = lo_sys_exception->get_text( ).

      CATCH cx_ai_application_fault .
    ENDTRY.

******commented by JYOTHI GUBBALA*************
**    TRY.
**        CALL METHOD lo_bnk_detail->si_sbiwebservice_enc
**          EXPORTING
**            output = proxy_data
**          IMPORTING
**            input  = lt_input.
**      CATCH cx_ai_system_fault INTO lo_sys_exception.
**        err_string = lo_sys_exception->get_text( ).
**
**      CATCH cx_ai_application_fault .
**    ENDTRY.
******commented by JYOTHI GUBBALA*************

** update Moniotoring logs  in table ZFIBEN_FILE_MONI

    WA_ZFIBEN_FILE_MONI-VMC_APDATE = L_VMC_APDATE.
    WA_ZFIBEN_FILE_MONI-SENT_DATE = L_SENT_DATE.
    WA_ZFIBEN_FILE_MONI-SENT_TIME = L_SENT_TIME .
    WA_ZFIBEN_FILE_MONI-SENT_FILENAME = L_SENT_FILENAME.
    WA_ZFIBEN_FILE_MONI-SENT_USERID = L_SENT_USERID.
    WA_ZFIBEN_FILE_MONI-RAW_DATA = L_RAW_DATA.
    WA_ZFIBEN_FILE_MONI-DATA_SENT = L_DATA_SENT.
    WA_ZFIBEN_FILE_MONI-SENT_FLAG = 'X' .

    IF err_string IS NOT INITIAL.

      WA_ZFIBEN_FILE_MONI-SENT_ERROR = 'X' .
      MODIFY ZFIBEN_FILE_MONI FROM WA_ZFIBEN_FILE_MONI.
      MESSAGE 'Error while sending data' TYPE 'I'.
    ELSE.

      MODIFY ZFIBEN_FILE_MONI FROM WA_ZFIBEN_FILE_MONI.
      MESSAGE 'Data sent successfully' TYPE 'I'.

      IF p_payctr = 'CVP'.
        " 'RELEASE BY VMC' & 'RELEASE BY CMC'.
        update zfivmsbank set status = 'SENT TO SBI'
                              where vmc_apdate = p_date
                                and status = 'RELEASE BY VMC'.

        update zsdcust_bank set status = 'SENT TO SBI'
                             where chon = p_date
                               and status = 'RELEASE BY CMC'.

      ELSEIF p_payctr = 'OVL'.
        " 'RELEASE BY VMC FOR OVL'
        update zfivmsbank set status = 'SENT TO SBI'
                              where vmc_apdate = p_date
                                and status = 'RELEASE BY VMC FOR OVL'.

        " ZFIVMS_BRD-'RELEASE BY EMPLOYEE FOR OVL' === pa0009
        " set flag - R / D
        clear wa_pa0009_BAK.
*        loop at ist_pa0009_OVL into wa_pa0009_BAK.
```

```
*        endloop.
        Modify pa0009 from TABLE ist_pa0009_OVL.



         ELSEIF p_payctr = 'CEP'.
        " ZFIVMS_BRD-'RELEASE BY EMPLOYEE'  === pa0009
        " set flag - R / D
          clear wa_pa0009_BAK.
*          loop at ist_pa0009_ONGC into wa_pa0009_BAK.
*          endloop.
          Modify pa0009 from TABLE ist_pa0009_ONGC.
        ENDIF.
      ENDIF.

    ELSE.  "\\ 'SSFS_CALL_CONTROL'

      CASE crc.
        WHEN '2'.
          MESSAGE 'Please insert E-token' TYPE 'I'.
          EXIT.
        WHEN OTHERS.
          MESSAGE 'Error while signing' TYPE 'E'.
          EXIT.
      ENDCASE.


    ENDIF.  "\\ 'SSFS_CALL_CONTROL'


    clear: WA_ZFIBEN_FILE_MONI.


  ENDFORM.                    " DIGITAL_SIGN_SAVE_LOGS


*&———————————————————————————————————————————————————————————————*
*&      Form  AUTH_CHECK
*&———————————————————————————————————————————————————————————————*
*       text
*———————————————————————————————————————————————————————————————*
*  —>  p1        text
*  <—  p2        text
*———————————————————————————————————————————————————————————————*
FORM AUTH_CHECK .
* Check auth
* tcode: ZFIBENFILEGEN
*roles
*1. D:FI_FILEGEN_CVP
*2. D:FI_FILEGEN_CEP
*3. D:FI_FILEGEN_OVL
*       Object   :-     ZFIBENREG
*       Field  :-       ZPAY_CTR (03,16)
*      Value :-         CVP / CEP / OVL

  AUTHORITY-CHECK OBJECT 'ZFIBENREG'
    ID 'ZPAY_CTR' FIELD p_payctr
    ID 'ACTVT'  FIELD '16'.
  IF sy-subrc <> 0.
    MESSAGE 'No authorization' TYPE 'E'.
  ENDIF.
```

```

ENDFORM.                    " AUTH_CHECK


*&———————————————————————————————————————————————————————————*
*&      Form  CLEAR_VAR
*&———————————————————————————————————————————————————————————*
*       text
*———————————————————————————————————————————————————————————*
*  —>  p1        text
*  <—  p2        text
*———————————————————————————————————————————————————————————*
FORM CLEAR_VAR .

  refresh: IST_94427 . "cvp-mum
  refresh: IST_93128 . "cep-ddn
  refresh: IST_30523 . "övl

  refresh: IST_94427_FILE . "cvp-mum
  refresh: IST_93128_FILE . "cep-ddn
  refresh: IST_30523_FILE . "övl

ENDFORM.                    " CLEAR_VAR
*&———————————————————————————————————————————————————————————*
*&      Form  SET_TRANS
*&———————————————————————————————————————————————————————————*
*       text
*———————————————————————————————————————————————————————————*
*  —>  p1        text
*  <—  p2        text
*———————————————————————————————————————————————————————————*
FORM SET_TRANS .
    concatenate ''' ~ ! ` ! @ # $ % ^ & * ( ) _ - '     '{ [ } ] \ " : ; ? / , . < > ' into trans_string RESPECTING BLANKS.
ENDFORM.                    " SET_TRANS

```

```
*_____________________________________________________________________*
***INCLUDE ZFIVMS_BRD_SEL_FILEGEN_DIGSI01.
*_____________________________________________________________________*
*&_____________________________________________________________________*
*&      Module  USER_POPUP_EXIT  INPUT
*&_____________________________________________________________________*
*       text
*_____________________________________________________________________*
MODULE USER_POPUP_EXIT INPUT.


  g_cancel_pressed = ' '.

  case ok_code2000.
    when 'CANCEL'.
      g_cancel_pressed = 'X'.
      leave to screen 0.
    when 'OK'.
      leave to screen 0.
  endcase.
ENDMODULE.                 " USER_POPUP_EXIT  INPUT
*&_____________________________________________________________________*
*&      Module  DUMMY  INPUT
*&_____________________________________________________________________*
*       text
*_____________________________________________________________________*
MODULE DUMMY INPUT.

ENDMODULE.                 " DUMMY  INPUT

```

```
1   *_____________________________________________________________________*
2   ***INCLUDE ZFIVMS_BRD_SEL_FILEGEN_DIGSO01.
3   *_____________________________________________________________________*
4   *&_____________________________________________________________________*
5   *&      Module  STATUS_2000  OUTPUT
6   *&_____________________________________________________________________*
7   *       text
8   *_____________________________________________________________________*
9   MODULE STATUS_2000 OUTPUT.
10    clear G_PASSWORD.
11    set titlebar 'Enter PIN'.
12    set pf-status 'POPUP'.
13  ENDMODULE.                  " STATUS_2000  OUTPUT
14
```

Title:
SBI Beneficiary file Generation, Signing and Transfer

Text elements:

001 Vendor / Employee File Generation and Signing

Selection texts:

P_DATE
Run Date
P_PAYCTR
Payment Center
S_SPAN
Beneficiary Code

PAI modules:		Line	Page
DUMMY.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSI01	27	86
USER_POPUP_EXIT.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSI01	9	86

PBO modules:		Line	Page
STATUS_2000.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSO01	9	87

Subroutines:		Line	Page
ADD_7X_EMP.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	505	11
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	512	11
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	576	13
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	581	13
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2742	53
ADD_7X_EMP_D.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	540	12
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	546	12
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	604	13
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	609	13
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2768	53
AUTH_CHECK.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1366	84
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	233	5
CHECK_REQ_VALUE.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	238	6
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2729	52
CLEAR_VAR.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1395	85
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	245	6
DIGITAL_SIGN_SAVE_LOGS.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	983	78
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	986	78
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	989	78
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1005	78
EMPLOYEE_FILEGEN.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	694	15
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1526	30
EXTRACT_DATA.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	239	6
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	257	6
GENERATE_NEW_FORMAT.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	242	6
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	687	15
GET_ONGC_EMLPOYEE_DETAILS.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	330	7
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2116	41
GET_OVL_EMLPOYEE_DETAILS.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	328	7
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2440	47
MERGE_FILE.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	900	76
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	243	6
PREPARE_NEW_FORMAT.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	278	65
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	770	17
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	915	19
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	969	20
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1067	22
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1167	24
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1254	25
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1347	27
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1435	29
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1558	31
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1680	33
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1721	34
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1803	35
PROCESS.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	976	77
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	244	6
SET_TRANS.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1414	85

```
                                ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN  234     6
VENDOR_FILEGEN................. ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN  693    15
                                ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN  713    15
```

```
Status:                                                         Line   Page

POPUP......................... ZFIVMS_BRD_SEL_FILEGEN_DIGSO01   12    87
```

```
Messages:

                                                                Line   Page

?............................. ZBCM_CLASS_DECLARE               169    57
?............................. ZBCM_CLASS_DECLARE               173    57
?............................. ZBCM_CLASS_DECLARE               176    57
?............................. ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1242    82
?............................. ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1247    82
?............................. ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1296    83
?............................. ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1300    83
?............................. ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1341    84
?............................. ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1344    84
?............................. ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1381    84
ZFI570........................ ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1157    81
                                ZFIVMS_BRD_SEL_FILEGEN_DIGSF01 1173    81
```

External calls

Function modules:		Line	Page
SCMS_BINARY_TO_XSTRING.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1160	81
SCMS_TEXT_TO_BINARY.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1140	80
SSFS_CALL_CONTROL.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1177	81
SSFS_SERVER_VERIFY.....	ZBCM_CLASS_DECLARE	154	57
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1197	81
SX_INTERNET_ADDRESS_TO_NORMAL.	ZBCM_CLASS_DECLARE	272	59

DATABASE OPERATIONS

SELECT:		Line	Page
PA0001.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	322	7
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2142	41
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2310	45
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2467	47
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2617	50
PA0006.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2159	42
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2326	45
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2484	48
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2636	51
PA0009.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	279	6
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2277	44
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2589	50
PA9205.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2153	42
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2319	45
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2478	48
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2629	51
ZFIVMS_BRD.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	372	67
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	414	68
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	499	69
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	550	70
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	592	71
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	679	72
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	729	73
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	771	74
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	858	75
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	352	8
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	370	8
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	400	9
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2203	43
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2364	46
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2536	49
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2674	51
ZFIVMS_RESEND.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	339	7
ZFI_PATH.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	732	16
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	887	19
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	945	20
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1040	21
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1143	23
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1229	25
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1322	27
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1410	28
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1534	30
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1657	33
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1698	33
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1781	35
ZSDCUST_BANKUPD.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	347	8
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	366	8
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	385	9
ZUSER_SIGNER.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1234	82

UPDATE:		Line	Page
ZFIVMSBANK.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1304	83
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1314	83

ZFIVMS_RESEND.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	926	19
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1123	23
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1305	26
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	1487	30
ZSDCUST_BANK.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1308	83

MODIFY:		Line	Page
PA0009.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1323	84
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1333	84
ZFIBEN_FILE_MONI.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1295	83
	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1299	83
ZFIVMS_BRD.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2221	43
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2238	43
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2381	46
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2398	46
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2553	49
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2557	49
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2692	52
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2696	52

INTERNAL TABLE OPERATIONS

READ TABLE:		Line	Page
IST_PA0006.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2162	42
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2173	42
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2329	45
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2340	45
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2487	48
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2506	48
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2639	51
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2650	51
IST_ZFIVMS_BRD1.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2210	43
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2212	43
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2371	46
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2373	46
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2543	49
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2545	49
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2681	52
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	2683	52
IST_ZFIVMS_BRDTMP.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	439	10
	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	441	10
IT_ZUSER_SIGNER.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1237	82
LT_SIGNERLIST.....	ZBCM_CLASS_DECLARE	178	57
SIG_LIST.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSF01	1217	82

DELETE:		Line	Page
IST_ZFIVMS_BRD1.....	ZFIVMS_BRD_SEL_FILEGEN_DIGSIGN	425	9