

Created on....16.09.2019 Last changed on/by..... 13.07.2026 XGAIL_AB6
Author.....XGAIL_AB3

Title.....Rebate Calculation New

Type.....1	Reporting
Status.....P	Production
Application.....V	Sales
Class.....	
Logical database.....	
from Application....	Sales
Selection screen.....	
Authorization group...	
Package.....YV01	

 Start by Variants
 Deactivate editor lock
X Fixed point arithmetic active

```

1  *&-----*&
2  *& PROGRAM NAME           : YRVU001_REB_CALC_M2      *&
3  *& TRANSACTION CODE      : YRVU015                  *&
4  *& MODULE                : SD                        *&
5  *& PACKAGE               : YV01                     *&
6  *& DEVELOPED BY          : UJJWAL JAIN                *&
7  *& VERSION               : 1.0                       *&
8  *& TYPE                  : EXECUTABLE                 *&
9  *& FUNCTIONAL CONSULTANT : PRIYANKA SINGH/ANURAG MEHTA *&
10 *& RECEIVED DATE          : 16.09.2019                *&
11 *& FUN. SPECS RECIVED     : NO                        *&
12 *& TRANSPORT REQ         : DVRK9A0GCG                 *&
13 *&-----*&
14 *& CHANGE HISTORY : THIS PROGRAM IS COPY OF YRVU001_REB_CALC WITH
15 *&                   ADDITIONAL CHANGES SUGGESTED BY PRIYANKA/ANURAG
16 *&                   YRVU016 IS FOR VARIANT RUN PROGRAM      *&
17 *&-----*
18 *& CHANGE DATE | CHANGED BY | CHANGE ID | DESCRIPTION |
19 *&-----|-----|-----|-----|
20 *& 10-02-2020 | UJJWAL JAIN | 400001548 |
21 *&-----|-----|-----|-----|
22 * PROGRAM DESCRIPTION: FOR REBATE CALCULATIONS THE REBATE APPLICABLE IS
23 *                   CALCULATED BASED ON THE UPLIFTMENT QUANTITIES. THESE
24 *                   WILL BE GIVEN IN A REPORT AND ON EXECUTING THE
25 *                   CREDIT MEMOS WILL HAVE TO BE CREATED.
26 *-----*
27
28 REPORT yrvu001_reb_calc_m2 NO STANDARD PAGE HEADING
29 MESSAGE-ID yv01 .
30 *INCLUDES-----*
31 *TABLES - SAP TABLES-----*
32 TABLES : s925,
33           vbak,
34           kna1,
35           yrva_rebate,
36           vbrp,
37           konp,
38           s922.
39 *TABLES - CUSTOM TABLES-----*
40 *VIEWS-----*
41
42 *STRUCTURES-----*
43 DATA : x_order_header_in LIKE bapisdhead,
44         x_return_commit   LIKE bapireturn1,
45         x_sold_to_party   LIKE bapisoldto,
46         x_bapisdhd1       LIKE bapisdhd1.
47
48 *TYPES-----*
49 TYPE-P00LS : slis.
50
51 *INTERNAL TABLES-----*
52 DATA: gt_fieldcat TYPE slis_t_fieldcat_alv WITH HEADER LINE.
53
54 DATA : i_layout      TYPE slis_layout_alv,
55         i_exit_event  TYPE slis_t_event_exit WITH HEADER LINE.
56
57 DATA: i_events TYPE slis_t_event WITH HEADER LINE.
58
59 DATA: BEGIN OF i_reb1 OCCURS 0,
60         name1      LIKE kna1-name1,
61         pkunag     LIKE s925-pkunag,

```

"FOR REBATES

"SOLD-TO PARTY

```

62      vkbur      LIKE s925-vkbur,          "SALES OFFICE
63      vkorg      LIKE s925-vkorg,          "SALES ORGANIZATION
64      kvgr2      LIKE s925-kvgr2,          "GROUP COMPANY
65      werks      LIKE s925-werks,          "PLANT
66      *          KVGR3      LIKE S922-KVGR3,          "LOCATION
67      *          REGIO_LIS LIKE S922-REGIO_LIS,          " REGION
68      kondm      LIKE s925-kondm,          "MATERIAL PRICING GROUP
69      kdgrp      LIKE s925-kdgrp,          "CUSTOMER GROUP
70      kukla      LIKE kna1-kukla,          "CUSTOMER CLASSIFICATION
71      ummenge    LIKE s925-ummenge,          "INVOICED QUANTITY
72      *          VALUE      LIKE S925-UMMENGE,
73      value      LIKE yrva_rebate-value,    "(QUANTITY * RATE)
74      line       LIKE sy-linno,             "LINE NO
75      page       LIKE sy-cpage,             "PAGE NO
76      check(1),  "CHECK INDICATOR(X)
77      END OF i_reb1.
78
79      DATA: BEGIN OF i_reb_1 OCCURS 0,
80      name1      LIKE kna1-name1,
81      pkunag     LIKE s925-pkunag,          "SOLD-TO PARTY
82      vkbur      LIKE s925-vkbur,          "SALES OFFICE
83      vkorg      LIKE s925-vkorg,          "SALES ORGANIZATION
84      kvgr2      LIKE s925-kvgr2,          "GROUP COMPANY
85      werks      LIKE s925-werks,          "PLANT
86      *          KVGR3      LIKE S922-KVGR3,          "LOCATION
87      *          REGIO_LIS LIKE S922-REGIO_LIS,          " REGION
88      kondm      LIKE s925-kondm,          "MATERIAL PRICING GROUP
89      kdgrp      LIKE s925-kdgrp,          "CUSTOMER GROUP
90      kukla      LIKE kna1-kukla,          "CUSTOMER CLASSIFICATION
91      ummenge    LIKE s925-ummenge,          "INVOICED QUANTITY
92      *          VALUE      LIKE S925-UMMENGE,
93      value      LIKE yrva_rebate-value,    "(QUANTITY * RATE)
94      line       LIKE sy-linno,             "LINE NO
95      page       LIKE sy-cpage,             "PAGE NO
96      check(1),  "CHECK INDICATOR(X)
97      ummenge_1  LIKE s925-ummenge,          "INVOICED QUANTITY
98      END OF i_reb_1.
99
100     DATA: BEGIN OF i_reb7 OCCURS 0,
101     name1      LIKE kna1-name1,
102     pkunag     LIKE s925-pkunag,          "SOLD-TO PARTY
103     vkbur      LIKE s925-vkbur,          "SALES OFFICE
104     vkorg      LIKE s925-vkorg,          "SALES ORGANIZATION
105     kvgr2      LIKE s925-kvgr2,          "GROUP COMPANY
106     werks      LIKE s925-werks,          "PLANT
107     *          KVGR3      LIKE S922-KVGR3,          "LOCATION
108     *          REGIO_LIS LIKE S922-REGIO_LIS,          " REGION
109     kondm      LIKE s925-kondm,          "MATERIAL PRICING GROUP
110     kdgrp      LIKE s925-kdgrp,          "CUSTOMER GROUP
111     kukla      LIKE kna1-kukla,          "CUSTOMER CLASSIFICATION
112     ummenge    LIKE s925-ummenge,          "INVOICED QUANTITY
113     *          VALUE      LIKE S925-UMMENGE,
114     value      LIKE yrva_rebate-value,    "(QUANTITY * RATE)
115     line       LIKE sy-linno,             "LINE NO
116     page       LIKE sy-cpage,             "PAGE NO
117     check(1),  "CHECK INDICATOR(X)
118     END OF i_reb7.
119
120     DATA: BEGIN OF i_reb_kdgrp OCCURS 0,
121     vkbur      LIKE s925-vkbur,          "SALES OFFICE
122     vkorg      LIKE s925-vkorg,          "SALES ORGANIZATION

```

```

123      pkunag      LIKE s925-pkunag,           "SOLD-TO PARTY
124      kvgr2       LIKE s925-kvgr2,           "GROUP COMPANY
125      kvgr3       LIKE s922-kvgr3,           "LOCATION
126      kondm       LIKE s925-kondm,           "MATERIAL PRICING GROUP
127      kdgrp       LIKE s925-kdgrp,           "CUSTOMER GROUP
128      werks       LIKE s925-werks,           "PLANT
129      ummenge     LIKE s925-ummeng,           "INVOICED QUANTITY
130  *      VALUE     LIKE S925-UMMENG,
131      value       LIKE yrva_rebate-value,      "(QUANTITY * RATE)
132      line        LIKE sy-linno,              "LINE NO
133      page        LIKE sy-cpage,              "PAGE NO
134      check(1),   "CHECK INDICATOR(X)
135      END OF i_reb_kdgrp,
136      i_reb3 LIKE STANDARD TABLE OF i_reb1 WITH HEADER LINE.
137
138  DATA: BEGIN OF i_reb2 OCCURS 0,
139      vkbur       LIKE s925-vkbur,           "SALES OFFICE
140      kukla       TYPE kukla,
141  *      VKORG      LIKE S925-VKORG,           "SALES ORGANIZATION
142      pkunag      LIKE s925-pkunag,           "SOLD-TO PARTY
143      name1       LIKE kna1-name1,
144      kvgr2       LIKE s925-kvgr2,           "GROUP COMPANY
145      werks       LIKE s925-werks,           "PLANT
146      kvgr3       LIKE s922-kvgr3,           "LOCATION
147      kdgrp       LIKE s925-kdgrp,           "CUSTOMER GROUP
148      kunnr       TYPE kunnr, " SOC BY UJJWAL/PRIYANKA ON 10-02-2020
149  ON CHRM 4000001548 TO DISPLAY CS
150      ummenge     LIKE s925-ummeng,           "INVOICED QUANTITY
151      ummenge1    LIKE s925-ummeng,           "INVOICED QUANTITY
152      kbetr       LIKE konm-kbetr,
153  *      VALUE     LIKE S925-UMMENG,
154      value       LIKE yrva_rebate-value,      "(QUANTITY * RATE)
155      line        LIKE sy-linno,              "LINE NO
156      page        LIKE sy-cpage,              "PAGE NO
157      check(1),
158      rem(20),
159      bezei       LIKE tvkbt-bezei, " ASHOK & M A KHAN 07.06.2007
160      " SOC ADDED BY UJJWAL/PRIYANKA ON 7-07-2020 ON CHRM 4000002361 T
161  0 DISPLAY REBATE ORDER
162      vbeln       LIKE yrva_rebate-vbeln,
163      " EOC ADDED BY UJJWAL/PRIYANKA ON 7-07-2020 ON CHRM 4000002361 T
164  0 DISPLAY REBATE ORDER
165      END OF i_reb2.
166
167  DATA: BEGIN OF i_reb_2 OCCURS 0,
168      vkbur       LIKE s925-vkbur,           "SALES OFFICE
169      kukla       TYPE kukla,
170  *      VKORG      LIKE S925-VKORG,           "SALES ORGANIZATION
171      pkunag      LIKE s925-pkunag,           "SOLD-TO PARTY
172      name1       LIKE kna1-name1,
173      kvgr2       LIKE s925-kvgr2,           "GROUP COMPANY
174      werks       LIKE s925-werks,           "PLANT
175      kvgr3       LIKE s922-kvgr3,           "LOCATION
176      kdgrp       LIKE s925-kdgrp,           "CUSTOMER GROUP
177      kunnr       TYPE kunnr, " SOC BY UJJWAL/PRIYANKA ON 10-02-2020
178  ON CHRM 4000001548 TO DISPLAY CS
179      ummenge     LIKE s925-ummeng,           "INVOICED QUANTITY
180      ummenge1    LIKE s925-ummeng,           "INVOICED QUANTITY
181      kbetr       LIKE konm-kbetr,
182  *      VALUE     LIKE S925-UMMENG,
183      value       LIKE yrva_rebate-value,      "(QUANTITY * RATE)

```

```
180      line      LIKE sy-linno,           "LINE NO
181      page      LIKE sy-cpage,          "PAGE NO
182      check(1),
183      rem(20),
184      bezei      LIKE tvkbt-bezei, " ASHOK & M A KHAN 07.06.2007
185      " SOC ADDED BY UJJWAL/PRIYANKA ON 7-07-2020 ON CHRM 4000002361 T
0 DISPLAY REBATE ORDER
186      vbeln      LIKE yrva_rebate-vbeln,
187      " EOC ADDED BY UJJWAL/PRIYANKA ON 7-07-2020 ON CHRM 4000002361 T
0 DISPLAY REBATE ORDER
188      END OF i_reb_2.
189
190 DATA: BEGIN OF i_reb5 OCCURS 0,
191      pkunag      LIKE s925-pkunag,
192      ummenge1    LIKE s922-ummeng,
193      END OF i_reb5,
194
195      BEGIN OF i_reb6 OCCURS 0,
196      pkunag      LIKE s925-pkunag,
197      ummenge1    LIKE s922-ummeng,
198      END OF i_reb6.
199
200 DATA : BEGIN OF i_cond OCCURS 0,
201      knumh       LIKE konm-knumh,
202      kbetr       LIKE konm-kbetr,
203      kstbm       LIKE konm-kstbm,
204      END OF i_cond,
205      BEGIN OF i_scmz OCCURS 0,
206      pkunag      LIKE s925-pkunag,
207      ummenge     LIKE s925-ummeng,          "INVOICED QUANTITY
208      END OF i_scmz.
209
210
211 DATA : i_cond1 LIKE i_cond OCCURS 0 WITH HEADER LINE.
212
213 DATA : BEGIN OF i_pkunag OCCURS 0,
214      pkunag      LIKE s925-pkunag,
215      END OF i_pkunag.
216 DATA: lt_return TYPE STANDARD TABLE OF ddshretval.
217 DATA : BEGIN OF i_kukla OCCURS 0,
218      kunnr       LIKE kna1-kunnr,
219      kukla       LIKE kna1-kukla,
220      name1       LIKE kna1-name1,
221      END OF i_kukla.
222 * BOC ASHOK & M A KHAN 07.06.07
223 DATA: BEGIN OF i_tvkbt OCCURS 0,
224      vkbur       LIKE tvkbt-vkbur,
225      bezei       LIKE tvkbt-bezei,
226      END OF i_tvkbt.
227 * EOC ASHOK & M A KHAN 07.06.07
228
229 * BOC ASHOK & M A KHAN 09.01.12
230 DATA: BEGIN OF i_vbrk OCCURS 0,
231      vbeln       LIKE vbrk-vbeln,
232      fkart       LIKE vbrk-fkart,
233      fkdat       LIKE vbrk-fkdat,
234      kunag       LIKE vbrk-kunag,
235      sfakn       LIKE vbrk-sfakn,
236      END OF i_vbrk,
237      i_vbrk_t    LIKE i_vbrk OCCURS 0 WITH HEADER LINE,
238      BEGIN OF i_vbrp OCCURS 0,
```

```

239         vbeln LIKE vbrp-vbeln,
240         fking LIKE vbrp-fking,
241         kondm LIKE vbrp-kondm,
242         kunag LIKE vbrk-kunag,
243     END OF i_vbrp,
244     BEGIN OF i_vbrp_tmp OCCURS 0,
245         vbeln LIKE vbrp-vbeln,
246         fking LIKE vbrp-fking,
247         kondm LIKE vbrp-kondm,
248         kunag LIKE vbrk-kunag,
249     END OF i_vbrp_tmp,
250     w_kunag LIKE vbrk-kunag.
251 * EOC ASHOK & M A KHAN 09.01.12
252 TYPES: BEGIN OF ty_data,
253         text TYPE char20,
254     END OF ty_data.
255 DATA: lt_custclss TYPE STANDARD TABLE OF ty_data,
256        ls_custclss TYPE ty_data.
257 DATA : i_a350 LIKE a350 OCCURS 0.
258 DATA : i_a307 LIKE a307 OCCURS 0.
259 DATA : flag      TYPE numc1,
260        lv_index   TYPE sy-tabix, "ADDED BY KUNAL/PRIYANKA ON 05/02/2018
261        lv_index1  TYPE sy-tabix. "ADDED BY VAIBHAV
262 DATA : WA_REC LIKE A350.
263
264 DATA : i_order_partners LIKE bapipartnr  OCCURS 0 WITH HEADER LINE,
265        i_order_items_in LIKE bapiitemin  OCCURS 0 WITH HEADER LINE.
266
267 *VARIABLES-----*
268 * COUNTERS
269 * FLAGS
270 * SUMS
271 * VARIABLES
272 DATA : w_kbetr      LIKE konm-kbetr,
273        w_vbeln      LIKE bapivbeln-vbeln,
274        w_objtype    LIKE bapiusw01-objtype,
275        w_auart      LIKE bapisdhead-doc_type,
276        w_matnr      LIKE mara-matnr,
277        w_vkbur      LIKE i_reb1-vkbur,
278        w_vkorg      LIKE i_reb1-vkorg,
279        w_pkunag     LIKE i_reb1-pkunag,
280        w_kvgr2      LIKE i_reb1-kvgr2,
281        w_curr_lin   LIKE sy-tabix,
282        w_next_lin   LIKE sy-linno.
283 * NEW VARIABLE DECLARED ON 03.04.2014
284 DATA: flag_70 TYPE c.
285 DATA : w_vbeln1 TYPE vbeln.
286 DATA: BEGIN OF i_reb_bkp OCCURS 0,
287         name1      LIKE kna1-name1,
288         pkunag     LIKE s925-pkunag,
289         vkbur      LIKE s925-vkbur,
290         vkorg      LIKE s925-vkorg,
291         kvgr2      LIKE s925-kvgr2,
292         *          KVGR3      LIKE S922-KVGR3,
293         *          REGIO_LIS LIKE S922-REGIO_LIS,
294         kondm      LIKE s925-kondm,
295         kdgrp      LIKE s925-kdgrp,
296         werks      LIKE s925-werks,
297         kukla      LIKE kna1-kukla,
298         ummenge    LIKE s925-ummenge,

```

```

"SOLD-TO PARTY
"SALES OFFICE
"SALES ORGANIZATION
"GROUP COMPANY
"LOCATION
" REGION
"MATERIAL PRICING GROUP
"CUSTOMER GROUP
"PLANT
"CUSTOMER CLASSIFICATION
"INVOICED QUANTITY

```



```

299 *          VALUE      LIKE S925-UMMENG,
300      value      LIKE yrva_rebate-value,  "(QUANTITY * RATE)
301      line       LIKE sy-linno,          "LINE NO
302      page       LIKE sy-cpage,          "PAGE NO
303      check(1),    "CHECK INDICATOR(X)
304      END OF i_reb_bkp.
305 *BOC CHARM ID 4000003218 TECHNICAL VIKRAM BAJAJ FUNCTIONAL PRIYANKA SING
H DT 17.12.2020" CODE COMMENTED AS PER CHARM UPDATION
306 DATA : gs_yrva_varientlog TYPE yrva_varientlog .
307 DATA : gs_yrva_varientlog1 TYPE yrva_varientlog ."02.02.2021
308 DATA : gv_ques TYPE string .
309 DATA : gv_ans(1) .
310 *EOC CHARM ID 4000003218 TECHNICAL VIKRAM BAJAJ FUNCTIONAL PRIYANKA SING
H DT 17.12.2020
311 * END OF NEW CODE DECLARATION
312 *CONSTANTS-----*
313 DATA: gd_line TYPE i.
314 *SELECTION-SCREEN
315 SELECTION-SCREEN : BEGIN OF BLOCK b1 WITH FRAME TITLE TEXT-001.
316 SELECTION-SCREEN SKIP.
317 *BOC CHARM ID 4000003218 TECHNICAL VIKRAM BAJAJ FUNCTIONAL PRIYANKA SING
H DT 17.12.2020
318 PARAMETERS :pc1 AS CHECKBOX ."
319 * PARAMETERS : PREL TYPE DATUM . " COMMENTED ON 08.02.2021
320 *EOC CHARM ID 4000003218 TECHNICAL VIKRAM BAJAJ FUNCTIONAL PRIYANKA SING
H DT 17.12.2020
321 SELECT-OPTIONS :
322     s_sptag FOR s925-sptag OBLIGATORY NO-EXTENSION,
323     s_vkorg FOR s925-vkorg OBLIGATORY NO INTERVALS NO-EXTENSION,
324     s_vkbur FOR s925-vkbur NO INTERVALS NO-EXTENSION,
325     s_pkunag FOR s925-pkunag NO INTERVALS, "NO-EXTENSION,
326     s_auart FOR vbak-auart, " SOC by Vaishnavi/Archna TR: DVRK9A10TG
327     s_kukla FOR kna1-mcod1 NO INTERVALS, "NO INTERVALS NO-EXTENSION,
328     s_kukla2 FOR kna1-kukla NO-DISPLAY, " SOC by Vaishnavi/Archna TR: D
VRK9A10TG
329     s_kondm FOR s925-kondm OBLIGATORY,
330     s_dist FOR x_bapisdhd1-distr_chan OBLIGATORY,
331     "DISTRIBUTATION CHANNAL
332     s_div FOR x_bapisdhd1-division NO-DISPLAY,
333     s_kdgrp FOR s925-kdgrp,
334     s_kvgr2 FOR s925-kvgr2,
335     s_kvgr3 FOR s922-kvgr3,
336     s_ssour FOR s925-ssour NO-DISPLAY,
337     s_regio FOR s922-regio_lis NO-DISPLAY,
338 *** CHNGE BY TCS:AM FUNC PRIYANKA DATED SEP 27, 2018.
339     s_werks FOR vbrp-werks .
340 *** CHNGE BY TCS:AM FUNC PRIYANKA DATED SEP 27, 2018.
341 **SOC BY UJJWAL/PRIYANKA ON CHARM 40000002943 ON 14-10-2020 TO GET ZOPN
ORDER SEPRATELY
342 PARAMETERS : s_kvgr4 LIKE vbrp-kvgr4.
343 **EOC BY UJJWAL/PRIYANKA ON CHARM 40000002943 ON 14-10-2020 TO GET ZOPN
ORDER SEPRATELY
344 PARAMETERS : p_kschl LIKE konp-kschl OBLIGATORY,
345     p_kschl1 LIKE konp-kschl.
346
347 SELECTION-SCREEN SKIP.
348 SELECTION-SCREEN : END OF BLOCK b1.
349
350 * AT SELECTION SCREEN-----*
351 ** SOC by Vaishnavi/Archna TR: DVRK9A10TG
352 INITIALIZATION.

```

```

353
354 AT SELECTION-SCREEN ON VALUE-REQUEST FOR s_kukla-low.
355     PERFORM custclss.
356
357 AT SELECTION-SCREEN ON VALUE-REQUEST FOR s_kukla-high.
358     PERFORM custclss.
359 ** EOC by Vaishnavi/Archana TR: DVRK9A10TG
360 AT SELECTION-SCREEN ON s_vkbur.
361 *CHECKING AUTHORIZATION
362     AUTHORITY-CHECK OBJECT 'YV_VKBUR'
363     ID 'VKBUR' FIELD s_vkbur-low ."I_S925-VKBUR.
364     IF sy-subrc <> 0.
365         IF s_vkbur-low IS INITIAL .
366             flag = 0.
367         ELSE.
368             MESSAGE e081 WITH s_vkbur-low. "I_S925-VKBUR.
369         ENDIF.
370     ELSE.
371         flag = 1.
372     ENDIF.
373
374 AT SELECTION-SCREEN ON s_kvgr2.
375     IF s_kvgr2-low IS NOT INITIAL AND s_vkbur-low IS INITIAL.
376         AUTHORITY-CHECK OBJECT 'YV_KVGR2'
377         ID 'YKVGR2' FIELD s_kvgr2-low ."I_S925-VKBUR.
378         IF sy-subrc <> 0.
379             MESSAGE e061 WITH s_vkbur-low. "I_S925-VKBUR.
380         ENDIF.
381     ENDIF.
382
383 AT SELECTION-SCREEN.
384     IF s_vkbur-low IS INITIAL AND s_kvgr2-low IS INITIAL AND flag <> 1.
385         MESSAGE e142.
386     * MESSAGE 'EITHER ENTER SALES OFFICE OR GROUP COMPANY' TYPE 'E'.
387     ENDIF.
388
389
390 * TOP OF PAGE_____ *
391 TOP-OF-PAGE.
392 * START OF SELECTION_____ *
393 START-OF-SELECTION.
394 *BOC CHARM ID 4000003218 TECHNICAL VIKRAM BAJAJ FUNCTIONAL PRIYANKA SING
H DT 17.12.2020
395     IF pc1 IS NOT INITIAL .
396         gv_ques = TEXT-005.
397         CALL FUNCTION 'POPUP_TO_CONFIRM'
398             EXPORTING
399                 titlebar                = 'CONFIRMATION'
400                 text_question           = gv_ques
401                 text_button_1          = 'YES'
402                 icon_button_1          = 'ICON_CHECKED'
403                 text_button_2          = 'NO'
404                 icon_button_2          = 'ICON_CANCEL'
405                 display_cancel_button  = ' '
406     * POPUP_TYPE                        = 'ICON_MESSAGE_ERROR'
407             IMPORTING
408                 answer                  = gv_ans.
409     IF gv_ans = 1.
410         gs_yrva_varientlog-variant = sy-slset.
411         gs_yrva_varientlog-checkby = sy-uname.
412         gs_yrva_varientlog-checkon = sy-datum.

```



```

413 *          GS_YRVA_VARIANTLOG-RELDAT  = PREL . COMMENTED ON 08.
02.2021
414     gs_yrva_varientlog-checkat = sy-uzeit.
415     gs_yrva_varientlog-vkorg = s_vkorg-low.
416     gs_yrva_varientlog-werks = s_werks-low.
417 *          IF PREL NE '00000000' . COMMENTED ON 08.02.2021
418 *          GS_YRVA_VARIANTLOG-RELBY = SY-UNAME .
419 *          ENDIF .
420     INSERT yrva_varientlog FROM gs_yrva_varientlog .
421     COMMIT WORK .
422     IF sy-subrc = 0 .
423         MESSAGE TEXT-006 TYPE 'S' .
424     ELSE .
425         MESSAGE TEXT-007 TYPE 'S' DISPLAY LIKE 'E' .
426     ENDIF .
427     ENDIF .
428     ELSE ."
429 *EOC CHARM ID 4000003218 TECHNICAL VIKRAM BAJAJ FUNCTIONAL PRIYANKA SING
H DT 17.12.2020
430 **SOC BY UJJWAL/PRIYANKA ON CHARM 40000002943 ON 14-10-2020 TO GET ZOPN
ORDER SEPRATELY
431     IF s_kvgr4 IS NOT INITIAL AND s_kvgr4 NE 'ZOP'.
432         MESSAGE 'CUSTOMER GROUP 4 SHOULD BE ZOP FOR ZOPN ORDER TYPE' TYPE
'I' DISPLAY LIKE 'E'.
433         LEAVE LIST-PROCESSING.
434     ENDIF.
435 **EOC BY UJJWAL/PRIYANKA ON CHARM 40000002943 ON 14-10-2020 TO GET ZOPN
ORDER SEPRATELY
436 *   SET PF-STATUS 'PFSTAT'.
437     SET PF-STATUS 'STANDARD' EXCLUDING 'CALC'      ##STAT_UNDEF . " MODIF
IED BY SHWETA SONI TCS
438
439 *CUSTOMER CLASSIFICATION
440     SELECT kunnr kukla name1 FROM kna1
441             INTO TABLE i_kukla
442             WHERE kukla IN s_kukla
443             AND kunnr IN s_pkunag.
444 **SOC BY UJJWAL/PRIYANKA ON CHARM 40000002943 ON 14-10-2020 TO GET ZOPN
ORDER SEPRATELY
445     IF s_kvgr4 IS INITIAL.
446         PERFORM filter_data.
447     ELSE.
448         PERFORM filter_data_1.
449     ENDIF.
450
451
452 **EOC BY UJJWAL/PRIYANKA ON CHARM 40000002943 ON 14-10-2020 TO GET ZOPN
ORDER SEPRATELY
453 **   IF I_REB1[] IS NOT INITIAL AND S_VKBUR-LOW IS NOT INITIAL.
454 **   SELECT SPTAG VTWEG PKUNAG VKBUR VKORG KVGR2      KONDM
455 **           KDGRP UMMENGE INTO CORRESPONDING FIELDS OF
456 **           TABLE I_REB3
457 **           FROM S925
458 **           FOR ALL ENTRIES IN I_KUKLA
459 **           WHERE SSOUR   IN S_SSOUR   AND
460 **                   VRSIO   = '000'   AND
461 **                   SPMON   = '000000' AND
462 **                   SPTAG IN S_SPTAG   AND
463 **                   SPMON   IN S_MONTH  AND
464 **                   SPWOC   = '000000' AND
465 **                   SPBUP   = '000000' AND

```

```
466 **          VKORG IN S_VKORG      AND
467 **          VTWEG IN S_DIST        AND
468 ***          REGIO_LIS IN S_REGIO   AND
469 ***          VKBUR IN S_VKBUR      AND
470 **          KVGR2 IN S_KVGR2
471 **          AND KONDM IN S_KONDM
472 **          AND KDGRP IN S_KDGRP
473 **          AND WERKS IN S_WERKS.
474 **      DELETE I_REB3[] WHERE VKBUR IN S_VKBUR.
475 **      LOOP AT I_REB3.
476 **          READ TABLE I_REB1 WITH KEY PKUNAG = I_REB3-PKUNAG.
477 **          IF SY-SUBRC = 0.
478 **              MOVE-CORRESPONDING I_REB3 TO I_REB1.
479 **              APPEND I_REB1.
480 **          ENDIF.
481 **      ENDLOOP.
482 **  ENDIF.
483 *  ENDIF.
484
485      DELETE i_reb1 WHERE NOT kondm IN s_kondm.
486      DELETE i_reb1 WHERE NOT kdgrp IN s_kdgrp.
487
488      IF s_sptag-high IS NOT INITIAL.
489          SELECT vbeln fkart fkdat kunag sfakn INTO TABLE i_vbrk
490          FROM vbrk
491          WHERE vkorg = '5000'
492          AND ( fkart IN ('ZP07', 'ZI07') OR fkart = 'S1' )
493 **SOC BY UJJWAL/PRIYANKA TO GET DISTRIBUTION CHANNEL WISE BILL DATA ON C
HARM 400001548 ON 24-01-2020
494          AND vtweg IN s_dist
495 **EOC BY UJJWAL/PRIYANKA TO GET DISTRIBUTION CHANNEL WISE BILL DATA ON C
HARM 400001548 ON 24-01-2020
496          AND fkdat GE s_sptag-low AND fkdat LE s_sptag-high
497 ** -> BEGIN OF CHANGES BY OF RITIKA ON 09.10.2024 FOR ATC
498          AND vbrk-draft = space.
499 ** -> END OF CHANGES BY OF RITIKA ON 09.10.2024 FOR ATC
500
501      ELSE.
502          SELECT vbeln fkart fkdat kunag sfakn INTO TABLE i_vbrk
503          FROM vbrk
504          WHERE vkorg = '5000'
505          AND ( fkart IN ('ZP07', 'ZI07') OR fkart = 'S1' )
506 **SOC BY UJJWAL/PRIYANKA TO GET DISTRIBUTION CHANNEL WISE BILL DATA ON C
HARM 400001548 ON 24-01-2020
507          AND vtweg IN s_dist
508 **EOC BY UJJWAL/PRIYANKA TO GET DISTRIBUTION CHANNEL WISE BILL DATA ON C
HARM 400001548 ON 24-01-2020
509          AND fkdat EQ s_sptag-low
510 ** -> BEGIN OF CHANGES BY OF RITIKA ON 09.10.2024 FOR ATC
511          AND vbrk-draft = space.
512 ** -> END OF CHANGES BY OF RITIKA ON 09.10.2024 FOR ATC
513
514      ENDIF.
515      IF i_vbrk[] IS NOT INITIAL.
516          i_vbrk_t[] = i_vbrk[].
517
518          DELETE i_vbrk WHERE fkart = 'S1'.
519          DELETE i_vbrk_t WHERE fkart = 'ZP07'.
520          DELETE i_vbrk_t WHERE fkart = 'ZI07'.
521
522      LOOP AT i_vbrk.
```

```

523     READ TABLE i_vbrk_t WITH KEY sfakn = i_vbrk-vbeln.
524     IF sy-subrc = 0.
525         DELETE i_vbrk.
526     ENDIF.
527     ENDLLOOP.
528
529     IF i_vbrk[] IS NOT INITIAL.
530     SELECT vbeln fkimg kondm FROM vbrp INTO TABLE i_vbrp FOR ALL ENT
RIES IN i_vbrk WHERE vbeln = i_vbrk-vbeln.
531
532     LOOP AT i_vbrp.
533         READ TABLE i_vbrk WITH KEY vbeln = i_vbrp-vbeln.
534         IF sy-subrc = 0.
535             i_vbrp-kunag = i_vbrk-kunag.
536             MODIFY i_vbrp TRANSPORTING kunag.
537         ENDIF.
538     ENDLLOOP.
539     IF i_vbrp[] IS NOT INITIAL.
540         LOOP AT i_vbrp.
541             CLEAR: i_vbrp-vbeln.
542             COLLECT: i_vbrp INTO i_vbrp_tmp[].
543         ENDLLOOP.
544     ENDIF.
545     REFRESH: i_vbrp[].
546     i_vbrp[] = i_vbrp_tmp[].
547     IF i_vbrp[] IS NOT INITIAL.
548         CLEAR w_kunag.
549
550
551         BREAK xgail_ab2.
552         LOOP AT i_reb1.
553
554     *           READ TABLE I_VBRP WITH KEY KUNAG = I_REB1-PKUNAG KONDM = I_RE
B1-KONDM . " RESTRICTING FREE SAMPLE TO MAT GROUP.
555     **—SOC BY KUNAL/PRIYANKA ON 05/02/2018 FOR FREE SAMPLE RESTRICTION ON P
OLYMER DISCOUNT
556     *           IF SY-SUBRC = 0.
557     *               LV_INDEX = SY-TABIX.
558     *               LOOP AT I_VBRP FROM LV_INDEX.
559     *                   LV_INDEX1 = SY-TABIX.
560     *                   IF I_VBRP-KUNAG <> I_REB1-PKUNAG AND I_VBRP-KONDM <> I_RE
B1-KONDM .
561     *                       EXIT.
562     *                   ELSE.
563     **—EOC BY KUNAL/PRIYANKA ON 05/02/2018 FOR FREE SAMPLE RESTRICTION ON P
OLYMER DISCOUNT
564     *                       IF W_KUNAG NE I_REB1-PKUNAG.
565     *                           I_REB1-UMMENGE = I_REB1-UMMENGE - I_VBRP-FKIMG.
566     *                           MODIFY I_REB1 TRANSPORTING UMMENGE.
567     *                           W_KUNAG = I_REB1-PKUNAG.
568     *                           DELETE I_VBRP INDEX LV_INDEX1.
569     *                           CLEAR LV_INDEX1.
570     *                       ENDIF.
571     *                   ENDIF.
572     *               ENDLLOOP.
573     *           ENDIF.
574
575
576
577
578         LOOP AT i_vbrp WHERE kunag = i_reb1-pkunag AND kondm = i_reb

```

1-kondm. " ADDED BY ARU AND PRIYANKA ON DATE 05.04.2021 CHARM: 400000371

0 SD:BUGFIX FOR POLYMER DISCOUNT FREE SAMP

```
579         lv_index = sy-tabix.  
580         i_reb1-ummange = i_reb1-ummange - i_vbrp-fking.  
581         MODIFY i_reb1 TRANSPORTING ummange.  
582         DELETE i_vbrp INDEX lv_index.  
583     ENDLOOP.  
584  
585  
586  
587  
588  
589     ENDLOOP.  
590 ENDIF.  
591  
592 ENDIF.  
593  
594
```

594 ENDIF.
595 * EOC:LOGIC FOR EXCLUDING FREE SAMPLE BY ASHOK & KHAN 11.01.2012

```
596     SORT i_kukla BY kunnr.  
597     LOOP AT i_reb1.  
598         READ TABLE i_kukla WITH KEY kunnr = i_reb1-pkunag.  
599         IF sy-subrc <> 0.  
600             DELETE i_reb1.  
601         ENDIF.  
602     ENDLOOP.  
603  
604     IF i_reb1[] IS INITIAL.  
605         MESSAGE i025.  
606         LEAVE LIST-PROCESSING.  
607     ENDIF.  
608  
609     SORT i_kukla BY kunnr.  
610     LOOP AT i_reb1.  
611         CLEAR i_kukla.  
612         READ TABLE i_kukla WITH KEY kunnr = i_reb1-pkunag BINARY SEARCH.  
613         IF sy-subrc EQ 0.  
614             i_reb1-kukla = i_kukla-kukla.  
615             i_reb1-name1 = i_kukla-name1.  
616             MODIFY i_reb1 TRANSPORTING kukla name1.  
617         ENDIF.  
618     ENDLOOP.  
619
```

620 *CHECKING FOR INITIAL

```
621     IF i_reb1[] IS INITIAL.  
622         MESSAGE i025.  
623         LEAVE LIST-PROCESSING.  
624     ENDIF.  
625  
626
```

627 * SUMMATION FOR CUSTOMER GROUP

```
628     SORT i_reb1 BY pkunag vkbur vkorg kvgr2 kondm kdgrp.  
629
```

630 * CONDITION TYPE IS NOT EQUAL TO 'ZMOU'

```
631     IF p_kschl <> 'ZMOU'.  
632         SELECT * INTO TABLE i_a350 FROM a350 WHERE kappl = 'V'           AND  
633                                     kschl = p_kschl AND  
634                                     vkorg IN s_vkorg AND  
635                                     kfrst = '' AND  
636 *                                     DATBI GE SY-DATUM. "
```

ASHOK & KHAN 10.03.08

```

637                                     datab LE s_sptag-high A
ND " ASHOK & KHAN 10.03.08
638     datbi GE s_sptag-low.      " ASHOK & KHAN 10.03.08
639 * CONDITION TYPES
640     IF NOT i_a350[] IS INITIAL.
641         SELECT konm~knumh konm~kbetr konm~kstbm INTO TABLE i_cond
642                                     FROM konm
643                                     INNER JOIN konp ON konp~knumh = konm~knum
h
644                                     FOR ALL ENTRIES IN i_a350
645                                     WHERE konp~knumh = i_a350-knumh AND
646         konp~kschl = p_kschl.
647     ENDIF.
648
649 * CONDITION TYPE IS EQUAL TO 'ZMOU'
650     ELSE.
651
652 * CUSTOMER NO IS NOT INITIAL
653     IF NOT s_pkunag IS INITIAL.
654         IF NOT i_reb1[] IS INITIAL.
655             SELECT * INTO TABLE i_a307 FROM a307 FOR ALL ENTRIES IN i_reb1
656                                     WHERE kappl = 'V'          AN
D
657                                     kschl = p_kschl          AN
D
658                                     vkorg IN s_vkorg          AN
D
659                                     vtweg IN s_dist          AND
660                                     kunnr = i_reb1-pkunag AN
D
661 *                                     DATBI GE SY-DATUM.      "
ASHOK & KHAN 10.03.08
662                                     datab LE s_sptag-high A
ND " ASHOK & KHAN 10.03.08
663     datbi GE s_sptag-low.      " ASHOK & KHAN 10.03.08
664     ENDIF.
665 * CUSTOMER NO IS INITIAL
666     ELSE.
667         LOOP AT i_reb1.
668             MOVE i_reb1-pkunag TO i_pkunag.
669             APPEND i_pkunag.
670             CLEAR i_pkunag.
671         ENDLOOP.
672         SORT i_pkunag BY pkunag.
673         DELETE ADJACENT DUPLICATES FROM i_pkunag COMPARING ALL FIELDS.
674
675         SELECT * INTO TABLE i_a307 FROM a307 FOR ALL ENTRIES IN i_pkunag
676                                     WHERE kappl = 'V'          AN
D
677                                     kschl = p_kschl          AN
D
678                                     vkorg IN s_vkorg          AN
D
679                                     vtweg IN s_dist          AN
D
680                                     kunnr = i_pkunag-pkunag
AND
681 *                                     DATBI GE SY-DATUM.      "
ASHOK & KHAN 10.03.08
682                                     datab LE s_sptag-high A
ND " ASHOK & KHAN 10.03.08

```

```

683      datbi GE s_sptag-low.      " ASHOK & KHAN 10.03.08
684
685      IF NOT i_a307[] IS INITIAL.
686          SELECT knumh kbetr kstbm INTO TABLE i_cond FROM konm
687                                  FOR ALL ENTRIES IN i_a307
688          WHERE knumh = i_a307-knumh .
689      ENDIF.
690  ENDIF.
691  ENDIF.
692
693  DATA : w_kvgr3 LIKE s922-kvgr3,
694          w_kdgrp LIKE s925-kdgrp,
695          w_kukla TYPE kukla.
696  DATA : fin_qty LIKE s925-ummeng.
697  DATA : comp_grp LIKE s925-kvgr2.
698
699  CLEAR : w_kvgr2, w_kvgr3, w_kdgrp, w_vkbur, w_kukla.
700  * BREAK-POINT.
701  DATA: lv_kunnr TYPE kunnr,
702          lv_werks TYPE werks,
703          lv_kdgrp TYPE kdgrp.
704  i_reb7[] = i_reb1[].
705  SORT i_reb7 BY pkunag vkbur kvgr2 werks.
706  * DELETE ADJACENT DUPLICATES FROM I_REB7[] COMPARING PKUNAG VKBUR KVGR2
  WERKS.
707  DELETE ADJACENT DUPLICATES FROM i_reb7[] COMPARING pkunag.
708  SORT i_reb1 BY pkunag vkbur kvgr2 werks.
709  * BREAK-POINT.
710  ***SOC BY UJJWAL/PRIYANKA ON CHARM 4000000157 ON 18-09-2019 TO DISPLAY
  SUM ON CUSTOMER BASIS
711  LOOP AT i_reb7.
712      LOOP AT i_reb1 WHERE pkunag = i_reb7-pkunag. "AND
713          * VKBUR = I_REB7-VKBUR AND
714          * KVGR2 = I_REB7-KVGR2 AND
715          * WERKS = I_REB7-WERKS.
716      IF i_reb1 IS NOT INITIAL.
717          i_reb2-name1 = i_reb1-name1.
718          i_reb2-pkunag = i_reb1-pkunag.
719          i_reb2-vkbur = i_reb1-vkbur.
720          i_reb2-kvgr2 = i_reb1-kvgr2.
721          ** I_REB2-KDGRP = I_REB1-KDGRP.
722          * I_REB2-WERKS = I_REB1-WERKS.
723          i_reb2-kukla = i_reb1-kukla.
724          i_reb2-ummeng = i_reb1-ummeng.
725          i_reb2-ummeng1 = i_reb1-ummeng.
726          COLLECT i_reb2.
727      ENDIF.
728      CLEAR: i_reb7, i_reb1.
729  ENDLOOP.
730  ENDLOOP.
731  SORT i_reb2 BY kvgr2.
732  LOOP AT i_reb2 ASSIGNING FIELD-SYMBOL(<lfs_reb2>).
733      <lfs_reb2>-werks = '5010'.
734  ENDLOOP.
735  * ***EOC BY UJJWAL/PRIYANKA ON CHARM 4000000157 ON 18-09-2019 TO DISPL
  AY SUM ON CUSTOMER BASIS
736  * BREAK-POINT.
737  SORT i_reb2 BY kvgr2.
738  ** EOC
739  *SUMMATION FOR QUANTITY COMP. GROUPWISE —KAMAL 30-08-2005
740  DATA: l_flag TYPE c.

```



```
741 *          FIN_QTY(16) TYPE P.
742
743 DATA : BEGIN OF i_rebk OCCURS 0,
744         kvgr2   LIKE i_reb2-kvgr2,
745         ummenge LIKE i_reb2-ummeng,
746         END OF i_rebk.
747 DATA : wa_rebk LIKE LINE OF i_reb2.
748 LOOP AT i_reb2 INTO wa_rebk.
749     i_rebk-kvgr2 = wa_rebk-kvgr2.
750     i_rebk-ummeng = wa_rebk-ummeng.
751     APPEND i_rebk.
752     CLEAR i_rebk.
753 ENDLOOP.
754
755 *****BOC BY NITIN DHAMIJA
756 IF p_kschl <> 'ZMOU'.
757     LOOP AT i_rebk WHERE kvgr2 IS NOT INITIAL.
758         AT NEW kvgr2.
759             l_flag = 'X'.
760             CLEAR fin_qty.
761         ENDAT.
762
763         IF l_flag NE 'X'.
764             fin_qty = fin_qty + i_rebk-ummeng.
765             i_reb2-kvgr2 = i_rebk-kvgr2.
766             i_reb2-ummeng = fin_qty.
767             MODIFY i_reb2 TRANSPORTING ummenge WHERE kvgr2 = i_reb2-kvgr2.
768             CLEAR i_rebk.
769         ELSE.
770             fin_qty = i_rebk-ummeng.
771         ENDIF.
772         CLEAR l_flag.
773     ENDLOOP.
774 ENDIF.
775 *END OF SUMMATION FOR QUANTITY COMP. GROUPWISE —KAMAL 30-08-2005
776 *****END OF COMMENT BY NITIN DHAMIJA
777 * LOGIC FOR SUMMATION OF QTY FOR SINGLE CUSTOMER MULTIPLE ZONAL OFFICE.
778 DATA: l_ummeng TYPE s925-ummeng,
779        o_pkunag TYPE s925-pkunag,
780        n_pkunag TYPE s925-pkunag,
781        l_count(2) TYPE c.
782
783 SORT i_reb2 BY pkunag.
784 LOOP AT i_reb2 WHERE kvgr2 IS INITIAL.
785     n_pkunag = i_reb2-pkunag.
786     IF n_pkunag EQ o_pkunag.
787         l_count = l_count + 1.
788         l_ummeng = l_ummeng + i_reb2-ummeng.
789     ELSEIF l_count GT '1'.
790         i_scmz-ummeng = l_ummeng.
791         i_scmz-pkunag = o_pkunag.
792         l_count = '1'.
793         APPEND i_scmz.
794         CLEAR i_scmz.
795         l_ummeng = i_reb2-ummeng.
796     ELSE.
797         l_ummeng = i_reb2-ummeng.
798         l_count = '1'.
799     ENDIF.
800     o_pkunag = n_pkunag.
801 ENDLOOP.
```

```

802
803     IF l_count GT '1'.
804         i_scmz-ummenge = l_ummenge.
805         i_scmz-pkunag = o_pkunag.
806         l_count = '1'.
807         APPEND i_scmz.
808         CLEAR i_scmz.
809     ENDIF.
810
811     LOOP AT i_reb2 WHERE kvgr2 IS INITIAL.
812         READ TABLE i_scmz WITH KEY pkunag = i_reb2-pkunag.
813         IF sy-subrc = 0.
814             i_reb2-ummenge = i_scmz-ummenge.
815             MODIFY i_reb2 TRANSPORTING ummenge.
816         ENDIF.
817     ENDLOOP.
818
819 *CALCULATING VALUE W.R.T RATE
820     LOOP AT i_reb2.
821
822         REFRESH i_cond1[].
823         CLEAR : i_cond1, w_kbetr.
824
825 *IF P_KSCHL <> 'ZMOU'.
826     IF p_kschl <> 'ZMOU'.
827         SORT i_cond BY kstbm DESCENDING.
828         LOOP AT i_cond WHERE kstbm <= i_reb2-ummenge.
829             w_kbetr = i_cond-kbetr.
830             i_reb2-value = i_reb2-ummenge1 * w_kbetr.
831             EXIT.
832         ENDLOOP.
833     ENDIF.
834     MODIFY i_reb2.
835 ENDLOOP.
836 * START OF NEW CODE 03.04.2014
837     i_reb_bkp[] = i_reb1[].
838 * END OF NEW CODE 03.04.2014
839 * MOVE I_REB1[] TO I_REB_KDGRP[] .
840     LOOP AT i_reb1.
841         MOVE-CORRESPONDING i_reb1 TO i_reb_kdgrp.
842         APPEND i_reb_kdgrp.
843         CLEAR i_reb_kdgrp.
844     ENDLOOP.
845     DELETE ADJACENT DUPLICATES FROM i_reb1 COMPARING vkbur vkorg pkunag
846     kvgr2 kondm kdgrp.
847 * BOC ASHOK & M A KHAN 07.06.2007
848     SELECT vkbur
849         bezei INTO TABLE i_tvkbt
850         FROM tvkbt
851         WHERE spras = 'E'
852         AND vkbur IN s_vkbur.
853 * EOC ASHOK & M A KHAN 07.06.2007
854 * READING CHECK BOX AND UPDATING VALUE
855 * * ** SOC BY UJJWAL/PRIYANKA ON 10-02-2020 ON CHRM 4000001548 TO DI
856 SPLAY CS
857     SELECT kunnr,
858         lifnr
859     FROM knvp
860     INTO TABLE @DATA(lt_knvp)
861     FOR ALL ENTRIES IN @i_reb2
862     WHERE kunnr = @i_reb2-pkunag

```

```
862     AND vkorg = '5000'
863     AND vtweg IN @s_dist
864     AND spart = '20'
865     AND parvw = 'Z0'.
866 ** EOC BY UJJWAL/PRIYANKA ON 10-02-2020 ON CHRM 4000001548 TO DISPLAY CS
867     LOOP AT i_reb2.
868         i_reb2-page = sy-cpage.
869         i_reb2-line = sy-linno .
870         w_vkbur = s_vkbur.
871         w_vkorg = s_vkorg.
872         w_pkunag = i_reb2-pkunag.
873         w_kvgr2 = i_reb2-kvgr2.
874         w_curr_lin = sy-tabix.
875         w_next_lin = w_curr_lin + 1.
876 ** SOC BY UJJWAL/PRIYANKA ON 10-02-2020 ON CHRM 4000001548 TO DISPLAY CS
877     READ TABLE lt_knvp ASSIGNING FIELD-SYMBOL(<lfs_knvp>) WITH KEY ku
nnr = i_reb2-pkunag.
878     IF sy-subrc IS INITIAL.
879         i_reb2-kunnr = <lfs_knvp>-lifnr.
880     ENDIF.
881 ** EOC BY UJJWAL/PRIYANKA ON 10-02-2020 ON CHRM 4000001548 TO DISPLAY CS
882 ** SOC BY UJJWAL/PRIYANKA ON 7-07-2020 ON CHARM 4000002361 TO REBATE ORD
ER
883     CLEAR w_vbeln1.
884 *Begin of changes by of VIPUL on 20241030 for ATC
885     SELECT vbeln INTO w_vbeln1 FROM yrva_rebate
886     UP TO 1 ROWS
887     WHERE kunnr = i_reb2-pkunag AND
888     ( reb_cond = p_kschl or reb_cond = p_kschl1 ) AND
889     vkbur = i_reb2-vkbur AND
890     yy_per_start = s_sptag-low AND
891     yy_per_end = s_sptag-high ORDER BY PRIMARY KEY .
892     ENDSELECT.
893 *End of changes by of VIPUL on 20241030 for ATC
894 ***     SOC BY ABHINAV/ARCHANA GROUP PROBLEM
895 *         IF I_REB2-PKUNAG EQ '0000035148'.
896 *             IF SY-SUBRC = 1.
897 *                 I_REB2-VBELN = W_VBELN1.
898 *                 CLEAR W_VBELN1.
899 *             ENDIF.
900 *         ELSE.
901 ***             EOC
902             IF sy-subrc = 0.
903                 i_reb2-vbeln = w_vbeln1.
904                 CLEAR w_vbeln1.
905             ENDIF.
906
907
908 ** EOC BY UJJWAL/PRIYANKA ON 7-07-2020 ON CHARM 4000002361 TO REBATE ORD
ER
909 *MAKING POSTIVE
910     IF i_reb2-value < 0.
911         i_reb2-value = 0 - i_reb2-value.
912     ENDIF.
913     READ TABLE i_tvkbt WITH KEY vkbur = i_reb2-vkbur.
914     IF sy-subrc = 0.
915         i_reb2-bezei = i_tvkbt-bezei.
916     ENDIF.
917     i_reb2-rem = sy-slset.
918     MODIFY i_reb2.
919     CLEAR i_reb2.
```

```

920     ENDLLOOP.
921   ENDIF ."
922
923   **SOC BY ABHINAV/ARCNA/VISHAL ON 05/06/2023 CHARM:4000006500.
924   IF i_reb2[] IS NOT INITIAL.
925     READ TABLE i_reb2 ASSIGNING FIELD-SYMBOL(<w_reb22>) WITH KEY pkunag
= '0000035157'.
926     IF sy-subrc EQ 0.
927       IF sy-slset EQ 'MAY23PPLLDPE'.
928         <w_reb22>-ummenge = '11'.
929         <w_reb22>-ummenge1 = '11'.
930       ELSEIF sy-slset EQ 'MAY23PPLLFILM'.
931         <w_reb22>-ummenge = '0'.
932         <w_reb22>-ummenge1 = '0'.
933         <w_reb22>-value = '0'.
934       ENDIF.
935     ENDIF.
936     READ TABLE i_reb2 ASSIGNING FIELD-SYMBOL(<w_reb222>) WITH KEY pkunag
= '0000022883'.
937     IF sy-subrc EQ 0.
938       IF sy-slset EQ 'MAY23PPLLDPE'.
939         <w_reb222>-ummenge = '29.5'.
940         <w_reb222>-ummenge1 = '29.5'.
941       ELSEIF sy-slset EQ 'MAY23PPLLFILM'.
942         <w_reb222>-ummenge = '8'.
943         <w_reb222>-ummenge1 = '8'.
944       ENDIF.
945     ENDIF.
946   ENDIF.
947   ** SOC BY CHILUKURI TRIPURA REDDY/ARCHNA/VISHAL CHARM NO 4000006851 DATE
: 01/08/2023
948   IF sy-slset EQ 'MAY23PPLLDPE' OR sy-slset EQ 'MAY23PPLLFILM'.
949   ** EOC BY CHILUKURI TRIPURA REDDY/ARCHNA/VISHAL CHARM NO 4000006851 DATE
: 01/08/2023
950     DELETE i_reb2 WHERE value EQ '0' AND pkunag = '0000035157'.
951   **EOC BY ABHINAV/ARCNA/VISHAL ON 05/06/2023 CHARM:4000006500
952   ** SOC BY CHILUKURI TRIPURA REDDY/ARCHNA/VISHAL CHARM NO 4000006851 DAT
E: 01/08/2023
953   ENDIF.
954   ** EOC BY CHILUKURI TRIPURA REDDY/ARCHNA/VISHAL CHARM NO 4000006851 DATE
: 01/08/2023
955   *END-OF-SELECTION_____*
956   END-OF-SELECTION.
957   * ALV SPECIFIC ROUTINES
958   *BOC CHARM ID 4000003218 TECHNICAL VIKRAM BAJAJ FUNCTIONAL PRIYANKA SING
H DT 17.12.2020
959   IF pc1 IS INITIAL ."
960   *BOC CHARM ID 4000003218 TECHNICAL VIKRAM BAJAJ FUNCTIONAL PRIYANKA SING
H DT 17.12.2020
961     PERFORM create_field_catalog.
962     PERFORM display_alv.
963   ENDIF ."
964   *&_____*
965   *& FORM SALES_ORDER_____*
966   *&_____*
967   * CALLING BAPI_____*
968   *_____*
969   * —> P1 TEXT
970   * <— P2 TEXT
971   *_____*
972   FORM sales_order.

```

```

973
974 *Begin of changes by of VIPUL on 20241030 for ATC
975 SELECT vbeln INTO w_vbeln1 FROM yrva_rebate
976 UP TO 1 ROWS
977 WHERE kunnr = i_reb2-pkunag AND
978 reb_cond = p_kschl AND
979 vkbur = i_reb2-vkbur AND " ASHOK & KHAN 12 ORDER BY PRIMARY KEY .09 OR
DER BY PRIMARY KEY .2011
980 kukla = i_reb2-kukla AND
981 yy_per_start = s_sptag-low AND
982 yy_per_end = s_sptag-high AND
983 werks = i_reb2-werks ORDER BY PRIMARY KEY.
984 ENDSELECT.
985 * *End of changes by of VIPUL on 20241030 for ATC
986
987
988 *** SOC BY ABHINAV/ARCHANA GROUP PROBLEM
989 * IF I_REB2-PKUNAG EQ '0000035148'.
990 * IF SY-SUBRC = 1.
991 * I_REB2-VBELN = W_VBELN1.
992 * CLEAR W_VBELN1.
993 * ENDIF.
994 * ELSE.
995 *** EOC
996 IF sy-subrc = 0.
997 WRITE : / 'CREDIT MEMO REQUEST ALREADY CREATED'(002),w_vbeln1.
998 EXIT.
999 ENDIF.
1000 * ENDIF.
1001
1002
1003 CALL FUNCTION 'BAPI_SALESDOCU_CREATEFROMDATA'
1004 EXPORTING
1005 order_header_in = x_order_header_in
1006 business_object = w_objtype
1007 without_commit = ''
1008 IMPORTING
1009 salesdocument = w_vbeln
1010 sold_to_party = x_sold_to_party
1011 return = x_return_commit
1012 TABLES
1013 order_items_in = i_order_items_in
1014 order_partners = i_order_partners.
1015
1016 IF w_vbeln IS INITIAL.
1017 WRITE : / 'ERROR MESSAGE :',x_return_commit-message.
1018 ELSE.
1019
1020 WRITE : / 'SALES ORDER HAS BEEN CREATED WITH :'(003), w_vbeln,
1021 'AND CUSTOMER NO :'(004), x_sold_to_party-sold_to.
1022 IF NOT w_vbeln IS INITIAL.
1023 PERFORM table_update.
1024 ENDIF.
1025 ENDIF.
1026
1027 CLEAR : w_vbeln, x_return_commit, x_order_header_in, w_objtype,
1028 x_sold_to_party.
1029
1030 REFRESH : i_order_partners, i_order_items_in .
1031 ENDFORM. " SALES_ORDER
1032 *&

```

```

1033 *&          FORM   DISPLAY_ALV
1034 *&-----*
1035 *          TEXT
1036 *-----*
1037 *  —>  P1          TEXT
1038 *  <—  P2          TEXT
1039 *-----*
1040 FORM display_alv .
1041
1042 *FILTER AS PER CUSTOMER CLASSIFICATION
1043   DELETE i_reb2 WHERE NOT kukla IN s_kukla.
1044
1045 *****ADDED BY NITIN DHAMIJA ON 25.06.2019*****
1046   IF i_reb2[] IS NOT INITIAL.
1047       SORT i_reb2 BY kvgr2.
1048       LOOP AT i_reb2.
1049           i_reb5-pkunag = i_reb2-pkunag.
1050           AT NEW pkunag.
1051               SUM.
1052               i_reb5-ummenge1 = i_reb5-ummenge1 + i_reb2-ummenge.
1053               APPEND i_reb5.
1054               CLEAR: i_reb5.
1055           ENDAT.
1056       ENDLOOP.
1057   ENDIF.
1058 *
1059   i_reb6[] = i_reb5[].
1060   REFRESH: i_reb5[].
1061
1062   LOOP AT i_reb6.
1063       i_reb5-pkunag = i_reb6-pkunag.
1064       AT NEW pkunag.
1065           SUM.
1066           i_reb5-ummenge1 = i_reb5-ummenge1 + i_reb6-ummenge1.
1067           APPEND i_reb5.
1068           CLEAR: i_reb5.
1069       ENDAT.
1070   ENDLOOP.
1071
1072
1073   IF p_kschl1 IS NOT INITIAL.
1074       SELECT * FROM a350 INTO TABLE @DATA(i_a350_1)
1075       WHERE kappl = 'V'
1076       AND
1077       kschl = @p_kschl1 AND
1078       vkorg IN @s_vkorg AND
1079       kfrst = '' AND
1080 *dATBI GE SY-DATUM. " ASHOK & KHAN 10.03.08
1081   datab LE @s_sptag-high AND " ASHOK & KHAN 10.03.08
1082   datbi GE @s_sptag-low. " ASHOK & KHAN 10.03.08
1083 * CONDITION TYPES
1084   IF NOT i_a350_1[] IS INITIAL.
1085       SELECT konm~knumh , konm~kbetr , konm~kstbm
1086       INTO TABLE @DATA(i_cond_1)
1087       FROM konm
1088       INNER JOIN konp ON konp~knumh = konm~knumh
1089       FOR ALL ENTRIES IN @i_a350_1
1090       WHERE konp~knumh = @i_a350_1-knumh AND
1091       konp~kschl = @p_kschl1.
1092   ENDIF.
1093   SORT i_cond_1 BY kstbm DESCENDING.

```

```

1094     ENDIF.
1095
1096     if i_reb_2 is NOT INITIAL.
1097         DATA : BEGIN OF i_rebk_1 OCCURS 0,
1098             kvgr2    LIKE i_reb2-kvgr2,
1099             ummenge LIKE i_reb2-ummenge,
1100             END OF i_rebk_1.
1101         DATA: l_flag_1 TYPE c.
1102         DATA : fin_qty_1 LIKE s925-ummenge.
1103         DATA : wa_rebk_1 LIKE LINE OF i_reb2.
1104         LOOP AT i_reb_2 INTO wa_rebk_1.
1105             i_rebk_1-kvgr2 = wa_rebk_1-kvgr2.
1106             i_rebk_1-ummenge = wa_rebk_1-ummenge.
1107             APPEND i_rebk_1.
1108             CLEAR i_rebk_1.
1109         ENDLOOP.
1110
1111         IF p_kschl <> 'ZMOU'.
1112             LOOP AT i_rebk_1 WHERE kvgr2 IS NOT INITIAL.
1113                 AT NEW kvgr2.
1114                     l_flag_1 = 'X'.
1115                     CLEAR fin_qty_1.
1116                 ENDAT.
1117
1118                 IF l_flag_1 NE 'X'.
1119                     fin_qty_1 = fin_qty_1 + i_rebk_1-ummenge.
1120                     i_reb_2-kvgr2 = i_rebk_1-kvgr2.
1121                     i_reb_2-ummenge = fin_qty_1.
1122                     MODIFY i_reb_2 TRANSPORTING ummenge WHERE kvgr2 = i_reb_2-kvgr
2.
1123                     CLEAR i_rebk_1.
1124                 ELSE.
1125                     fin_qty_1 = i_rebk_1-ummenge.
1126                 ENDIF.
1127                 CLEAR l_flag_1.
1128             ENDLOOP.
1129         ENDIF.
1130
1131     endif.
1132
1133     IF i_cond_1 IS NOT INITIAL.
1134         LOOP AT i_reb2.
1135             lv_index = sy-tabix.
1136             LOOP AT i_cond WHERE kstbm <= i_reb2-ummenge.
1137                 IF i_cond IS NOT INITIAL.
1138                     i_reb2-value = i_cond-kbetr * i_reb2-ummenge1.
1139
1140                     IF i_reb2-value < 0.
1141                         i_reb2-value = i_reb2-value * -1.
1142                     ENDIF.
1143                     i_reb2-kbetr = i_cond-kbetr.
1144                     IF i_reb2-kbetr < 0.
1145                         i_reb2-kbetr = i_reb2-kbetr * -1.
1146                     ENDIF.
1147                     MODIFY i_reb2 INDEX lv_index TRANSPORTING kbetr value.
1148                     EXIT.
1149                 ENDIF.
1150             ENDLOOP.
1151             CLEAR: i_reb2, i_cond, lv_index , w_vbeln1.
1152         ENDLOOP.
1153

```



```

1154     SORT i_reb_2 BY kvgr2.
1155     LOOP AT i_reb2.
1156         lv_index = sy-tabix.
1157     LOOP AT i_reb_2 INTO DATA(wa_reb_2) WHERE pkunag = i_reb2-pkunag.
1158         IF wa_reb_2-ummenge <= i_reb2-ummenge.
1159
1160             LOOP AT i_cond_1 INTO DATA(wa_cond_1) WHERE kstbm <= wa_reb_2-um
menge.
1161                 IF wa_cond_1-kbetr < 0.
1162                     wa_cond_1-kbetr = wa_cond_1-kbetr * -1.
1163                 ENDIF.
1164
1165                 IF i_reb2-kbetr <= wa_cond_1-kbetr.    ""700<800
1166                     SELECT SINGLE * FROM a350 INTO @wa_rec WHERE knumh = @wa_c
ond_1-knumh.
1167                         i_reb2-value = wa_cond_1-kbetr * i_reb2-ummenge1.
1168                         i_reb2-kbetr = wa_cond_1-kbetr.
1169                     ENDIF.
1170
1171                     IF i_reb2-value < 0.
1172                         i_reb2-value = i_reb2-value * -1.
1173                     ENDIF.
1174
1175                     MODIFY i_reb2 INDEX lv_index TRANSPORTING kbetr value.
1176                     EXIT.
1177             ENDLOOP.
1178         ENDIF.
1179         EXIT.
1180     ENDLOOP.
1181     ENDLOOP.
1182
1183
1184     ENDIF.
1185
1186     IF p_kschl1 IS INITIAL.
1187         LOOP AT i_reb2.
1188             lv_index = sy-tabix.
1189             LOOP AT i_cond WHERE kstbm <= i_reb2-ummenge.
1190                 IF i_cond IS NOT INITIAL.
1191                     i_reb2-value = i_cond-kbetr * i_reb2-ummenge1.
1192
1193                     IF i_reb2-value < 0.
1194                         i_reb2-value = i_reb2-value * -1.
1195                     ENDIF.
1196                     i_reb2-kbetr = i_cond-kbetr.
1197                     IF i_reb2-kbetr < 0.
1198                         i_reb2-kbetr = i_reb2-kbetr * -1.
1199                     ENDIF.
1200                     MODIFY i_reb2 INDEX lv_index TRANSPORTING kbetr value.
1201                     EXIT.
1202                 ENDIF.
1203             ENDLOOP.
1204             CLEAR: i_reb2, i_cond, lv_index , w_vbeln1.
1205         ENDLOOP.
1206     ENDIF.
1207     *****END OF ADDITION BY NITIN DHAMIJA*****
1208     **** BOC CHARM ID 2000000213 TECHNICAL VIKRAM BAJAJ FUNCTIONAL PRIYANKA
SINGH DT 08.03.2021
1209     IF sy-tcode = 'YRVU015' OR sy-tcode = 'YRVU016'.
1210     **** EOC CHARM ID 2000000213 TECHNICAL VIKRAM BAJAJ FUNCTIONAL PRIYANKA
SINGH DT 08.03.2021

```

```

1211 CALL FUNCTION 'REUSE_ALV_LIST_DISPLAY'
1212 EXPORTING
1213   i_callback_program      = 'YRVU001_REB_CALC_M2'
1214   i_callback_pf_status_set = 'PF_STATUS_SET'
1215   is_layout               = i_layout
1216   it_fieldcat             = gt_fieldcat[]
1217   it_events               = i_events[]
1218   it_event_exit           = i_exit_event[]
1219 *   I_SAVE                 = 'X'
1220 TABLES
1221   t_outtab                = i_reb2[]
1222 EXCEPTIONS
1223   program_error           = 1
1224   OTHERS                  = 2.
1225 IF sy-subrc <> 0.
1226   MESSAGE ID sy-msgid TYPE sy-msgty NUMBER sy-msgno
1227           WITH sy-msgv1 sy-msgv2 sy-msgv3 sy-msgv4.
1228 ENDIF.
1229 **** BOC CHARM ID 2000000213 TECHNICAL VIKRAM BAJAJ FUNCTIONAL PRIYANKA
SINGH DT 08.03.2021
1230 ELSE .
1231 *   SUBMIT
1232   EXPORT i_reb2[] TO MEMORY ID 'M001' .
1233 ENDIF .
1234 **** EOC CHARM ID 2000000213 TECHNICAL VIKRAM BAJAJ FUNCTIONAL PRIYANKA
SINGH DT 08.03.2021
1235
1236 ENDFORM. " DISPLAY_ALV
1237 *&-----*
1238 *&   FORM   ON_SELECTION
1239 *&-----*
1240 *   TEXT
1241 *-----*
1242 *   —>R_UCOMM   TEXT
1243 *   —>RS_SELFIELDTEXT
1244 *-----*
1245 FORM on_selection USING r_ucomm LIKE sy-ucomm
1246                       rs_selfield TYPE slis_selfield.
1247   DATA: itab TYPE TABLE OF sy-ucomm,
1248         w_ln TYPE i.
1249
1250   APPEND 'CALC' TO itab.
1251   APPEND 'FCOD' TO itab.
1252   APPEND '&ALL' TO itab.
1253   APPEND '&SAL' TO itab.
1254
1255   CASE r_ucomm.
1256     WHEN 'CALC'.
1257       SET PF-STATUS 'STANDARD' ##STAT_UNDEF.
1258 *CALCULATING NEW VALUE AS PER QTY
1259 *CALCULATING VALUE W.R.T RATE
1260 *SUMMATION FOR QUANTITY COMP. GROUPWISE —KAMAL 30-08-2005
1261   DATA: l_flag TYPE c.
1262 *   FIN_QTY(16) TYPE P.
1263
1264   DATA : BEGIN OF i_rebk OCCURS 0,
1265         kvgr2 LIKE i_reb2-kvgr2,
1266         ummenge1 LIKE i_reb2-ummenge1,
1267         END OF i_rebk.
1268   DATA : wa_rebk LIKE LINE OF i_reb2.
1269   LOOP AT i_reb2 INTO wa_rebk.

```

```
1270      i_rebk-kvgr2 = wa_rebk-kvgr2.
1271      i_rebk-ummenge1 = wa_rebk-ummenge1.
1272      APPEND i_rebk.
1273      CLEAR i_rebk.
1274      ENDLOOP.
1275
1276 *CALCULATING VALUE W.R.T RATE
1277      LOOP AT i_reb2.
1278
1279          REFRESH i_cond1[].
1280          CLEAR : i_cond1, w_kbetr.
1281
1282          IF p_kschl <> 'ZMOU'.
1283              SORT i_cond BY kstbm DESCENDING.
1284              DESCRIBE TABLE i_cond LINES w_ln.
1285              READ TABLE i_cond INDEX w_ln.
1286              IF i_cond-kstbm > i_reb2-ummenge1.
1287                  CLEAR w_kbetr.
1288                  i_reb2-value = i_reb2-ummenge1 * w_kbetr.
1289              ENDIF.
1290              IF i_reb2-kvgr2 IS INITIAL.
1291                  LOOP AT i_cond WHERE kstbm <= i_reb2-ummenge1.
1292                      w_kbetr = i_cond-kbetr.
1293                      i_reb2-value = i_reb2-ummenge1 * w_kbetr.
1294                      EXIT.
1295                  ENDLOOP.
1296              ELSEIF NOT i_reb2-kvgr2 IS INITIAL.
1297
1298                  LOOP AT i_cond WHERE kstbm <= i_reb2-ummenge.
1299                      w_kbetr = i_cond-kbetr.
1300                      i_reb2-value = i_reb2-ummenge1 * w_kbetr.
1301                      EXIT.
1302                  ENDLOOP.
1303              ENDIF.
1304          ENDIF.
1305          MODIFY i_reb2.
1306      ENDLOOP.
1307
1308
1309 * I_REB_KDGRP[] = I_REB1[].
1310      LOOP AT i_reb1.
1311          MOVE-CORRESPONDING i_reb1 TO i_reb_kdgrp.
1312          APPEND i_reb_kdgrp.
1313          CLEAR i_reb_kdgrp.
1314      ENDLOOP.
1315      DELETE ADJACENT DUPLICATES FROM i_reb1 COMPARING vkbur vkorg pkuna
1316 g      kvgr2 kondm kdgrp.
1317
1318 *UPDATING VALUE
1319      LOOP AT i_reb2.
1320 *MAKING POSTIVE
1321          IF i_reb2-value < 0.
1322              i_reb2-value = 0 - i_reb2-value.
1323          ENDIF.
1324          MODIFY i_reb2.
1325          CLEAR i_reb2.
1326      ENDLOOP.
1327
1328
1329 *EXECUTE BUTTON
```

```

1330     WHEN 'FCOD'.
1331         SET PF-STATUS 'STANDARD' OF PROGRAM 'SAPLSALV'
1332             EXCLUDING itab.
1333         PERFORM top_of_page.
1334     *CALL BAPI
1335         PERFORM check.
1336         DELETE i_reb2 WHERE check <> 'X'.
1337
1338     *EXECUTE SELECT ALL
1339         WHEN 'SALL'.
1340         SET PF-STATUS 'STANDARD' OF PROGRAM 'YRVU001_REB_CALC_M2' EXCLUDIN
1341     G 'CALC'. "MODIFIED BY SHWETA SONI TCS
1342         LOOP AT i_reb2.
1343             i_reb2-check = 'X'.
1344             MODIFY i_reb2.
1345         ENDLLOOP.
1346
1347     *EXECUTE DESELECT ALL
1348         WHEN 'DSAL'.
1349         SET PF-STATUS 'STANDARD' OF PROGRAM 'YRVU001_REB_CALC_M2' EXCLUDIN
1350     G 'CALC'. " MODIFIED BY SHWETA SONI TCS
1351         LOOP AT i_reb2 WHERE check = 'X'.
1352             i_reb2-check = ''.
1353             MODIFY i_reb2.
1354         ENDLLOOP.
1355     WHEN OTHERS.
1356
1357     ENDCASE.
1358     ENDFORM. "ON_SELECTION
1359 *-----*
1360 *      FORM    CHECK
1361 *-----*
1362 *      TEXT
1363 *-----*
1364 *      --> P1      TEXT
1365 *      <-- P2      TEXT
1366 *-----*
1367 FORM check .
1368 *BREAK-POINT.
1369     LOOP AT i_reb2 WHERE check = 'X'.
1370         CLEAR : w_auart,
1371                 w_matnr,
1372                 w_objtype,
1373                 x_order_header_in,
1374                 i_order_partners,
1375                 i_order_items_in.
1376
1377         REFRESH : i_order_partners,
1378                 i_order_items_in.
1379
1380     SELECT SINGLE * FROM YRVA_REBATE INTO @DATA(WA_REBATE) WHERE KUNNR =
1381     @I_REB2-pkunag
1382     AND YY_PER_START eq @s_sptag-low
1383     AND YY_PER_END eq @s_sptag-high
1384     AND VKBUR EQ @i_reb2-vkbur "" ADD BY ABHRIAJ SINGH ON MON 13
1385 /07/2026
1386     AND ( REB_COND = @p_kschl or REB_COND = @p_kschl1 ).
1387     IF WA_REBATE IS NOT INITIAL.
1388         MESSAGE 'Rebate order already created for this customer' TYPE
1389     'E'.
1390     ELSE.

```

```

1386
1387 *   IF S_DIV-LOW = '20'.
1388 *   IF S_KONDM-LOW <> '70'.
1389 *   BREAK-POINT.
1390   w_auart = 'ZP09'. "'ZPCR'
1391   w_matnr = 'REBATE(POLYMER)'.
1392 *   ELSE.
1393 *   W_AUART = 'ZI09'.
1394 *   W_MATNR = 'REBATE(POLYMER)'.
1395 *   ENDIF.
1396
1397   IF i_reb2-check = 'X'.
1398 *   NEW CODE ADDED ON 03.04.2014 FOR THE MATERIAL PRICING GROUP 70
1399   DATA: lv_quan LIKE s925-ummenge,
1400 *   LV_VALUE LIKE S925-UMMENGE,
1401   lv_value LIKE yrva_rebate-value, "(QUANTITY * RATE)
1402   lv_netpr TYPE s925-ummenge.
1403   CLEAR: lv_quan, flag_70.
1404   LOOP AT i_reb_bkp WHERE pkunag = i_reb2-pkunag
1405   AND vkbur = i_reb2-vkbur
1406   AND kvgr2 = i_reb2-kvgr2
1407 *   AND KVGR3 = I_REB2-KVGR3
1408   AND kdgrp = i_reb2-kdgrp
1409   AND kukla = i_reb2-kukla
1410   AND ( kondm = '70' OR kondm = '71' ).
1411   lv_quan = lv_quan + i_reb_bkp-ummenge.
1412   ENDLOOP.
1413   IF lv_quan IS NOT INITIAL.
1414   lv_netpr = i_reb2-value / i_reb2-ummenge1.
1415   i_reb2-ummenge1 = i_reb2-ummenge1 - lv_quan.
1416   i_reb2-value = i_reb2-ummenge1 * lv_netpr.
1417   lv_value = lv_quan * lv_netpr.
1418   flag_70 = 'X'.
1419   ENDIF.
1420
1421 *   END OF NEW CODE ADDED ON 03.04.2014
1422
1423 *   HEADER DETAILS
1424   x_order_header_in-doc_type = w_auart.
1425   x_order_header_in-sales_org = s_vkorg-low.
1426   IF i_reb2-werks = '5010'.
1427   x_order_header_in-distr_chan = '10'.
1428   ELSE.
1429   x_order_header_in-distr_chan = '20'.
1430   ENDIF.
1431 *   IF S_KONDM-LOW <> '70'.
1432   x_order_header_in-division = '20'.
1433 *   ELSE.
1434 *   X_ORDER_HEADER_IN-DIVISION = '70'.
1435 *   ENDIF.
1436   x_order_header_in-ref_1 = lv_kunnr.
1437   x_order_header_in-ord_reason = 'G21'.
1438   x_order_header_in-sales_off = i_reb2-vkbur.
1439 *ZMQD
1440   IF ( p_kschl = 'ZMQD' ) OR ( p_kschl = 'ZLQD' )
1441   OR ( p_kschl = 'ZHHD' ) OR ( p_kschl = 'ZTQD' )
1442   OR ( p_kschl = 'ZTLD' )
1443   OR ( p_kschl = 'ZDCD' ) . " ASHOK AND KHAN 01.07.08
1444   x_order_header_in-cd_type1 = 'ZCQT'.
1445   x_order_header_in-cd_value1 = i_reb2-value / 10 .
1446   ENDIF.

```

```
1447 *ZAQD
1448 IF p_kschl = 'ZAQD' OR
1449    p_kschl = 'ZAD1' OR " ASHOK AND MA KHAN 30.09.08
1450    p_kschl = 'ZAD2' OR " ASHOK AND MA KHAN 30.09.08
1451    p_kschl = 'ZAD3' OR " ASHOK AND MA KHAN 30.09.08
1452    p_kschl = 'ZAD4' OR " ASHOK AND MA KHAN 30.09.08
1453    p_kschl = 'ZAD5' . " ASHOK AND MA KHAN 07.11.08
1454
1455    x_order_header_in-cd_type1 = 'ZAQT'.
1456    x_order_header_in-cd_value1 = i_reb2-value / 10 .
1457 ENDIF.
1458 *ZSQD
1459 IF ( p_kschl = 'ZSQD' ) OR ( p_kschl = 'ZBQD' ) OR ( p_kschl =
1460 'ZPQD' ) OR ( p_kschl = 'ZIQD' ) OR ( p_kschl = 'ZEQD' ) OR ( p_kschl =
1461 'ZQTR' )
1462 OR ( p_kschl = 'ZRQD' ) "ADDED BY ASHOK & KHAN 10.03/06
1463 OR ( p_kschl = 'ZMQR' ) "ADDED BY ASHOK & KHAN 29.08/06
1464 OR ( p_kschl = 'ZPP9' ) " CHANGED BY SACHIN AND ATUL SIR ON 16.07.2014
1465 OR ( p_kschl = 'ZCQD' ) "ADDED BY ASHOK & KHAN 02.02.07
1466 OR ( p_kschl = 'ZQTY' ). "ADDED BY ASHOK & KHAN 10.03.2008
1467    x_order_header_in-cd_type1 = 'ZSQT'.
1468    x_order_header_in-cd_value1 = i_reb2-value / 10 .
1469 ENDIF.
1470
1471 IF ( p_kschl = 'ZPRT' OR p_kschl = 'ZPPT' OR p_kschl = 'ZMQR' OR
1472    p_kschl = 'ZPP1' OR " ASHOK & KHAN 30.08.2008
1473    p_kschl = 'ZPP2' OR " ASHOK & KHAN 26.09.2008
1474    p_kschl = 'ZPP3' OR " ASHOK & KHAN 07.11.2008
1475    p_kschl = 'ZPP4' OR " ASHOK & KHAN 07.11.2008
1476    p_kschl = 'ZPP5' OR " ASHOK & KHAN 07.11.2008
1477    p_kschl = 'ZPP6' OR " ASHOK & KHAN 07.11.2008
1478    p_kschl = 'ZPP7' OR " ASHOK & KHAN 07.11.2008
1479    p_kschl = 'ZPP8' OR " ASHOK & KHAN 07.11.2008
1480 *    P_KSCHL = 'ZPP9' OR " ASHOK & KHAN 07.11.2008
1481 *SOC RITESH SINGH PRIYANKA SINGH ON CHARM 4000004008 ON DATE 08.07.2021
1482    p_kschl = 'PE12' OR
1483    p_kschl = 'PE13' OR
1484    p_kschl = 'PE14' OR
1485    p_kschl = 'PE15' OR
1486    p_kschl = 'PE16' OR
1487    p_kschl = 'PE17' OR
1488    p_kschl = 'PE18' OR
1489    p_kschl = 'PE19' OR
1490    p_kschl = 'PE20' OR
1491    p_kschl = 'PE21' OR
1492    p_kschl = 'PE22' OR
1493    p_kschl = 'PE23' OR
1494    p_kschl = 'PE24' OR
1495    p_kschl = 'PE25' OR
1496    p_kschl = 'PE26' OR
1497    p_kschl = 'PE27' OR
1498    p_kschl = 'PE28' OR
1499    p_kschl = 'PE29' OR
1500    p_kschl = 'PE30' OR
1501 *SOC RITESH SINGH PRIYANKA SINGH ON CHARM 4000004008 ON DATE 08.07.2021
1502    p_kschl = 'ZP10' OR " ASHOK & KHAN 07.11.2008
1503    p_kschl = 'ZP11' OR " ASHOK & KHAN 07.11.2008
1504    p_kschl = 'ZP12' OR
1505
1506 *****ADDED BY SACHIN KAUL ORO PRIYANKA SINGH ON 13/1/17*****
*****
```

```
1507         p_kschl = 'ZP13' OR
1508         p_kschl = 'ZP14' OR
1509         p_kschl = 'ZP15' OR
1510         p_kschl = 'ZP16' OR
1511         p_kschl = 'ZP17' OR
1512         p_kschl = 'ZP18' OR
1513         p_kschl = 'ZP19' OR
1514         p_kschl = 'ZP20' OR
1515         p_kschl = 'ZP21' OR
1516         p_kschl = 'ZP22' OR
1517         p_kschl = 'ZP23' OR
1518     *SOC BY KUNAL/PRIYANKA ON 13/12/2018 FOR RMS:-1337
1519         p_kschl = 'ZP24' OR
1520         p_kschl = 'ZP25' OR
1521         p_kschl = 'ZP26' OR
1522         p_kschl = 'ZP27' OR
1523         p_kschl = 'ZP28' OR
1524         p_kschl = 'ZP29' OR
1525         p_kschl = 'ZP30' OR
1526         p_kschl = 'ZP31' OR
1527         p_kschl = 'ZP32' OR
1528         p_kschl = 'ZP33' OR
1529         p_kschl = 'ZP34' OR
1530         p_kschl = 'ZP35' ).
1531     *EOC BY KUNAL/PRIYANKA ON 13/12/2018 FOR RMS:-1337
1532         x_order_header_in-cd_type1 = 'ZAQT'.
1533         x_order_header_in-cd_value1 = i_reb2-value / 10 .
1534     ENDIF.
1535
1536     *REMARKS
1537         x_order_header_in-purch_no = i_reb2-rem.
1538     *     BREAK-POINT.
1539     * PARTENER DETAILS
1540         IF i_reb2-werks = '5010'.
1541             i_order_partners-partn_role = 'AG'.
1542             i_order_partners-partn_numb = i_reb2-pkunag.
1543             APPEND i_order_partners.
1544         ELSE. " FOR PLANTS OTHER THAN 5010
1545             i_order_partners-partn_role = 'AG'.
1546     *     I_ORDER_PARTNERS-PARTN_NUMB = I_REB2-WERKS.
1547             CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
1548                 EXPORTING
1549                     input = i_reb2-werks
1550                 IMPORTING
1551                     output = lv_kunnr.
1552             i_order_partners-partn_numb = lv_kunnr.
1553             APPEND i_order_partners.
1554         ENDIF.
1555     * ITEM DETAILS
1556         i_order_items_in-material = w_matnr.
1557         i_order_items_in-target_qty = i_reb2-ummenge1 * 1000.
1558         APPEND i_order_items_in.
1559
1560         w_objtype = 'BUS2094'.
1561         IF x_order_header_in-cd_value1 IS NOT INITIAL AND
1562             i_order_items_in-target_qty IS NOT INITIAL.
1563             PERFORM sales_order.
1564         ELSE.
1565             CLEAR : w_auart,
1566                   w_matnr,
1567                   w_objtype,
```



```

1568         x_order_header_in,
1569         i_order_partners,
1570         i_order_items_in.
1571
1572         REFRESH : i_order_partners,
1573                 i_order_items_in.
1574     ENDIF.
1575
1576
1577
1578 *****START OF NEW CODE ADDED ON 03.04.2014*****
1579 **
1580 * NEW CMR CREATION IN CASE OF MATERIAL PRICING GROUP = '70'
1581 IF flag_70 = 'X' AND w_vbeln1 IS INITIAL.
1582     CLEAR : w_auart,
1583             w_matnr,
1584             w_objtype,
1585             x_order_header_in,
1586             i_order_partners,
1587             i_order_items_in.
1588
1589     REFRESH : i_order_partners,
1590             i_order_items_in.
1591     w_auart = 'ZI09'.
1592     w_matnr = 'REBATE(POLYMER)-IM'.
1593 * HEADER DETAILS
1594 x_order_header_in-doc_type = w_auart.
1595 x_order_header_in-sales_org = s_vkorg-low.
1596 IF i_reb2-werks = '5010'.
1597     x_order_header_in-distr_chan = '10'.
1598 ELSE.
1599     x_order_header_in-distr_chan = '20'.
1600 ENDIF.
1601 x_order_header_in-division = '70'.
1602 x_order_header_in-ord_reason = 'G21'.
1603 x_order_header_in-sales_off = i_reb2-vkbur.
1604 *ZMQD
1605 IF ( p_kschl = 'ZMQD' ) OR ( p_kschl = 'ZLQD' )
1606 OR ( p_kschl = 'ZHHD' ) OR ( p_kschl = 'ZTQD' )
1607 OR ( p_kschl = 'ZTLD' )
1608 OR ( p_kschl = 'ZDCD' ) . " ASHOK AND KHAN 01.07.08
1609     x_order_header_in-cd_type1 = 'ZCQT'.
1610     x_order_header_in-cd_value1 = lv_value / 10 .
1611 ENDIF.
1612 *ZAQD
1613 IF p_kschl = 'ZAQD' OR
1614     p_kschl = 'ZAD1' OR " ASHOK AND MA KHAN 30.09.08
1615     p_kschl = 'ZAD2' OR " ASHOK AND MA KHAN 30.09.08
1616     p_kschl = 'ZAD3' OR " ASHOK AND MA KHAN 30.09.08
1617     p_kschl = 'ZAD4' OR " ASHOK AND MA KHAN 30.09.08
1618     p_kschl = 'ZAD5' . " ASHOK AND MA KHAN 07.11.08
1619
1620     x_order_header_in-cd_type1 = 'ZAQT'.
1621     x_order_header_in-cd_value1 = lv_value / 10 .
1622 ENDIF.
1623 *ZSQD
1624 IF ( p_kschl = 'ZSQD' ) OR ( p_kschl = 'ZBQD' ) OR ( p_kschl =
1625 'ZPQD' ) OR ( p_kschl = 'ZIQD' ) OR ( p_kschl = 'ZEQD' ) OR ( p_kschl
1626 =
1627 'ZQTR' )
1628 OR ( p_kschl = 'ZRQD' ) "ADDED BY ASHOK & KHAN 10.03/06

```

```

1627 OR ( p_kschl = 'ZMQR' ) "ADDED BY ASHOK & KHAN 29.08/06
1628 OR ( p_kschl = 'ZCQD' ) "ADDED BY ASHOK & KHAN 02.02.07
1629 OR ( p_kschl = 'ZPP9' ) " CHANGED BY SACHIN AND ATUL SIR ON 16.07.20
14
1630 OR ( p_kschl = 'ZQTY' ). "ADDED BY ASHOK & KHAN 10.03.2008
1631     x_order_header_in-cd_type1 = 'ZSQT'.
1632     x_order_header_in-cd_value1 = lv_value / 10 .
1633 ENDIF.
1634
1635 IF ( p_kschl = 'ZPRT' OR p_kschl = 'ZPPT' OR p_kschl = 'ZMQR' ) 0
R
1636     p_kschl = 'ZPP1' OR " ASHOK & KHAN 30.08.2008
1637     p_kschl = 'ZPP2' OR " ASHOK & KHAN 26.09.2008
1638     p_kschl = 'ZPP3' OR " ASHOK & KHAN 07.11.2008
1639     p_kschl = 'ZPP4' OR " ASHOK & KHAN 07.11.2008
1640     p_kschl = 'ZPP5' OR " ASHOK & KHAN 07.11.2008
1641     p_kschl = 'ZPP6' OR " ASHOK & KHAN 07.11.2008
1642     p_kschl = 'ZPP7' OR " ASHOK & KHAN 07.11.2008
1643     p_kschl = 'ZPP8' OR " ASHOK & KHAN 07.11.2008
1644 *     p_kschl = 'ZPP9' OR " ASHOK & KHAN 07.11.2008
1645     p_kschl = 'ZP10' OR " ASHOK & KHAN 07.11.2008
1646     p_kschl = 'ZP11' OR " ASHOK & KHAN 07.11.2008
1647     p_kschl = 'ZP12' OR " ASHOK & KHAN 20.11.2008
1648 *SOC BY KUNAL/PRIYANKA ON 13/12/2018 FOR RMS:-1337
1649     p_kschl = 'ZP13' OR
1650     p_kschl = 'ZP14' OR
1651     p_kschl = 'ZP15' OR
1652     p_kschl = 'ZP16' OR
1653     p_kschl = 'ZP17' OR
1654     p_kschl = 'ZP18' OR
1655     p_kschl = 'ZP19' OR
1656     p_kschl = 'ZP20' OR
1657     p_kschl = 'ZP21' OR
1658     p_kschl = 'ZP22' OR
1659     p_kschl = 'ZP23' OR
1660     p_kschl = 'ZP24' OR
1661     p_kschl = 'ZP25' OR
1662     p_kschl = 'ZP26' OR
1663     p_kschl = 'ZP27' OR
1664     p_kschl = 'ZP28' OR
1665     p_kschl = 'ZP29' OR
1666     p_kschl = 'ZP30' OR
1667     p_kschl = 'ZP31' OR
1668     p_kschl = 'ZP32' OR
1669     p_kschl = 'ZP33' OR
1670     p_kschl = 'ZP34' OR
1671     p_kschl = 'ZP35' ).
1672 *EOC BY KUNAL/PRIYANKA ON 13/12/2018 FOR RMS:-1337
1673     x_order_header_in-cd_type1 = 'ZAQT'.
1674     x_order_header_in-cd_value1 = lv_value / 10 .
1675 ENDIF.
1676
1677 *REMARKS
1678     x_order_header_in-purch_no = i_reb2-rem.
1679     x_order_header_in-ref_1 = lv_kunnr.
1680 * PARTENER DETAILS
1681     IF i_reb2-werks = '5010'.
1682         i_order_partners-partn_role = 'AG'.
1683         i_order_partners-partn_num = i_reb2-pkunag.
1684         APPEND i_order_partners.
1685     ELSE.

```

```

1686         i_order_partners-partn_role = 'AG'.
1687         CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
1688             EXPORTING
1689                 input = i_reb2-werks
1690             IMPORTING
1691                 output = lv_kunnr.
1692         i_order_partners-partn_num = lv_kunnr.
1693         APPEND i_order_partners.
1694     ENDIF.
1695
1696 * ITEM DETAILS
1697     i_order_items_in-material = w_matnr.
1698     i_order_items_in-target_qty = lv_quan * 1000.
1699     APPEND i_order_items_in.
1700 *
1701     w_objtype = 'BUS2094'.
1702     DATA : w_vbeln1 TYPE vbeln.
1703     IF x_order_header_in-cd_value1 IS NOT INITIAL AND
1704         i_order_items_in-target_qty IS NOT INITIAL.
1705
1706         CALL FUNCTION 'BAPI_SALESDOCU_CREATEFROMDATA'
1707             EXPORTING
1708                 order_header_in = x_order_header_in
1709                 business_object = w_objtype
1710                 without_commit = ''
1711             IMPORTING
1712                 salesdocument = w_vbeln
1713                 sold_to_party = x_sold_to_party
1714                 return = x_return_commit
1715             TABLES
1716                 order_items_in = i_order_items_in
1717                 order_partners = i_order_partners.
1718
1719         IF w_vbeln IS INITIAL.
1720             WRITE : / 'ERROR MESSAGE :',x_return_commit-message.
1721         ELSE.
1722
1723             WRITE : / 'SALES ORDER HAS BEEN CREATED WITH :'(003), w_vbel
1724 n,
1725                 'AND CUSTOMER NO :'(004), x_sold_to_party-sold_to.
1726             IF NOT w_vbeln IS INITIAL.
1727                 CLEAR yrva_rebate.
1728                 yrva_rebate-vbeln = w_vbeln.
1729                 yrva_rebate-kunnr = i_reb2-pkunag. "X_SOLD_TO_PARTY
1730 -SOLD_TO.
1731                 yrva_rebate-vkbur = i_reb2-vkbur.
1732                 yrva_rebate-lft_qty = i_reb2-ummeng.
1733                 yrva_rebate-werks = i_reb2-werks.
1734                 yrva_rebate-rev_qty = lv_quan.
1735                 if wa_rec-kschl is NOT INITIAL.
1736                     yrva_rebate-reb_cond = wa_rec-kschl.
1737                 ELSE.
1738                     yrva_rebate-reb_cond = p_kschl.
1739                 ENDif.
1740                 yrva_rebate-ord_cond = x_order_header_in-cd_type1.
1741                 yrva_rebate-value = lv_value.
1742                 yrva_rebate-yy_per_start = s_sptag-low.
1743                 yrva_rebate-yy_per_end = s_sptag-high.
1744                 yrva_rebate-kukla = i_reb2-kukla.
1745                 INSERT yrva_rebate FROM yrva_rebate.
1746             ENDIF.

```

```

1745         ENDIF.
1746
1747         CLEAR :   w_vbeln, x_return_commit, x_order_header_in, w_objty
pe,
1748                 x_sold_to_party.
1749
1750         REFRESH :   i_order_partners, i_order_items_in .
1751         CLEAR: flag_70.
1752     ENDIF.
1753 ENDIF.
1754 *****END OF NEW CODE ADDED ON 03.04.2014*****
**
1755     ENDIF.
1756     ENDIF.
1757     CLEAR wa_rebate.
1758 ENDLLOOP.
1759 ENDFORM.                " CHECK
1760 *&-----*
1761 *&      FORM   CREATE_FIELD_CATALOG
1762 *&-----*
1763 *      TEXT
1764 *-----*
1765 FORM create_field_catalog .
1766
1767 IF sy-lsind <> 1.
1768     gt_fieldcat-fieldname = 'CHECK'.
1769     gt_fieldcat-outputlen = 4.
1770     gt_fieldcat-just      = 'C' .
1771     gt_fieldcat-col_pos   = 1 .
1772     gt_fieldcat-seltext_s = 'FLAG'.
1773     gt_fieldcat-seltext_m = 'FLAG'.
1774     gt_fieldcat-ddictxt   = 'M'.
1775     gt_fieldcat-checkbox  = 'X'.
1776     gt_fieldcat-input     = 'X'.
1777     gt_fieldcat-edit      = 'X'.
1778     APPEND gt_fieldcat.
1779     CLEAR gt_fieldcat.
1780
1781     gt_fieldcat-fieldname = 'PKUNAG'.
1782     gt_fieldcat-outputlen = 10.
1783     gt_fieldcat-just      = 'C' .
1784     gt_fieldcat-col_pos   = 2.
1785     gt_fieldcat-seltext_s = 'CUSTOMER'.
1786     gt_fieldcat-seltext_m = 'CUSTOMER'.
1787     gt_fieldcat-ddictxt   = 'M'.
1788     gt_fieldcat-do_sum    = space.
1789     APPEND gt_fieldcat.
1790     CLEAR gt_fieldcat.
1791
1792     gt_fieldcat-fieldname = 'NAME1'.
1793     gt_fieldcat-outputlen = 35.
1794     gt_fieldcat-just      = 'L' .
1795     gt_fieldcat-col_pos   = 3.
1796     gt_fieldcat-seltext_s = 'CUSTOMER NAME'.
1797     gt_fieldcat-seltext_m = 'CUSTOMER NAME'.
1798     gt_fieldcat-ddictxt   = 'M'.
1799     gt_fieldcat-do_sum    = space.
1800     APPEND gt_fieldcat.
1801     CLEAR gt_fieldcat.
1802
1803     gt_fieldcat-fieldname = 'KVGR2'.

```

```

1804      gt_fieldcat-outputlen      = 6.
1805      gt_fieldcat-just           = 'C' .
1806      gt_fieldcat-col_pos        = 4.
1807      gt_fieldcat-seltext_s      = 'GRP CO.'.
1808      gt_fieldcat-seltext_m      = 'GRP CO.'.
1809      gt_fieldcat-ddictxt        = 'M'.
1810      gt_fieldcat-do_sum         = space.
1811      APPEND gt_fieldcat.
1812      CLEAR gt_fieldcat.
1813      ** SOC BY UJJWAL/PRIYANKA ON CHARM#400000157 ON 18-09-2019 TO COMMENT T
HE DISPLAY OF WERKS OR KDGRP
1814      **      GT_FIELDCAT-FIELDNAME = 'WERKS'.
1815      **      GT_FIELDCAT-OUTPUTLEN = 35.
1816      **      GT_FIELDCAT-JUST      = 'L' .
1817      **      GT_FIELDCAT-COL_POS   = 3.
1818      **      GT_FIELDCAT-SELTEXT_S = 'PLANT'.
1819      **      GT_FIELDCAT-SELTEXT_M = 'PLANT'.
1820      **      GT_FIELDCAT-DDICTXT   = 'M'.
1821      **      GT_FIELDCAT-DO_SUM    = SPACE.
1822      **      APPEND GT_FIELDCAT.
1823      **      CLEAR GT_FIELDCAT.
1824
1825      **      GT_FIELDCAT-FIELDNAME = 'KDGRP'.
1826      **      GT_FIELDCAT-OUTPUTLEN = 3.
1827      **      GT_FIELDCAT-JUST      = 'C' .
1828      **      GT_FIELDCAT-COL_POS   = 5 .
1829      **      GT_FIELDCAT-SELTEXT_S = 'APP'.
1830      **      GT_FIELDCAT-SELTEXT_M = 'APP'.
1831      **      GT_FIELDCAT-DDICTXT   = 'M'.
1832      **      GT_FIELDCAT-DO_SUM    = SPACE.
1833      **      APPEND GT_FIELDCAT.
1834      **      CLEAR GT_FIELDCAT.
1835      ** EOC BY UJJWAL/PRIYANKA ON CHARM#400000157 ON 18-09-2019 TO COMMENT TH
E DISPLAY OF WERKS OR KDGRP
1836      gt_fieldcat-fieldname = 'KUNNR'.
1837      gt_fieldcat-outputlen = 10.
1838      gt_fieldcat-just      = 'C' .
1839      gt_fieldcat-col_pos   = 5 .
1840      gt_fieldcat-seltext_s = 'CS'.
1841      gt_fieldcat-seltext_m = 'CONSIGNMENT STOCKIST'.
1842      gt_fieldcat-ddictxt   = 'M'.
1843      gt_fieldcat-do_sum    = space.
1844      APPEND gt_fieldcat.
1845      CLEAR gt_fieldcat.
1846      gt_fieldcat-fieldname = 'UMMENG1'.
1847      gt_fieldcat-outputlen = 16.
1848      gt_fieldcat-just      = 'R' .
1849      gt_fieldcat-col_pos   = 6.
1850      gt_fieldcat-seltext_s = 'LIFTED QTY(MT)'.
1851      gt_fieldcat-seltext_m = 'LIFTED QTY(MT)'.
1852      gt_fieldcat-ddictxt   = 'M'.
1853      gt_fieldcat-do_sum    = space.
1854      APPEND gt_fieldcat.
1855      CLEAR gt_fieldcat.
1856
1857      gt_fieldcat-fieldname = 'UMMENG1'.
1858      gt_fieldcat-outputlen = 16.
1859      gt_fieldcat-just      = 'R' .
1860      gt_fieldcat-col_pos   = 7.
1861      gt_fieldcat-seltext_s = 'ELIGIBLE QTY(MT)'.
1862      gt_fieldcat-seltext_m = 'ELIGIBLE QTY(MT)'.

```

```

1863      gt_fieldcat-ddictxt      = 'M'.
1864 *      GT_FIELDCAT-INPUT      = 'X'.
1865      APPEND gt_fieldcat.
1866      CLEAR gt_fieldcat.
1867
1868      gt_fieldcat-fieldname = 'KBETR'.
1869      gt_fieldcat-outputlen = 16.
1870      gt_fieldcat-just      = 'R' .
1871      gt_fieldcat-col_pos   = 8.
1872      gt_fieldcat-seltext_s = 'RATE'.
1873      gt_fieldcat-seltext_m = 'RATE'.
1874      gt_fieldcat-ddictxt   = 'M'.
1875 *      GT_FIELDCAT-INPUT      = 'X'.
1876      APPEND gt_fieldcat.
1877      CLEAR gt_fieldcat.
1878
1879      gt_fieldcat-fieldname = 'VALUE'.
1880      gt_fieldcat-outputlen = 16.
1881      gt_fieldcat-just      = 'R' .
1882      gt_fieldcat-col_pos   = 9.
1883      gt_fieldcat-seltext_s = 'VALUE'.
1884      gt_fieldcat-seltext_m = 'VALUE'.
1885      gt_fieldcat-ddictxt   = 'M'.
1886      gt_fieldcat-do_sum    = space.
1887 *      GT_FIELDCAT-INPUT      = 'X'.
1888      APPEND gt_fieldcat.
1889      CLEAR gt_fieldcat.
1890
1891 * BOC ASHOK & M A KHAN 07.06.07
1892      gt_fieldcat-fieldname = 'BEZEI'.
1893      gt_fieldcat-outputlen = 35.
1894      gt_fieldcat-just      = 'L' .
1895      gt_fieldcat-col_pos   = 10.
1896      gt_fieldcat-seltext_s = 'SALES OFFICE'.
1897      gt_fieldcat-seltext_m = 'SALES OFFICE'.
1898      gt_fieldcat-ddictxt   = 'M'.
1899      gt_fieldcat-do_sum    = space.
1900      APPEND gt_fieldcat.
1901      CLEAR gt_fieldcat.
1902 * EOC ASHOK & M A KHAN 07.06.07
1903
1904      gt_fieldcat-fieldname = 'REM'.
1905      gt_fieldcat-outputlen = 20.
1906      gt_fieldcat-just      = 'L' .
1907      gt_fieldcat-col_pos   = 11.
1908      gt_fieldcat-seltext_s = 'REMARKS'.
1909      gt_fieldcat-seltext_m = 'REMARKS'.
1910      gt_fieldcat-ddictxt   = 'M'.
1911      gt_fieldcat-do_sum    = space.
1912      gt_fieldcat-input     = 'X'.
1913      APPEND gt_fieldcat.
1914      CLEAR gt_fieldcat.
1915 *      " SOC ADDED BY UJJWAL/PRIYANKA ON 7-07-2020 ON CHRM 4000002361
TO DISPLAY REBATE ORDER
1916      gt_fieldcat-fieldname = 'VBELN'.
1917      gt_fieldcat-outputlen = 10.
1918      gt_fieldcat-just      = 'L' .
1919      gt_fieldcat-col_pos   = 12.
1920      gt_fieldcat-seltext_s = 'ORDER'.
1921      gt_fieldcat-seltext_m = 'REBATE ORDER'.
1922      gt_fieldcat-ddictxt   = 'M'.

```



```

1923      gt_fieldcat-do_sum      = space.
1924      APPEND gt_fieldcat.
1925      CLEAR gt_fieldcat.
1926      *      " EOC ADDED BY UJJWAL/PRIYANKA ON 7-07-2020 ON CHRM 4000002361
TO DISPLAY REBATE ORDER
1927      ENDIF.
1928      *
1929      i_exit_event-ucomm = 'FCOD'.
1930      i_exit_event-before = 'X'.
1931      i_exit_event-after = ''.
1932      APPEND i_exit_event.
1933      CLEAR i_exit_event.
1934
1935      i_exit_event-ucomm = 'CALC'.
1936      i_exit_event-before = 'X'.
1937      i_exit_event-after = ''.
1938      APPEND i_exit_event.
1939      CLEAR i_exit_event.
1940
1941      i_exit_event-ucomm = 'SALL'.
1942      i_exit_event-before = 'X'.
1943      i_exit_event-after = 'X'.
1944      APPEND i_exit_event.
1945      CLEAR i_exit_event.
1946
1947      i_exit_event-ucomm = 'DSAL'.
1948      i_exit_event-before = 'X'.
1949      i_exit_event-after = 'X'.
1950      APPEND i_exit_event.
1951      CLEAR i_exit_event.
1952
1953      i_events-name = 'USER_COMMAND'.
1954      i_events-form = 'ON_SELECTION'.
1955      APPEND i_events.
1956      CLEAR i_events.
1957      ENDFORM.      " CREATE_FIELD_CATALOG
1958      *&-----*
1959      *&      FORM      TOP_OF_PAGE
1960      *&-----*
1961      *      TEXT
1962      *-----*
1963      *      —>  P1      TEXT
1964      *      <—  P2      TEXT
1965      *-----*
1966      FORM top_of_page .
1967      **HEADING
1968      WRITE : /.
1969      WRITE : / 'ZONE      :' COLOR COL_HEADING, s_vkbur-low.
1970      WRITE : / 'SALES ORG :' COLOR COL_HEADING,s_vkorg-low.
1971      WRITE : / 'MATERIAL GROUP IN:' COLOR COL_HEADING.
1972      LOOP AT s_kondm.
1973          IF s_kondm-sign = 'I' AND s_kondm-option = 'BT' .
1974              WRITE: s_kondm-low , 'TO', s_kondm-high.
1975          ELSEIF s_kondm-sign = 'I' AND s_kondm-option = 'EQ' .
1976              WRITE: s_kondm-low , ' '.
1977          ELSEIF s_kondm-sign = 'E' AND s_kondm-option = 'BT' .
1978              WRITE: 'EXCLUDING :' , s_kondm-low , 'TO', s_kondm-high.
1979          ELSEIF s_kondm-sign = 'E' AND s_kondm-option = 'EQ' .
1980              WRITE: 'EXCLUDING :' , s_kondm-low , ' '.
1981          ENDIF.
1982      ENDLOOP.

```



```

1983 WRITE : / 'CUSTOMER CLASSIFICATION :' COLOR COL_HEADING, s_kukla.
1984 ULINE.
1985 ENDFORM. " TOP_OF_PAGE
1986 *&-----*
1987 *& FORM TABLE_UPDATE
1988 *&-----*
1989 * TEXT
1990 *-----*
1991 * --> P1 TEXT
1992 * <-- P2 TEXT
1993 *-----*
1994 FORM table_update .
1995 CLEAR yrva_rebate.
1996 yrva_rebate-vbeln = w_vbeln.
1997 yrva_rebate-kunnr = i_reb2-pkunag. "X_SOLD_TO_PARTY-SOLD_TO.
1998 yrva_rebate-vkbur = i_reb2-vkbur.
1999 yrva_rebate-lft_qty = i_reb2-ummeng.
2000 yrva_rebate-werks = i_reb2-werks.
2001 yrva_rebate-rev_qty = i_reb2-ummeng1.
2002 IF wa_rec-kschl is NOT INITIAL.
2003 yrva_rebate-reb_cond = wa_rec-kschl.
2004 ELSE.
2005 yrva_rebate-reb_cond = p_kschl.
2006 ENDIF.
2007
2008 yrva_rebate-ord_cond = x_order_header_in-cd_type1.
2009 yrva_rebate-value = i_reb2-value.
2010 yrva_rebate-yy_per_start = s_sptag-low.
2011 yrva_rebate-yy_per_end = s_sptag-high.
2012 yrva_rebate-kukla = i_reb2-kukla.
2013 INSERT yrva_rebate FROM yrva_rebate.
2014
2015 ENDFORM. " TABLE_UPDATE
2016 *&-----*
2017 *& FORM FILTER_DATA
2018 *&-----*
2019 * TEXT
2020 *-----*
2021 * --> P1 TEXT
2022 * <-- P2 TEXT
2023 *-----*
2024 FORM filter_data .
2025 ** SOC BY UJJWAL/PRIYANKA ON CHARM#400000157 ON 18-09-2019 TO SELECT THE
DATA FROM VBRK/VBRP INSTEAD OF S925 TABLE
2026 TYPES : BEGIN OF ty_vbrk,
2027 vbeln TYPE vbrk-vbeln,
2028 fkdat TYPE vbrk-fkdat,
2029 vkorg TYPE vbrk-vkorg,
2030 kunag TYPE vbrk-kunag,
2031 kdgrp TYPE vbrk-kdgrp,
2032 vtweg TYPE vbrk-vtweg,
2033 posnr TYPE posnr_vf,
2034 werks TYPE vbrp-werks,
2035 fking TYPE vbrp-fking,
2036 vkbur TYPE vbrp-vkbur,
2037 kvgr2 TYPE vbrp-kvgr2,
2038 kvgr3 TYPE vbrp-kvgr3,
2039 kondm TYPE vbrp-kondm,
2040 END OF ty_vbrk.
2041
2042 DATA : lt_vbrk TYPE TABLE OF ty_vbrk,

```

```
2043         lw_vbrk TYPE ty_vbrk.
2044 *   IF NOT GT_S925[] IS INITIAL.
2045
2046 ** FETCHING FOR FKART = 'RE'   AND VBTYP = '0'
2047   SELECT a~vbeln,
2048          a~fkdat,
2049          a~vkorg,
2050          a~kunag,
2051          a~kdgrp,
2052          a~vtweg,
2053          b~posnr,
2054          b~werks,
2055          b~fkimg,
2056          b~vkbur,
2057          b~kvgr2,
2058          b~kvgr3,
2059          b~kondm
2060   FROM vbrk AS a
2061   INNER JOIN vbrp AS b
2062   ON a~vbeln = b~vbeln
2063   INTO TABLE @DATA(lt_vbrk_re)
2064   WHERE a~fkart = 'RE'
2065         AND a~fkdat IN @s_sptag
2066         AND a~kunag IN @s_pkunag
2067         AND a~vkorg IN @s_vkorg
2068         AND a~kdgrp IN @s_kdgrp
2069         AND a~vtweg IN @s_dist
2070         AND a~vbtyp = '0'
2071         AND a~fksto = @space
2072         AND b~vkbur IN @s_vkbur
2073         AND b~werks IN @s_werks
2074         AND b~kvgr2 IN @s_kvgr2
2075 *         AND b~kvgr3 IN @s_kvgr3
2076         AND b~kondm IN @s_kondm
2077 ** -> BEGIN OF CHANGES BY OF RITIKA ON 09.10.2024 FOR ATC
2078     AND a~draft = @space
2079     AND b~draft = @space.
2080 ** -> END OF CHANGES BY OF RITIKA ON 09.10.2024 FOR ATC
2081
2082   IF sy-subrc IS INITIAL.
2083     SORT lt_vbrk_re BY vbeln fkdat kunag.
2084
2085     DELETE ADJACENT DUPLICATES FROM lt_vbrk_re COMPARING vbeln fkdat kun
2086 ag posnr werks.
2087     DELETE lt_vbrk_re WHERE werks NOT IN s_werks.
2088
2089 ***   SORT LT_VBRK_RE BY VBELN.
2090 ***   SELECT VBELV,
2091 ***         VBELN
2092 ***   FROM VBFA
2093 ***   INTO TABLE @DATA(LT_VBFA)
2094 ***   FOR ALL ENTRIES IN @LT_VBRK_RE
2095 ***   WHERE VBELN = @LT_VBRK_RE-VBELN
2096 ***         AND VBTYP_V = 'M'.
2097 ***   IF SY-SUBRC IS INITIAL.
2098 ***     SORT LT_VBFA BY VBELV VBELN.
2099 ***
2100 ***     SELECT VBELN,
2101 ***           FKART
2102 ***     FROM VBRK
2103 ***     INTO TABLE @DATA(LT_VBRK1)
```

```

2103 ***      FOR ALL ENTRIES IN @LT_VBFA
2104 ***      WHERE VBELN = LT_VBFA-VBELV.
2105 ***      IF SY-SUBRC IS INITIAL.
2106 ***      SORT LT_VBRK1 BY VBELN FKART.
2107 ***      LOOP AT LT_VBRK1 ASSIGNING FIELD-SYMBOL(<LFS_VBRK1>).
2108 ***      READ TABLE LT_VBFA ASSIGNING FIELD-SYMBOL(<LFS_VBFA>) WITH
KEY VBELV = <LFS_VBRK1>-VBELN.
2109 ***      IF SY-SUBRC IS INITIAL.
2110 ***      READ TABLE LT_VBRK_RE ASSIGNING FIELD-SYMBOL(<LFS_VBRK_RE
>) WITH KEY VBELN = <LFS_VBFA>-VBELN.
2111 ***      IF SY-SUBRC IS INITIAL.
2112 ***      IF <LFS_VBRK_RE>-FKDAT+4(2) = <LFS_VBRK1>-FKART+4(2).
2113 ***
2114 ***      ENDIF.
2115 ***      ENDIF.
2116 ***      ENDIF.
2117 ***
2118 ***      ENDLLOOP.
2119 ***      ENDIF.
2120 ***      ENDIF.
2121
2122      CLEAR : lw_vbrk.
2123      LOOP AT lt_vbrk_re INTO lw_vbrk.
2124          i_reb1-pkunag = lw_vbrk-kunag.
2125          i_reb1-vkbur = lw_vbrk-vkbur.
2126          i_reb1-vkorg = lw_vbrk-vkorg.
2127          i_reb1-kvgr2 = lw_vbrk-kvgr2.
2128          i_reb1-werks = lw_vbrk-werks.
2129          i_reb1-kondm = lw_vbrk-kondm.
2130          i_reb1-kdgrp = lw_vbrk-kdgrp.
2131          i_reb1-ummenge = lw_vbrk-fkimg * -1.
2132          APPEND i_reb1.
2133          CLEAR i_reb1.
2134
2135      ENDLLOOP.
2136      ENDIF.
2137      SELECT * FROM tkukl INTO TABLE @DATA(lt_tkukl).
2138      REFRESH: s_kukla2[].
2139      LOOP AT s_kukla.
2140          IF s_kukla-low = 'Trader'.
2141              APPEND VALUE #( sign = 'I' option = 'EQ' low = '14' high = '14' )
TO s_kukla2.
2142          ENDIF.
2143          IF s_kukla-low = 'AUT'.
2144              APPEND VALUE #( sign = 'I' option = 'EQ' low = '29' high = '29' )
TO s_kukla2.
2145          ENDIF.
2146          IF s_kukla-low = 'Actual user'.
2147              LOOP AT lt_tkukl INTO DATA(ls_tkukl).
2148                  IF ls_tkukl IS NOT INITIAL.
2149                      APPEND VALUE #( sign = 'I' option = 'EQ' low = ls_tkukl-kukla
high = ls_tkukl-kukla ) TO s_kukla2.
2150                  ENDIF.
2151              CLEAR: ls_tkukl.
2152          ENDLLOOP.
2153          ENDIF.
2154      ENDLLOOP.
2155
2156      SELECT a~vbeln,
2157             a~fkdat,
2158             a~vkorg,

```

```

2159         a~kunag,
2160         a~kdgrp,
2161         a~vtweg,
2162         b~posnr,
2163         b~werks,
2164         b~fkimg,
2165         b~vkbur,
2166         b~kvgr2,
2167         b~kvgr3,
2168         b~kondm
2169     FROM vbrk AS a
2170     INNER JOIN vbrp AS b
2171     ON a~vbeln = b~vbeln
2172 ** SOC by Vaishnavi/Archna TR: DVRK9A10TG " Inclusion of sales type
2173 INNER JOIN vbfa AS f
2174     ON f~vbeln = a~vbeln " billing as subsequent
2175     AND f~vbttyp_v = 'C' " preceding is a Sales Order
2176     INNER JOIN kna1 AS c
2177     ON c~kunnr = a~kunag
2178     INNER JOIN vbak AS so
2179     ON so~vbeln = f~vbelv
2180 ** EOC by Vaishnavi/Archna TR: DVRK9A10TG
2181     INTO TABLE @lt_vbrk
2182     WHERE a~fkdat IN @s_sptag
2183     AND a~kunag IN @s_pkunag
2184     AND a~vkorg IN @s_vkorg
2185     AND a~kdgrp IN @s_kdgrp
2186     AND a~vtweg IN @s_dist
2187     AND a~vbttyp = 'M'
2188     AND a~fksto = @space
2189     AND b~vkbur IN @s_vkbur
2190     AND b~werks IN @s_werks
2191     AND b~kvgr2 IN @s_kvgr2
2192 *         AND B~KVGR3 IN @S_KVGR3
2193     AND b~kondm IN @s_kondm
2194 ** SOC by Vaishnavi/Archna TR: DVRK9A10TG
2195     AND so~auart IN @s_auart
2196     AND c~kukla IN @s_kukla2
2197 ** EOC by Vaishnavi/Archna TR: DVRK9A10TG
2198 ** -> BEGIN OF CHANGES BY OF RITIKA ON 09.10.2024 FOR ATC
2199     AND a~draft = @space
2200     AND b~draft = @space.
2201 ** -> END OF CHANGES BY OF RITIKA ON 09.10.2024 FOR ATC
2202
2203     IF sy-subrc IS INITIAL.
2204 **         SORT lt_vbrk BY fkdat kunag.
2205         SORT lt_vbrk BY vbeln fkdat kunag posnr werks.
2206
2207         DELETE ADJACENT DUPLICATES FROM lt_vbrk COMPARING vbeln fkdat kunag
2208         posnr werks.
2209         DELETE lt_vbrk WHERE werks NOT IN s_werks.
2210
2211         SORT lt_vbrk.
2212         DELETE ADJACENT DUPLICATES FROM lt_vbrk COMPARING ALL FIELDS.
2213
2214         CLEAR : lw_vbrk.
2215         LOOP AT lt_vbrk INTO lw_vbrk.
2216             i_reb1-pkunag = lw_vbrk-kunag.
2217             i_reb1-vkbur = lw_vbrk-vkbur.
2218             i_reb1-vkorg = lw_vbrk-vkorg.
2219             i_reb1-kvgr2 = lw_vbrk-kvgr2.

```

```

2219         i_reb1-werks = lw_vbrk-werks.
2220         i_reb1-kondm = lw_vbrk-kondm.
2221         i_reb1-kdgrp = lw_vbrk-kdgrp.
2222         i_reb1-ummeng = lw_vbrk-fking.
2223         APPEND i_reb1.
2224         CLEAR i_reb1.
2225
2226     ENDLOOP.
2227 ENDIF.
2228 ** EOC BY UJJWAL/PRIYANKA ON CHARM#400000157 ON 18-09-2019 TO SELECT THE
    DATA FROM VBRK/VBRP INSTEAD OF S925 TABLE
2229
2230 **-----B.O.C BY RG DATED ON 17.04.2026
    .
2231
2232     IF p_kschl1 IS NOT INITIAL.
2233         PERFORM second_slab.
2234     ENDIF.
2235 **-----E.O.C BY RG DATED ON 17.04.2026
    .
2236 ENDFORM.
2237 *&-----*
2238 *&         FORM    FILTER_DATA_1
2239 *&-----*
2240 *         TEXT
2241 *-----*
2242 *   -->  P1         TEXT
2243 *   <--  P2         TEXT
2244 *-----*
2245 FORM filter_data_1 .
2246     TYPES : BEGIN OF ty_vbrk,
2247             vbeln TYPE vbrk-vbeln,
2248             fkdat TYPE vbrk-fkdat,
2249             vkorg TYPE vbrk-vkorg,
2250             kunag TYPE vbrk-kunag,
2251             kdgrp TYPE vbrk-kdgrp,
2252             vtweg TYPE vbrk-vtweg,
2253             posnr TYPE posnr_vf,
2254             werks TYPE vbrp-werks,
2255             fking TYPE vbrp-fking,
2256             vkbur TYPE vbrp-vkbur,
2257             kvgr2 TYPE vbrp-kvgr2,
2258             kvgr3 TYPE vbrp-kvgr3,
2259             kondm TYPE vbrp-kondm,
2260     END OF ty_vbrk.
2261
2262     DATA : lt_vbrk TYPE TABLE OF ty_vbrk,
2263            lw_vbrk TYPE ty_vbrk.
2264 *   IF NOT GT_S925[] IS INITIAL.
2265
2266 ** FETCHING FOR FKART = 'RE' AND VBTYP = '0'
2267     SELECT a~vbeln,
2268            a~fkdat,
2269            a~vkorg,
2270            a~kunag,
2271            a~kdgrp,
2272            a~vtweg,
2273            b~posnr,
2274            b~werks,
2275            b~fking,
2276            b~vkbur,

```

```

2277         b~kvgr2,
2278         b~kvgr3,
2279         b~kondm
2280     FROM vbrk AS a
2281     INNER JOIN vbrp AS b
2282     ON a~vbeln = b~vbeln
2283 ** SOC by Vaishnavi/Archna TR: DVRK9A10TG " Inclusion of sales type
2284 INNER JOIN vbfa AS f
2285     ON f~vbeln = a~vbeln " billing as subsequent
2286     AND f~vbttyp_v = 'C' " preceding is a Sales Order
2287     INNER JOIN kna1 AS c
2288     ON c~kunnr = a~kunag
2289     INNER JOIN vbak AS so
2290     ON so~vbeln = f~vbelv
2291 ** EOC by Vaishnavi/Archna TR: DVRK9A10TG
2292     INTO TABLE @DATA(lt_vbrk_re)
2293     WHERE a~fkart = 'RE'
2294     AND a~fkdat IN @s_sptag
2295     AND a~kunag IN @s_pkunag
2296     AND a~vkorg IN @s_vkorg
2297     AND a~kdgrp IN @s_kdgrp
2298     AND a~vtweg IN @s_dist
2299     AND a~vbttyp = 'O'
2300     AND a~fksto = @space
2301     AND b~vkbur IN @s_vkbur
2302     AND b~werks IN @s_werks
2303     AND b~kvgr2 IN @s_kvgr2
2304     AND b~kvgr4 = @s_kvgr4
2305 *         AND B~KVGR3 IN @S_KVGR3
2306     AND b~kondm IN @s_kondm
2307 ** SOC by Vaishnavi/Archna TR: DVRK9A10TG
2308     AND so~auart IN @s_auart
2309     AND c~kukla IN @s_kukla2
2310 ** EOC by Vaishnavi/Archna TR: DVRK9A10TG
2311 ** -> BEGIN OF CHANGES BY OF RITIKA ON 09.10.2024 FOR ATC
2312     AND b~draft = @space
2313     AND a~draft = @space.
2314 ** -> END OF CHANGES BY OF RITIKA ON 09.10.2024 FOR ATC
2315     IF sy-subrc IS INITIAL.
2316         SORT lt_vbrk_re BY vbeln fkdat kunag.
2317
2318     DELETE ADJACENT DUPLICATES FROM lt_vbrk_re COMPARING vbeln fkdat kun
2319 ag posnr werks.
2319     DELETE lt_vbrk_re WHERE werks NOT IN s_werks.
2320     CLEAR : lw_vbrk.
2321     LOOP AT lt_vbrk_re INTO lw_vbrk.
2322         i_reb1-pkunag = lw_vbrk-kunag.
2323         i_reb1-vkbur = lw_vbrk-vkbur.
2324         i_reb1-vkorg = lw_vbrk-vkorg.
2325         i_reb1-kvgr2 = lw_vbrk-kvgr2.
2326         i_reb1-werks = lw_vbrk-werks.
2327         i_reb1-kondm = lw_vbrk-kondm.
2328         i_reb1-kdgrp = lw_vbrk-kdgrp.
2329         i_reb1-ummeng = lw_vbrk-fkimg * -1.
2330         APPEND i_reb1.
2331         CLEAR i_reb1.
2332
2333     ENDLOOP.
2334     ENDIF.
2335     SELECT * FROM tkukl INTO TABLE @DATA(lt_tkukl).
2336     REFRESH: s_kukla2[].

```

```
2337 LOOP AT s_kukla.
2338     IF s_kukla-low = 'Trader'.
2339         APPEND VALUE #( sign = 'I' option = 'EQ' low = '14' high = '14' )
2340     TO s_kukla2.
2341     ENDIF.
2342     IF s_kukla-low = 'AUT'.
2343         APPEND VALUE #( sign = 'I' option = 'EQ' low = '29' high = '29' )
2344     TO s_kukla2.
2345     ENDIF.
2346     IF s_kukla-low = 'Actual user'.
2347         LOOP AT lt_tkukl INTO DATA(ls_tkukl).
2348             IF ls_tkukl IS NOT INITIAL.
2349                 APPEND VALUE #( sign = 'I' option = 'EQ' low = ls_tkukl-kukla
2350                 high = ls_tkukl-kukla ) TO s_kukla2.
2351             ENDIF.
2352         CLEAR: ls_tkukl.
2353     ENDLOOP.
2354     ENDIF.
2355     ENDLOOP.
2356     SELECT a~vbeln,
2357            a~fkdat,
2358            a~vkorg,
2359            a~kunag,
2360            a~kdgrp,
2361            a~vtweg,
2362            b~posnr,
2363            b~werks,
2364            b~fkimg,
2365            b~vkbur,
2366            b~kvgr2,
2367            b~kvgr3,
2368            b~kondm
2369     FROM vbrk AS a
2370     INNER JOIN vbrp AS b
2371     ON a~vbeln = b~vbeln
2372     INTO TABLE @lt_vbrk
2373     WHERE a~fkdat IN @s_sptag
2374     AND a~kunag IN @s_pkunag
2375     AND a~vkorg IN @s_vkorg
2376     AND a~kdgrp IN @s_kdgrp
2377     AND a~vtweg IN @s_dist
2378     AND a~vbtyp = 'M'
2379     AND a~fksto = @space
2380     AND b~vkbur IN @s_vkbur
2381     AND b~werks IN @s_werks
2382     AND b~kvgr2 IN @s_kvgr2
2383     AND b~kvgr4 = @s_kvgr4
2384     * AND B~KVGR3 IN @S_KVGR3
2385     AND b~kondm IN @s_kondm
2386     ** -> BEGIN OF CHANGES BY OF RITIKA ON 09.10.2024 FOR ATC
2387     AND b~draft = @space
2388     AND a~draft = @space.
2389     ** -> END OF CHANGES BY OF RITIKA ON 09.10.2024 FOR ATC
2390     IF sy-subrc IS INITIAL.
2391         SORT lt_vbrk BY fkdat kunag.
2392         DELETE ADJACENT DUPLICATES FROM lt_vbrk COMPARING vbeln fkdat kunag
2393         posnr werks.
2394         DELETE lt_vbrk WHERE werks NOT IN s_werks.
```



```

2394     CLEAR : lw_vbrk.
2395     LOOP AT lt_vbrk INTO lw_vbrk.
2396         i_reb1-pkunag = lw_vbrk-kunag.
2397         i_reb1-vkbur = lw_vbrk-vkbur.
2398         i_reb1-vkorg = lw_vbrk-vkorg.
2399         i_reb1-kvgr2 = lw_vbrk-kvgr2.
2400         i_reb1-werks = lw_vbrk-werks.
2401         i_reb1-kondm = lw_vbrk-kondm.
2402         i_reb1-kdgrp = lw_vbrk-kdgrp.
2403         i_reb1-ummeng = lw_vbrk-fkimg.
2404         APPEND i_reb1.
2405     CLEAR i_reb1.
2406
2407     ENDLOOP.
2408 ENDIF.
2409
2410 IF p_kschl1 IS NOT INITIAL.
2411     PERFORM second_slab_1.
2412 ENDIF.
2413
2414 ENDFORM.
2415 *&_____*
```

2416 *& Form CUSTCLSS

2417 *&_____*

2418 *& text

2419 *&_____*

2420 *& —> p1 text

2421 *& <— p2 text

2422 *&_____*

```

2423 FORM custclss.
2424     REFRESH: lt_custclss.
2425     ls_custclss-text = 'Actual user'.
2426     APPEND ls_custclss TO lt_custclss.
2427
2428     ls_custclss-text = 'Trader'.
2429     APPEND ls_custclss TO lt_custclss.
2430
2431     ls_custclss-text = 'AUT'.
2432     APPEND ls_custclss TO lt_custclss.
2433
2434     CALL FUNCTION 'F4IF_INT_TABLE_VALUE_REQUEST'
2435         EXPORTING
2436             retfield      = 'KUKLA'
2437             dynpprog      = sy-repid
2438             dynpnr        = sy-dynnr
2439             dynprofield    = 'P_KUKLA-LOW'
2440             value_org      = 'S'
2441     TABLES
2442         value_tab         = lt_custclss
2443     EXCEPTIONS
2444         parameter_error = 1
2445         no_values_found = 2
2446         OTHERS          = 3.
2447
2448
2449 ENDFORM.
2450 *&_____*
```

2451 *& Form second_slab

2452 *&_____*

2453 *& text

2454 *&_____*

```

2455 * & —> p1      text
2456 * & <— p2      text
2457 * &—————*
2458 FORM second_slab .
2459
2460 DATA : LV_MONTH TYPE CHAR2.
2461 TYPES : s_sptag_1 TYPE RANGE OF s925-sptag.
2462 DATA : lv_sptag TYPE s_sptag_1.
2463
2464 IF s_sptag-high IS NOT INITIAL.
2465     LOOP AT s_sptag.
2466         LV_MONTH = s_sptag-high+4(2) - 1.
2467         LV_MONTH = |{ '0' && LV_MONTH }|.
2468         lv_sptag = VALUE s_sptag_1( ( sign = s_sptag-sign option = s_sptag
-option
2469         low = s_sptag-low
2470         high = |{ s_sptag-high+0(4) && LV_MONTH && s_sptag-high+6(2) }| )
).
2471     ENDLLOOP.
2472
2473 ENDIF.
2474
2475 ** FETCHING FOR FKART = 'RE' AND VBTP = '0'
2476 SELECT a~vbeln,
2477         a~fkdat,
2478         a~vkorg,
2479         a~kunag,
2480         a~kdgrp,
2481         a~vtweg,
2482         b~posnr,
2483         b~werks,
2484         b~fkimg,
2485         b~vkbur,
2486         b~kvgr2,
2487         b~kvgr3,
2488         b~kondm
2489 FROM vbrk AS a
2490 INNER JOIN vbrp AS b
2491 ON a~vbeln = b~vbeln
2492 INTO TABLE @DATA(lt_vbrk_re_1)
2493 WHERE a~fkart = 'RE'
2494 AND a~fkdat IN @lv_sptag
2495 AND a~kunag IN @s_pkunag
2496 AND a~vkorg IN @s_vkorg
2497 AND a~kdgrp IN @s_kdgrp
2498 AND a~vtweg IN @s_dist
2499 AND a~vbtyp = '0'
2500 AND a~fksto = @space
2501 AND b~vkbur IN @s_vkbur
2502 AND b~werks IN @s_werks
2503 AND b~kvgr2 IN @s_kvgr2
2504 *      AND B~KVGR3 IN @S_KVGR3
2505 AND b~kondm IN @s_kondm
2506 ** -> BEGIN OF CHANGES BY OF RITIKA ON 09.10.2024 FOR ATC
2507     AND a~draft = @space
2508 AND b~draft = @space.
2509 ** -> END OF CHANGES BY OF RITIKA ON 09.10.2024 FOR ATC
2510
2511 IF sy-subrc IS INITIAL.
2512     SORT lt_vbrk_re_1 BY vbeln fkdat kunag.
2513

```

```
2514 DELETE ADJACENT DUPLICATES FROM lt_vbrk_re_1 COMPARING vbeln fkdat k
unag posnr werks.
2515 DELETE lt_vbrk_re_1 WHERE werks NOT IN s_werks.
2516
2517 SORT LT_VBRK_RE_1 BY VBELN.
2518
2519 * CLEAR : lw_vbrk.
2520 LOOP AT lt_vbrk_re_1 INTO DATA(lw_vbrk_1).
2521     i_reb_1-pkunag = lw_vbrk_1-kunag.
2522     i_reb_1-vkbur = lw_vbrk_1-vkbur.
2523     i_reb_1-vkorg = lw_vbrk_1-vkorg.
2524     i_reb_1-kvgr2 = lw_vbrk_1-kvgr2.
2525     i_reb_1-werks = lw_vbrk_1-werks.
2526     i_reb_1-kondm = lw_vbrk_1-kondm.
2527     i_reb_1-kdgrp = lw_vbrk_1-kdgrp.
2528     i_reb_1-ummange = lw_vbrk_1-fkimg * -1.
2529     APPEND i_reb_1.
2530     CLEAR i_reb_1.
2531
2532 ENDLOOP.
2533 ENDIF.
2534 * SELECT * FROM tkukl INTO TABLE @DATA(lt_tkukl).
2535 * REFRESH: s_kukla2[].
2536 * LOOP AT s_kukla.
2537 *     IF s_kukla-low = 'Trader'.
2538 *         APPEND VALUE #( sign = 'I' option = 'EQ' low = '14' high = '14' )
T0 s_kukla2.
2539 *     ENDIF.
2540 *     IF s_kukla-low = 'AUT'.
2541 *         APPEND VALUE #( sign = 'I' option = 'EQ' low = '29' high = '29' )
T0 s_kukla2.
2542 *     ENDIF.
2543 *     IF s_kukla-low = 'Actual user'.
2544 *         LOOP AT lt_tkukl INTO DATA(ls_tkukl).
2545 *             IF ls_tkukl IS NOT INITIAL.
2546 *                 APPEND VALUE #( sign = 'I' option = 'EQ' low = ls_tkukl-kukla
high = ls_tkukl-kukla ) T0 s_kukla2.
2547 *             ENDIF.
2548 *             CLEAR: ls_tkukl.
2549 *         ENDLOOP.
2550 *     ENDIF.
2551 * ENDLOOP.
2552
2553
2554
2555
2556 SELECT a~vbeln,
2557         a~fkdat,
2558         a~vkorg,
2559         a~kunag,
2560         a~kdgrp,
2561         a~vtweg,
2562         b~posnr,
2563         b~werks,
2564         b~fkimg,
2565         b~vkbur,
2566         b~kvgr2,
2567         b~kvgr3,
2568         b~kondm
2569 FROM vbrk AS a
2570 INNER JOIN vbrp AS b
```

```

2571         ON a~vbeln = b~vbeln
2572 ** SOC by Vaishnavi/Archna TR: DVRK9A10TG " Inclusion of sales type
2573 INNER JOIN vbfa AS f
2574     ON f~vbeln = a~vbeln " billing as subsequent
2575     AND f~vbttyp_v = 'C' " preceding is a Sales Order
2576     INNER JOIN kna1 AS c
2577     ON c~kunnr = a~kunag
2578     INNER JOIN vbak AS so
2579     ON so~vbeln = f~vbely
2580 ** EOC by Vaishnavi/Archna TR: DVRK9A10TG
2581     INTO TABLE @DATA(lt_vbrk_1)
2582     WHERE a~fkdat IN @lv_sptag
2583     AND a~kunag IN @s_pkunag
2584     AND a~vkorg IN @s_vkorg
2585     AND a~kdgrp IN @s_kdgrp
2586     AND a~vtweg IN @s_dist
2587     AND a~vbttyp = 'M'
2588     AND a~fksto = @space
2589     AND b~vkbur IN @s_vkbur
2590     AND b~werks IN @s_werks
2591     AND b~kvgr2 IN @s_kvgr2
2592 *         AND B~KVGR3 IN @S_KVGR3
2593     AND b~kondm IN @s_kondm
2594 ** SOC by Vaishnavi/Archna TR: DVRK9A10TG
2595     AND so~auart IN @s_auart
2596     AND c~kukla IN @s_kukla2
2597 ** EOC by Vaishnavi/Archna TR: DVRK9A10TG
2598 ** -> BEGIN OF CHANGES BY OF RITIKA ON 09.10.2024 FOR ATC
2599     AND a~draft = @space
2600     AND b~draft = @space.
2601 ** -> END OF CHANGES BY OF RITIKA ON 09.10.2024 FOR ATC
2602
2603 IF sy-subrc IS INITIAL.
2604 **     SORT lt_vbrk BY fkdat kunag.
2605     SORT lt_vbrk_1 BY vbeln fkdat kunag posnr werks.
2606
2607     DELETE ADJACENT DUPLICATES FROM lt_vbrk_1 COMPARING vbeln fkdat kuna
2608 g posnr werks.
2609     DELETE lt_vbrk_1 WHERE werks NOT IN s_werks.
2610
2611     SORT lt_vbrk_1.
2612     DELETE ADJACENT DUPLICATES FROM lt_vbrk_1 COMPARING ALL FIELDS.
2613
2614 *
2615 *     CLEAR : lw_vbrk.
2616     LOOP AT lt_vbrk_1 INTO DATA(lw_vbrk_2).
2617         i_reb_1-pkunag = lw_vbrk_2-kunag.
2618         i_reb_1-vkbur = lw_vbrk_2-vkbur.
2619         i_reb_1-vkorg = lw_vbrk_2-vkorg.
2620         i_reb_1-kvgr2 = lw_vbrk_2-kvgr2.
2621         i_reb_1-werks = lw_vbrk_2-werks.
2622         i_reb_1-kondm = lw_vbrk_2-kondm.
2623         i_reb_1-kdgrp = lw_vbrk_2-kdgrp.
2624         i_reb_1-ummeng = lw_vbrk_2-fkimg.
2625         APPEND i_reb_1.
2626         CLEAR i_reb_1.
2627
2628     ENDLOOP.
2629 ENDIF.
2630
2631 DATA(i_reb_7) = i_reb_1[].

```

```

2631      SORT i_reb_7 BY   pkunag vkbur kvgr2 werks.
2632      DELETE ADJACENT DUPLICATES FROM i_reb_7[] COMPARING pkunag.
2633      SORT i_reb_1 BY pkunag vkbur kvgr2 werks.
2634  * BREAK-POINT.
2635  ****SOC BY RAM GUPTA ON 20-04-2026 TO DISPLAY SUM ON CUSTOMER BASIS
2636      LOOP AT i_reb_7 INTO DATA(WA_REB_7).
2637          LOOP AT i_reb_1 WHERE pkunag = WA_REB_7-pkunag.
2638              IF i_reb_1 IS NOT INITIAL.
2639                  i_reb_2-name1   = i_reb_1-name1.
2640                  i_reb_2-pkunag = i_reb_1-pkunag.
2641                  i_reb_2-vkbur  = i_reb_1-vkbur.
2642                  i_reb_2-kvgr2  = i_reb_1-kvgr2.
2643                  i_reb_2-kukla  = i_reb_1-kukla.
2644                  i_reb_2-ummeng = i_reb_1-ummeng.
2645                  i_reb_2-ummeng1 = i_reb_1-ummeng.
2646                  COLLECT i_reb_2.
2647              ENDIF.
2648              CLEAR: WA_REB_7, i_reb_1.
2649          ENDLOOP.
2650      ENDLOOP.
2651      SORT i_reb_2 BY kvgr2.
2652
2653
2654  ENDFORM.
2655  *&_____ *
2656  *& Form second_slab_1
2657  *&_____ *
2658  *& text
2659  *&_____ *
2660  *& —>  p1      text
2661  *& <—  p2      text
2662  *&_____ *
2663  FORM second_slab_1 .
2664
2665      DATA : LV_MONTH TYPE CHAR2.
2666      TYPES : s_sptag_1 TYPE RANGE OF s925-sptag.
2667      DATA : lv_sptag TYPE s_sptag_1.
2668
2669      IF s_sptag-high IS NOT INITIAL.
2670          LOOP AT s_sptag.
2671              LV_MONTH = s_sptag-high+4(2) - 1.
2672              LV_MONTH = |{ '0' && LV_MONTH }|.
2673              lv_sptag = VALUE s_sptag_1( ( sign = s_sptag-sign option = s_sptag
-option
2674              low = s_sptag-low
2675              high = |{ s_sptag-high+0(4) && LV_MONTH && s_sptag-high+6(2) }| )
        ).
2676          ENDLOOP.
2677      ENDIF.
2678
2679  ** FETCHING FOR FKART = 'RE' AND VB Typ = '0'
2680      SELECT a~vbeln,
2681             a~fkdat,
2682             a~vkorg,
2683             a~kunag,
2684             a~kdgrp,
2685             a~vtweg,
2686             b~posnr,
2687             b~werks,
2688             b~fkimg,
2689             b~vkbur,

```

```

2690      b~kvgr2,
2691      b~kvgr3,
2692      b~kondm
2693      FROM vbrk AS a
2694      INNER JOIN vbrp AS b
2695      ON a~vbeln = b~vbeln
2696  ** SOC by Vaishnavi/Archna TR: DVRK9A10TG " Inclusion of sales type
2697  INNER JOIN vbfa AS f
2698      ON f~vbeln = a~vbeln " billing as subsequent
2699      AND f~vbttyp_v = 'C' " preceding is a Sales Order
2700  INNER JOIN kna1 AS c
2701      ON c~kunnr = a~kunag
2702  INNER JOIN vbak AS so
2703      ON so~vbeln = f~vbelv
2704  ** EOC by Vaishnavi/Archna TR: DVRK9A10TG
2705      INTO TABLE @DATA(lt_vbrk_re_1)
2706      WHERE a~fkart = 'RE'
2707      AND a~fkdat IN @lv_sptag
2708      AND a~kunag IN @s_pkunag
2709      AND a~vkorg IN @s_vkorg
2710      AND a~kdgrp IN @s_kdgrp
2711      AND a~vtweg IN @s_dist
2712      AND a~vbttyp = 'O'
2713      AND a~fksto = @space
2714      AND b~vkbur IN @s_vkbur
2715      AND b~werks IN @s_werks
2716      AND b~kvgr2 IN @s_kvgr2
2717      AND b~kvgr4 = @s_kvgr4
2718  *      AND B~KVGR3 IN @S_KVGR3
2719      AND b~kondm IN @s_kondm
2720  ** SOC by Vaishnavi/Archna TR: DVRK9A10TG
2721      AND so~auart IN @s_auart
2722      AND c~kukla IN @s_kukla2
2723  ** EOC by Vaishnavi/Archna TR: DVRK9A10TG
2724  ** -> BEGIN OF CHANGES BY OF RITIKA ON 09.10.2024 FOR ATC
2725      AND b~draft = @space
2726      AND a~draft = @space.
2727  ** -> END OF CHANGES BY OF RITIKA ON 09.10.2024 FOR ATC
2728      IF sy-subrc IS INITIAL.
2729          SORT lt_vbrk_re_1 BY vbeln fkdat kunag.
2730
2731      DELETE ADJACENT DUPLICATES FROM lt_vbrk_re_1 COMPARING vbeln fkdat k
2732      unag posnr werks.
2733      DELETE lt_vbrk_re_1 WHERE werks NOT IN s_werks.
2734  *      CLEAR : lw_vbrk.
2735      LOOP AT lt_vbrk_re_1 INTO DATA(lw_vbrk_1).
2736          i_reb_1-pkunag = lw_vbrk_1-kunag.
2737          i_reb_1-vkbur = lw_vbrk_1-vkbur.
2738          i_reb_1-vkorg = lw_vbrk_1-vkorg.
2739          i_reb_1-kvgr2 = lw_vbrk_1-kvgr2.
2740          i_reb_1-werks = lw_vbrk_1-werks.
2741          i_reb_1-kondm = lw_vbrk_1-kondm.
2742          i_reb_1-kdgrp = lw_vbrk_1-kdgrp.
2743          i_reb_1-ummeng = lw_vbrk_1-fkimg * -1.
2744          APPEND i_reb_1.
2745          CLEAR i_reb_1.
2746      ENDLOOP.
2747  ENDIF.
2748
2749  SELECT a~vbeln,

```

```
2750      a~fkdat,
2751      a~vkorg,
2752      a~kunag,
2753      a~kdgrp,
2754      a~vtweg,
2755      b~posnr,
2756      b~werks,
2757      b~fkimg,
2758      b~vkbur,
2759      b~kvgr2,
2760      b~kvgr3,
2761      b~kondm
2762      FROM vbrk AS a
2763      INNER JOIN vbrp AS b
2764      ON a~vbeln = b~vbeln
2765      INTO TABLE @DATA(lt_vbrk_1)
2766      WHERE a~fkdat IN @lv_sptag
2767      AND a~kunag IN @s_pkunag
2768      AND a~vkorg IN @s_vkorg
2769      AND a~kdgrp IN @s_kdgrp
2770      AND a~vtweg IN @s_dist
2771      AND a~vbtyp = 'M'
2772      AND a~fksto = @space
2773      AND b~vkbur IN @s_vkbur
2774      AND b~werks IN @s_werks
2775      AND b~kvgr2 IN @s_kvgr2
2776      AND b~kvgr4 = @s_kvgr4
2777      *      AND B~KVGR3 IN @S_KVGR3
2778      AND b~kondm IN @s_kondm
2779      ** -> BEGIN OF CHANGES BY OF RITIKA ON 09.10.2024 FOR ATC
2780      AND b~draft = @space
2781      AND a~draft = @space.
2782      ** -> END OF CHANGES BY OF RITIKA ON 09.10.2024 FOR ATC
2783
2784      IF sy-subrc IS INITIAL.
2785          SORT lt_vbrk_1 BY fkdat kunag.
2786
2787      DELETE ADJACENT DUPLICATES FROM lt_vbrk_1 COMPARING vbeln fkdat kuna
2788      g posnr werks.
2789      DELETE lt_vbrk_1 WHERE werks NOT IN s_werks.
2790
2791      *      CLEAR : lw_vbrk.
2792      LOOP AT lt_vbrk_1 INTO DATA(lw_vbrk_2).
2793          i_reb_1-pkunag = lw_vbrk_2-kunag.
2794          i_reb_1-vkbur = lw_vbrk_2-vkbur.
2795          i_reb_1-vkorg = lw_vbrk_2-vkorg.
2796          i_reb_1-kvgr2 = lw_vbrk_2-kvgr2.
2797          i_reb_1-werks = lw_vbrk_2-werks.
2798          i_reb_1-kondm = lw_vbrk_2-kondm.
2799          i_reb_1-kdgrp = lw_vbrk_2-kdgrp.
2800          i_reb_1-ummeng = lw_vbrk_2-fkimg.
2801          APPEND i_reb_1.
2802          CLEAR i_reb_1.
2803
2804      ENDLLOOP.
2805      ENDIF.
2806
2807      DATA(i_reb_7) = i_reb_1[].
2808      SORT i_reb_7 BY pkunag vkbur kvgr2 werks.
2809      DELETE ADJACENT DUPLICATES FROM i_reb_7[] COMPARING pkunag.
2810      SORT i_reb_1 BY pkunag vkbur kvgr2 werks.
```



```
2810 * BREAK-POINT.
2811 ***SOC BY RAM GUPTA ON 20-04-2026 TO DISPLAY SUM ON CUSTOMER BASIS
2812 LOOP AT i_reb_7 INTO DATA(WA_REB_7).
2813     LOOP AT i_reb_1 WHERE pkunag = WA_REB_7-pkunag.
2814         IF i_reb_1 IS NOT INITIAL.
2815             i_reb_2-name1    = i_reb_1-name1.
2816             i_reb_2-pkunag   = i_reb_1-pkunag.
2817             i_reb_2-vkbur    = i_reb_1-vkbur.
2818             i_reb_2-kvgr2    = i_reb_1-kvgr2.
2819             i_reb_2-kukla    = i_reb_1-kukla.
2820             i_reb_2-ummenge  = i_reb_1-ummenge.
2821             i_reb_2-ummenge1 = i_reb_1-ummenge.
2822             COLLECT i_reb_2.
2823         ENDIF.
2824     CLEAR: WA_REB_7, i_reb_1.
2825     ENDLOOP.
2826 ENDLOOP.
2827 SORT i_reb_2 BY kvgr2.
2828
2829
2830
2831 ENDFORM.
```

Title:
Rebate Calculation New

Text elements:

001 Selection Screen for Rebate Calculation
002 Credit Memo Request already created
003 Sales Order has been created with :
004 and Customer No :
005 Do you want to save variant
006 Successfully saved
007 Variant already saved

Selection texts:

PC1 Confirm Variant
P_KSCHL Condition Types
P_KSCHL1 Condition Types 1
P_KUKLA Customer Classification
S_AUART Type of Sales
S_DIST Distribution Channel
S_KDGRP Application
S_KONDM Material group
S_KUKLA Customer Classification
S_KVGR2 Group Company
S_KVGR3 Location
S_KVGR4 Customer Group 4
S_PKUNAG Sold-to party
S_SPTAG Rebate Period
S_VKBUR Sales office
S_VKORG Sales Org
S_WERKS
D .

Owner..... SAP
Short text..... Texte der allgemeinen Basis
Edit Language DE
Status 28.04.23

00EXT

Owner..... SAP
Short text..... Customizing Materialwirtschaft
Edit Language EN
Status 28.04.23

OMCUS

Owner..... AB_SUMANA
Short text..... Message class for SD
Edit Language EN
Status 26.12.25

YV01025	No data has been selected for given Selection Criteria
YV01061	No authorization for Group Company &.
YV01081	No Authorization for Sales Office &.
YV01142	Either Enter Sales Office or Group Company

Subroutines:

		Line	Page
CHECK.....	YRVU001_REB_CALC_M2	1335	25
	YRVU001_REB_CALC_M2	1365	25
CREATE_FIELD_CATALOG.....	YRVU001_REB_CALC_M2	961	18
	YRVU001_REB_CALC_M2	1765	32
CUSTCLSS.....	YRVU001_REB_CALC_M2	355	8
	YRVU001_REB_CALC_M2	358	8
	YRVU001_REB_CALC_M2	2423	43
DISPLAY_ALV.....	YRVU001_REB_CALC_M2	962	18
	YRVU001_REB_CALC_M2	1040	20
FILTER_DATA.....	YRVU001_REB_CALC_M2	446	9
	YRVU001_REB_CALC_M2	2024	36
FILTER_DATA_1.....	YRVU001_REB_CALC_M2	448	9
	YRVU001_REB_CALC_M2	2245	40
ON_SELECTION.....	YRVU001_REB_CALC_M2	1245	23
SALES_ORDER.....	YRVU001_REB_CALC_M2	972	18
	YRVU001_REB_CALC_M2	1563	28
SECOND_SLAB.....	YRVU001_REB_CALC_M2	2233	40
	YRVU001_REB_CALC_M2	2458	44
SECOND_SLAB_1.....	YRVU001_REB_CALC_M2	2411	43
	YRVU001_REB_CALC_M2	2663	47
TABLE_UPDATE.....	YRVU001_REB_CALC_M2	1023	19
	YRVU001_REB_CALC_M2	1994	36
TOP_OF_PAGE.....	YRVU001_REB_CALC_M2	1333	25
	YRVU001_REB_CALC_M2	1966	35

Status:

		Line	Page
STANDARD.....	YRVU001_REB_CALC_M2	437	9
	YRVU001_REB_CALC_M2	1257	23
	YRVU001_REB_CALC_M2	1331	25
	YRVU001_REB_CALC_M2	1340	25
	YRVU001_REB_CALC_M2	1348	25

Messages:

		Line	Page
?.....	YRVU001_REB_CALC_M2	423	9
?.....	YRVU001_REB_CALC_M2	425	9
?.....	YRVU001_REB_CALC_M2	432	9
?.....	YRVU001_REB_CALC_M2	1226	23
?.....	YRVU001_REB_CALC_M2	1384	25
YV01025.....	YRVU001_REB_CALC_M2	605	12
	YRVU001_REB_CALC_M2	622	12
YV01061.....	YRVU001_REB_CALC_M2	379	8
YV01081.....	YRVU001_REB_CALC_M2	368	8
YV01142.....	YRVU001_REB_CALC_M2	385	8

External calls

Function Modules		Line	Page
BAPI_SALESDOCU_CREATEFROMDATA.	YRVU001_REB_CALC_M2	1003	19
	YRVU001_REB_CALC_M2	1706	31
CONVERSION_EXIT_ALPHA_INPUT...	YRVU001_REB_CALC_M2	1547	28
	YRVU001_REB_CALC_M2	1687	31
F4IF_INT_TABLE_VALUE_REQUEST..	YRVU001_REB_CALC_M2	2434	43
POPUP_TO_CONFIRM.....	YRVU001_REB_CALC_M2	397	8
REUSE_ALV_LIST_DISPLAY.....	YRVU001_REB_CALC_M2	1211	23

DATABASE OPERATIONS

SELECT:

		Line	Page
A307.....	YRVU001_REB_CALC_M2	655	13
	YRVU001_REB_CALC_M2	675	13
A350.....	YRVU001_REB_CALC_M2	632	12
	YRVU001_REB_CALC_M2	1074	20
	YRVU001_REB_CALC_M2	1166	22
KNA1.....	YRVU001_REB_CALC_M2	440	9
KNVP.....	YRVU001_REB_CALC_M2	858	16
KONM.....	YRVU001_REB_CALC_M2	642	13
	YRVU001_REB_CALC_M2	686	14
	YRVU001_REB_CALC_M2	1087	20
TKUKL.....	YRVU001_REB_CALC_M2	2137	38
	YRVU001_REB_CALC_M2	2335	41
TVKBT.....	YRVU001_REB_CALC_M2	850	16
VBRK.....	YRVU001_REB_CALC_M2	490	10
	YRVU001_REB_CALC_M2	503	10
	YRVU001_REB_CALC_M2	2060	37
	YRVU001_REB_CALC_M2	2169	39
	YRVU001_REB_CALC_M2	2280	41
	YRVU001_REB_CALC_M2	2366	42
	YRVU001_REB_CALC_M2	2489	44
	YRVU001_REB_CALC_M2	2569	45
	YRVU001_REB_CALC_M2	2693	48
	YRVU001_REB_CALC_M2	2762	49
VBRP.....	YRVU001_REB_CALC_M2	530	11
YRVA_REBATE.....	YRVU001_REB_CALC_M2	885	17
	YRVU001_REB_CALC_M2	975	19
	YRVU001_REB_CALC_M2	1378	25

INTERNAL TABLE OPERATIONS

READ TABLE:

		Line	Page
I_COND.....	YRVU001_REB_CALC_M2	1285	24
I_KUKLA.....	YRVU001_REB_CALC_M2	598	12
	YRVU001_REB_CALC_M2	612	12
I_REB2.....	YRVU001_REB_CALC_M2	925	18
	YRVU001_REB_CALC_M2	936	18
I_SCMZ.....	YRVU001_REB_CALC_M2	812	16
I_TVKBT.....	YRVU001_REB_CALC_M2	913	17
I_VBRK.....	YRVU001_REB_CALC_M2	533	11
I_VBRK_T.....	YRVU001_REB_CALC_M2	523	11
LT_KNVP.....	YRVU001_REB_CALC_M2	877	17

MODIFY:

		Line	Page
I_REB1.....	YRVU001_REB_CALC_M2	581	12
	YRVU001_REB_CALC_M2	616	12
I_REB2.....	YRVU001_REB_CALC_M2	767	15
	YRVU001_REB_CALC_M2	815	16
	YRVU001_REB_CALC_M2	834	16
	YRVU001_REB_CALC_M2	918	17
	YRVU001_REB_CALC_M2	1147	21
	YRVU001_REB_CALC_M2	1175	22
	YRVU001_REB_CALC_M2	1200	22
	YRVU001_REB_CALC_M2	1305	24
	YRVU001_REB_CALC_M2	1324	24
	YRVU001_REB_CALC_M2	1343	25
	YRVU001_REB_CALC_M2	1351	25
I_REB_2.....	YRVU001_REB_CALC_M2	1122	21
I_VBRP.....	YRVU001_REB_CALC_M2	536	11

DELETE:

		Line	Page
I_PKUNAG.....	YRVU001_REB_CALC_M2	673	13
I_REB1.....	YRVU001_REB_CALC_M2	485	10
	YRVU001_REB_CALC_M2	486	10
	YRVU001_REB_CALC_M2	600	12
	YRVU001_REB_CALC_M2	845	16
	YRVU001_REB_CALC_M2	1315	24
I_REB2.....	YRVU001_REB_CALC_M2	950	18
	YRVU001_REB_CALC_M2	1043	20
	YRVU001_REB_CALC_M2	1336	25
I_REB7[].....	YRVU001_REB_CALC_M2	707	14
I_REB_7[].....	YRVU001_REB_CALC_M2	2632	47
	YRVU001_REB_CALC_M2	2808	49
I_VBRK.....	YRVU001_REB_CALC_M2	518	10
	YRVU001_REB_CALC_M2	525	11
I_VBRK_T.....	YRVU001_REB_CALC_M2	519	10
	YRVU001_REB_CALC_M2	520	10
I_VBRP.....	YRVU001_REB_CALC_M2	582	12
LT_VBRK.....	YRVU001_REB_CALC_M2	2207	39
	YRVU001_REB_CALC_M2	2208	39
	YRVU001_REB_CALC_M2	2211	39
	YRVU001_REB_CALC_M2	2391	42

	YRVU001_REB_CALC_M2	2392	42
LT_VBRK_1.....	YRVU001_REB_CALC_M2	2607	46
	YRVU001_REB_CALC_M2	2608	46
	YRVU001_REB_CALC_M2	2611	46
	YRVU001_REB_CALC_M2	2787	49
	YRVU001_REB_CALC_M2	2788	49
LT_VBRK_RE.....	YRVU001_REB_CALC_M2	2085	37
	YRVU001_REB_CALC_M2	2086	37
	YRVU001_REB_CALC_M2	2318	41
	YRVU001_REB_CALC_M2	2319	41
LT_VBRK_RE_1.....	YRVU001_REB_CALC_M2	2514	45
	YRVU001_REB_CALC_M2	2515	45
	YRVU001_REB_CALC_M2	2731	48
	YRVU001_REB_CALC_M2	2732	48
