

Created on....26.05.2017 Last changed on/by..... 29.06.2026 ABAP7
Author.....ABAP4

Title.....Program for calling subroutine pool in badi

Type.....1 Reporting
Status.....
Application.....
Class.....
Logical database.....
 from Application....
Selection screen.....
Authorization group...
Package.....ZQM

 Start by Variants
 Deactivate editor lock
X Fixed point arithmetic active

```

1  *&-----*
2  *& Report   ZQM_TRACKWISE
3  *&
4  *&-----*
5  *&
6  *&
7  *&-----*
8  * Program
9  * Title           : Track Wise System Report
10 * Author          : Phaneendra Reddy
11 * Program Type    : Executable Program
12 * Creation Date   : 24-11-2016
13 * Transaction     : ZTW_DEV_STAT_RPT
14 * Functional design : FS_QM_113_SAP-TRACKWISE data Migration
15 * Technical design : TS_QM_113_SAP-TRACKWISE data Migration
16 * Ticket Number   : 8000002067
17 * Transport request : CRDK940574
18 * Description     : Transfer data from SAP to Trackwise system for pro
cessing
19 *                  of deviations
20 *&-----*
21 * Modification Information..
22 * Date            :
23 * Author          :
24 * Ticket Number   :
25 * Transport number :
26 * Description     :
27 *&-----*
28
29 REPORT zqm_trackwise.
30 TYPES:BEGIN OF ty_plant,
31   plant_code TYPE werks,
32   plant_name TYPE name1,
33 END OF ty_plant.
34 DATA: gs_prod_det TYPE ztw_prod_det,
35   gt_prod_det TYPE STANDARD TABLE OF ztw_prod_det,
36   gs_mat_det TYPE ztw_mat_det,
37   gt_mat_det TYPE STANDARD TABLE OF ztw_mat_det,
38   gt_con TYPE STANDARD TABLE OF zcon_mdm,
39   gs_con TYPE zcon_mdm,
40   flag TYPE c,
41   gs_plnt_comb TYPE ztw_plnt_comb,
42   wa_plant TYPE ty_plant.
43 DATA:gv_name TYPE t001w-name1.
44 DATA:it_ztw_plnt_det TYPE TABLE OF ztw_plnt_comb.
45 DATA: lv_date TYPE char10.
46 DATA: lv_date1 TYPE char10.
47 DATA: lv_date2 TYPE char10.
48
49 FIELD-SYMBOLS: <fs_asrs> TYPE ztw_prod_det,
50   <fs_asrs1> TYPE ztw_mat_det.
51 DATA: exc_ref TYPE REF TO cx_sy_native_sql_error,
52   error_text TYPE string.
53
54 DATA: dbs TYPE dbcon-con_name.
55 DATA: con(20) TYPE c.
56 DATA:gv_qmel TYPE viqmel.
57 DATA:wa_plnt_comb TYPE ztw_plnt_comb.
58
59 START-OF-SELECTION.
60   PERFORM send_plant USING gv_qmel wa_plnt_comb.

```

```

61   PERFORM send_trackwise.
62   *&-----*
63   *&      Form   SEND_TRACKWISE
64   *&-----*
65   *      text
66   *-----*
67   *  -->  p1      text
68   *  <--  p2      text
69   *-----*
70   FORM send_trackwise .
71   SELECT *
72     FROM zcon_mdm CLIENT SPECIFIED
73     INTO TABLE gt_con
74     WHERE mandt = sy-mandt.
75     IF gt_con IS NOT INITIAL.
76       CLEAR gs_con.
77   " Code Remediation changes S4 2025_A Conversion **BEGIN OF CHANGE BY ABA
P7 26.06.2026 FOR ATC
78     READ TABLE gt_con INTO gs_con INDEX 1. "#EC CI_NOORDER
79   " Code Remediation changes S4 2025_A Conversion * *END OF CHANGE BY ABAP
7 26.06.2026 FOR ATC
80
81     IMPORT flag TO flag FROM MEMORY ID 'QM/19_FLAG'.
82     IF flag = 'P'.
83   " Code Remediation changes S4 2025_A Conversion **BEGIN OF CHANGE BY ABA
P7 26.06.2026 FOR ATC
84     *      IMPORT ta_prod_det TO gt_prod_det FROM MEMORY ID 'PRODUCT'.
85     IMPORT ta_prod_det TO gt_prod_det FROM MEMORY ID 'PRODUCT' ACCEPTING PA
DDING .
86   " Code Remediation changes S4 2025_A Conversion * *END OF CHANGE BY ABAP
7 26.06.2026 FOR ATC
87     PERFORM date_condition1.
88     IF gt_prod_det IS NOT INITIAL .
89       INSERT ztw_prod_det FROM TABLE gt_prod_det.
90     ENDIF.
91     IF con IS NOT INITIAL.
92       EXEC SQL.
93         DISCONNECT :con
94       ENDEXEC.
95     ENDIF.
96     ELSEIF flag = 'M'.
97   " Code Remediation changes S4 2025_A Conversion **BEGIN OF CHANGE BY ABA
P7 26.06.2026 FOR ATC
98     *      IMPORT ta_mat_det TO gt_mat_det FROM MEMORY ID 'MATERIAL'.
99     IMPORT ta_mat_det TO gt_mat_det FROM MEMORY ID 'MATERIAL' ACCEPTING PAD
DING .
100  " Code Remediation changes S4 2025_A Conversion * *END OF CHANGE BY ABAP
7 26.06.2026 FOR ATC
101     if gt_mat_det is not INITIAL.
102     LOOP AT gt_mat_det ASSIGNING <fs_asrs1>.
103       TRY.
104         IF con IS NOT INITIAL.
105           EXEC SQL.
106             DISCONNECT :con
107           ENDEXEC.
108         ENDIF.
109         CLEAR con.
110         EXEC SQL. "#EC CI_EXECSQL
111           CONNECT TO :gs_con-DBCON
112         ENDEXEC.
113         EXEC SQL. "#EC CI_EXECSQL

```

```

114      GET CONNECTION :CON
115      ENDEXEC.
116      EXEC SQL.
117      SET CONNECTION :gs_con-DBCON
118      ENDEXEC.
119      CATCH cx_sy_native_sql_error INTO exc_ref.
120      ENDTRY.
121      gs_mat_det = <fs_asrs1>.
122      CLEAR:lv_date.
123      IF gs_mat_det-date_of_supply IS NOT INITIAL."CN '00000000'.
124      *      lv_date = gs_mat_det-date_of_supply.
125      *      write gs_mat_det-date_of_supply to lv_date DD/MM/YYYY.
126      CONCATENATE gs_mat_det-date_of_supply+6(2) gs_mat_det-date_of_
supply+4(2)
127      gs_mat_det-date_of_supply+0(4) into lv_date SEPARATED BY '-'.
128      ENDIF.
129      IF lv_date IS NOT INITIAL.
130      TRY.
131      EXEC SQL.
132      INSERT INTO ZTW_MAT_DET (Mat_Code,
133      Mat_Desc,
134      Batch_No,
135      Plant_Code,
136      Mfg_Batch_No,
137      Ins_Lot_No,
138      AR_No,
139      Vendor_Code,
140      Vendor_Name,
141      Mfg_Code,
142      Mfg_Name,
143      Date_of_Supply,
144      Qty_Supplied,
145      UoM,
146      Impacted_Prod_Code,
147      Impa_Prod_Batch_No,
148      Impacted_Prod_Name,
149      Impa_Prod_Ver_No,
150      Impacted_Ref_Doc_No,
151      Impa_Mfg_Batch_No)
152      VALUES (
153      :gs_mat_det-Mat_Code,
154      :gs_mat_det-Mat_Desc,
155      :gs_mat_det-Batch_No,
156      :gs_mat_det-Plant_Code,
157      :gs_mat_det-Mfg_Batch_No,
158      :gs_mat_det-Ins_Lot_No,
159      :gs_mat_det-AR_No,
160      :gs_mat_det-Vendor_Code,
161      :gs_mat_det-Vendor_Name,
162      :gs_mat_det-Mfg_Code,
163      :gs_mat_det-Mfg_Name,
164      :lv_date,
165      :gs_mat_det-Qty_Supplied,
166      :gs_mat_det-UoM,
167      :gs_mat_det-Impacted_Prod_
Code,
168      :gs_mat_det-Impa_Prod_Batc
h_No,
169      :gs_mat_det-Impacted_Prod_
Name,
170      :gs_mat_det-Impa_Prod_Ver_
No,

```

```

170                                     :gs_mat_det- Impacted_Ref_D
oc_No,
171                                     :gs_mat_det- Impa_Mfg_Batch
_No)
172
173     ENDEXEC.
174
175     CATCH cx_sy_native_sql_error INTO exc_ref.
176         error_text = exc_ref->get_text( ).
177     MESSAGE error_text TYPE 'I'.
178     CONTINUE.
179 ENDTRY.
180 ELSEIF lv_date IS INITIAL.
181 TRY.
182     EXEC SQL.
183         INSERT INTO   ZTW_MAT_DET    (Mat_Code,
184                                       Mat_Desc,
185                                       Batch_No,
186                                       Plant_Code,
187                                       Mfg_Batch_No,
188                                       Ins_Lot_No,
189                                       AR_No,
190                                       Vendor_Code,
191                                       Vendor_Name,
192                                       Mfg_Code,
193                                       Mfg_Name,
194                                       Qty_Supplied,
195                                       UoM,
196                                       Impacted_Prod_Code,
197                                       Impa_Prod_Batch_No,
198                                       Impacted_Prod_Name,
199                                       Impa_Prod_Ver_No,
200                                       Impacted_Ref_Doc_No,
201                                       Impa_Mfg_Batch_No)
202             VALUES (
203                     :gs_mat_det-Mat_Code,
204                     :gs_mat_det-Mat_Desc,
205                     :gs_mat_det-Batch_No,
206                     :gs_mat_det-Plant_Code,
207                     :gs_mat_det-Mfg_Batch_No,
208                     :gs_mat_det-Ins_Lot_No,
209                     :gs_mat_det-AR_No,
210                     :gs_mat_det-Vendor_Code,
211                     :gs_mat_det-Vendor_Name,
212                     :gs_mat_det-Mfg_Code,
213                     :gs_mat_det-Mfg_Name,
214                     :gs_mat_det-Qty_Supplied,
215                     :gs_mat_det-UoM,
216                     :gs_mat_det-Impacted_Prod_
Code,
217                     :gs_mat_det-Impa_Prod_Batc
h_No,
218                     :gs_mat_det-Impacted_Prod_
Name,
219                     :gs_mat_det-Impa_Prod_Ver_
No,
220                     :gs_mat_det-Impacted_Ref_D
oc_No,
221                     :gs_mat_det-Impa_Mfg_Batch
_No)
222
223     ENDEXEC.

```

```

223
224         CATCH cx_sy_native_sql_error INTO exc_ref.
225         error_text = exc_ref->get_text( ).
226         MESSAGE error_text TYPE 'I'.
227         CONTINUE.
228     ENDTRY.
229 ENDIF.
230 COMMIT WORK AND WAIT .
231
232 * EXEC SQL.
233 * DISCONNECT :con
234 * ENDEXEC.
235     <fs_asrs1>-status = 'Y'.
236 ENDLOOP.
237 endif.
238 *" EXEC SQL.
239 * SELECT Plant_Name
240 * INTO :lv_werks
241 * FROM ZTW_PLNT_DET
242 * WHERE werks = 1015.
243 * ENDEXEC.
244 IF gt_mat_det IS NOT INITIAL.
245     INSERT ztw_mat_det FROM TABLE gt_mat_det.
246 ENDIF.
247 IF con IS NOT INITIAL.
248     EXEC SQL.
249     DISCONNECT :con
250     ENDEXEC.
251 ENDIF.
252 ENDIF.
253 ENDIF.
254 ENDFORM. " SEND_TRACKWISE
255 *&-----*
256 *& Form SEND_PLANT
257 *&-----*
258 * text
259 *-----*
260 * -->P_GV_QMEL text
261 *-----*
262 FORM send_plant USING p_gv_qmel TYPE viqmel
263                      p_plnt_comb TYPE ztw_plnt_comb.
264
265 CLEAR:gt_con.
266 SELECT *
267 FROM zcon_mdm CLIENT SPECIFIED
268 INTO TABLE gt_con
269 WHERE mandt = sy-mandt.
270 IF gt_con IS NOT INITIAL.
271     CLEAR gs_con.
272 " Code Remediation changes S4 2025_A Conversion **BEGIN OF CHANGE BY ABA
P7 26.06.2026 FOR ATC
273 READ TABLE gt_con INTO gs_con INDEX 1. "#EC CI_NOORDER
274 " Code Remediation changes S4 2025_A Conversion * *END OF CHANGE BY ABAP
7 26.06.2026 FOR ATC
275 IF sy-subrc = 0.
276     TRY.
277         IF con IS NOT INITIAL.
278             EXEC SQL.
279             DISCONNECT :con
280             ENDEXEC.
281         ENDIF.

```

```
282      CLEAR con.
283      EXEC SQL. "#EC CI_EXECSQL
284          CONNECT TO :gs_con-DBCON
285      ENDEXEC.
286      EXEC SQL. "#EC CI_EXECSQL
287          GET CONNECTION :CON
288      ENDEXEC.
289      EXEC SQL.
290          SET CONNECTION :gs_con-DBCON
291      ENDEXEC.
292      CATCH cx_sy_native_sql_error INTO exc_ref.
293          error_text = exc_ref->get_text( ).
294      MESSAGE error_text TYPE 'I'.
295  ENDTRY.
296  "Checking for entry is existing Or not.
297  TRY.
298      CLEAR:wa_plant.
299      DATA:gv_plant TYPE ztw_prod_det-plant_code."werks.
300      CLEAR:gv_plant.
301      gv_plant = p_plnt_comb-werks.
302      EXEC SQL.
303          SELECT  Plant_Code, Plant_Name
304              INTO :wa_plant
305              FROM ZTW_PLNT_DET
306              WHERE Plant_Code = :gv_plant
307      ENDEXEC.
308
309      CATCH cx_sy_native_sql_error INTO exc_ref.
310          error_text = exc_ref->get_text( ).
311      MESSAGE error_text TYPE 'I'.
312  ENDTRY.
313  IF wa_plant IS INITIAL.
314      gs_plnt_comb-werks = p_plnt_comb-werks.
315      IF p_gv_qmel-mawerk IS NOT INITIAL.
316          CLEAR:gv_name.
317          SELECT SINGLE name1 FROM t001w INTO gv_name WHERE werks = p_gv
_qmel-mawerk.
318      ENDIF.
319      TRY.
320          EXEC SQL.
321              INSERT INTO  ZTW_PLNT_DET (Plant_Code,
322                                      Plant_Name)
323                                      VALUES (
324                                              :gs_plnt_comb-werks,
325                                              :gv_Name)
326          ENDEXEC.
327
328
329      CATCH cx_sy_native_sql_error INTO exc_ref.
330          error_text = exc_ref->get_text( ).
331      MESSAGE error_text TYPE 'I'.
332  *      CONTINUE.
333  ENDTRY.
334
335      COMMIT WORK AND WAIT .
336  ENDIF.
337  ENDIF.
338  ENDIF.
339  IF con IS NOT INITIAL.
340      EXEC SQL.
341          DISCONNECT :con
```

```

342     ENDEXEC.
343     ENDIF.
344     CLEAR:con.
345     ENDFORM.                                " SEND_PLANT
346     *&-----*
347     *&      Form  DATE_CONDITION1
348     *&-----*
349     *      text
350     *-----*
351     *  -->  p1      text
352     *  <--  p2      text
353     *-----*
354     FORM date_condition1 .
355     if gt_prod_det is not INITIAL.
356     LOOP AT gt_prod_det ASSIGNING <fs_asrs>.
357     TRY.
358         IF con IS NOT INITIAL.
359             EXEC SQL.
360                 DISCONNECT :con
361             ENDEXEC.
362         ENDIF.
363         CLEAR con.
364         EXEC SQL. "#EC CI_EXECSQL
365             CONNECT TO :gs_con-DBCON
366         ENDEXEC.
367         EXEC SQL. "#EC CI_EXECSQL
368             GET CONNECTION :CON
369         ENDEXEC.
370         EXEC SQL.
371             SET CONNECTION :gs_con-DBCON
372         ENDEXEC.
373         CATCH cx_sy_native_sql_error INTO exc_ref.
374     ENDTRY.
375     gs_prod_det = <fs_asrs>.
376     CLEAR:lv_date,lv_date1,lv_date2.
377     *      if gs_prod_det-mfg_date CN '00000000'.
378
379     IF gs_prod_det-mfg_date IS NOT INITIAL.
380     *      lv_date = gs_prod_det-mfg_date.
381     *      WRITE gs_prod_det-mfg_date to lv_date DD/MM/YYYY.
382         CONCATENATE gs_prod_det-mfg_date+6(2) gs_prod_det-mfg_date+4(2)
383             gs_prod_det-mfg_date+0(4) into lv_date SEPARATED BY '-'.
384     ENDIF.
385     *      if gs_prod_det-expiry_date CN '00000000'.
386     IF gs_prod_det-expiry_date IS NOT INITIAL.
387     *      lv_date1 = gs_prod_det-expiry_date.
388     *      WRITE gs_prod_det-expiry_date to lv_date1 DD/MM/YYYY.
389         CONCATENATE gs_prod_det-expiry_date+6(2) gs_prod_det-expiry_date+4
390     (2)      gs_prod_det-expiry_date+0(4) into lv_date1 SEPARATED BY '-'.
391     ENDIF.
392
393     IF gs_prod_det-retest_date IS NOT INITIAL.
394     *      IF gs_prod_det-retest_date NE '00.00.0000'.
395     *          CALL FUNCTION 'CONVERSION_EXIT_SDATE_INPUT'
396     *              EXPORTING
397     *                  input  = gs_prod_det-retest_date
398     *              IMPORTING
399     *                  output = lv_date2.
400     *      ENDIF.
401     **      lv_date2 = gs_prod_det-retest_date.

```


[illegible]

```

453                                     Prod_Batch_No,
454                                     Plant_Code,
455                                     Production_Ver_No,
456                                     Ref_Doc_No,
457                                     Mfg_Batch_No,
458                                     Retest_Date,
459                                     Impacted_Mat_Code,
460                                     Impacted_Mat_Desc,
461                                     Impacted_Batch_No,
462                                     Impa_Mat_Insp_Lot,
463                                     Impa_Mfg_Batch_No,
464                                     Impacted_Mat_AR_No)
465                                     VALUES (
466                                     :gs_prod_det-Prod_Code,
467                                     :gs_prod_det-Prod_Name,
468                                     :gs_prod_det-Prod_Batch_No,
469                                     :gs_prod_det-Plant_Code,
470                                     :gs_prod_det-Production_Ver_No
471                                     '
472                                     :gs_prod_det-Ref_Doc_No,
473                                     :gs_prod_det-Mfg_Batch_No,
474                                     :lv_date2,
475                                     :gs_prod_det-Impacted_Mat_Code
476                                     '
477                                     :gs_prod_det-Impacted_Mat_Desc
478                                     '
479                                     :gs_prod_det-Impacted_Batch_No
480                                     '
481                                     :gs_prod_det-Impa_Mat_Insp_Lot
482                                     '
483                                     :gs_prod_det-Impa_Mfg_Batch_No
484                                     '
485                                     :gs_prod_det-Impacted_Mat_AR_N
486                                     o)
487
488     ENDEXEC.
489     CATCH cx_sy_native_sql_error INTO exc_ref.
490         error_text = exc_ref->get_text( ).
491         MESSAGE error_text TYPE 'I'.
492         CONTINUE.
493     ENDTRY.
494     ELSEIF lv_date IS INITIAL AND lv_date1 IS INITIAL AND lv_date2 IS IN
495     ITIAL.
496         TRY.
497             EXEC SQL.
498                 INSERT INTO   ZTW_PROD_DET  (Prod_Code,
499                 Prod_Name,
500                 Prod_Batch_No,
501                 Plant_Code,
502                 Production_Ver_No,
503                 Ref_Doc_No,
504                 Mfg_Batch_No,
505                 Impacted_Mat_Code,
506                 Impacted_Mat_Desc,
507                 Impacted_Batch_No,
508                 Impa_Mat_Insp_Lot,
509                 Impa_Mfg_Batch_No,
510                 Impacted_Mat_AR_No)
511                 VALUES (
512                 :gs_prod_det-Prod_Code,
513                 :gs_prod_det-Prod_Name,
514                 :gs_prod_det-Prod_Batch_No,
515                 :gs_prod_det-Plant_Code,

```

```

506                                     :gs_prod_det-Production_Ver_No
507 '
508                                     :gs_prod_det-Ref_Doc_No,
509                                     :gs_prod_det-Mfg_Batch_No,
510                                     :gs_prod_det-Impacted_Mat_Code
511 '
512                                     :gs_prod_det-Impacted_Mat_Desc
513 '
514                                     :gs_prod_det-Impacted_Batch_No
515 '
516                                     :gs_prod_det-Impa_Mat_Insp_Lot
517 '
518                                     :gs_prod_det-Impa_Mfg_Batch_No
519 '
520                                     :gs_prod_det-Impacted_Mat_AR_No
521 o)
522
523 ENDEXEC.
524 CATCH cx_sy_native_sql_error INTO exc_ref.
525     error_text = exc_ref->get_text( ).
526     MESSAGE error_text TYPE 'I'.
527 CONTINUE.
528 ENDTRY.
529
530 ELSEIF lv_date IS NOT INITIAL AND lv_date1 IS INITIAL AND lv_date2 I
531 S INITIAL.
532     TRY.
533         EXEC SQL.
534             INSERT INTO ZTW_PROD_DET (Prod_Code,
535                                     Prod_Name,
536                                     Prod_Batch_No,
537                                     Plant_Code,
538                                     Production_Ver_No,
539                                     Ref_Doc_No,
540                                     Mfg_Batch_No,
541                                     Mfg_Date,
542                                     Impacted_Mat_Code,
543                                     Impacted_Mat_Desc,
544                                     Impacted_Batch_No,
545                                     Impa_Mat_Insp_Lot,
546                                     Impa_Mfg_Batch_No,
547                                     Impacted_Mat_AR_No)
548             VALUES (
549                                     :gs_prod_det-Prod_Code,
550                                     :gs_prod_det-Prod_Name,
551                                     :gs_prod_det-Prod_Batch_No,
552                                     :gs_prod_det-Plant_Code,
553                                     :gs_prod_det-Production_Ver_No
554                                     :gs_prod_det-Ref_Doc_No,
555                                     :gs_prod_det-Mfg_Batch_No,
556                                     :lv_date,
557                                     :gs_prod_det-Impacted_Mat_Code
558                                     :gs_prod_det-Impacted_Mat_Desc
559                                     :gs_prod_det-Impacted_Batch_No
560                                     :gs_prod_det-Impa_Mat_Insp_Lot
561                                     :gs_prod_det-Impa_Mfg_Batch_No
562                                     ,

```

```
553                                     :gs_prod_det-Impacted_Mat_AR_N
554 o)
555     ENDEXEC.
556     CATCH cx_sy_native_sql_error INTO exc_ref.
557         error_text = exc_ref->get_text( ).
558         MESSAGE error_text TYPE 'I'.
559         CONTINUE.
560     ENDTRY.
561     ELSEIF lv_date IS NOT INITIAL AND lv_date1 IS NOT INITIAL AND lv_dat
e2 IS INITIAL.
562     TRY.
563         EXEC SQL.
564             INSERT INTO   ZTW_PROD_DET  (Prod_Code,
565                                         Prod_Name,
566                                         Prod_Batch_No,
567                                         Plant_Code,
568                                         Production_Ver_No,
569                                         Ref_Doc_No,
570                                         Mfg_Batch_No,
571                                         Mfg_Date,
572                                         Expiry_Date,
573                                         Impacted_Mat_Code,
574                                         Impacted_Mat_Desc,
575                                         Impacted_Batch_No,
576                                         Impa_Mat_Insp_Lot,
577                                         Impa_Mfg_Batch_No,
578                                         Impacted_Mat_AR_No)
579                                     VALUES (
580                                         :gs_prod_det-Prod_Code,
581                                         :gs_prod_det-Prod_Name,
582                                         :gs_prod_det-Prod_Batch_No,
583                                         :gs_prod_det-Plant_Code,
584                                         :gs_prod_det-Production_Ver_No
585                                         :gs_prod_det-Ref_Doc_No,
586                                         :gs_prod_det-Mfg_Batch_No,
587                                         :lv_date,
588                                         :lv_date1,
589                                         :gs_prod_det-Impacted_Mat_Code
590                                         :gs_prod_det-Impacted_Mat_Desc
591                                         :gs_prod_det-Impacted_Batch_No
592                                         :gs_prod_det-Impa_Mat_Insp_Lot
593                                         :gs_prod_det-Impa_Mfg_Batch_No
594                                         :gs_prod_det-Impacted_Mat_AR_N
595 o)
596     ENDEXEC.
597     CATCH cx_sy_native_sql_error INTO exc_ref.
598         error_text = exc_ref->get_text( ).
599         MESSAGE error_text TYPE 'I'.
600         CONTINUE.
601     ENDTRY.
602     ELSEIF lv_date IS NOT INITIAL AND lv_date1 IS NOT INITIAL AND lv_dat
e2 IS NOT INITIAL.
603     TRY.
604         EXEC SQL.
```

```

INSERT INTO ZTW_PROD_DET (Prod_Code,
                          Prod_Name,
                          Prod_Batch_No,
                          Plant_Code,
                          Production_Ver_No,
                          Ref_Doc_No,
                          Mfg_Batch_No,
                          Mfg_Date,
                          Expiry_Date,
                          Retest_Date,
                          Impacted_Mat_Code,
                          Impacted_Mat_Desc,
                          Impacted_Batch_No,
                          Impa_Mat_Insp_Lot,
                          Impa_Mfg_Batch_No,
                          Impacted_Mat_AR_No)
VALUES (
        :gs_prod_det-Prod_Code,
        :gs_prod_det-Prod_Name,
        :gs_prod_det-Prod_Batch_No,
        :gs_prod_det-Plant_Code,
        :gs_prod_det-Production_Ver_No
/
        :gs_prod_det-Ref_Doc_No,
        :gs_prod_det-Mfg_Batch_No,
        :lv_date,
        :lv_date1,
        :lv_date2,
        :gs_prod_det-Impacted_Mat_Code
/
        :gs_prod_det-Impacted_Mat_Desc
/
        :gs_prod_det-Impacted_Batch_No
/
        :gs_prod_det-Impa_Mat_Insp_Lot
/
        :gs_prod_det-Impa_Mfg_Batch_No
/
        :gs_prod_det-Impacted_Mat_AR_N
o)

ENDEXEC.
CATCH cx_sy_native_sql_error INTO exc_ref.
error_text = exc_ref->get_text( ).
MESSAGE error_text TYPE 'I'.
CONTINUE.
ENDTRY.
ELSEIF lv_date IS INITIAL AND lv_date1 IS NOT INITIAL AND lv_date2 I
S INITIAL.
TRY.
EXEC SQL.
INSERT INTO ZTW_PROD_DET (Prod_Code,
                          Prod_Name,
                          Prod_Batch_No,
                          Plant_Code,
                          Production_Ver_No,
                          Ref_Doc_No,
                          Mfg_Batch_No,
                          Expiry_Date,
                          Impacted_Mat_Code,
                          Impacted_Mat_Desc,
                          Impacted_Batch_No,

```

```

657                                     Impa_Mat_Insp_Lot,
658                                     Impa_Mfg_Batch_No,
659                                     Impacted_Mat_AR_No)
660             VALUES (               :gs_prod_det-Prod_Code,
661                                     :gs_prod_det-Prod_Name,
662                                     :gs_prod_det-Prod_Batch_No,
663                                     :gs_prod_det-Plant_Code,
664                                     :gs_prod_det-Production_Ver_No
665                                     ,
666                                     :gs_prod_det-Ref_Doc_No,
667                                     :gs_prod_det-Mfg_Batch_No,
668                                     :lv_date1,
669                                     :gs_prod_det-Impacted_Mat_Code
670                                     ,
671                                     :gs_prod_det-Impacted_Mat_Desc
672                                     ,
673                                     :gs_prod_det-Impacted_Batch_No
674                                     ,
675                                     :gs_prod_det-Impa_Mat_Insp_Lot
676                                     ,
677                                     :gs_prod_det-Impa_Mfg_Batch_No
678                                     ,
679                                     :gs_prod_det-Impacted_Mat_AR_N
680                                     o)
681
682     ENDEXEC.
683     CATCH cx_sy_native_sql_error INTO exc_ref.
684     error_text = exc_ref->get_text( ).
685     MESSAGE error_text TYPE 'I'.
686     CONTINUE.
687
688     ENDTRY.
689     ELSEIF lv_date IS NOT INITIAL AND lv_date1 IS INITIAL AND lv_date2 I
690 S NOT INITIAL.
691     TRY.
692         EXEC SQL.
693             INSERT INTO  ZTW_PROD_DET (Prod_Code,
694                                     Prod_Name,
695                                     Prod_Batch_No,
696                                     Plant_Code,
697                                     Production_Ver_No,
698                                     Ref_Doc_No,
699                                     Mfg_Batch_No,
700                                     Mfg_Date,
701                                     Retest_Date,
702                                     Impacted_Mat_Code,
703                                     Impacted_Mat_Desc,
704                                     Impacted_Batch_No,
705                                     Impa_Mat_Insp_Lot,
706                                     Impa_Mfg_Batch_No,
707                                     Impacted_Mat_AR_No)
708             VALUES (               :gs_prod_det-Prod_Code,

```

```
709 '                                     :gs_prod_det-Impacted_Mat_Desc
710 '                                     :gs_prod_det-Impacted_Batch_No
711 '                                     :gs_prod_det-Impa_Mat_Insp_Lot
712 '                                     :gs_prod_det-Impa_Mfg_Batch_No
713 '                                     :gs_prod_det-Impacted_Mat_AR_N
    o)
714
715     ENDEXEC.
716     CATCH cx_sy_native_sql_error INTO exc_ref.
717     error_text = exc_ref->get_text( ).
718     MESSAGE error_text TYPE 'I'.
719     CONTINUE.
720 ENDTRY.
721 ENDIF.
722 COMMIT WORK AND WAIT .
723 <fs_asrs>-status = 'Y'.
724 ENDLOOP.
725 endif.
726 ENDFORM.                                " DATE_CONDITION1
```

Title:

Program for calling subroutine pool in badi

Selection texts:

S_TYPE

D .

Subroutines:

		Line	Page
DATE_CONDITION1.....	ZQM_TRACKWISE	87	3
	ZQM_TRACKWISE	354	8
SEND_PLANT.....	ZQM_TRACKWISE	60	2
	ZQM_TRACKWISE	262	6
SEND_TRACKWISE.....	ZQM_TRACKWISE	61	3
	ZQM_TRACKWISE	70	3

Messages:

		Line	Page
?.....	ZQM_TRACKWISE	177	5
?.....	ZQM_TRACKWISE	226	6
?.....	ZQM_TRACKWISE	294	7
?.....	ZQM_TRACKWISE	311	7
?.....	ZQM_TRACKWISE	331	7
?.....	ZQM_TRACKWISE	445	9
?.....	ZQM_TRACKWISE	483	10
?.....	ZQM_TRACKWISE	519	11
?.....	ZQM_TRACKWISE	558	12
?.....	ZQM_TRACKWISE	598	12
?.....	ZQM_TRACKWISE	640	13
?.....	ZQM_TRACKWISE	678	14
?.....	ZQM_TRACKWISE	718	15

DATABASE OPERATIONS

SELECT:

		Line	Page
T001W.....	ZQM_TRACKWISE	317	7
ZCON_MDM.....	ZQM_TRACKWISE	72	3
	ZQM_TRACKWISE	267	6

INTERNAL TABLE OPERATIONS

READ TABLE:

		Line	Page
GT_CON.....	ZQM_TRACKWISE	78	3
	ZQM_TRACKWISE	273	6
