

Created on....28.05.2026 Last changed on/by..... 01.06.2026 EJX9007361
Author.....EJX9007361

Title.....

Type.....1	Reporting
Status.....	
Application.....S	Basis
Class.....	
Logical database.....D\$	
from Application....S	Basis
Selection screen.....	
Authorization group...	
Package...../CCBJI/RTR	

 Start by Variants
 Deactivate editor lock
X Fixed point arithmetic active

```
1  *&-----*
2  *Program Name      : /CCBJI/RUFIGLR_SUPPFI_POST      *
3  *Program Title     : Support fee FI-posting through AL11 path *
4  *Program Type      : Report                          *
5  *Description       : Support fee FI-posting through AL11 path *
6  *Date              : 01-October-2021                 *
7  *Author            : <Venkata Sai Ram Jami> <EJX9004403> *
8  *Run Frequency     : Month end activity               *
9  *Transport Number   : MJRK914905 (8000008436)         *
10 *RICEF ID           : GAP-1000002336 Support fee posting *
11 *Release            : Finance DX Transformation project *
12 *-----*
13 *
14 *          ===== MODIFICATION LOG =====          *
15 *-----*
16 * Mod No.           : MOD-001                          *
17 * Date              : 01/11/2021                       *
18 * Author            : Kundan Kumar(S204711)            *
19 * Change Reference   : Defect-9000015082               *
20 * Transport Number   : MJRK915410                     *
21 * Change Request     : 8000008658                     *
22 * Change Description : Restrict line items to resolve posting issue *
23 *-----*
24 *
25 * Mod No.           : MOD-002                          *
26 * Date              : 22/06/2022                       *
27 * Author            : Kundan Kumar(S204711)            *
28 * Change Reference   : Defect 9000016743(QA231)         *
29 * Transport Number   : DJRK9A0FLV                      *
30 * Change Description : Validation on cost center and cost element *
31 *-----*
32 *&-----*
33 *& Report /CCBJI/RUFIGLR_SUPPFI_POST                    *
34 *&-----*
35 *&-----*
36 *&-----*
37 *&-----*
38 *&-----*
39
40 REPORT /ccbj/rufiglr_suppfi_post MESSAGE-ID /ccej/rtr.
41
42 TYPE-POOLS: slis.
43 *-----*
44 * Include for global data declaration                    *
45 *-----*
46 INCLUDE /ccbj/rufiglr_suppfi_post_top.
47
48 * Include for selection screen                          *
49 *-----*
50 INCLUDE /ccbj/rufiglr_suppfi_post_sel.
51 *-----*
52 * Include for subroutines                                *
53 *-----*
54 INCLUDE /ccbj/rufiglr_suppfi_post_sub.
55 *&-----*
56 *& Event Initialization                                  *
57 *&-----*
58 INITIALIZATION.
59   PERFORM f_clear_data.
60 *-----*
61 ** AT SELECTION-SCREEN EVENTS                          *
```

```
62  ** _____*
63  START-OF-SELECTION.
64  *—Read physical path from logical path from AL11 application server
65  PERFORM f_file_path.
66  *& _____*
67  *&  Get Data
68  *& _____*
69  PERFORM f_import_data.
70  *& _____*
71  *&  Event End-of-Selection
72  *& _____*
73  END-OF-SELECTION.
74  ***ALV display
75  PERFORM f_alv_display.
```

```
1  *&-----*
2  *Program Name      : /CCBJI/RUFIGLR_SUPPFI_POST_SEL      *
3  *Program Title     : Support fee FI-posting through AL11 path *
4  *Program Type      : Selection Screen Include            *
5  *Description       : Support fee FI-posting through AL11 path *
6  *Date              : 01-October-2021                     *
7  *Author            : <Venkata Sai Ram Jami> <EJX9004403>   *
8  *Run Frequency     : Month end activity                   *
9  *Transport Number  : MJRK914905 (8000008436)              *
10 *RICEF ID          : GAP-1000002273 Support fee posting    *
11 *Release           : Finance DX Transformation project     *
12 *-----*
13 *-----*
14 *          ===== MODIFICATION LOG =====          *
15 *-----*
16 * Mod No.           : MOD-001                               *
17 * Date              : 01/11/2021                           *
18 * Author            : Kundan Kumar(S204711)                *
19 * Change Reference  : Defect-9000015082                    *
20 * Transport Number  : MJRK915410                           *
21 * Change Request    : 8000008658                           *
22 * Change Description : Restrict line items to resolve posting issue *
23 *-----*
24 *&-----*
25 *& Include          /CCBJI/RUFIGLR_SUPPFI_POST_SEL      *
26 *&-----*
27 SELECTION-SCREEN BEGIN OF BLOCK b01 WITH FRAME TITLE text-001.
28 PARAMETERS: p_apfile TYPE pathintern AS LISTBOX VISIBLE
29              LENGTH 60 DEFAULT '/CCBJI/RTR_SUPP_FEE'
30              OBLIGATORY,
31              p_bukrs TYPE bukrs.
32
33 SELECT-OPTIONS: s_blart FOR v_blart NO INTERVALS.
34
35 SELECTION-SCREEN END OF BLOCK b01.
36
37 SELECTION-SCREEN BEGIN OF BLOCK b02 WITH FRAME TITLE text-009.
38 PARAMETERS : rb_sim RADIOBUTTON GROUP rb1,
39              rb_post RADIOBUTTON GROUP rb1.
40 SELECTION-SCREEN END OF BLOCK b02.
```

```

1  *&-----*
2  *Program Name      : /CCBJI/RUFIGLR_SUPPFI_POST      *
3  *Program Title     : Support fee FI-posting through AL11 path *
4  *Program Type      : Report                          *
5  *Description       : Support fee FI-posting through AL11 path *
6  *Date              : 01-October-2021                 *
7  *Author            : <Venkata Sai Ram Jami> <EJX9004403> *
8  *Run Frequency     : Month end activity               *
9  *Transport Number  : MJRK914905 (8000008436)          *
10 *RICEF ID          : GAP-1000002336 Support fee posting *
11 *Release           : Finance DX Transformation project *
12 *-----*
13 *-----*
14 *          ===== MODIFICATION LOG =====          *
15 *-----*
16 * Mod No.           : MOD-001                          *
17 * Date              : 01/11/2021                       *
18 * Author            : Kundan Kumar(S204711)             *
19 * Change Reference  : Defect-9000015082                *
20 * Transport Number  : MJRK915410                      *
21 * Change Request    : 8000008658                      *
22 * Change Description : Restrict line items to resolve posting issue *
23 *-----*
24 *-----*
25 * Mod No.           : MOD-002                          *
26 * Date              : 22/06/2022                       *
27 * Author            : Kundan Kumar(S204711)             *
28 * Change Reference  : Defect 9000016743(QA231)          *
29 * Transport Number  : DJRK9A0FLV                      *
30 * Change Description : Validation on cost center and cost element *
31 *-----*
32 *&-----*
33 *& Include          /CCBJI/RUFIGLR_SUPPFI_POST_SUB      *
34 *&-----*
35 *-----*
36 *&-----*
37 *& Form F_FILE_PATH *
38 *&-----*
39 * Read Physical path *
40 *-----*
41 FORM f_file_path .
42 DATA : l_v_cnt      TYPE i,"Count length of string
43         l_v_path_fm  TYPE char255."File name with path
44
45 CLEAR: l_v_cnt,l_v_path_fm.
46
47 IF p_apfile IS NOT INITIAL.
48 *Generate a complete file name with file name and logical path
49 CALL FUNCTION 'FILE_GET_NAME_USING_PATH'
50 EXPORTING
51     client                = sy-mandt
52     logical_path          = p_apfile
53     file_name              = c_f
54 IMPORTING
55     file_name_with_path   = l_v_path_fm
56 EXCEPTIONS
57     path_not_found        = 1
58     missing_parameter     = 2
59     operating_system_not_found = 3
60     file_system_not_found = 4
61     OTHERS                = 5.

```

```

62     IF sy-subrc EQ 0.
63         l_v_cnt = strlen( l_v_path_fm ).
64         l_v_cnt = l_v_cnt - 4.
65         v_pathp = l_v_path_fm+0(l_v_cnt).
66     ELSE.
67         CASE sy-subrc.
68             WHEN 1.
69                 MESSAGE i018 DISPLAY LIKE c_succ. "path_not_found
70             WHEN 2.
71                 MESSAGE i145 DISPLAY LIKE c_succ. "missing_parameter
72             WHEN 3.
73                 MESSAGE i146 DISPLAY LIKE c_succ. "operating_system_not_found
74             WHEN 4.
75                 MESSAGE i147 DISPLAY LIKE c_succ. "file_system_not_found
76             WHEN 5.
77                 MESSAGE i148 DISPLAY LIKE c_succ."Err. occ. while reading phys
ical path.
78             WHEN OTHERS.
79                 MESSAGE i018 DISPLAY LIKE c_succ. "path_not_found
80         ENDCASE.
81     ENDIF.
82 ELSE.
83     MESSAGE s113 DISPLAY LIKE c_error.
84     LEAVE LIST-PROCESSING.
85 ENDIF.
86 ENDFORM.                                " F_FILE_PATH
87 *&-----*
88 *&      Form   F_IMPORT_DATA
89 *&-----*
90 *      text
91 *-----*
92 FORM f_import_data .
93 * Local data declarations
94 DATA:l_i_tbl TYPE STANDARD TABLE OF eps2fili,"table for List of Files
95         l_v_auth TYPE fileextern."physical path
96
97 FIELD-SYMBOLS : <l_fs_tbl> TYPE eps2fili."fs for List of Files
98
99 CLEAR: l_i_tbl[], l_v_auth.
100
101 IF v_pathp IS NOT INITIAL.
102 * Get all the files from Directory
103     CALL FUNCTION 'EPS2_GET_DIRECTORY_LISTING'
104         EXPORTING
105             iv_dir_name           = v_pathp
106         TABLES
107             dir_list              = l_i_tbl[]
108         EXCEPTIONS
109             invalid_eps_subdir    = 1
110             sapgparam_failed      = 2
111             build_directory_failed = 3
112             no_authorization      = 4
113             read_directory_failed = 5
114             too_many_read_errors  = 6
115             empty_directory_list  = 7
116             OTHERS                = 8.
117 IF sy-subrc EQ 0.
118     l_v_auth = v_pathp.
119 *Check Authorization for File Access
120     CALL FUNCTION 'AUTHORITY_CHECK_DATASET'
121         EXPORTING

```

```

122         program          = sy-repid
123         activity         = c_r
124         filename         = l_v_auth
125     EXCEPTIONS
126         no_authority      = 1
127         activity_unknown = 2
128         OTHERS           = 3.
129     IF sy-subrc EQ 0.
130     *Process all the file avialable on location
131     LOOP AT l_i_tbl ASSIGNING <l_fs_tbl>.
132         IF p_bukrs IS NOT INITIAL.
133             IF <l_fs_tbl>-name+11(4) <> p_bukrs.
134                 CONTINUE.
135             ENDIF.
136         ENDIF.
137         IF s_blart IS NOT INITIAL.
138             IF <l_fs_tbl>-name+0(2) NOT IN s_blart.
139                 CONTINUE.
140             ENDIF.
141         ENDIF.
142     * Get the required data from Mapping Table
143     PERFORM f_read_data USING <l_fs_tbl>.
144     ***FI posting
145     PERFORM f_posting.
146     IF rb_post IS NOT INITIAL.
147         PERFORM f_folder_update USING <l_fs_tbl>-name
148                                     v_pathp.
149     ENDIF.
150     CLEAR: v_bukrs,
151            v_eflag.    "++MOD-002
152     ENDLOOP.
153     ENDIF.
154     ENDIF.
155     ENDIF.
156     ENDFORM.          " F_IMPORT_DATA
157     *&-----*
158     *&      Form  F_READ_DATA
159     *&-----*
160     *&      text
161     *&-----*
162     *&      -->P_<L_FS_TBL>  text
163     *&-----*
164     FORM f_read_data USING fp_tbl TYPE eps2fili.
165
166     DATA: l_wa_data TYPE string,
167            l_wa_fidata TYPE /ccbj/rtr_fisupp,
168            l_v_sep  TYPE char1 VALUE cl_abap_char_utilities=>horizontal_tab
169
170     v_name = fp_tbl-name.
171     CONCATENATE v_pathp fp_tbl-name INTO v_file.
172
173     *— OPEN dataset for file
174     OPEN DATASET v_file FOR INPUT CODE PAGE c_code IN LEGACY
175                                TEXT MODE WITH SMART LINEFEED
176                                IGNORING CONVERSION ERRORS.
177
178     IF sy-subrc NE 0.
179     * "Error while opening file
180     MESSAGE i143 DISPLAY LIKE c_succ.
181     LEAVE LIST-PROCESSING.
182     ELSE.

```

```
182 *      Read application server
183 DO.
184     READ DATASET v_file INTO l_wa_data.
185     IF sy-subrc = 0.
186 *         APPEND l_wa_data TO i_data.
187         SPLIT l_wa_data AT l_v_sep
188             INTO l_wa_fidata-bukrs
189                 l_wa_fidata-gjahr
190                 l_wa_fidata-period
191                 l_wa_fidata-debit_gl
192                 l_wa_fidata-credit_gl
193                 l_wa_fidata-prctr
194                 l_wa_fidata-kostl
195                 l_wa_fidata-channel
196                 l_wa_fidata-ref_doc_no
197                 l_wa_fidata-source
198                 l_wa_fidata-xref1_hd
199                 l_wa_fidata-tax_code
200                 l_wa_fidata-supp_fee
201                 l_wa_fidata-total_count.
202         CONDENSE: l_wa_fidata-supp_fee,
203                   l_wa_fidata-total_count.
204         IF v_bukrs IS INITIAL.
205             v_bukrs = l_wa_fidata-bukrs.
206         ENDIF.
207         APPEND l_wa_fidata TO i_final_data.
208
209         CLEAR: l_wa_data, l_wa_fidata.
210     ELSE.
211         EXIT.
212     ENDIF.
213 ENDDO.
214 *      Close dataset
215     CLOSE DATASET v_file.
216 ENDIF.
217
218 ENDFORM.                                " F_READ_DATA
219
220 *&-----*
221 *&      Form   F_POSTING
222 *&-----*
223 *      Posting logic
224 *-----*
225 FORM f_posting .
226
227 * Begin of changes by S204711   Defect 9000016743(QA231)   MOD-002
228 * Local Types Declaration for Costcenter & costelement validation
229     TYPES : BEGIN OF lty_cskb,
230             kokrs TYPE kokrs,
231             kstar TYPE kstar,
232             datbi TYPE datbi,
233             katyp TYPE katyp,
234             END OF lty_cskb,
235
236             BEGIN OF lty_csks,
237             kokrs TYPE kokrs,
238             kostl TYPE kostl,
239             datbi TYPE datbi,
240             END OF lty_csks.
241 * End of changes by S204711   Defect 9000016743(QA231)   MOD-002
242
```



```

243 FIELD-SYMBOLS: <l_fs_final_data> TYPE /ccbj/rtr_fisupp.
244
245 DATA: l_wa_hdr TYPE bapiache09,
246        l_wa_accgl TYPE bapiacgl09,
247        l_wa_curramt TYPE bapiaccr09,
248 * Begin of changes by S204711 Defect 9000016743(QA231) MOD-002
249        l_i_final TYPE /ccbj/rtr_fisupp_ty,
250        l_i_csks TYPE STANDARD TABLE OF lty_csks,
251        l_i_cskb TYPE STANDARD TABLE OF lty_cskb,
252        l_v_message TYPE char255, "Message text.
253 * End of changes by S204711 Defect 9000016743(QA231) MOD-002
254        l_v_fixtext TYPE char50,
255        l_v_itemtext TYPE char50,
256        l_v_debit_gl TYPE racct,
257        l_v_itemno TYPE i,
258        l_i_accgl TYPE STANDARD TABLE OF bapiacgl09,
259        l_i_curramt TYPE STANDARD TABLE OF bapiaccr09,
260        l_i_return TYPE STANDARD TABLE OF bapiret2,
261        l_v_dinfo TYPE symsgv,
262        l_v_kostl TYPE kostl,
263        l_v_totamt TYPE bapidoccur,
264        l_v_tax TYPE char16,
265        l_v_taxgl TYPE saknr,
266        l_v_ktosl TYPE ktosl, "Transaction Key
267        l_v_kschl TYPE kschl, "Condition Type.
268        l_wa_acctax TYPE bapiactx09, "Tax workarea
269        l_i_acctax TYPE bapiactx09_tab,
270        l_wa_extension1 TYPE bapiacextc,
271        l_i_extension1 TYPE STANDARD TABLE OF bapiacextc,
272        l_v_count TYPE i.
273
274 CONSTANTS: l_c_text2 TYPE char25 VALUE '#/CCJC/MIRAI#####',
275            l_c_text1 TYPE char1 VALUE '#',
276            l_c_name1 TYPE tvarvc-name VALUE '/CCBJI/RTR_SFEE_TAXGL',
277            l_c_name2 TYPE tvarvc-name VALUE '/CCBJI/RTR_DEBITGL',
278            l_c_type TYPE rsscr_kind VALUE 'P', "Selection.
279            l_c_numb TYPE tvarv_numb VALUE '0000', "Tvarc numb
280            l_c_name4 TYPE tvarvc-name VALUE '/CCBJI/RTR_KOSTL',
281            l_c_typ TYPE rsscr_kind VALUE 'S',
282            l_c_jp00 TYPE kokrs VALUE 'JP00', "++MOD-002
283 " *****Code Remediation changes S4 2025_1_A Conversion **begin of change
284 by EJX9007359 04.06.2026 for ATC
285 * l_c-fi TYPE char02 VALUE 'FI', "source FI
286        l_c-fi TYPE CHAR2 VALUE 'FI', "source FI
287 " *****Code Remediation changes S4 2025_1_A Conversion **end of change b
288 y EJX9007359 04.06.2026 for ATC
289        l_c_curr_jpy TYPE waers_iso VALUE 'JPY', "ISO code curr
290        l_c_xrefhd TYPE strng250 VALUE 'XREF1_HD', "Xref HD
291        l_c_maxl TYPE i VALUE 400. "++MOD-001
292
293 ***get the debit G/L
294 SELECT SINGLE low
295 FROM tvarvc
296 INTO l_v_debit_gl
297 WHERE name EQ l_c_name2
298 AND type EQ l_c_type
299 AND numb EQ l_c_numb.
300 IF sy-subrc IS NOT INITIAL.
301 CLEAR l_v_debit_gl.
302 ENDIF.
303 *Get GL account for tax

```

```
302 SELECT SINGLE low
303 FROM tvarvc
304 INTO l_v_taxgl
305 WHERE name EQ l_c_name1
306 AND type EQ l_c_type
307 AND numb EQ l_c_numb.
308 IF sy-subrc IS NOT INITIAL.
309 CLEAR l_v_taxgl.
310 ENDIF.
311 ***To get fixed cost center
312 " *****Code Remediation changes S4 2025_1_A Conversion **begin of change
    by EJX9007359 04.06.2026 for ATC
313 SELECT high "#EC CI_NOORDER
314 " *****Code Remediation changes S4 2025_1_A Conversion **end of change b
    y EJX9007359 04.06.2026 for ATC
315 FROM tvarvc
316 UP TO 1 ROWS
317 INTO l_v_kostl
318 WHERE name EQ l_c_name4
319 AND type EQ l_c_typ
320 AND low EQ v_bukrs.
321 ENDSELECT.
322 IF sy-subrc IS NOT INITIAL.
323 CLEAR l_v_kostl.
324 ELSE.
325 CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT'
326 EXPORTING
327 input = l_v_kostl
328 IMPORTING
329 output = l_v_kostl.
330 ENDIF.
331
332 CLEAR l_v_fixtext.
333
334 * Begin of changes by S204711 Defect 9000016743(QA231) MOD-002
335 CLEAR l_i_final.
336 IF l_i_final_data[] IS NOT INITIAL.
337 l_i_final = l_i_final_data.
338 SORT l_i_final BY credit_gl.
339 DELETE ADJACENT DUPLICATES FROM l_i_final COMPARING credit_gl.
340 IF l_i_final IS NOT INITIAL.
341 " *****Code Remediation changes S4 2025_1_A Conversion **begin of change
    by EJX9007359 04.06.2026 for ATC
342 SELECT kokrs "#EC CI_DB_OPERATION_OK[2389136]
343 " *****Code Remediation changes S4 2025_1_A Conversion **end of change b
    y EJX9007359 04.06.2026 for ATC
344 kstar
345 datbi
346 katyp
347 FROM cskb
348 INTO TABLE l_i_cskb
349 FOR ALL ENTRIES IN l_i_final
350 WHERE kokrs = l_c_jp00
351 AND kstar = l_i_final-credit_gl
352 AND datbi GE sy-datlo.
353 IF sy-subrc IS INITIAL.
354 SORT l_i_cskb BY kstar.
355 ENDIF.
356 ENDIF.
357
358 CLEAR l_i_final.
```

```
359     l_i_final = i_final_data.
360     SORT   l_i_final BY kostl.
361     DELETE ADJACENT DUPLICATES FROM l_i_final COMPARING kostl.
362     IF l_i_final IS NOT INITIAL.
363
364         SELECT kokrs
365                kostl
366                datbi
367     FROM csks
368     INTO TABLE l_i_csks
369     FOR ALL ENTRIES IN l_i_final
370     WHERE kokrs = l_c_jp00
371           AND kostl = l_i_final-kostl
372           AND datbi GE sy-datlo.
373     IF sy-subrc IS INITIAL.
374         SORT l_i_csks BY kostl.
375     ENDIF.
376
377 ENDIF.
378 * End of changes by S204711 Defect 9000016743(QA231) MOD-002
379
380 LOOP AT i_final_data ASSIGNING <l_fs_final_data>.
381
382     IF l_v_fixtext IS INITIAL.
383         CONCATENATE <l_fs_final_data>-gjahr l_c_text1
384                    <l_fs_final_data>-period l_c_text2
385                    INTO l_v_fixtext SEPARATED BY space.
386     ENDIF.
387     IF <l_fs_final_data>-channel IS NOT INITIAL.
388         CONCATENATE l_v_fixtext <l_fs_final_data>-channel
389                    INTO l_v_itemtext SEPARATED BY space.
390     ELSE.
391         l_v_itemtext = l_v_fixtext.
392     ENDIF.
393
394     READ TABLE l_i_accgl WITH KEY gl_account = l_v_debit_gl
395                        TRANSPORTING NO FIELDS . "#EC CI_READTBL
396     IF sy-subrc IS NOT INITIAL.
397         l_v_itemno = l_v_itemno + 1.
398         l_wa_accgl-itemno_acc = l_v_itemno.
399         l_wa_accgl-item_text = l_v_fixtext.
400         l_wa_accgl-gl_account = l_v_debit_gl.
401         l_wa_accgl-profit_ctr = l_v_kostl.
402         APPEND l_wa_accgl TO l_i_accgl.
403         CLEAR l_wa_accgl.
404     ENDIF.
405
406     l_v_itemno = l_v_itemno + 1.
407     l_wa_accgl-itemno_acc = l_v_itemno.
408     l_wa_accgl-item_text = l_v_itemtext.
409     l_wa_accgl-gl_account = <l_fs_final_data>-credit_gl.
410     l_wa_accgl-profit_ctr = <l_fs_final_data>-prctr.
411     l_wa_accgl-tax_code = <l_fs_final_data>-tax_code.
412
413 * Begin of changes by S204711 Defect 9000016743(QA231) MOD-002
414     IF <l_fs_final_data>-source EQ l_c-fi.
415
416         READ TABLE l_i_cskb " gl account with cost element group
417         WITH KEY kstar = <l_fs_final_data>-credit_gl
418         BINARY SEARCH
419         TRANSPORTING NO FIELDS.
```

```

420      IF sy-subrc IS INITIAL.
421
422          IF <l_fs_final_data>-kostl IS ASSIGNED AND
423             <l_fs_final_data>-kostl IS NOT INITIAL.
424
425              READ TABLE l_i_csks
426              WITH KEY kostl = <l_fs_final_data>-kostl
427              BINARY SEARCH
428              TRANSPORTING NO FIELDS.
429              IF sy-subrc IS INITIAL.
430                  l_wa_accgl-costcenter = <l_fs_final_data>-kostl. " cost ce
nater exist
431              ELSE.
432                  "Need to set error flag and pass error message
433                  CONCATENATE text-010 <l_fs_final_data>-kostl
434                  INTO l_v_message.
435                  v_eflag = abap_true.
436                  PERFORM f_error_log USING <l_fs_final_data>
437                                          l_v_message.
438                  EXIT.
439              ENDIF.
440
441              ELSE.
442                  "Need to set error flag and pass error message
443                  l_v_message = text-011.
444                  v_eflag = abap_true.
445                  PERFORM f_error_log USING <l_fs_final_data>
446                                          l_v_message.
447                  EXIT.
448              ENDIF.
449          ELSE.
450              IF <l_fs_final_data>-kostl IS ASSIGNED AND
451                 <l_fs_final_data>-kostl IS NOT INITIAL.
452                  CLEAR l_wa_accgl-costcenter .
453              ENDIF.
454          ENDIF.
455
456          " Code commented
457          *      IF <l_fs_final_data>-kostl IS ASSIGNED AND
458          *          <l_fs_final_data>-kostl IS NOT INITIAL.
459          *          l_wa_accgl-costcenter = <l_fs_final_data>-kostl.
460          *      ELSEIF <l_fs_final_data>-kostl IS ASSIGNED AND
461          *          <l_fs_final_data>-kostl IS INITIAL.
462          *          l_wa_accgl-costcenter = l_v_kostl.
463          *      ENDIF.
464          ENDIF.
465          * End of changes by S204711 Defect 9000016743(QA231) MOD-002
466          IF l_wa_accgl-profit_ctr IS INITIAL.
467              l_wa_accgl-profit_ctr = l_v_kostl.
468          ENDIF.
469          APPEND l_wa_accgl TO l_i_accgl.
470          CLEAR l_wa_accgl.
471
472          l_wa_curramt-itemno_acc = l_v_itemno.
473          l_wa_curramt-currency_iso = l_c_curr_jpy.
474          l_wa_curramt-amt_base = ( <l_fs_final_data>-supp_fee )
475                                 * -1.
476          l_wa_curramt-amt_doccur = ( <l_fs_final_data>-supp_fee )
477                                   * -1.
478          APPEND l_wa_curramt TO l_i_curramt.
479          CLEAR l_wa_curramt.

```

```
480
481     PERFORM f_cal_tax USING <l_fs_final_data>-bukrs
482                           <l_fs_final_data>-tax_code
483                           <l_fs_final_data>-supp_fee
484                           CHANGING l_v_tax
485                                   l_v_ktosl
486                                   l_v_kschl.
487
488     IF l_v_tax IS NOT INITIAL.
489
490         l_v_itemno          = l_v_itemno + 1.
491         l_wa_currant-itemno_acc = l_v_itemno.
492         l_wa_currant-currency_iso = l_c_curr_jpy.
493     " *****Code Remediation changes S4 2025_1_A Conversion **begin of change
494     by EJX9007359 04.06.2026 for ATC
495     l_wa_currant-amt_base = CONV BAPIAMTBASE( l_v_tax )
496     " *****Code Remediation changes S4 2025_1_A Conversion **end of change b
497     y EJX9007359 04.06.2026 for ATC
498     * -1.
499     " *****Code Remediation changes S4 2025_1_A Conversion **begin of change
500     by EJX9007359 04.06.2026 for ATC
501     l_wa_currant-amt_doccur = CONV BAPIAMTBASE( l_v_tax )
502     " *****Code Remediation changes S4 2025_1_A Conversion **end of change b
503     y EJX9007359 04.06.2026 for ATC
504     * -1.
505     APPEND l_wa_currant TO l_i_currant.
506     CLEAR l_wa_currant.
507
508     l_wa_acctax-itemno_acc = l_v_itemno.
509     l_wa_acctax-cond_key = l_v_kschl.
510     l_wa_acctax-acct_key = l_v_ktosl.
511     l_wa_acctax-tax_code = <l_fs_final_data>-tax_code.
512     APPEND l_wa_acctax TO l_i_acctax.
513     CLEAR l_wa_acctax.
514     ENDIF.
515
516     l_v_totamt = l_v_totamt + <l_fs_final_data>-supp_fee
517                   + l_v_tax.
518
519     CLEAR: l_v_tax,
520            l_v_ktosl,
521            l_v_kschl.
522
523     *Begin of changes by S204711 MOD-001
524     DESCRIBE TABLE l_i_accgl LINES l_v_count.
525     *Posting one FI document if GL item is max 400
526     IF l_v_count GE l_c_maxl.
527         READ TABLE l_i_accgl WITH KEY gl_account = l_v_debit_gl
528         TRANSPORTING NO FIELDS. "#EC CI_READT
529
530     BL
531
532     IF sy-subrc IS INITIAL.
533         l_wa_currant-itemno_acc = 1.
534         l_wa_currant-currency_iso = l_c_curr_jpy.
535     " *****Code Remediation changes S4 2025_1_A Conversion **begin of change
536     by EJX9007359 04.06.2026 for ATC
537     l_wa_currant-amt_base = CONV BAPIAMTBASE( l_v_totamt ) .
538     " *****Code Remediation changes S4 2025_1_A Conversion **end of change b
539     y EJX9007359 04.06.2026 for ATC
540     " *****Code Remediation changes S4 2025_1_A Conversion **begin of change
541     by EJX9007359 04.06.2026 for ATC
542     l_wa_currant-amt_doccur = CONV BAPIAMTBASE( l_v_totamt ) .
543     " *****Code Remediation changes S4 2025_1_A Conversion **end of change b
544     y EJX9007359 04.06.2026 for ATC
```

```
532      CLEAR l_v_totamt.
533      APPEND l_wa_currant TO l_i_currant.
534      CLEAR l_wa_currant.
535      ENDIF.
536      *Fill XREF1_HD for transaction identification
537      l_wa_extension1-field2 = l_c_xrefhd.
538      * Pass Identifier to XREF1_HD
539      l_wa_extension1-field3 = <l_fs_final_data>-xref1_hd.
540      APPEND l_wa_extension1 TO l_i_extension1.
541      CLEAR: l_wa_extension1.
542      PERFORM f_fill_header USING <l_fs_final_data>
543                                l_v_count
544                                CHANGING l_wa_hdr.
545
546      SORT l_i_currant BY itemno_acc.
547
548      IF rb_post IS INITIAL.
549      * *****
550      * *****
551      *      CALL FUNCTION 'BAPI_ACC_DOCUMENT_CHECK' "#EC CI_USAGE_OK[2628
552      704]
553      *      CALL FUNCTION 'BAPI_ACC_DOCUMENT_CHECK'  "#EC CI_USAGE_OK[26
554      28704,2438131]
555      *      CALL FUNCTION 'BAPI_ACC_DOCUMENT_CHECK'  "#EC CI_USAGE_OK[2628
556      704]
557      * *****
558      * *****
559      *      EXPORTING
560      *      EXPORTING                                     "#EC CI
561      _USAGE_OK[2438131]
562      *      documentheader = l_wa_hdr
563      *      TABLES
564      *      accountgl      = l_i_accgl
565      *      accounttax     = l_i_acctax
566      *      currencyamount = l_i_currant
567      *      return         = l_i_return
568      *      extension1     = l_i_extension1.
569      *      ELSE.
570      *      *****
571      *      *****
572      *      CALL FUNCTION 'BAPI_ACC_DOCUMENT_POST' "#EC CI_USAGE_OK[24381
573      31]
574      *      CALL FUNCTION 'BAPI_ACC_DOCUMENT_POST'  "#EC CI_USAGE_OK[243
575      8131,2628704]
576      *      CALL FUNCTION 'BAPI_ACC_DOCUMENT_POST'  "#EC CI_USAGE_OK[26287
577      04]
578      *      *****
579      *      *****
580      *      EXPORTING
581      *      EXPORTING                                     "#EC CI
582      _USAGE_OK[2438131]
583      *      documentheader = l_wa_hdr
584      *      TABLES
585      *      accountgl      = l_i_accgl
586      *      accounttax     = l_i_acctax
587      *      currencyamount = l_i_currant
588      *      return         = l_i_return
589      *      extension1     = l_i_extension1.
590      *      ENDIF.
591
592      IF l_i_return[] IS NOT INITIAL.
```



```

585         PERFORM f_return_msg USING <l_fs_final_data>
586                                     l_i_return
587                                     l_v_dinfo.
588     ENDIF.
589
590     IF v_eflag IS INITIAL.
591 ***BAPI Commit if there is no error
592         CALL FUNCTION 'BAPI_TRANSACTION_COMMIT'
593             EXPORTING
594                 wait = abap_true.
595     ELSE.
596         CALL FUNCTION 'BAPI_TRANSACTION_ROLLBACK'.
597     ENDIF.
598
599     CLEAR: l_wa_hdr,
600            l_i_accgl,
601            l_i_curramt,
602            l_i_return,
603            l_i_acctax,
604            l_i_return,
605            l_i_extension1,
606            l_v_totamt,
607            l_v_count,
608            l_v_itemno.
609
610 *End of changes by S204711                                MOD-001
611     AT LAST.
612     IF l_i_accgl[] IS NOT INITIAL.    "++MOD-001
613 *      DESCRIBE TABLE l_i_accgl LINES l_v_count.    "--MOD-001
614         READ TABLE l_i_accgl WITH KEY gl_account = l_v_debit_gl
615             TRANSPORTING NO FIELDS.    "#EC CI_REA
616 DTBL
617     IF sy-subrc IS INITIAL.
618         l_wa_curramt-itemno_acc    = 1.
619         l_wa_curramt-currency_iso = l_c_curr_jpy.
620 l_wa_curramt-amt_base = CONV BAPIAMTBASE( l_v_totamt ) .
621 l_wa_curramt-amt_doccur = CONV BAPIAMTBASE( l_v_totamt ) .
622         CLEAR l_v_totamt.
623         APPEND l_wa_curramt TO l_i_curramt.
624         CLEAR l_wa_curramt.
625     ENDIF.
626 *Fill XREF1_HD for transaction identification
627     l_wa_extension1-field2 = l_c_xrefhd.
628 * Pass Identifier to XREF1_HD
629     l_wa_extension1-field3 = <l_fs_final_data>-xref1_hd.
630     APPEND l_wa_extension1 TO l_i_extension1.
631     CLEAR: l_wa_extension1.
632     PERFORM f_fill_header USING <l_fs_final_data>
633                                     l_v_count
634                                     CHANGING l_wa_hdr.
635
636     SORT l_i_curramt BY itemno_acc.
637
638     IF rb_post IS INITIAL.
639 * *****
640 * *****
641 *      CALL FUNCTION 'BAPI_ACC_DOCUMENT_CHECK'    "#EC CI_USAGE_OK[26
28704]
642 *      CALL FUNCTION 'BAPI_ACC_DOCUMENT_CHECK'    "#EC CI_USAGE_OK[
2628704,2438131]
643 *      CALL FUNCTION 'BAPI_ACC_DOCUMENT_CHECK'    "#EC CI_USAGE_OK[26

```

```

28704]
643 * *****
644 * *****
645 *
646 *      EXPORTING
        EXPORTING                                     "#EC CI
_USAGE_OK[2438131]
647 *      documentheader = l_wa_hdr
648 *      TABLES
649 *      accountgl      = l_i_accgl
650 *      accounttax     = l_i_acctax
651 *      currencyamount = l_i_curramt
652 *      return         = l_i_return
653 *      extension1     = l_i_extension1.
654 *      ELSE.
655 * *****
656 * *****
657 *      CALL FUNCTION 'BAPI_ACC_DOCUMENT_POST'   "#EC CI_USAGE_OK[2
628704]
658 *      CALL FUNCTION 'BAPI_ACC_DOCUMENT_POST'   "#EC CI_USAGE_OK[2
628704,2438131]
659 *      CALL FUNCTION 'BAPI_ACC_DOCUMENT_POST'   "#EC CI_USAGE_OK[262
8704]
660 * *****
661 * *****
662 *
663 *      EXPORTING
        EXPORTING                                     "#EC CI
_USAGE_OK[2438131]
664 *      documentheader = l_wa_hdr
665 *      TABLES
666 *      accountgl      = l_i_accgl
667 *      accounttax     = l_i_acctax
668 *      currencyamount = l_i_curramt
669 *      return         = l_i_return
670 *      extension1     = l_i_extension1.
671 *      ENDIF.
672
673 *      IF l_i_return[] IS NOT INITIAL.
674 *          PERFORM f_return_msg USING <l_fs_final_data>
675 *                                     l_i_return
676 *                                     l_v_dinfo.
677 *      ENDIF.
678
679 *      IF v_eflag IS INITIAL.
680 ***BAPI Commit if there is no error
681 *      CALL FUNCTION 'BAPI_TRANSACTION_COMMIT'
682 *      EXPORTING
683 *          wait = abap_true.
684 *      ELSE.
685 *      CALL FUNCTION 'BAPI_TRANSACTION_ROLLBACK'.
686 *      ENDIF.
687
688 *      CLEAR: l_wa_hdr,
689 *             l_i_accgl,
690 *             l_i_curramt,
691 *             l_i_return,
692 *             l_i_acctax,
693 *             l_i_return,
694 *             l_i_extension1,
695 *             l_v_itemno. "++MOD-001
696 *      ENDIF. "++MOD-001
697 *      ENDAT.

```



```

698
699     ENDLLOOP.
700     IF <l_fs_final_data> IS ASSIGNED.
701         UNASSIGN: <l_fs_final_data>.
702     ENDIF.
703     ENDIF.          "++MOD-002
704     CLEAR: i_final_data[].
705     FREE: i_final_data[].
706 * Begin of addition by S204711      MOD-002
707     CLEAR: l_i_accgl[], l_v_itemno, l_v_message,
708             l_v_itemtext.
709 * End of addition by S204711      MOD-002
710
711 ENDFORM.          " F_POSTING
712 *&-----*
713 *&      Form   F_FILL_HEADER
714 *&-----*
715 *      text
716 *-----*
717 *      —>P_L_V_COUNT   text
718 *      —>P_L_V_TOTCOUNT text
719 *      <—P_L_WA_HDR   text
720 *-----*
721 FORM f_fill_header USING fp_final_data TYPE /ccbj/rtr_fisupp
722                          fp_count      TYPE i
723                          CHANGING fp_wa_hdr      TYPE bapiache09.
724
725     CONSTANTS: l_c_ye TYPE blart VALUE 'YE',
726                l_c_supfeetxt TYPE char08 VALUE '#####', "supfeehdrtxt.
727                l_c_slash   TYPE char01 VALUE '/'. "free text header
728
729     DATA: l_v_str1 TYPE string,
730            l_v_str2      TYPE string,
731            l_v_postng_date TYPE budat,
732            l_v_start_date  TYPE budat,
733            l_v_totcount    TYPE string,
734            l_v_count       TYPE string.
735
736     l_v_totcount = fp_final_data-total_count.
737     l_v_count    = fp_count.
738     fp_wa_hdr-username = sy-uname.
739     fp_wa_hdr-comp_code = fp_final_data-bukrs.
740     fp_wa_hdr-doc_date  = sy-datlo.
741     fp_wa_hdr-doc_type  = l_c_ye.
742     fp_wa_hdr-fis_period = fp_final_data-period.
743     fp_wa_hdr-fisc_year  = fp_final_data-gjahr.
744
745 ***header text #####YYYY/MM#XX/XX
746 ***XX/XX is record count in FIdoc/total no. of FIdoc
747     CONCATENATE l_v_totcount l_c_slash l_v_count INTO l_v_str2.
748     CONDENSE l_v_str2 NO-GAPS.
749     CONCATENATE fp_final_data-gjahr l_c_slash
750                fp_final_data-period INTO l_v_str1.
751     CONDENSE l_v_str1 NO-GAPS.
752
753     CONCATENATE l_c_supfeetxt l_v_str1 l_v_str2 INTO
754                fp_wa_hdr-header_txt SEPARATED BY space.
755
756 *Get the posting date
757     CONCATENATE fp_final_data-gjahr fp_final_data-period c_start_date
758                INTO l_v_start_date.

```

```

759 * CALL FUNCTION 'LAST_DAY_OF_MONTHS'
760 *   EXPORTING
761 *     day_in          = l_v_start_date
762 *   IMPORTING
763 *     last_day_of_month = l_v_postng_date
764 *   EXCEPTIONS
765 *     day_in_no_date    = 1
766 *     OTHERS            = 2.
767 * IF sy-subrc IS NOT INITIAL.
768 *   CLEAR l_v_postng_date.
769 * ENDIF.
770 CALL FUNCTION 'SN_LAST_DAY_OF_MONTH'
771   EXPORTING
772     day_in          = l_v_start_date
773   IMPORTING
774     end_of_month    = l_v_postng_date.
775
776 fp_wa_hdr-postng_date = l_v_postng_date.
777
778 CLEAR: l_v_postng_date,
779        l_v_start_date,
780        l_v_str1,
781        l_v_totcount,
782        l_v_count,
783        l_v_str2.
784
785 ENDFORM.                                " F_FILL_HEADER
786 *&-----*
787 *&      Form   F_RETURN_MSG               *
788 *&-----*
789 *      text                               *
790 *-----*
791 *      —>P<L_FS_FINAL_DATA>_CREDIT_GL  text
792 *      —>P_L_I_RETURN  text
793 *      —>P_L_V_DINFO  text
794 *-----*
795 FORM f_return_msg USING fp_final_data TYPE /ccbj/rtr_fisupp
796                        fp_i_return  TYPE tt_bapiret2
797                        fp_docno     TYPE symsgv.
798
799 DATA: l_wa_logtab TYPE ty_log,    "Log
800        l_v_message TYPE char255.  "Message text.
801
802 FIELD-SYMBOLS: <l_fs_return> TYPE bapiret2. "Return parameter
803
804 SORT fp_i_return BY type.
805 ***Read the return table for success.
806 READ TABLE fp_i_return ASSIGNING <l_fs_return>
807                        WITH KEY type = c_success
808                        BINARY SEARCH.
809 IF sy-subrc IS INITIAL.
810   l_wa_logtab-credit_gl = fp_final_data-credit_gl.
811   l_wa_logtab-rbukrs    = fp_final_data-bukrs.
812   l_wa_logtab-ryear     = fp_final_data-gjahr.
813   l_wa_logtab-docnr     = <l_fs_return>-message_v2(10).
814   l_wa_logtab-typ       = <l_fs_return>-type.
815   l_wa_logtab-msg       = <l_fs_return>-message.
816   fp_docno              = <l_fs_return>-message_v2(10).
817   l_wa_logtab-filenm     = v_name.
818   APPEND l_wa_logtab TO i_logtab.
819   CLEAR: l_wa_logtab.

```

```

820
821 ELSE.
822     v_eflag = abap_true.
823     SORT fp_i_return BY type id number.
824     DELETE ADJACENT DUPLICATES FROM fp_i_return
825             COMPARING type id number.
826     LOOP AT fp_i_return ASSIGNING <l_fs_return> WHERE type = c_error.
827         CONCATENATE <l_fs_return>-message l_v_message
828                     INTO l_v_message SEPARATED BY c_comma.
829     ENDLOOP.
830
831     l_wa_logtab-credit_gl = fp_final_data-credit_gl.
832     l_wa_logtab-rbukrs    = fp_final_data-bukrs.
833     l_wa_logtab-ryear     = fp_final_data-gjahr.
834     l_wa_logtab-typ       = c_error.           "++MOD-002
835     l_wa_logtab-msg       = l_v_message.
836
837     APPEND l_wa_logtab TO i_logtab.
838     CLEAR: l_wa_logtab.
839 ENDIF.
840
841 CLEAR l_v_message.
842
843 ENDFORM.           " F_RETURN_MSG
844 *&-----*
845 *&      Form   F_CLEAR_DATA
846 *&-----*
847 *      text
848 *-----*
849 *  -->  p1      text
850 *  <--  p2      text
851 *-----*
852 FORM f_clear_data .
853
854     CLEAR: v_pathp,
855            v_name,
856            v_file,
857            i_data[],
858            i_final_data[],
859            v_eflag,
860            v_bukrs,
861            i_logtab[].
862
863 ENDFORM.           " F_CLEAR_DATA
864 *&-----*
865 *&      Form   F_ALV_DISPLAY
866 *&-----*
867 *      text
868 *-----*
869 *  -->  p1      text
870 *  <--  p2      text
871 *-----*
872 FORM f_alv_display .
873
874     DATA: l_wa_layout TYPE slis_layout_alv,
875            l_i_fcat    TYPE slis_t_fieldcat_alv, "internal table for alv
876            l_v_pos     TYPE sy-cucol,           " position of the column
877            l_v_text     TYPE dd03p-scrtext_l.   "text
878
879     l_wa_layout-colwidth_optimize = abap_true.
880

```

```
881     IF i_logtab[] IS NOT INITIAL.
882     ***G/L
883         l_v_pos = l_v_pos + 1.
884         l_v_text = text-002.
885         PERFORM f_build_fieldcatalog USING c_credit_gl_acc
886                                           l_v_text
887                                           l_v_pos
888                                           CHANGING l_i_fcat.
889         CLEAR l_v_text.
890
891     ***FISCAL YEAR
892         l_v_pos = l_v_pos + 1.
893         l_v_text = text-003.
894         PERFORM f_build_fieldcatalog USING c_ryear
895                                           l_v_text
896                                           l_v_pos
897                                           CHANGING l_i_fcat.
898         CLEAR l_v_text.
899
900     ***CoCD
901         l_v_pos = l_v_pos + 1.
902         l_v_text = text-004.
903         PERFORM f_build_fieldcatalog USING c_bukrs
904                                           l_v_text
905                                           l_v_pos
906                                           CHANGING l_i_fcat.
907         CLEAR l_v_text.
908
909     ***DOCUMENT NO.
910         l_v_pos = l_v_pos + 1.
911         l_v_text = text-005.
912         PERFORM f_build_fieldcatalog USING c_docnr
913                                           l_v_text
914                                           l_v_pos
915                                           CHANGING l_i_fcat.
916         CLEAR l_v_text.
917
918     ***MESSAGE TYPE
919         l_v_pos = l_v_pos + 1.
920         l_v_text = text-007.
921         PERFORM f_build_fieldcatalog USING c_msgtyp
922                                           l_v_text
923                                           l_v_pos
924                                           CHANGING l_i_fcat.
925         CLEAR l_v_text.
926
927     ***MESSAGE
928         l_v_pos = l_v_pos + 1.
929         l_v_text = text-006.
930         PERFORM f_build_fieldcatalog USING c_msg
931                                           l_v_text
932                                           l_v_pos
933                                           CHANGING l_i_fcat.
934         CLEAR l_v_text.
935
936     ***File Name
937         l_v_pos = l_v_pos + 1.
938         l_v_text = text-008.
939         PERFORM f_build_fieldcatalog USING c_fname
940                                           l_v_text
941                                           l_v_pos
```

```

942             CHANGING l_i_fcat.
943     CLEAR l_v_text.
944
945     CLEAR l_v_pos.
946     SORT i_logtab BY ryear rbukrs.
947
948     CALL FUNCTION 'REUSE_ALV_GRID_DISPLAY'
949       EXPORTING
950         i_bypassing_buffer      = abap_true
951         i_callback_program      = sy-repid
952         i_callback_user_command = c_user_command1
953         is_layout               = l_wa_layout
954         it_fieldcat             = l_i_fcat
955         i_default               = abap_true
956         i_save                  = abap_true
957         it_events               = i_events
958       TABLES
959         t_outtab               = i_logtab[]
960       EXCEPTIONS
961         program_error          = 1
962         OTHERS                 = 2.
963     IF sy-subrc <> 0.
964       MESSAGE s005 DISPLAY LIKE c_error. "Error in generating alv
965       LEAVE LIST-PROCESSING.
966     ENDIF.
967   ENDIF.
968
969   CLEAR i_logtab[].
970
971   ENDFORM.             " F_ALV_DISPLAY
972 *-----*
973 *      Form  F_BUILD_FIELDCATALOG
974 *-----*
975 *      text
976 *-----*
977 *      —>P_C_CREDIT_GL_ACC  text
978 *      —>P_L_V_TEXT        text
979 *      —>P_L_V_POS         text
980 *      <—P_L_I_FCAT        text
981 *-----*
982   FORM f_build_fieldcatalog USING fp_name   TYPE slis_fieldname
983                                fp_text    TYPE dd03p-scrtext_l
984                                fp_pos     TYPE sy-cucol
985                                CHANGING fp_i_fcat TYPE slis_t_fieldcat_alv.
986
987   DATA: l_wa_fldcat TYPE slis_fieldcat_alv. "Workarea for fld catalog
988
989   l_wa_fldcat-col_pos  = fp_pos.   "Column position
990   l_wa_fldcat-fieldname = fp_name.  "Field name
991   l_wa_fldcat-seltext_l = fp_text.  "Text
992
993   IF fp_name = c_docnr.
994     l_wa_fldcat-hotspot = abap_true.
995   ENDIF.
996
997   IF fp_name EQ c_credit_gl_acc.
998     l_wa_fldcat-outputlen = 15 ##NUMBER_OK.
999   ELSEIF fp_name EQ c_msg.
1000     l_wa_fldcat-outputlen = 200 ##NUMBER_OK.
1001   ENDIF.
1002

```

```

1003     APPEND l_wa_fldcat TO fp_i_fcat.
1004     CLEAR: l_wa_fldcat.
1005
1006     ENDFORM.                                "f_build_fieldcatalog
1007     *&-----
1008     *
1009     *&         Form   f_user_command1
1010     *&-----
1011     *
1012     *         text
1013     *-----
1014     *
1015     *         —>FP_V_UCOMM      text
1016     *         —>##CALLED      text
1017     *         —>FP_RS_SELFIELD text
1018     *         —>##NEEDED      text
1019     *-----
1020     *
1021     FORM f_user_command1 USING fp_v_ucomm      LIKE sy-ucomm      ##called
1022                               fp_rs_selfield TYPE slis_selfield ##needed.
1023
1024     FIELD-SYMBOLS: <l_fs_logtab> TYPE ty_log.
1025
1026     IF fp_v_ucomm = c_click.
1027
1028         IF fp_rs_selfield-fieldname EQ c_docnr.
1029             READ TABLE i_logtab ASSIGNING <l_fs_logtab>
1030                               INDEX fp_rs_selfield-tabindex.
1031             IF sy-subrc IS INITIAL.
1032                 SET PARAMETER ID c_bln FIELD <l_fs_logtab>-docnr.
1033                 SET PARAMETER ID c_buk FIELD <l_fs_logtab>-rbukrs.
1034                 SET PARAMETER ID c_gjr FIELD <l_fs_logtab>-ryear.
1035             ***Hotspot for tcode FB03
1036             CALL TRANSACTION c_tcode AND SKIP FIRST SCREEN.  "#EC CI_CALLTA
1037             UNASSIGN <l_fs_logtab>.
1038         ENDIF.
1039     ENDIF.
1040     ELSEIF fp_v_ucomm = c_exit.
1041         SET SCREEN 0.
1042         LEAVE SCREEN.
1043     ENDIF.
1044
1045     ENDFORM.                                "F_USER_COMMAND1
1046     *&-----*
1047     *&         Form   F_CAL_TAX
1048     *&-----*
1049     *         text
1050     *-----*
1051     *         —>P_<L_FS_FINAL_DATA>_BUKRS  text
1052     *         —>P_<L_FS_FINAL_DATA>_TAX_CODE text
1053     *         <—P_L_V_TAX  text
1054     *-----*
1055     FORM f_cal_tax USING fp_bukrs      TYPE bukr
1056                               fp_tax_code TYPE mws
1057                               fp_supp_fee TYPE char23
1058                               CHANGING fp_v_tax      TYPE char16
1059                               fp_v_ktosl  TYPE ktosl  "Transaction Key
1060                               fp_v_kschl  TYPE kschl.  "Condition Type.
1061
1062     DATA: l_v_wrbtr TYPE wrbtr, "Amount field
1063           l_i_mwdat  TYPE STANDARD TABLE OF rtax1u15, "tax items.

```

```
1064      l_v_taxrnd TYPE j_1itaxamt,"Total tax amount
1065      l_v_total  TYPE wmwst."tax amount in doc curr.
1066
1067  FIELD-SYMBOLS: <l_fs_mwdat> TYPE rtax1u15. "tax cal
1068
1069  CONSTANTS: l_c_curr TYPE waers VALUE 'JPY'."Currency
1070
1071  l_v_wrbtr = fp_supp_fee.
1072
1073  CALL FUNCTION 'CALCULATE_TAX_FROM_NET_AMOUNT'
1074    EXPORTING
1075      i_bukrs      = fp_bukrs
1076      i_mwskz      = fp_tax_code
1077      i_waers      = l_c_curr
1078      i_wrbtr      = l_v_wrbtr
1079    TABLES
1080      t_mwdat      = l_i_mwdat
1081    EXCEPTIONS
1082      bukrs_not_found = 1
1083      country_not_found = 2
1084      mwskz_not_defined = 3
1085      mwskz_not_valid = 4
1086      ktosl_not_found = 5
1087      kalsm_not_found = 6
1088      parameter_error = 7
1089      knumh_not_found = 8
1090      kschl_not_found = 9
1091      unknown_error = 10
1092      account_not_found = 11 ##NUMBER_OK
1093      txjcd_not_valid = 12 ##NUMBER_OK
1094      OTHERS = 13 ##NUMBER_OK.
1095  IF sy-subrc <> 0.
1096    CLEAR: l_i_mwdat[].
1097  ENDIF.
1098
1099  IF l_i_mwdat[] IS NOT INITIAL.
1100    LOOP AT l_i_mwdat ASSIGNING <l_fs_mwdat>.
1101      IF <l_fs_mwdat>-wmwst IS NOT INITIAL.
1102        l_v_taxrnd = <l_fs_mwdat>-wmwst.
1103        CALL FUNCTION 'J_1I6_ROUND_TO_NEAREST_AMT'
1104          EXPORTING
1105            i_amount = l_v_taxrnd
1106          IMPORTING
1107            e_amount = l_v_taxrnd.
1108
1109        <l_fs_mwdat>-wmwst = l_v_taxrnd.
1110        CLEAR l_v_taxrnd.
1111      * get the summation of all the wmwsts
1112      l_v_total = l_v_total + <l_fs_mwdat>-wmwst.
1113      fp_v_kschl = <l_fs_mwdat>-kschl.
1114      fp_v_ktosl = <l_fs_mwdat>-ktosl.
1115    ENDIF.
1116    fp_v_tax = l_v_total.
1117  ENDLOOP.
1118  ENDIF.
1119
1120  CLEAR: l_v_wrbtr,
1121        l_i_mwdat,
1122        l_v_taxrnd,
1123        l_v_total.
1124
```



```

1125 ENDFORM.                                " F_CAL_TAX
1126 *&-----*
1127 *&      Form  F_FOLDER_UPDATE
1128 *&-----*
1129 *      Move file in error and archive folder
1130 *-----*
1131 FORM f_folder_update USING fp_fname TYPE eps2filnam
1132                        fp_path TYPE eps2filnam.
1133
1134     CONSTANTS: l_c_cname TYPE sxpgcolist-name VALUE 'ZMOVE',"Move command
1135                l_c_slash TYPE char1 VALUE '/',
1136                l_c_archive TYPE char10 VALUE 'ARCHIVE/',
1137                l_c_error TYPE char10 VALUE 'ERROR/'.
1138
1139     DATA : l_v_param      TYPE sxpgcolist-parameters,
1140            l_v_sourpath TYPE salfile-longname,
1141            l_v_trgpath  TYPE salfile-longname,
1142            l_v_errpath  TYPE salfile-longname ##NEEDED,
1143            l_v_len      TYPE i,
1144            l_v_success  TYPE i ##NEEDED.
1145
1146     l_v_len = strlen( fp_path ).
1147     l_v_len = l_v_len - 1.
1148
1149     IF fp_path+l_v_len(1) NE l_c_slash.
1150         CONCATENATE fp_path l_c_slash INTO fp_path.
1151     ENDIF.
1152 * Begin of changes by S204711          MOD-002
1153 *   CONCATENATE fp_path l_c_archive fp_fname INTO l_v_trgpath. " archive
1154 *   file path
1155 *   CONCATENATE fp_path l_c_error fp_fname INTO l_v_errpath. " error file
1156 *   path
1157 * End of changes by S204711          MOD-002
1158 *   CONCATENATE fp_path fp_fname INTO l_v_sourpath.
1159 *   Main file should be moved in archive folder
1160 *   l_v_param field should contain source file name with target file name
1161 *   with path
1162 *   IF v_eflag IS INITIAL.          "++MOD-002
1163 *       CONCATENATE fp_path l_c_archive fp_fname INTO l_v_trgpath. "archive
1164 *       file path "++MOD-002
1165 *       CONCATENATE l_v_sourpath l_v_trgpath INTO l_v_param
1166 *       SEPARATED BY space.
1167 *   ELSE.
1168 *       CONCATENATE fp_path l_c_error fp_fname INTO l_v_errpath. " error fil
1169 *       e path
1170 *       CONCATENATE l_v_sourpath l_v_errpath INTO l_v_param
1171 *       SEPARATED BY space.
1172 *   ENDIF.
1173 * End of addtion by S204711          MOD-002
1174
1175     CALL FUNCTION 'SXPG_COMMAND_EXECUTE' ##FM_SUBRC_OK
1176     EXPORTING
1177         commandname                = l_c_cname
1178         additional_parameters      = l_v_param
1179     IMPORTING
1180         exitcode                   = l_v_success
1181     EXCEPTIONS
1182         no_permission              = 1 ##number_ok
1183         command_not_found          = 2 ##number_ok
1184         parameters_too_long        = 3 ##number_ok

```



```
1181      security_risk                = 4 ##number_ok
1182      wrong_check_call_interface    = 5 ##number_ok
1183      program_start_error           = 6 ##number_ok
1184      program_termination_error     = 7 ##number_ok
1185      x_error                       = 8 ##number_ok
1186      parameter_expected            = 9 ##number_ok
1187      too_many_parameters           = 10 ##number_ok
1188      illegal_command               = 11 ##number_ok
1189      wrong_asynchronous_parameters = 12 ##number_ok
1190      cant_enq_tbtco_entry          = 13 ##number_ok
1191      jobcount_generation_error     = 14 ##number_ok
1192      OTHERS                       = 15 ##number_ok.
1193
1194      IF sy-subrc <> 0.
1195          IF sy-subrc EQ 1.
1196              MESSAGE i144 DISPLAY LIKE c_succ. "No permission
1197          ELSE.
1198              MESSAGE i156 DISPLAY LIKE c_succ."File can't be moved to destinati
on
1199          ENDIF.
1200      ENDIF.
1201
1202      ENDFORM.                  " F_FOLDER_UPDATE
1203      *&-----*
1204      *&      Form  F_ERROR_LOG
1205      *&-----*
1206      *      Add error log
1207      *-----*
1208      FORM f_error_log USING fp_final_data TYPE /ccbjr/rtr_fisupp
1209                          fp_log_msg TYPE char255. "Message text.
1210
1211      DATA: l_wa_logtab TYPE ty_log. "Work area for Log
1212
1213      l_wa_logtab-credit_gl = fp_final_data-credit_gl.
1214      l_wa_logtab-rbukrs    = fp_final_data-bukrs.
1215      l_wa_logtab-ryear     = fp_final_data-gjahr.
1216      l_wa_logtab-typ       = c_error.
1217      l_wa_logtab-msg       = fp_log_msg.
1218
1219      APPEND l_wa_logtab TO i_logtab.
1220      CLEAR: l_wa_logtab.
1221
1222      ENDFORM.                  " F_ERROR_LOG
```

```

1  *&-----*
2  *Program Name      : /CCBJI/RUFIGLR_SUPPFI_POST_TOP      *
3  *Program Title     : Support fee FI-posting through AL11 path *
4  *Program Type      : Top Include                          *
5  *Description       : Support fee FI-posting through AL11 path *
6  *Date              : 01-October-2021                     *
7  *Author            : <Venkata Sai Ram Jami> <EJX9004403> *
8  *Run Frequency     : Month end activity                   *
9  *Transport Number  : MJRK914905 (8000008436)             *
10 *RICEF ID          : GAP-1000002273 Support fee posting   *
11 *Release           : Finance DX Transformation project    *
12 *-----*
13 *-----*
14 *          ===== MODIFICATION LOG =====          *
15 *-----*
16 * Mod No.          : MOD-001                              *
17 * Date             : 01/11/2021                          *
18 * Author           : Kundan Kumar(S204711)                *
19 * Change Reference : Defect-9000015082                    *
20 * Transport Number : MJRK915410                          *
21 * Change Request   : 8000008658                          *
22 * Change Description : Restrict line items to resolve posting issue *
23 *-----*
24 * Mod No.          : MOD-002                              *
25 * Date             : 22/06/2022                          *
26 * Author           : Kundan Kumar(S204711)                *
27 * Change Reference : Defect 9000016743(QA231)              *
28 * Transport Number : DJRK9A0FLV                          *
29 * Change Description : Validation on cost center and cost element *
30 *-----*
31 *&-----*
32 *& Include          /CCBJI/RUFIGLR_SUPPFI_POST_TOP      *
33 *&-----*
34
35 TYPES: BEGIN OF ty_log,
36         credit_gl TYPE racct,      "suppfee credit g/l acc
37         ryear      TYPE ryear,      "fiscal year
38         rbukrs     TYPE bukrs,      "company code
39         docnr      TYPE belnr_d,    "doc no.
40         typ TYPE bapi_mtype,        "message type
41         msg        TYPE char255,    "msg text
42         filenm     TYPE pfe_fname,  " file name
43         END OF ty_log.
44
45 DATA: v_pathp TYPE eps2filnam ##needed, "Physical path assign
46        v_name  TYPE eps2filnam ##needed,
47        *      v_file TYPE edi_pthnam ##needed, "—MOD-002
48        v_file  TYPE localfile ##needed, "++MOD-002
49        v_bllart TYPE blart ##needed,
50        i_data   TYPE STANDARD TABLE OF string ##needed,
51        i_final_data TYPE /ccbj/rtr_fisupp_ty ##needed,
52        v_eflag  TYPE kennzx ##needed,
53        v_bukrs  TYPE char4 ##needed,
54        i_logtab TYPE STANDARD TABLE OF ty_log ##needed, "logtab
55        i_events TYPE STANDARD TABLE OF slis_alv_event ##needed.
56
57 CONSTANTS: c_succ TYPE char1 VALUE 'S', "Success indicator
58            c_error TYPE char1 VALUE 'E', "Error message
59            c_comma TYPE char01 VALUE ',', "Comma
60            c_f TYPE char4 VALUE 'FILE', "file parameter
61            c_r TYPE char4 VALUE 'READ', "read parameter in fm

```

```
62      c_code      TYPE char4 VALUE '8000',"Code page
63      c_success   TYPE char01 VALUE 'S',"Success msg
64      c_credit_gl_acc TYPE slis_fieldname VALUE 'CREDIT_GL',
65      c_docnr      TYPE slis_fieldname VALUE 'DOCNR',"Doc no.
66      c_msg        TYPE slis_fieldname VALUE 'MSG',"Messag
67      c_ryear      TYPE slis_fieldname VALUE 'RYEAR',"FiscalYear
68      c_bukrs      TYPE slis_fieldname VALUE 'RBUKRS',"Compcode
69      c_msgtyp     TYPE slis_fieldname VALUE 'TYP',"Type
70      c_fname      TYPE slis_fieldname VALUE 'FILENM',"Type
71      c_user_command1 TYPE slis_formname VALUE 'F_USER_COMMAND1' #
#needed,
72      c_click TYPE sy-ucomm VALUE '&IC1',"usercommand for hotspot
73      c_buk     TYPE char03 VALUE 'BUK',"Company code
74      c_bln     TYPE char03 VALUE 'BLN',"Doc no.
75      c_gjr     TYPE char03 VALUE 'GJR',"Fiscal year
76      c_tcode   TYPE sy-tcode VALUE 'FB03',"tcode.
77      c_start_date TYPE char_02 VALUE '01',"Month start date
78      c_exit     TYPE sy-ucomm VALUE 'EXIT'.
```

Title:

Text elements:

001	Input parameter
002	GL Account
003	Fiscal Year
004	Company Code
005	Document no.
006	Message
007	Message Type
008	File Name
009	Options
010	Cost Center code is not valid:
011	Cost Center code is missing

Selection texts:

P_APFILE	Logical file path
P_BUKRS	Company Code
RB_POST	Posting
RB_SIM	Simulation
S_BLART	Document type

Owner..... S180473
Short text..... RTR messages for CCEJ
Edit Language EN
Status 07.10.24

/CCEJ/RTR005	Please enter a valid Credit rep.group
/CCEJ/RTR018	Physical Path is not found.
/CCEJ/RTR113	Please input filepath.
/CCEJ/RTR143	Error while opening file
/CCEJ/RTR144	No Permission to move file to destination
/CCEJ/RTR145	Physical path is not found as parameter is missing.
/CCEJ/RTR146	Physical path is not found as operating system is not fo
/CCEJ/RTR147	Physical path is not found as File system is missing
/CCEJ/RTR148	Error occured while reading physical path.
/CCEJ/RTR156	File cannot be moved to destination

Subroutines:

	Line	Page
F_ALV_DISPLAY.....	/CCBJI/RUFIGLR_SUPPFI_POST 75	3
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 872	19
F_BUILD_FIELDCATALOG.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 885	20
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 894	20
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 903	20
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 912	20
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 921	20
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 930	20
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 939	20
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 982	21
F_CAL_TAX.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 481	13
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 1055	22
F_CLEAR_DATA.....	/CCBJI/RUFIGLR_SUPPFI_POST 59	2
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 852	19
F_ERROR_LOG.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 436	12
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 445	12
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 1208	25
F_FILE_PATH.....	/CCBJI/RUFIGLR_SUPPFI_POST 65	3
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 41	5
F_FILL_HEADER.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 542	14
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 631	15
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 721	17
F_FOLDER_UPDATE.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 147	7
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 1131	24
F_IMPORT_DATA.....	/CCBJI/RUFIGLR_SUPPFI_POST 69	3
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 92	6
F_POSTING.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 145	7
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 225	8
F_READ_DATA.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 143	7
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 164	7
F_RETURN_MSG.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 585	15
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 674	16
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 795	18
F_USER_COMMAND1.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 1021	22

Messages:

	Line	Page
/CCEJ/RTR005.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 964	21
/CCEJ/RTR018.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 69	6
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 79	6
/CCEJ/RTR113.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 83	6
/CCEJ/RTR143.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 179	7
/CCEJ/RTR144.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 1196	25
/CCEJ/RTR145.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 71	6
/CCEJ/RTR146.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 73	6
/CCEJ/RTR147.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 75	6
/CCEJ/RTR148.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 77	6
/CCEJ/RTR156.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 1198	25

External calls

Function Modules	Line	Page
AUTHORITY_CHECK_DATASET.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 120	6
BAPI_ACC_DOCUMENT_CHECK.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 553	14
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 642	16
BAPI_ACC_DOCUMENT_POST.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 570	14
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 659	16
BAPI_TRANSACTION_COMMIT.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 592	15
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 681	16
BAPI_TRANSACTION_ROLLBACK.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 596	15
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 685	16
CALCULATE_TAX_FROM_NET_AMOUNT.	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 1073	23
CONVERSION_EXIT_ALPHA_INPUT...	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 325	10
EPS2_GET_DIRECTORY_LISTING....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 103	6
FILE_GET_NAME_USING_PATH.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 49	5
J_1I6_ROUND_TO_NEAREST_AMT....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 1103	23
REUSE_ALV_GRID_DISPLAY.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 948	21
SN_LAST_DAY_OF_MONTH.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 770	18
SXPG_COMMAND_EXECUTE.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 1171	24

SET/GET Parameters	Line	Page
?.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 1032	22
?.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 1033	22
?.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 1034	22

Transactions:	Line	Page
?.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB 1036	22

DATABASE OPERATIONS

SELECT:

		Line	Page
CSKB.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB	347	10
CSKS.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB	367	11
TVARVC.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB	293	9
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB	303	10
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB	315	10

INTERNAL TABLE OPERATIONS

READ TABLE:

		Line	Page
FP_I_RETURN.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB	806	18
I_LOGTAB.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB	1029	22
L_I_ACCGL.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB	394	11
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB	521	13
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB	614	15
L_I_CSKB.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB	416	11
L_I_CSKS.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB	425	12

DELETE:

		Line	Page
FP_I_RETURN.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB	824	19
L_I_FINAL.....	/CCBJI/RUFIGLR_SUPPFI_POST_SUB	339	10
	/CCBJI/RUFIGLR_SUPPFI_POST_SUB	361	11
